Cucumber Report

| Start : Nov 29, 12:15:37.393 PM	End : Nov 29, 12:15:44.228 PM	Duration : 6.835 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 0 FAILED - 2 SKIPPED - 11

1

2

13

40 50 60
30 Pass % 70
20 80
10 90
0 %
0 100

40 50 60
30 Pass % 70
20 80
10 90
0 %
0 100

40 50 60
30 Pass % 70
20 80
10 90
0 %
0 100

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Checking the Functionality of Birth and Death	6.835 s	2	0	2	0	13	0	2	11

#	*Feature Name*	*Scenario Name*
1	*Checking the Functionality of Birth and Death*	*Check the birth functionality*
2		*Check the death functionality*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@BirthRecord	1	0	1	0	1	0	1	0
@DeathRecord	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	*Checking the Functionality of Birth and Death*	2	0	2	0	6.835 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Functionality of Birth and Death	Check the birth functionality	7	0	1	6	4.176 s
2		Check the death functionality	6	0	1	5	2.641 s

Checking the Functionality of Birth and Death

FAILED	DURATION - 6.835 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0	2	Steps Total - 13 Pass - 0 Fail - 2 Skip - 11	13
/ 12:15:37.393 PM // 12:15:44.228 PM /					

Check the birth functionality

FAILED	DURATION - 4.176 s		Steps Total - 7 Pass - 0 Fail - 1 Skip - 6	7
/ 12:15:37.395 PM // 12:15:41.571 PM /				
Checking the Functionality of Birth and Death				
@BirthRecord				

#	Step / Hook Details	Status	Duration
1	Given user need to be login into the page	FAILED	0.029 s

	java.lang.NullPointerException: null value in entry: url=null
	    at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)
	    at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)
	    at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:83)
	    at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:130)
	    at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)
	    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304)
	    at com.utility.HelperClass.openPage(HelperClass.java:36)
	    at com.stepdefinition.BirthStepdefinition.user_need_to_be_login_into_the_page(BirthStepdefinition.java:23)
	    at ?.user need to be login into the page(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/deathandbirth.feature:5)
	* Not displayable characters are replaced by '?'.		

2	When the user clicks on Birth and Death Record	SKIPPED	0.000 s
3	And the user clicks on Birth Record	SKIPPED	0.000 s
4	And the user clicks on Add Birth Record	SKIPPED	0.000 s
5	And the user enters the required values for birth record	SKIPPED	0.000 s
6	And the user clicks Save	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
7	Then the birth record should be successfully saved	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Check the birth functionality	PASSED	0.380 s

Check the death functionality

FAILED	DURATION - 2.641 s		Steps	
/ 12:15:41.587 PM // 12:15:44.228 PM /			Total - 6	
Checking the Functionality of Birth and Death			Pass - 0	
			Fail - 1	
@DeathRecord			Skip - 5	

#	Step / Hook Details	Status	Duration
1	Given user need to be login into the page	FAILED	0.002 s

	java.lang.NullPointerException: null value in entry: url=null
	   at com.google.common.collect.CollectPreconditions.checkEntryNotNull(CollectPreconditions.java:33)
	   at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43)
	   at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:83)
	   at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:130)
	   at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191)
	   at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304)
	   at com.utility.HelperClass.openPage(HelperClass.java:36)
	   at com.stepdefinition.BirthStepdefinition.user_need_to_be_login_into_the_page(BirthStepdefinition.java:23)
	   at ?.user need to be login into the page(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/deathandbirth.feature:14)
	* Not displayable characters are replaced by '?'.		

2	When the user clicks on Death Record	SKIPPED	0.000 s
3	And the user clicks on Add Death Record	SKIPPED	0.000 s
4	And the user enters valid entries for death record	SKIPPED	0.000 s
5	And the user clicks Save Death Record	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	Then the death record should be successfully saved	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Check the death functionality	PASSED	0.342 s