Cucumber Report

| Start : Nov 29, 10:07:24.577 AM	End : Nov 29, 10:13:20.704 AM	Duration : 5 m 56.127 s
Features	Scenarios	Steps
PASSED - 3 FAILED - 3 SKIPPED - 0	PASSED - 17 FAILED - 6 SKIPPED - 0	PASSED - 126 FAILED - 6 SKIPPED - 6

Features: 6 — 50 %

Scenarios: 23 — 73 %

Steps: 138 — 91 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Checking the billing Module	1 m 38.969 s	4	2	2	0	33	27	2	4
Checking the Front office Module	48.939 s	4	4	0	0	20	20	0	0
Checking the Inpatient Module	57.015 s	4	3	1	0	25	24	1	0
Testing the functionality of the smart hospital	36.428 s	3	3	0	0	19	19	0	0
Checking the Outpatient Module	1 m 7.021 s	4	1	3	0	25	20	3	2
Checking the User Login feature	47.727 s	4	4	0	0	16	16	0	0

| #	Feature Name	Scenario Name
1	Checking the billing Module	Checking the mandatory fields for the new patient details
2		Intentionally failing in billig module
3	Checking the Inpatient Module	Checking the mandatory fields for the new patient details in Inpatient
4	Checking the Outpatient Module	checking the new patient at out patient
5		Checking the mandatory fields for the new patient details in outpatient
6		Intentionally failing in OutPatient module

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@NotMandatory	1	1	0	0	1	0	1	0
@MandatoryBill	1	1	0	0	1	0	1	0
@FullBilling	1	0	1	0	1	0	1	0
@BillingNotMandatory	1	0	1	0	1	0	1	0
@EnterAllFeildInFO	1	1	0	0	1	1	0	0
@NotEnterAllFeildInFO	1	1	0	0	1	1	0	0
@EnterAllFeildInFOasInquiry	1	1	0	0	1	1	0	0
@EnterAllFeildInFOasSeminar	1	1	0	0	1	1	0	0
@NotEnterAllFeildInOp	2	2	0	0	2	0	2	0
@MandatoryOp	2	1	1	0	2	0	2	0
@FullInPatient	1	0	1	0	1	0	1	0
@OpNotMandatory	2	1	1	0	2	0	2	0
@MyAppointments	1	1	0	0	1	1	0	0
@Pharmacy	1	1	0	0	1	1	0	0
@ToDoCalendar	1	1	0	0	1	1	0	0
@FullOutPatient	1	0	1	0	1	0	1	0
@Radiology	1	1	0	0	1	1	0	0

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Ambulance	1	1	0	0	1	1	0	0
@BloodBank	1	1	0	0	1	1	0	0
@Whatsapp	1	1	0	0	1	1	0	0

#	Feature Name	T	P	F	S	Duration
1	Checking the billing Module	4	2	2	0	1 m 38.969 s
2	Checking the Front office Module	4	4	0	0	48.939 s
3	Checking the Inpatient Module	4	3	1	0	57.015 s
4	Testing the functionality of the smart hospital	3	3	0	0	36.428 s
5	Checking the Outpatient Module	4	1	3	0	1 m 7.021 s
6	Checking the User Login feature	4	4	0	0	47.727 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the billing Module	Missing the mandatory fields intentionally in new patient	8	8	0	0	17.198 s
2		checking the new patient	8	8	0	0	15.054 s
3		Checking the mandatory fields for the new patient details	9	6	1	2	33.200 s
4		Intentionally failing in billig module	8	5	1	2	33.484 s
5	Checking the Front office Module	Enter all fields in front office as visitor and save	5	5	0	0	12.108 s
6		Missing the mandatory fields intentionally in new patient for front office	5	5	0	0	12.065 s
7		Enter all fields in front office as inquiry and save	5	5	0	0	11.797 s
8		Enter all fields in front office as seminar and save	5	5	0	0	12.938 s
9	Checking the Inpatient Module	Missing the mandatory fields intentionally in new patient for OutPatient office	6	6	0	0	9.943 s
10		checking the new patient at out patient	6	6	0	0	9.960 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Checking the Inpatient Module	Checking the mandatory fields for the new patient details in Inpatient	7	6	1	0	14.082 s
12		Intentionally failing in InPatient module	6	6	0	0	23.018 s
13	Testing the functionality of the smart hospital	Testing Appointment Functionlaity	7	7	0	0	16.300 s
14		Testing Pharmacy Functionality	5	5	0	0	10.432 s
15		Testing Calendar Functionality	7	7	0	0	9.686 s
16	Checking the Outpatient Module	Missing the mandatory fields intentionally in new patient for OutPatient office	6	6	0	0	10.683 s
17		checking the new patient at out patient	6	5	1	0	9.790 s
18		Checking the mandatory fields for the new patient details in outpatient	7	5	1	1	23.061 s
19		Intentionally failing in OutPatient module	6	4	1	1	23.477 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
20	Checking the User Login feature	Searching the report and downloading the pdf	4	4	0	0	9.579 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
21	Checking the User Login feature	Adding the payment details	4	4	0	0	13.286 s
22		Sorting the component issue using component name	4	4	0	0	9.235 s
23		Sending chat to the staff member	4	4	0	0	15.616 s

Checking the billing Module

FAILED	DURATION - 1 m 38.969 s	Scenarios	Steps
/ 10:07:24.577 AM // 10:09:03.546 AM /		Total - 4 Pass - 2 Fail - 2 Skip - 0	Total - 33 Pass - 27 Fail - 2 Skip - 4

Missing the mandatory fields intentionally in new patient

PASSED	DURATION - 17.198 s		Steps
/ 10:07:24.579 AM // 10:07:41.777 AM /			Total - 8
Checking the billing Module			Pass - 8 Fail - 0
@NotMandatory			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	5.431 s
2	Given user enters into Billing	PASSED	0.591 s
3	When user clicks the opd	PASSED	3.542 s
4	And clicks the Add patient	PASSED	0.033 s
5	And clicks the new patient	PASSED	0.030 s
6	And enter some fields	PASSED	0.414 s
7	Then Assert the error	PASSED	2.043 s
8	And Logout1	PASSED	0.926 s

checking the new patient

PASSED	*DURATION - 15.054 s*

/ 10:07:41.788 AM // 10:07:56.842 AM /

Checking the billing Module

@MandatoryBill

Steps
Total - 8
Pass - 8
Fail - 0
Skip - 0

8

#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	5.240 s
2	Given user enters into Billing	PASSED	0.624 s
3	When user clicks the opd	PASSED	3.581 s
4	And clicks the Add patient	PASSED	0.034 s
5	And clicks the new patient	PASSED	0.030 s
6	And enter the Mandatory fields only	PASSED	0.692 s
7	Then Assert the successfull message	PASSED	0.240 s
8	And Logout1	PASSED	0.963 s

## Checking the mandatory fields for the new patient details

FAILED	*DURATION - 33.200 s*

/ 10:07:56.851 AM // 10:08:30.051 AM /

Checking the billing Module

@FullBilling

Steps
Total - 9
Pass - 6
Fail - 1
Skip - 2

9

#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	5.121 s
2	Given user enters into Billing	PASSED	0.602 s
3	When user clicks the opd	PASSED	3.561 s
4	And clicks the Add patient	PASSED	0.031 s
5	And clicks the new patient	PASSED	0.031 s

#	Step / Hook Details	Status	Duration
6	And enter the Mandatory fields only	PASSED	0.674 s
7	Then enters the other OPD details	FAILED	20.243 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //li[@class='select2-results__option select2-results__option--highlighted']/following-sibling::li[1]' (tried for 10 second(s) with 500 milliseconds interval)		
	at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)		
	at com.actions.BillingActions.otherOPDdetails(BillingActions.java:66)		
	at com.stepdefinition.AdminLoginStepDefinition.enters_the_other_opd_details(AdminLoginStepDefinition.java:80)		
	at ?.enters the other OPD details(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/Billing.feature:36)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[@class='select2-results__option select2-results__option--highlighted']/following-sibling::li[1]"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [02e5e1632d36acde6359b7afef7405e1, findElement {using=xpath, value=//li[@class='select2-results__option select2-results__option--highlighted']/following-sibling::li[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\tsridhar\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:50629}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50629/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 02e5e1632d36acde6359b7afef7405e1		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy39.isDisplayed(Unknown Source)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304)		
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:287)		
	at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:656)		
	at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:652)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)		
	at com.actions.BillingActions.otherOPDdetails(BillingActions.java:66)		
	at com.stepdefinition.AdminLoginStepDefinition.enters_the_other_opd_details(AdminLoginStepDefinition.java:80)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) * Not displayable characters are replaced by '?'.		
8	And checks the name	SKIPPED	0.001 s
9	And Logout1	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Checking the mandatory fields for the new patient details	PASSED	0.402 s

Intentionally failing in billig module

FAILED	DURATION - 33.484 s		Steps
/ 10:08:30.062 AM // 10:09:03.546 AM /			Total - 8
Checking the billing Module			Pass - 5
@BillingNotMandatory			Fail - 1
			Skip - 2

8

| #	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	5.390 s
2	Given user enters into Billing	PASSED	0.620 s
3	When user clicks the opd	PASSED	3.560 s
4	And clicks the Add patient	PASSED	0.025 s
5	And clicks the new patient	PASSED	0.031 s
6	And Missing Mandatory fields only	FAILED	20.943 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //li[@class='select2-results__option select2-results__option--highlighted']/following-sibling::li[1]' (tried for 10 second(s) with 500 milliseconds interval) 　at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) 　at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) 　at com.actions.BillingActions.missMandatoryField(BillingActions.java:106) 　at com.stepdefinition.AdminLoginStepDefinition.missing_mandatory_fields_only(AdminLoginStepDefinition.java:74) 　at ?.Missing Mandatory fields only(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/Billing.feature:47) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//li[@class='select2-results__option select2-results__option--highlighted']/following-sibling::li[1]"}　(Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85eb5b8ca05c8427951df706d1fe281c, findElement {using=xpath, value=//li[@class='select2-results__option select2-results__option--highlighted']/following-sibling::li[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\tsridhar\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:50678}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50678/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85eb5b8ca05c8427951df706d1fe281c 　at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) 　at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) 　at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) 　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) 　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) 　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) 　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) 　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) 　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) 　at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) 　at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy39.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304)		
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:287)		
	at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:656)		
	at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:652)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)		
	at com.actions.BillingActions.missMandatoryField(BillingActions.java:106)		
	at com.stepdefinition.AdminLoginStepDefinition.missing_mandatory_fields_only(AdminLoginStepDefinition.java:74)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		

| #	Step / Hook Details	Status	Duration
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	* Not displayable characters are replaced by '?'.		
7	Then Assert the intentional error	SKIPPED	0.001 s
8	And Logout1	SKIPPED	0.001 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.471 s
	Intentionally failing in billig module		

Checking the Front office Module

PASSED	DURATION - 48.939 s	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0	Steps Total - 20 Pass - 20 Fail - 0 Skip - 0
/ 10:09:03.554 AM // 10:09:52.493 AM /			

Enter all fields in front office as visitor and save

PASSED	DURATION - 12.108 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0
/ 10:09:03.555 AM // 10:09:15.663 AM /			
Checking the Front office Module			
@EnterAllFeildInFO			

#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	5.257 s
2	Given user enters into front office	PASSED	0.974 s
3	When clicks the Add visitors	PASSED	0.108 s
4	And enter all fields	PASSED	0.678 s
5	Then save the visitors	PASSED	2.085 s

Missing the mandatory fields intentionally in new patient for front office

PASSED	DURATION - 12.065 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0
/ 10:09:15.682 AM // 10:09:27.747 AM /			
Checking the Front office Module			
@NotEnterAllFeildInFO			

#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	5.999 s
2	Given user enters into front office	PASSED	1.036 s
3	When clicks the Add visitors	PASSED	0.102 s
4	And misses some fields	PASSED	0.367 s
5	Then Assert the error frontOffice	PASSED	2.024 s

Enter all fields in front office as inquiry and save

PASSED	DURATION - 11.797 s		
/ 10:09:27.754 AM // 10:09:39.551 AM /		Steps	
Checking the Front office Module		Total - 5 Pass - 5 Fail - 0 Skip - 0	5
@EnterAllFeildInFOasInquiry			

| #	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	5.205 s
2	Given user enters into front office	PASSED	0.992 s
3	When clicks the Add visitors as inquiry	PASSED	0.584 s
4	And enter all fields	PASSED	0.368 s
5	Then save the visitors	PASSED	2.085 s

Enter all fields in front office as seminar and save

PASSED	DURATION - 12.938 s		
/ 10:09:39.555 AM // 10:09:52.493 AM /		Steps	
Checking the Front office Module		Total - 5 Pass - 5 Fail - 0 Skip - 0	5
@EnterAllFeildInFOasSeminar			

#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	6.185 s
2	Given user enters into front office	PASSED	0.988 s
3	When clicks the Add visitors as seminar	PASSED	0.713 s
4	And enter all fields	PASSED	0.387 s
5	Then save the visitors	PASSED	2.058 s

Checking the Inpatient Module

FAILED	DURATION - 57.015 s	Scenarios		Steps	
/ 10:09:52.499 AM // 10:10:49.514 AM /		Total - 4 Pass - 3 Fail - 1 Skip - 0	4	Total - 25 Pass - 24 Fail - 1 Skip - 0	25

Missing the mandatory fields intentionally in new patient for OutPatient office

PASSED	DURATION - 9.943 s		Steps	
/ 10:09:52.499 AM // 10:10:02.442 AM /			Total - 6 Pass - 6 Fail - 0 Skip - 0	6
Checking the Inpatient Module				
@NotEnterAllFeildInOp				

| #	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	5.871 s
2	Given user enters into InPatient	PASSED	0.715 s
3	When clicks the Add patient	PASSED	0.032 s
4	And clicks the new patient	PASSED	0.023 s
5	And enter some fields in InPatient	PASSED	0.509 s
6	Then Assert the error in Inpatient	PASSED	0.265 s

checking the new patient at out patient

PASSED	*DURATION - 9.960 s*
/ 10:10:02.445 AM // 10:10:12.405 AM /	
Checking the Inpatient Module	
@MandatoryOp	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

| #	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	5.784 s
2	Given user enters into InPatient	PASSED	0.701 s
3	When clicks the Add patient	PASSED	0.032 s
4	And clicks the new patient	PASSED	0.023 s
5	And enter the Mandatory fields only in InPatient	PASSED	0.596 s
6	Then Assert the successfull message in InPatient	PASSED	0.238 s

Checking the mandatory fields for the new patient details in Inpatient

FAILED	*DURATION - 14.082 s*
/ 10:10:12.409 AM // 10:10:26.491 AM /	
Checking the Inpatient Module	
@FullInPatient	

Steps
Total - 7
Pass - 6
Fail - 1
Skip - 0

7

| #	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	5.703 s
2	Given user enters into InPatient	PASSED	0.754 s
3	When clicks the Add patient	PASSED	0.034 s
4	And clicks the new patient	PASSED	0.024 s
5	And enter the Mandatory fields only in InPatient	PASSED	0.714 s
6	Then enters the other OPD details in InPatient	PASSED	3.982 s
7	And checks the name in Inpatient	FAILED	0.048 s

#	Step / Hook Details	Status	Duration

	java.lang.AssertionError
	    at org.junit.Assert.fail(Assert.java:87)
	    at org.junit.Assert.assertTrue(Assert.java:42)
	    at org.junit.Assert.assertTrue(Assert.java:53)
	    at com.stepdefinition.AdminLoginStepDefinition.checks_the_name_in_inpatient(AdminLoginStepDefinition.java:280)
	    at ?.checks the name in Inpatient(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/Inpatient.feature:31)
	* Not displayable characters are replaced by '?'.		

	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Checking the mandatory fields for the new patient details in Inpatient 	PASSED	0.444 s

Intentionally failing in InPatient module

PASSED	DURATION - 23.018 s		Steps	
/ 10:10:26.496 AM // 10:10:49.514 AM /			Total - 6 Pass - 6 Fail - 0 Skip - 0	
Checking the Inpatient Module				
@OpNotMandatory				

| #	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	5.625 s
2	Given user enters into InPatient	PASSED	0.759 s
3	When clicks the Add patient	PASSED	0.028 s
4	And clicks the new patient	PASSED	0.025 s
5	And Missing Mandatory fields only in InPatient	PASSED	13.545 s
6	Then Assert the intentional error in InPatient	PASSED	0.502 s

Testing the functionality of the smart hospital

PASSED	DURATION - 36.428 s		Scenarios		Steps	
/ 10:10:49.518 AM // 10:11:25.946 AM /			Total - 3 Pass - 3 Fail - 0 Skip - 0	3	Total - 19 Pass - 19 Fail - 0 Skip - 0	19

Testing Appointment Functionlaity

PASSED	DURATION - 16.300 s		Steps	
/ 10:10:49.518 AM // 10:11:05.818 AM /			Total - 7 Pass - 7 Fail - 0 Skip - 0	7
Testing the functionality of the smart hospital				
@MyAppointments				

#	Step / Hook Details	Status	Duration
1	Given User enters into the User Login page	PASSED	8.415 s
2	When User Clicks MyAppointment	PASSED	0.931 s
3	And User Clicks AddAppointment	PASSED	0.196 s
4	Then User Enters All the details	PASSED	1.926 s
5	And User Click Save button	PASSED	0.878 s
6	Then User Search using Appointment number	PASSED	0.150 s
7	And User downloads Showing details as PDF	PASSED	0.281 s

Testing Pharmacy Functionality

PASSED	DURATION - 10.432 s		Steps	
/ 10:11:05.824 AM // 10:11:16.256 AM /			Total - 5 Pass - 5 Fail - 0 Skip - 0	5
Testing the functionality of the smart hospital				
@Pharmacy				

| #	Step / Hook Details	Status	Duration
1	Given User enters into the User Login page	PASSED	5.907 s
2	When User Clicks Pharmacy	PASSED	0.645 s
3	Then User will be redirected to the Pharmacy Page	PASSED	0.000 s
4	Then User checks Search functionality with Doctor name	PASSED	0.239 s
5	And User Downloads the details in ExcelFormat	PASSED	0.131 s

Testing Calendar Functionality

PASSED	DURATION - 9.686 s			Steps	
/ 10:11:16.260 AM // 10:11:25.946 AM /				Total - 7	
				Pass - 7	7
Testing the functionality of the smart hospital				Fail - 0	
				Skip - 0	
@ToDoCalendar					

| #	Step / Hook Details	Status	Duration
1	Given User enters into the User Login page	PASSED	5.833 s
2	When User Clicks Calendar button	PASSED	0.787 s
3	Then User Should moved to another Page	PASSED	0.001 s
4	And User should Click on ToDo button	PASSED	0.050 s
5	Then User will be Shown up with Pop-Up Box and Should send values to be added	PASSED	0.375 s
6	And User Clicks Save button	PASSED	0.051 s
7	And User Should See the Todo added into Calendar	PASSED	0.000 s

Checking the Outpatient Module

FAILED	DURATION - 1 m 7.021 s	Scenarios		Steps	
/ 10:11:25.951 AM // 10:12:32.972 AM /		Total - 4	4	Total - 25	25
		Pass - 1		Pass - 20	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 2	

Missing the mandatory fields intentionally in new patient for OutPatient office

PASSED	DURATION - 10.683 s
/ 10:11:25.952 AM // 10:11:36.635 AM /	
Checking the Outpatient Module	
@NotEnterAllFeildInOp	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

| #	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	6.294 s
2	Given user enters into OutPatient	PASSED	0.825 s
3	When clicks the Add patient	PASSED	0.115 s
4	And clicks the new patient	PASSED	0.031 s
5	And enter some fields in OutPatient	PASSED	0.511 s
6	Then Assert the error in outpatient	PASSED	0.269 s

checking the new patient at out patient

FAILED	DURATION - 9.790 s
/ 10:11:36.638 AM // 10:11:46.428 AM /	
Checking the Outpatient Module	
@MandatoryOp	

Steps
Total - 6
Pass - 5
Fail - 1
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	5.140 s
2	Given user enters into OutPatient	PASSED	0.887 s
3	When clicks the Add patient	PASSED	0.041 s
4	And clicks the new patient	PASSED	0.026 s
5	And enter the Mandatory fields only in outPatient	PASSED	0.644 s
6	Then Assert the successfull message in OutPatient	FAILED	0.222 s
	java.lang.AssertionError		

| #	Step / Hook Details	Status	Duration
	at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at com.stepdefinition.AdminLoginStepDefinition.assert_the_successfull_message_in_out_patient(AdminLoginStepDefinition.java:207) at ?.Assert the successfull message in OutPatient(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/Outpatient.feature:21) * Not displayable characters are replaced by '?'.		
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) checking the new patient at out patient 	PASSED	0.456 s

Checking the mandatory fields for the new patient details in outpatient

FAILED	DURATION - 23.061 s
/ 10:11:46.431 AM // 10:12:09.492 AM /	
Checking the Outpatient Module	
@FullOutPatient	

Steps
Total - 7
Pass - 5
Fail - 1
Skip - 1

| #	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	5.075 s
2	Given user enters into OutPatient	PASSED	0.672 s
3	When clicks the Add patient	PASSED	0.109 s
4	And clicks the new patient	PASSED	0.033 s
5	And enter the Mandatory fields only in outPatient	PASSED	0.547 s
6	Then enters the other OPD details in outPatient	FAILED	13.837 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//label[text()='Applied Charge ($)']/following-sibling::input"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f506218ae894840d89ab43bda5b15266, findElement		

#	Step / Hook Details	Status	Duration

	{using=xpath, value=//label[text()='Applied Charge ($)']/following-sibling::input}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\tsridhar\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:51177}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51177/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f506218ae894840d89ab43bda5b15266
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy39.sendKeys(Unknown Source)
	  at com.actions.OutPatientActions.enters_the_other_opd_details_in_out_patient(OutPatientActions.java:56)
	  at com.stepdefinition.AdminLoginStepDefinition.enters_the_other_opd_details_in_out_patient(AdminLoginStepDefinition.java:213)
	  at ?.enters the other OPD details in outPatient(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/Outpatient.feature:30)
	* Not displayable characters are replaced by '?'.		

7	And checks the name in Outpatient	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Checking the mandatory fields for the new patient details in outpatient 	PASSED	0.400 s

Intentionally failing in OutPatient module

FAILED	DURATION - 23.477 s
/ 10:12:09.495 AM // 10:12:32.972 AM /	
Checking the Outpatient Module	
@OpNotMandatory	

Steps
Total - 6
Pass - 4
Fail - 1
Skip - 1

6

| #	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	5.200 s
2	Given user enters into OutPatient	PASSED	0.724 s
3	When clicks the Add patient	PASSED	0.105 s
4	And clicks the new patient	PASSED	0.043 s
5	And Missing Mandatory fields only in outPatient	FAILED	14.602 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//label[text()='Applied Charge ($)']/following-sibling::input"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d30935c38389a93d9c694bccbe9bdba8, findElement {using=xpath, value=//label[text()='Applied Charge ($)']/following-sibling::input}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\tsridhar\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:51216}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51216/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d30935c38389a93d9c694bccbe9bdba8
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy39.sendKeys(Unknown Source) at com.actions.OutPatientActions.missing_mandatory_fields_only_in_out_patient(OutPatientActions.java:85) at com.stepdefinition.AdminLoginStepDefinition.missing_mandatory_fields_only_in_out_patient(AdminLoginStepDefinition.java:225) at ?.Missing Mandatory fields only in outPatient(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/Outpatient.feature:39) * Not displayable characters are replaced by '?'.		
6	Then Assert the intentional error in OutPatient	SKIPPED	0.001 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.455 s
	Intentionally failing in OutPatient module 		

Checking the User Login feature

PASSED	DURATION - 47.727 s	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0		Steps Total - 16 Pass - 16 Fail - 0 Skip - 0	
/ 10:12:32.977 AM // 10:13:20.704 AM /					

Searching the report and downloading the pdf

PASSED	DURATION - 9.579 s

/ 10:12:32.977 AM // 10:12:42.556 AM /

Checking the User Login feature

@Radiology

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User enters into the User Login portal	PASSED	5.807 s
2	Given User clicks radiology	PASSED	0.664 s
3	When Search the bill number in search field	PASSED	0.104 s
4	Then Download the report in pdf format	PASSED	0.157 s

Adding the payment details

PASSED	DURATION - 13.286 s

/ 10:12:42.560 AM // 10:12:55.846 AM /

Checking the User Login feature

@Ambulance

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User enters into the User Login portal	PASSED	7.134 s
2	Given User clicks the ambulance	PASSED	0.689 s
3	When Processing payment using card	PASSED	2.837 s
4	Then Checks the payment is successful	PASSED	0.000 s

Sorting the component issue using component name

PASSED	DURATION - 9.235 s		
/ 10:12:55.849 AM // 10:13:05.084 AM /			
Checking the User Login feature			
@BloodBank			

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given User enters into the User Login portal	PASSED	5.631 s
2	Given User clicks the blood bank	PASSED	0.729 s
3	When Switches to component issue	PASSED	0.115 s
4	Then Search for component using search field	PASSED	0.069 s

Sending chat to the staff member

PASSED	DURATION - 15.616 s		
/ 10:13:05.088 AM // 10:13:20.704 AM /			
Checking the User Login feature			
@Whatsapp			

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given User enters into the User Login portal	PASSED	6.443 s
2	Given User clicks the whatsapp	PASSED	0.723 s
3	When Send message to the staff	PASSED	5.046 s
4	Then Check the message is delivered	PASSED	0.742 s