

Cucumber Report

Nov 7, 2023, 2:22:39 PM

Start : Nov 07, 2:22:23.012 PM

End : Nov 07, 2:22:38.555 PM

Duration : 15.543 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 1
SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User login to the demo application</u>	15.543 s	1	0	1	0	4	1	1	2

#	Feature Name	Scenario Name
1	<u>User login to the demo application</u>	<u>Validate the login features with valid credentials</u>

<i>TAG</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
<i>@InvalidCredentials</i>	<i>1</i>	<i>0</i>	<i>1</i>	<i>0</i>	<i>1</i>	<i>0</i>	<i>1</i>	<i>0</i>





#	Feature Name	T	P	F	S	Duration
1	<u>User login to the demo application</u>	1	0	1	0	15.543 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User login to the demo application</u>	<u>Validate the login features with valid credentials</u>	4	1	1	2	15.540 s

User login to the demo application

FAILED	DURATION - 15.543 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 2:22:23.012 PM // 2:22:38.555 PM /					

Validate the login features with valid credentials

<div>FAILED</div> <div>DURATION - 15.540 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 2:22:23.015 PM // 2:22:38.555 PM /				
User login to the demo application				
@InvalidCredentials				

#	Step / Hook Details	Status	Duration
1	Given User can login to the demo application	PASSED	2.160 s
2	When User provides valid username and password org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@class='button-1 login-button']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a1554c2b7700ad9a26e2441f7ab74c45, findElement {using=xpath, value=//input[@class='button-1 login-button']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\tsridhar\AppData\Local\Temp\chrome-win-1069691\chromedriver.exe}, goog.chromiumOptions: {debuggerAddress: localhost:60511}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:60511/devtools/page/1, se.cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a1554c2b7700ad9a26e2441f7ab74c45 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)	FAILED	10.071 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy21.click(Unknown Source) at com.Tabbusree.TechnicalAssessment3.LoginPageActions.clickLogin(LoginPageActions.java:25) at com.Tabbusree.TechnicalAssessment3.LoginStepDefinition.user_provides_valid_username_and_password(LoginStepDefinition.java:23) at ?.User provides valid username and password(file:///C:/Users/tsridhar/Tabbusree%20S.TechnicalAssessment3/Tabbusree.TechnicalAssessment3/src/test/resources/Features/Login.feature:16) * Not displayable characters are replaced by '?'. </pre>		
3	And User clicks log in	SKIPPED	0.000 s
4	Then User has entered Invalid Credentials	SKIPPED	0.000 s
	AFTER - com.Tabbusree.TechnicalAssessment3.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.464 s
	Validate the login features with valid credentials		
	