

Aitzhanov Tamerlan
Sagadenov Miras
Kartabayev Tair
IT – 2408
Team – ASQABAQ
WEBSITE theme – travel agency

Before I start the report on our current web project I'd like to talk about our journey to the final decision.

At first we made a simple website with some animations and presented it on assignment 8. But we didn't like the result. We spent two weeks on it and it was a complete waste.

Below you will see that website. We did the design using Figma. Worked really hard but wasn't satisfied with the final project.

Partners

Home

About Us

Partners

Support

Partners

Trust is the glue of life

At TTM, we believe that great travel experiences are built through strong partnerships. We collaborate with airlines, hotels, tour operators, and travel platforms around the world to bring you the best deals and most reliable services.



Affordable flight options to destinations
across the globe



Trusted accommodation choices for
every style and budget



Exclusive experiences and tours you
won't find anywhere else

If you're interested in partnering with us, please reach out at

<https://github.com/Tabix01> — we're always open to new collaborations that share our passion for travel.

About

Home

About Us

Partners

Support

About Us

Explore your dreams and hopes with us

Welcome to TTM — your personal gateway to the world. We believe travel should be simple, inspiring, and accessible to everyone. Our platform helps you discover amazing destinations, compare flight options, and plan your next adventure with ease.

Dream

Whether you dream of wandering the streets of Paris, relaxing on a beach in Thailand, or exploring the mountains of Georgia — we've built a place where you can find it all in one click.


Mission

Our mission is to make exploring the world effortless. We combine intuitive design, up-to-date travel information, and honest recommendations to help you make confident choices.



At TTM, we don't just sell trips — we help you create memories.

Our project



This is hero page. Or section if we are being precise. I decided to make the navigational bar and the below window like “liquid glassy”. When I was making a design, the hero text kept being unseen or terribly inconvenient to read so I came up with this idea. I was inspired with new Mac OS Tahoe that I installed a week ago.

```

<header data-aos="fade-down">
  <div class="logo active">
    <h2><a class="logo" href="index.html">ASQABAQ</a></h2>
  </div>

  <nav class="nav-links">
    <a href="About.html" class="navigation">About</a>
    <a href="offers.html" class="navigation">Offers</a>
    <a href="Contact.html" class="navigation">Contact</a>
    <a href="Profile.html" class="navigation">Profile</a>
  </nav>

  <button class="book_now btn" id="bookBtn">Book Now</button>

  <!-- Burger -->
  <div class="hamburger">
    <span></span>
    <span></span>
    <span></span>
  </div>

  <link href="https://unpkg.com/aos@2.3.4/dist/aos.css" rel="stylesheet" />
</header>

```

Here is the code for header.

The (data-aos="fade-down") and the last line with the link is for the animations. I used AOS.js library for the animation in the website. It's not perfect but when you have only two days for the project it can come handy.

The header tag has all the idea in the flesh. Right there we came up with the solution for our question "How do we do the liquid thang bud?"

```

backdrop-filter: blur(4px)
saturate(110%);
background: rgba(0, 0, 0, 0.15);

```

this code is what does the thing.

@import is for the font-style that we got from google-fonts.com.

Everything else is pretty simple code.

I used a lot of flexboxes. You will see it in the future but I used A LOT.

```

@import url("https://fonts.googleapis.com/css2?family=Funnel+Sans:ital,wght@0,300..800;1,300..800&display=swap");

* {
  margin: 0;
  padding: 0;
}

html {
  font-size: 16px;
  font-family: "Funnel Sans", sans-serif;
}

.btn {
  font-weight: 600;
}

header {
  left: 0;
  right: 0;
  top: 1rem;
  margin: 0 auto;
  width: 80%;
  height: 100px;
  position: absolute;
  display: flex;
  justify-content: space-around;
  align-items: center;
  background: linear-gradient(to top right, transparent 49%, #4e4e4e 49%, #4e4e4e 51%, transparent 51%);
  backdrop-filter: blur(4px) saturate(110%);
  -webkit-backdrop-filter: blur(4px) saturate(110%);
  border-radius: 50px;
  border: 1px solid #4e4e4e;
  z-index: 1000;
}

.logo {
  text-decoration: none;
  color: #ffff;
}

nav {
  display: flex;
  justify-content: space-between;
  width: 30rem;
}


.navigation {
  text-decoration: none;
  color: #ffff;
  font-weight: 600;
  transition: 200ms;
}

.navigation:hover {
  color: #4e4e4e;
  transition: 200ms;
}

.book_now {
  color: #4e4e4e;
  padding: 1rem 2rem;
  border-radius: 50px;
  border: none;
  font-size: 1rem;
  transition: 200ms;
}

.book_now:hover {
  background-color: #4e4e4e;
  color: #ffff;
  transition: 200ms;
}

```



This part.

I like to use semantic coding. Decided to wrap the cards into a section and called it #sec2.

```

</section>
<section id="sec2">
  <div class="cards_bg">
    <h2>Top Destinations</h2>
    <div class="cards">
      <div class="card georgia">
        <div class="card_modal">
          <div class="card_text">
            <h3>Tbilisi</h3>
            <div class="location">
              <div class="location_icon"></div>
              <p>Georgia</p>
            </div>
            <p class="price">2000$</p>
          </div>
          <button class="card_btn">Learn More</button>
        </div>
      </div>
      <div class="card sweden">
        <div class="card_modal">
          <div class="card_text">
            <h3>Sweden</h3>
            <div class="location">
              <div class="location_icon"></div>
              <p>Georgia</p>
            </div>
            <p class="price">2000$</p>
          </div>
          <button class="card_btn">Learn More</button>
        </div>
      </div>
      <div class="card island">
        <div class="card_modal">
          <div class="card_text">
            <h3>Tbilisi</h3>
            <div class="location">
              <div class="location_icon"></div>
              <p>Georgia</p>
            </div>
            <p class="price">2000$</p>
          </div>
          <button class="card_btn">Learn More</button>
        </div>
      </div>
      <div class="card islands">
        <div class="card_modal">
          <div class="card_text">
            <h3>Tbilisi</h3>
            <div class="location">
              <div class="location_icon"></div>
              <p>Georgia</p>
            </div>
            <p class="price">2000$</p>
          </div>
          <button class="card_btn">Learn More</button>
        </div>
      </div>
    </div>
  </div>
</section>

```

Created some .cards class and within it :
.card boxes. 4 of them. Each with unique
city or country. I added also second class
to each card so I can style the card
pictures uniqy to each card.

```

#sec2 {
  margin-top: 1rem;
  width: 100%;
  height: fit-content;
  left: 0;
  right: 0;
  margin: 0 auto;
  background-color: #fff;
  padding-top: 2rem;
  padding-bottom: 2rem;
}

.cards {
  display: flex;
  width: 70%;
  margin: 0 auto;
  padding-top: 3rem;
  flex-wrap: wrap;
  justify-content: start;
  gap: 1rem;
}

.cards_bg {
  background-color: rgb(230, 230, 230);
  width: 76%;
  border-radius: 25px;
  text-align: center;
  margin: 0 auto;
  padding: 2rem;
  box-shadow: 0 10px 30px rgba(0, 0, 0, 0.25), 0 0 15px rgba(255, 255, 255, 0.2);
}

.card {
  flex: 0 1 13rem;
  width: 22%;
  height: 22rem;
  border-radius: 10px;
  background-position: center;
  background-size: cover;
  display: flex;
  align-items: flex-end;
  color: #fff;
  transition: 200ms;
}

.card:hover {
  transform: scale(1.03);
  box-shadow: 0 10px 30px rgba(0, 0, 0, 0.25), 0 0 15px rgba(255, 255, 255, 0.2);
}

.georgia {
  background-image: url(Images/cards/sea.jpg);
}

.sweden {
  background-image: url(Images/cards/sweden.jpg);
}

.islands {
  background-image: url(Images/cards/islands.jpg);
}

.island {
  background-image: url(Images/cards/island.jpg);
}

```

Here is the css stuff. As I said I styles each card using unique class as “Georgia” – for the first card for example.

```

<section id="sec3">
  <div class="bg"></div>
  <h2>Why Choose Us</h2>
  <div class="reasons">
    <div class="reason" data-aos="fade-up">
      
      <h3>All-in-One Booking</h3>
      <p>
        From flights and hotels to transfers and guided tours – everything
        in one place. Plan your trip in minutes, not hours.
      </p>
    </div>
    <div class="reason" data-aos="fade-up">
      
      <h3>Comfort in Every Journey</h3>
      <p>
        Travel without stress – we take care of everything: transport,
        hotels, routes, and all the small details.
      </p>
    </div>
    <div class="reason" data-aos="fade-up">
      
      <h3>24/7 Support</h3>
      <p>
        We're always in touch. Whatever happens, our team will help you
        instantly, wherever you are.
      </p>
    </div>
  </div>
</section>
<section id="sec4">
  <div class="bg"></div>
  <div class="reviews">
    <div class="review">
      
      <p>
        "The support team answered instantly, even at night. It felt like
        traveling with friends, not an agency."
      </p>
      <p>@Tamerlan Zhov</p>
    </div>
    <div class="review">
      
      <p>
        "The trip was comfortable, stress-free, and full of amazing
        memories. 100% recommend!"
      </p>
      <p>@Dzhumandzhi Lapotup</p>
    </div>
    <div class="review">
      
      <p>
        "Incredible! This is the best website in the University. Im honored
        to witness such talent"
      </p>
      <p>@Kuralay Makhmetova</p>
    </div>
  </div>
</section>

```

Sec3 and sec4
are the reasons
why we are the
best agency and
the reviews.

```

6
7     <script src="main.js"></script>
8     <script src="https://unpkg.com/aos@2.3.4/dist/aos.js"></script>
9     <script>
10         AOS.init({
11             duration: 1000, // animation duration (ms)
12             once: true, // animate only once
13             offset: 100, // start animation earlier/later
14         });
15     </script>

```

At the bottom there is AOS.js library I mentioned and the source to my main script.


```

JS main.js > ...
1   const hamburger = document.querySelector('.hamburger');
2   const navLinks = document.querySelector('.nav-links');
3
4   hamburger.addEventListener('click', () => {
5       hamburger.classList.toggle('active');
6       navLinks.classList.toggle('active');
7   });
8
9
10
11  // offers download
12  document.getElementById('downloadBtn').addEventListener('click', () => {
13      const link = document.createElement('a');
14      link.href = 'assets/files/ASQABAK_IT_2408_HW_4.pdf';
15      link.download = 'ASQABAK_IT_2408_HW_4.pdf';
16      link.click();
17  });
18
19
20

```

This is our js. It is simple. Not worthy or any attention.


CSS was the hardest part of our journey. For the whole website was written over 600 lines. Maybe to the big projects and companies it's nothing but for me it was a real challenge for the first time.



PROBLEMS IN THE DEVELOPMENT

The thing you see in the left is the stage our site was 6 hours ago. It crashed whenever we tried to tighten the width of the window. I really didn't wanted to go back to my own code but decision was made.

Also the navbar was horrible.



Right now the site is not perfect but certainly the improvements were made.

...can show you the rest of the code but the rest of the code is as it is.
...the code in the different classes and the same classes in different... hope this
...enough for you to trust that we worked really hard and believe... did job.

https://tabix01.github.io/travel_agency.TTM/



The Lion is done.