



AN CUỜNG®
Wood - Working Materials

MASTERPIECE
SERIES



PrimeOak®
Flooring

*Signature
Collection*

MASTERPIECE

SERIES

PrimeOak® Flooring
臻橡®地板

Signature Collection | 典藏系列




Table of Contents

目录

07
Our Philosophy
我们的品牌理念

20
Structure
板材结构

25
Format & Grains Selection
规格与木纹

44
Straight Flooring
直铺地板

116
Chevron Flooring
鱼骨拼地板

162
Herringbone Flooring
人字拼地板

211
Installation
安装方式

227
Maintenance
保养


232
Technical
技术资料





Our Philosophy

我们的品牌理念



The Essence



of the Collection



MASTERPIECE SERIES

大师系列

An Cuong’s PrimeOak® Flooring is part of our new MASTERPIECE SERIES, a curated luxury line offering precision-engineered, high-performance interior components crafted for the most refined spaces.

安强臻橡®地板隶属于全新大师系列, 该系列为精选高端产品线, 专为雅致格调空间打造工艺精湛、性能卓越的室内装饰用材



PrimeOak® Flooring is a premium engineered hardwood flooring, crafted from 100% oak and manufactured with no added formaldehyde.

The Signature Collection features 12 refined color options that highlight the natural beauty and character of oak, offering an elegant palette suited to a wide range of interior applications. Designed for versatility, the collection integrates seamlessly into both residential and commercial spaces.

臻橡®地板为高端实木复合地板, 甄选百分百橡木打造, 生产过程零甲醛添加
典藏系列甄选十二款雅致色调, 尽显橡木天然质感与独特肌理, 配色高级百搭, 适配各类室内场景, 家装及商业空间均可轻松融合。

Why PrimeOak® Stands Apart

臻橡® 独有优势

Complete Matching Accessories & Components
全套配套辅料

A full range of color-matched accessories is available to ensure a seamless, refined finish throughout - including Skirting Boards, Stair Treads, Stair Nosing, Reducers, T-Moulds, End Caps, and Flush-Mount Vents.

全系同色配套配件一应俱全, 整体铺装效果浑然一体、精致大气, 包含踢脚线、楼梯踏板、楼梯收口条、高低落差收口条、T 型收口条、端头堵头及嵌入式通风口。

Color-matched pre-finished PrimeOak® Panels - available in 4mm and 19mm - are offered in multiple dimensions and suited for Stair Risers, Stair Stringer Capping, Cladding of Pillars and Columns, and Furniture Components.

同色预涂饰面臻橡® 饰面板有 4 毫米与 19 毫米两种厚度, 多款规格可选, 适用于楼梯立板、楼梯侧板封边、立柱包面及家具用材。

Raw Material Sourcing

原料甄选



Superior Raw Materials | 优质原材

Produced from 100% sustainably sourced American Northern red oak, our PrimeOak® Flooring uses timber harvested exclusively within a 120-kilometer radius in Michigan. This slow-grown Michigan oak—distinguished by its tight growth rings, balanced color, and exceptional density—delivers remarkable uniformity, strength, and long-lasting beauty.

臻橡®地板采用 100% 可持续取材的美国北方红橡木，木材均取自密歇根州方圆 120 公里范围内林区。该产区橡木生长周期缓慢，纹理细密、色泽匀称、质地紧实，成品稳定性佳、质地坚固，质感经久耐看。





American Expertise

美式精工

PrimeOak® Flooring is designed and engineered in the United States, drawing on decades of American hardwood craftsmanship and industry knowledge. Every aspect of the product - from timber selection and milling specifications to finishing standards and quality control - reflects the rigorous expertise of American flooring professionals.

臻橡® 地板由美国设计研发, 积淀数十年美式实木制作工艺与行业经验。从木材甄选、铣削规格, 到漆面工艺与品控标准, 全程遵循美国专业地板制造严苛准则。



This deep-rooted know-how ensures that each plank meets the highest benchmarks for dimensional precision, structural integrity, and aesthetic consistency, delivering a product that embodies the trusted legacy of American hardwood manufacturing.

依托深厚行业技术底蕴, 每块板材均达到高精度尺寸、稳固结构与统一外观的顶级标准, 传承美式实木建材优良品质。



Certifications

认证

The MASTERPIECE SERIES is crafted to meet internationally recognized standards for quality, sustainability, and indoor environmental safety, ensuring exceptional performance for premium living spaces.

大师系列恪守国际公认的品质、可持续发展与室内环境安全多重标准精心打造, 性能表现优异, 是高端人居空间的理想之选。



NAF – No Added Formaldehyde 无甲醛添加认证

This certification guarantees that the product contains no added formaldehyde in its adhesives or resins during manufacturing. NAF-certified materials are ideal for indoor environments, significantly reducing exposure to volatile organic compounds (VOCs) and supporting healthier air quality for occupants, particularly in sensitive spaces such as homes and schools.

该认证证明产品生产所用胶黏剂及树脂均未额外添加甲醛。通过 NAF 认证的建材适用于各类室内场景, 可大幅减少挥发性有机物释放, 营造健康宜居环境, 尤其适合居家、校园等对环境要求较高的场所。



EPA – TSCA Title VI / EPA Compliant EPA 美国环保署 TSCA 第六章合规认证

Issued under the U.S. Toxic Substances Control Act (TSCA) Title VI, this certification confirms that composite wood products meet the strict formaldehyde emission limits set by the U.S. Environmental Protection Agency. It ensures regulatory compliance for products sold or used in the United States, reflecting a commitment to environmental safety and consumer health protection.


依据美国《有毒物质控制法》第六章颁布, 该认证证实复合木制品符合美国环保署制定的严苛甲醛释放限值。产品可合规在美国境内销售及使用, 彰显品牌严守环保标准、守护大众健康的理念。



F★★★★ (F4 Star) – Japanese Agricultural Standard F 四星- 日本农林标准

The F4 Star rating is the highest classification under Japan's Japanese Agricultural Standard (JAS) for formaldehyde emissions from wood-based panels and adhesives. Products achieving this rating emit the lowest measurable levels of formaldehyde, making them suitable for unrestricted indoor use and demonstrating exceptional commitment to occupant safety and air quality.

F 四星为日本农林标准针对人造板材及胶黏剂甲醛释放量的最高等级。获评该等级产品甲醛释放量达到极低标准, 可全域无限制用于室内空间, 全力守护人居健康, 保障优良室内空气质量。



Structure


板材结构

PrimeOak® Core | 臻橡基材

Balanced Construction | 均衡结构设计

Engineered with a perfectly balanced structure, PrimeOak® Flooring is designed for outstanding stability and longevity. The face layer features a robust 4mm oak lamella, while our signature PrimeOak® Core is composed of cross-directional oak lamella layers. This all-oak, balanced construction provides superior dimensional strength and unmatched durability across diverse environments.

臻橡® 地板采用均衡稳定结构, 稳定性强、使用寿命长久。表层为 4 毫米厚实橡木面皮, 专属臻橡基材采用橡木单板纵横交错压制而成。全橡木均衡结构尺寸稳固, 经久耐用, 可适配多种使用环境。





Surface

表面工艺

Expertly Finished | 精工漆面工艺

Every face layer is dried using our proprietary technology prior to finishing, allowing for rich, consistent coloration across each plank.

所有表板涂装前均采用专属工艺烘干处理, 确保每块板材色泽饱满均匀。



Format & Grains

规格与木纹

Straight Flooring

直铺地板

Chevron Flooring

鱼骨拼地板

Herringbone Flooring

人字拼地板




Straight Flooring 直铺地板

Select Rift & Quater Sawn 优选径切、四分切纹理



Width (mm) 宽	Thickness (mm) 厚	Length (mm) 长		
		Standard (400-2300)	Large (600-3000)	X-Large (1800-3600)
127	15	●	●	
152			●	
178			●	
203	15		●	
	19			●
229	15		●	
	19			●
254	15		●	
	19			●
279	15			●
	19			●
304	15			●
	19			●




Straight Flooring 直铺地板

Select Live Sawn 整锯纹理



Width (mm) 宽	Thickness (mm) 厚	Length (mm) 长		
		Standard (400-2300)	Large (600-3000)	X-Large (1800-3600)
127	15	●	●	
152			●	
178			●	
203	15		●	
	19			●
229	15		●	
	19			●
254	15		●	
	19			●
279	15			
	19			●
304	15			
	19			●



304 x 3600 mm (X-Large)



254 x 3000 mm (Large)



127 x 2300 mm (Standard)




Figure Height: 1800mm


Packed in
assorted sizes
混装规格

Straight Flooring 直铺地板

Light Character 径切与四分锯切纹理




Width (mm) 宽	Thickness (mm) 厚	Length (mm) 长		
		Standard (400-2300)	Large (600-3000)	X-Large (1800-3600)
127	15	●	●	
152		●	●	
178		●	●	
203	15		●	
	19			●
229	15		●	
	19			●
254	15		●	
	19			●
279	15			
	19			●
304	15			
	19			●






1 Chevron
鱼骨拼



2 Herringbone
字拼



Chevron & Herringbone Flooring 鱼骨拼&人字拼地板

Select Rift & Quater Sawn / Select Live Sawn 优选径切、四分切 / 自然切面

Width (mm) 宽	Thickness (mm) 厚	Length (mm) 长
		600
101	15	●
127		●



Select Rift & Quater Sawn | 优选径切、四分切纹理



Select Live Sawn | 优选径切、四分切纹理



Light Character | 径切与四分锯切纹理





Straight Flooring

直铺地板



Select Rifts & Quarter Sawn

优选径切、四分切切面



POF - ST SR S01 • *French White*
法式纯白



POF - ST SR S02 • *French Vanilla*
法式奶白



POF - ST SR S03 • *Mocha*
摩卡棕



POF - ST SR S04 • *Pure*
纯粹原木



POF - ST SR S05 • *Pearl*
珍珠浅灰



POF - ST SR S06 • *Tailor Taupe*
定制灰褐色



POF - ST SR S07 • *Naked*
素净原色



POF - ST SR S08 • *Natural*
自然本色



POF - ST SR S09 • *Tawny*
茶褐色



POF - ST SR S10 • *Barn*
仓木复古



POF - ST SR S11 • *Burnt Copper*
焦铜色



POF - ST SR S12 • *Burnished Bronze*
古铜哑光

Straight Flooring | 直铺地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



French White | 法式纯白

POF - ST SR S01

Straight Flooring | 直铺地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



French White | 法式纯白

POF - ST SR S01

Straight Flooring | 直铺地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



French Vanilla | 法式奶白

POF - ST SR S02

Straight Flooring | 直铺地板

Select Rift & Quarter Sawn | 优选径切、四分切切面

MASTERPIECE
SERIES

大师系列



French Vanilla | 法式奶白

POF - ST SR S02

Straight Flooring | 直铺地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



Mocha | 摩卡棕

POF - ST SR S03

Straight Flooring | 直铺地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



MASTERPIECE
SERIES
大师系列

Mocha | 摩卡棕
POF - ST SR S03

Straight Flooring | 直铺地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



Pure | 纯粹原木

POF - ST SR S04

Straight Flooring | 直铺地板

Select Rift & Quarter Sawn | 优选径切、四分切切面

MASTERPIECE
SERIES

大师系列



Pure | 纯粹原木

POF - ST SR S04

Straight Flooring | 直铺地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



Pearl | 珍珠浅灰

POF - ST SR S05

Straight Flooring | 直铺地板

Select Rift & Quarter Sawn | 优选径切、四分切切面

MASTERPIECE
SERIES

大师系列



Pearl | 珍珠浅灰

POF - ST SR S05

Straight Flooring | 直铺地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



Tailor Taupe | 定制灰褐色

POF - ST SR S06

Straight Flooring | 直铺地板

Select Rift & Quarter Sawn | 优选径切、四分切切面

MASTERPIECE
SERIES

大师系列



Tailor Taupe | 定制灰褐色

POF - ST SR S06

Straight Flooring | 直铺地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



Naked | 素净原色

POF - ST SR S07

Straight Flooring | 直铺地板

Select Rift & Quarter Sawn | 优选径切、四分切切面

MASTERPIECE
SERIES

大师系列



Naked | 素净原色

POF - ST SR S07

Straight Flooring | 直铺地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



Natural | 自然本色

POF - ST SR S08

Straight Flooring | 直铺地板

Select Rift & Quarter Sawn | 优选径切、四分切切面

MASTERPIECE
SERIES
大师系列



Natural | 自然本色
POF - ST SR S08

Straight Flooring | 直铺地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



Tawny | 茶褐色

POF - ST SR S09

Straight Flooring | 直铺地板

Select Rift & Quarter Sawn | 优选径切、四分切切面

MASTERPIECE
SERIES

大师系列



Tawny | 茶褐色

POF - ST SR S09

Straight Flooring | 直铺地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



Barn | 仓木复古

POF - ST SR S10

Straight Flooring | 直铺地板

Select Rift & Quarter Sawn | 优选径切、四分切切面

MASTERPIECE
SERIES
大师系列



Barn | 仓木复古色
POF - ST SR S10

Straight Flooring | 直铺地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



Burnt Copper | 焦铜色

POF - ST SR S11

Straight Flooring | 直铺地板

Select Rift & Quarter Sawn | 优选径切、四分切切面

MASTERPIECE
SERIES
大师系列



Burnt Copper | 焦铜色

POF - ST SR S11

Straight Flooring | 直铺地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



Burnished Bronze | 古铜哑光

POF - ST SR S12

Straight Flooring | 直铺地板

Select Rift & Quarter Sawn | 优选径切、四分切纹理

MASTERPIECE
SERIES
大师系列



Burnished Bronze | 古铜哑光

POF - ST SR S12

Straight Flooring

直铺地板



Select Live Sawn

整锯纹理



POF - ST SL S01 • French White
法式纯白



POF - ST SL S02 • French Vanilla
法式奶白



POF - ST SL S03 • Mocha
摩卡棕



POF - ST SL S04 • Pure
纯粹原木



POF - ST SL S05 • Pearl
珍珠浅灰



POF - ST SL S06 • Tailor Taupe
定制灰褐色



POF - ST SL S07 • Naked
素净原色



POF - ST SL S08 • Natural
自然本色



POF - ST SL S09 • Tawny
茶褐色



POF - ST SL S10 • Barn
仓木复古



POF - ST SL S11 • Burnt Copper
焦铜色



POF - ST SL S12 • Burnished Bronze
古铜哑光

Straight Flooring | 直铺地板

Select Live Sawn | 优选自然切面



French White | 法式纯白

POF - ST SL S01

Straight Flooring | 直铺地板

Select Live Sawn | 整锯纹理

MASTERPIECE
SERIES

大师系列



French White | 法式纯白

POF - ST SL S01

Straight Flooring | 直铺地板

Select Live Sawn | 优选自然切面



French Vanilla | 法式奶白

POF - ST SL S02

Straight Flooring | 直铺地板

Select Live Sawn | 整锯纹理



MASTERPIECE
SERIES
大师系列

French Vanilla | 法式奶白

POF - ST SL S02

Straight Flooring | 直铺地板

Select Live Sawn | 优选自然切面



Mocha | 摩卡棕

POF - ST SL S03

Straight Flooring | 直铺地板

Select Live Sawn | 整锯纹理



MASTERPIECE
SERIES
大师系列

Mocha | 摩卡棕
POF - ST SL S03

Straight Flooring | 直铺地板

Select Live Sawn | 优选自然切面



Pure | 纯粹原木

POF - ST SL S04

Straight Flooring | 直铺地板

Select Live Sawn | 整锯纹理

MASTERPIECE
SERIES
大师系列



Pure | 纯粹原木

POF - ST SL S04

Straight Flooring | 直铺地板

Select Live Sawn | 优选自然切面



Pearl | 珍珠浅灰

POF - ST SL S05

Straight Flooring | 直铺地板

Select Live Sawn | 整锯纹理

MASTERPIECE
SERIES
大师系列



Pearl | 珍珠浅灰

POF - ST SL S05

Straight Flooring | 直铺地板

Select Live Sawn | 优选自然切面



Tailor Taupe | 定制灰褐色

POF - ST SL S06

Straight Flooring | 直铺地板

Select Live Sawn | 整锯纹理



Tailor Taupe | 定制灰褐色

POF - ST SL S06

Straight Flooring | 直铺地板

Select Live Sawn | 优选自然切面



Naked | 素净原色

POF - ST SL S07

Straight Flooring | 直铺地板

Select Live Sawn | 整锯纹理



MASTERPIECE
SERIES
大师系列

Naked | 素净原色

POF - ST SL S07

Straight Flooring | 直铺地板

Select Live Sawn | 优选自然切面



Natural | 自然本色

POF - ST SL S08

Straight Flooring | 直铺地板

Select Live Sawn | 整锯纹理



MASTERPIECE
SERIES
大师系列

Natural | 自然本色

POF - ST SL S08

Straight Flooring | 直铺地板

Select Live Sawn | 优选自然切面



Tawny | 茶褐色

POF - ST SL S09

Straight Flooring | 直铺地板

Select Live Sawn | 整锯纹理

MASTERPIECE
SERIES
大师系列



Tawny | 茶褐色

POF - ST SL S09

Straight Flooring | 直铺地板

Select Live Sawn | 优选自然切面



Barn | 茶褐色

POF - ST SL S10

Straight Flooring | 直铺地板

Select Live Sawn | 整锯纹理

MASTERPIECE
SERIES

大师系列



Barn | 茶褐色

POF - ST SL S10

Straight Flooring | 直铺地板

Select Live Sawn | 优选自然切面



Burnt Copper | 仓木复古

POF - ST SL S11

Straight Flooring | 直铺地板

Select Live Sawn | 整锯纹理

MASTERPIECE
SERIES

茶褐色



Burnt Copper | 仓木复古

POF - ST SL S11

Straight Flooring | 直铺地板

Select Live Sawn | 优选自然切面



Burnished Bronze | 仓木复古

POF - ST SL S12

Straight Flooring | 直铺地板

Select Live Sawn | 整锯纹理

MASTERPIECE
SERIES
大师系列



Burnished Bronze | 仓木复古

POF - ST SL S12

Straight Flooring

直铺地板



Light Character

径切与四分锯切纹理



POF - ST LC S01 • *French White*
法式纯白



POF - ST LC S02 • *French Vanilla*
法式奶白



POF - ST LC S03 • *Mocha*
摩卡棕



POF - ST LC S04 • *Pure*
纯粹原木



POF - ST LC S05 • *Pearl*
珍珠浅灰



POF - ST LC S06 • *Tailor Taupe*
定制灰褐色



POF - ST LC S07 • *Naked*
素净原色



POF - ST LC S08 • *Natural*
自然本色



POF - ST LC S09 • *Tawny*
茶褐色



POF - ST LC S10 • *Barn*
仓木复古



POF - ST LC S11 • *Burnt Copper*
焦铜色



POF - ST LC S12 • *Burnished Bronze*
古铜哑光

Straight Flooring | 直铺地板

Light Character | 径切与四分锯切纹理



French White | 法式纯白

POF - ST LC S01

Straight Flooring | 直铺地板

Light Character | 径切与四分锯切纹理

MASTERPIECE
SERIES
大师系列



French White | 法式纯白

POF - ST LC S01

Straight Flooring | 直铺地板

Light Character | 径切与四分锯切纹理



French Vanilla | 法式奶白

POF - ST LC S02

Straight Flooring | 直铺地板

Light Character | 径切与四分锯切纹理

MASTERPIECE
SERIES

大师系列



French Vanilla | 法式奶白

POF - ST LC S02

Straight Flooring | 直铺地板

Light Character | 径切与四分锯切纹理



Mocha | 摩卡棕

POF - ST LC S03

Straight Flooring | 直铺地板

Light Character | 径切与四分锯切纹理

MASTERPIECE
SERIES
大师系列



Mocha | 摩卡棕

POF - ST LC S03

Straight Flooring | 直铺地板

Light Character | 径切与四分锯切纹理



Pure | 纯粹原木

POF - ST LC S04

Straight Flooring | 直铺地板

Light Character | 径切与四分锯切纹理

MASTERPIECE
SERIES
大师系列



Pure | 纯粹原木

POF - ST LC S04

Straight Flooring | 直铺地板

Light Character | 径切与四分锯切纹理



Pearl | 珍珠浅灰

POF - ST LC S05

Straight Flooring | 直铺地板

Light Character | 径切与四分锯切纹理

MASTERPIECE
SERIES
大师系列



Pearl | 珍珠浅灰

POF - ST LC S05

Straight Flooring | 直铺地板

Light Character | 径切与四分锯切纹理



Tailor Taupe | 定制灰褐色

POF - ST LC S06

Straight Flooring | 直铺地板

Light Character | 径切与四分锯切纹理



MASTERPIECE
SERIES
大师系列

Tailor Taupe | 定制灰褐色

POF - ST LC S06

Straight Flooring | 直铺地板

Light Character | 径切与四分锯切纹理



Naked | 素净原色

POF - ST LC S07

Straight Flooring | 直铺地板

Light Character | 径切与四分锯切纹理

MASTERPIECE
SERIES
大师系列



Naked | 素净原色

POF - ST LC S07

Straight Flooring | 直铺地板

Light Character | 径切与四分锯切纹理



Natural | 自然本色

POF - ST LC S08

Straight Flooring | 直铺地板

Light Character | 径切与四分锯切纹理



MASTERPIECE
SERIES
大师系列

Natural | 自然本色
POF - ST LC S08

Straight Flooring | 直铺地板

Light Character | 径切与四分锯切纹理



Tawny | 茶褐色

POF - ST LC S09

Straight Flooring | 直铺地板

Light Character | 径切与四分锯切纹理

MASTERPIECE
SERIES
大师系列



Tawny | 茶褐色

POF - ST LC S09

Straight Flooring | 直铺地板

Light Character | 径切与四分锯切纹理



Barn | 仓木复古

POF - ST LC S10

Straight Flooring | 直铺地板

Light Character | 径切与四分锯切纹理



Straight Flooring | 直铺地板

Light Character | 径切与四分锯切纹理



Burnt Copper | 焦铜色

POF - ST LC S11

Straight Flooring | 直铺地板

Light Character | 径切与四分锯切纹理

MASTERPIECE
SERIES

大师系列



Burnt Copper | 焦铜色

POF - ST LC S11

Straight Flooring | 直铺地板

Light Character | 径切与四分锯切纹理



Burnished Bronze | 古铜哑光

POF - ST LC S12

Straight Flooring | 直铺地板

Light Character | 径切与四分锯切纹理

MASTERPIECE
SERIES

大师系列



Burnished Bronze | 古铜哑光

POF - ST LC S12

Herringbone Flooring

人字拼地板



Select Rift & Quarter Sawn

优选径切、四分切切面



POF - HE SR S01 • *French White*
法式纯白



POF - HE SR S02 • *French Vanilla*
法式奶白



POF - HE SR S03 • *Mocha*
摩卡棕



POF - HE SR S04 • *Pure*
纯粹原木



POF - HE SR S05 • *Pearl*
珍珠浅灰



POF - HE SR S06 • *Tailor Taupe*
定制灰褐色



POF - HE SR S07 • *Naked*
素净原色



POF - HE SR S08 • *Natural*
自然本色



POF - HE SR S09 • *Tawny*
茶褐色



POF - HE SR S10 • *Barn*
仓木复古



POF - HE SR S11 • *Burnt Copper*
焦铜色



POF - HE SR S12 • *Burnished Bronze*
古铜哑光

Herringbone Flooring | 人字拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



French White | 法式纯白

POF - HE SR S01

Herringbone Flooring | 人字拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面

MASTERPIECE SERIES

大师系列



French White | 法式纯白

POF - HE SR S01

Herringbone Flooring | 人字拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



French Vanilla | 法式奶白

POF - HE SR S02

Herringbone Flooring | 人字拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面

MASTERPIECE
SERIES
大师系列



French Vanilla | 法式奶白

POF - HE SR S02

Herringbone Flooring | 人字拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



Mocha | 摩卡棕

POF - HE SR S03

Herringbone Flooring | 人字拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面

MASTERPIECE
SERIES

大师系列



Mocha | 摩卡棕

POF - HE SR S03

Herringbone Flooring | 人字拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



Pure | 纯粹原木

POF - HE SR S04

Herringbone Flooring | 人字拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



MASTERPIECE
SERIES
大师系列

Pure | 纯粹原木
POF - HE SR S04

Herringbone Flooring | 人字拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



Pearl | 珍珠浅灰

POF - HE SR S05

Herringbone Flooring | 人字拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



MASTERPIECE
SERIES
大师系列

Pearl | 珍珠浅灰
POF - HE SR S05

Herringbone Flooring | 人字拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



Tailor Taupe | 定制灰褐色

POF - HE SR S06

Herringbone Flooring | 人字拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面

MASTERPIECE
SERIES
大师系列



Tailor Taupe | 定制灰褐色

POF - HE SR S06

Herringbone Flooring | 人字拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



Naked | 素净原色

POF - HE SR S07

Herringbone Flooring | 人字拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面

MASTERPIECE
SERIES

大师系列



Naked | 素净原色

POF - HE SR S07

Herringbone Flooring | 人字拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



Natural | 自然本色

POF - HE SR S08

Herringbone Flooring | 人字拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



MASTERPIECE
SERIES
大师系列

Natural | 自然本色
POF - HE SR S08

Herringbone Flooring | 人字拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



Tawny | 茶褐色

POF - HE SR S09

Herringbone Flooring | 人字拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



Tawny | 茶褐色

POF - HE SR S09

Herringbone Flooring | 人字拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



Barn | 仓木复古

POF - HE SR S10

Herringbone Flooring | 人字拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



MASTERPIECE
SERIES
大师系列

Barn | 仓木复古

POF - HE SR S10

Herringbone Flooring | 人字拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



Burnt Copper | 焦铜色

POF - HE SR S11

Herringbone Flooring | 人字拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



Burnt Copper | 焦铜色

POF - HE SR S11

Herringbone Flooring | 人字拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



Burnished Bronze | 古铜哑光

POF - HE SR S12

Herringbone Flooring | 人字拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面

MASTERPIECE SERIES 大师系列



Burnished Bronze | 古铜哑光

POF - HE SR S12

Herringbone Flooring

人字拼地板



Select Live Sawn

优选自然切面



POF - HE SL S01 • *French White*
法式纯白



POF - HE SL S02 • *French Vanilla*
法式奶白



POF - HE SL S03 • *Mocha*
摩卡棕



POF - HE SL S04 • *Pure*
纯粹原木



POF - HE SL S05 • *Pearl*
珍珠浅灰



POF - HE SL S06 • *Tailor Taupe*
定制灰褐色



POF - HE SL S07 • *Naked*
素净原色



POF - HE SL S08 • *Natural*
自然本色



POF - HE SL S09 • *Tawny*
茶褐色



POF - HE SL S10 • *Barn*
仓木复古



POF - HE SL S11 • *Burnt Copper*
焦铜色



POF - HE SL S12 • *Burnished Bronze*
古铜哑光

Herringbone Flooring | 人字拼地板

Select Live Sawn | 优选自然切面



French White | 法式纯白

POF - HE SL S01

Herringbone Flooring | 人字拼地板

Select Live Sawn | 优选自然切面



MASTERPIECE
SERIES
大师系列

French White | 法式纯白
POF - HE SL S01

Herringbone Flooring | 人字拼地板

Select Live Sawn | 优选自然切面



French Vanilla | 法式奶白

POF - HE SL S02

Herringbone Flooring | 人字拼地板

Select Live Sawn | 优选自然切面

MASTERPIECE
SERIES
大师系列



French Vanilla | 法式奶白
POF - HE SL S02

Herringbone Flooring | 人字拼地板

Select Live Sawn | 优选自然切面



Mocha | 摩卡棕

POF - HE SL S03

Herringbone Flooring | 人字拼地板

Select Live Sawn | 优选自然切面

MASTERPIECE
SERIES

大师系列



Mocha | 摩卡棕

POF - HE SL S03

Herringbone Flooring | 人字拼地板

Select Live Sawn | 优选自然切面



Pure | 纯粹原木

POF - HE SL S04

Herringbone Flooring | 人字拼地板

Select Live Sawn | 优选自然切面



Pure | 纯粹原木

POF - HE SL S04

Herringbone Flooring | 人字拼地板

Select Live Sawn | 优选自然切面



Pearl | 珍珠浅灰

POF - HE SL S05

Herringbone Flooring | 人字拼地板

Select Live Sawn | 优选自然切面



MASTERPIECE
SERIES
大师系列

Pearl | 珍珠浅灰

POF - HE SL S05

Herringbone Flooring | 人字拼地板

Select Live Sawn | 优选自然切面



Tailor Taupe | 定制灰褐色

POF - HE SL S06

Herringbone Flooring | 人字拼地板

Select Live Sawn | 优选自然切面

MASTERPIECE SERIES 大师系列



Tailor Taupe | 定制灰褐色

POF - HE SL S06

Herringbone Flooring | 人字拼地板

Select Live Sawn | 优选自然切面



Naked | 素净原色

POF - HE SL S07

Herringbone Flooring | 人字拼地板

Select Live Sawn | 优选自然切面

MASTERPIECE
SERIES
大师系列



Naked | 素净原色

POF - HE SL S07

Herringbone Flooring | 人字拼地板

Select Live Sawn | 优选自然切面



Natural | 自然本色

POF - HE SL S08

Herringbone Flooring | 人字拼地板

Select Live Sawn | 优选自然切面

MASTERPIECE
SERIES

大师系列



Natural | 自然本色

POF - HE SL S08

Herringbone Flooring | 人字拼地板

Select Live Sawn | 优选自然切面



Tawny | 茶褐色

POF - HE SL S09

Herringbone Flooring | 人字拼地板

Select Live Sawn | 优选自然切面



MASTERPIECE
SERIES
大师系列

Tawny | 茶褐色

POF - HE SL S09

Herringbone Flooring | 人字拼地板

Select Live Sawn | 优选自然切面



Barn | 仓木复古

POF - HE SL S10

Herringbone Flooring | 人字拼地板

Select Live Sawn | 优选自然切面

MASTERPIECE
SERIES
大师系列



Barn | 仓木复古

POF - HE SL S10

Herringbone Flooring | 人字拼地板

Select Live Sawn | 优选自然切面



Burnt Copper | 焦铜色

POF - HE SL S11

Herringbone Flooring | 人字拼地板

Select Live Sawn | 优选自然切面



MASTERPIECE
SERIES
大师系列

Burnt Copper | 焦铜色

POF - HE SL S11

Herringbone Flooring | 人字拼地板

Select Live Sawn | 优选自然切面



Burnished Bronze | 古铜哑光

POF - HE SL S12

Herringbone Flooring | 人字拼地板

Select Live Sawn | 优选自然切面

MASTERPIECE
SERIES

大师系列



Burnished Bronze | 古铜哑光

POF - HE SL S12

Chevron Flooring

鱼骨拼地板



Select Rift & Quarter Sawn

优选径切、四分切切面



POF - CH SR S01 • *French White*
法式纯白



POF - CH SR S02 • *French Vanilla*
法式奶白



POF - CH SR S03 • *Mocha*
摩卡棕



POF - CH SR S04 • *Pure*
纯粹原木



POF - CH SR S05 • *Pearl*
珍珠浅灰



POF - CH SR S06 • *Tailor Taupe*
定制灰褐色



POF - CH SR S07 • *Naked*
素净原色



POF - CH SR S08 • *Natural*
自然本色



POF - CH SR S09 • *Tawny*
茶褐色



POF - CH SR S10 • *Barn*
仓木复古



POF - CH SR S11 • *Burnt Copper*
焦铜色



POF - CH SR S12 • *Burnished Bronze*
古铜哑光

Chevron Flooring | 鱼骨拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



French White | 法式纯白

POF - CH SR S01

Chevron Flooring | 鱼骨拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面

MASTERPIECE
SERIES

大师系列



French White | 法式纯白

POF - CH SR S01

Chevron Flooring | 鱼骨拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



French Vanilla | 法式奶白

POF - CH SR S02

Chevron Flooring | 鱼骨拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面

MASTERPIECE
SERIES

大师系列



French Vanilla | 法式奶白

POF - CH SR S02

Chevron Flooring | 鱼骨拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



Mocha | 摩卡棕

POF - CH SR S03

Chevron Flooring | 鱼骨拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面

MASTERPIECE
SERIES

大师系列



Mocha | 摩卡棕

POF - CH SR S03

Chevron Flooring | 鱼骨拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



Pure | 纯粹原木

POF - CH SR S04

Chevron Flooring | 鱼骨拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面

MASTERPIECE
SERIES

大师系列



Pure | 纯粹原木

POF - CH SR S04

Chevron Flooring | 鱼骨拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



Pearl | 珍珠浅灰

POF - CH SR S05

Chevron Flooring | 鱼骨拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面

MASTERPIECE
SERIES

大师系列



Pearl | 珍珠浅灰

POF - CH SR S05

Chevron Flooring | 鱼骨拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



Tailor Taupe | 定制灰褐色

POF - CH SR S06

Chevron Flooring | 鱼骨拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面

MASTERPIECE
SERIES

大师系列



Tailor Taupe | 定制灰褐色

POF - CH SR S06

Chevron Flooring | 鱼骨拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



Naked | 素净原色

POF - CH SR S07

Chevron Flooring | 鱼骨拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面

MASTERPIECE
SERIES
大师系列



Naked | 素净原色

POF - CH SR S07

Chevron Flooring | 鱼骨拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



Natural | 自然本色

POF - CH SR S08

Chevron Flooring | 鱼骨拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面

MASTERPIECE
SERIES

大师系列



Natural | 自然本色

POF - CH SR S08

Chevron Flooring | 鱼骨拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



Tawny | 茶褐色

POF - CH SR S09

Chevron Flooring | 鱼骨拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面

MASTERPIECE
SERIES

大师系列



Tawny | 茶褐色

POF - CH SR S09

Chevron Flooring | 鱼骨拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



Barn | 仓木复古

POF - CH SR S10

Chevron Flooring | 鱼骨拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面

MASTERPIECE
SERIES

大师系列



Barn | 仓木复古

POF - CH SR S10

Chevron Flooring | 鱼骨拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



Burnt Copper | 焦铜色

POF - CH SR S11

Chevron Flooring | 鱼骨拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



MASTERPIECE
SERIES
大师系列

Burnt Copper | 焦铜色

POF - CH SR S11

Chevron Flooring | 鱼骨拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



Burnished Bronze | 古铜哑光

POF - CH SR S12

Chevron Flooring | 鱼骨拼地板

Select Rift & Quarter Sawn | 优选径切、四分切切面



MASTERPIECE
SERIES
大师系列

Burnished Bronze | 古铜哑光

POF - CH SR S12

Chevron Flooring

鱼骨拼地板



Select Live Sawn

优选自然切面



POF - CH SL S01 • *French White*
法式纯白



POF - CH SL S02 • *French Vanilla*
法式奶白



POF - CH SL S03 • *Mocha*
摩卡棕



POF - CH SL S04 • *Pure*
纯粹原木



POF - CH SL S05 • *Pearl*
珍珠浅灰



POF - CH SL S06 • *Tailor Taupe*
定制灰褐色



POF - CH SL S07 • *Naked*
素净原色



POF - CH SL S08 • *Natural*
自然本色



POF - CH SL S09 • *Tawny*
茶褐色



POF - CH SL S10 • *Barn*
仓木复古



POF - CH SL S11 • *Burnt Copper*
焦铜色



POF - CH SL S12 • *Burnished Bronze*
古铜哑光

Chevron Flooring | 鱼骨拼地板

Select Live Sawn | 优选自然切面



French White | 法式纯白

POF - CH SL S01

Chevron Flooring | 鱼骨拼地板

Select Live Sawn | 优选自然切面

MASTERPIECE
SERIES

大师系列



French White | 法式纯白

POF - CH SL S01

Chevron Flooring | 鱼骨拼地板

Select Live Sawn | 优选自然切面



French Vanilla | 法式奶白

POF - CH SL S02

Chevron Flooring | 鱼骨拼地板

Select Live Sawn | 优选自然切面

MASTERPIECE
SERIES

大师系列



French Vanilla | 法式奶白

POF - CH SL S02

Chevron Flooring | 鱼骨拼地板

Select Live Sawn | 优选自然切面



Mocha | 摩卡棕

POF - CH SL S03

Chevron Flooring | 鱼骨拼地板

Select Live Sawn | 优选自然切面

MASTERPIECE
SERIES
大师系列



Mocha | 摩卡棕
POF - CH SL S03

Chevron Flooring | 鱼骨拼地板

Select Live Sawn | 优选自然切面



Pure | 纯粹原木

POF - CH SL S04

Chevron Flooring | 鱼骨拼地板

Select Live Sawn | 优选自然切面

MASTERPIECE
SERIES
大师系列



Pure | 纯粹原木

POF - CH SL S04

Chevron Flooring | 鱼骨拼地板

Select Live Sawn | 优选自然切面



Pearl | 珍珠浅灰

POF - CH SL S05

Chevron Flooring | 鱼骨拼地板

Select Live Sawn | 优选自然切面

MASTERPIECE
SERIES
大师系列



Pearl | 珍珠浅灰

POF - CH SL S05

Chevron Flooring | 鱼骨拼地板

Select Live Sawn | 优选自然切面



Tailor Taupe | 定制灰褐色

POF - CH SL S06

Chevron Flooring | 鱼骨拼地板

Select Live Sawn | 优选自然切面

MASTERPIECE
SERIES

大师系列



Tailor Taupe | 定制灰褐色

POF - CH SL S06

Chevron Flooring | 鱼骨拼地板

Select Live Sawn | 优选自然切面



Naked | 素净原色

POF - CH SL S07

Chevron Flooring | 鱼骨拼地板

Select Live Sawn | 优选自然切面

MASTERPIECE
SERIES

大师系列



Naked | 素净原色

POF - CH SL S07

Chevron Flooring | 鱼骨拼地板

Select Live Sawn | 优选自然切面



Natural | 自然本色

POF - CH SL S08

Chevron Flooring | 鱼骨拼地板

Select Live Sawn | 优选自然切面

MASTERPIECE
SERIES
大师系列



Natural | 自然本色

POF - CH SL S08

Chevron Flooring | 鱼骨拼地板

Select Live Sawn | 优选自然切面



Tawny | 茶褐色

POF - CH SL S09

Chevron Flooring | 鱼骨拼地板

Select Live Sawn | 优选自然切面

MASTERPIECE
SERIES
大师系列



Tawny | 茶褐色

POF - CH SL S09

Chevron Flooring | 鱼骨拼地板

Select Live Sawn | 优选自然切面



Barn | 仓木复古

POF - CH SL S10

Chevron Flooring | 鱼骨拼地板

Select Live Sawn | 优选自然切面



MASTERPIECE
SERIES
大师系列

Barn | 仓木复古

POF - CH SL S10

Chevron Flooring | 鱼骨拼地板

Select Live Sawn | 优选自然切面



Burnt Copper | 焦铜色

POF - CH SL S11

Chevron Flooring | 鱼骨拼地板

Select Live Sawn | 优选自然切面



MASTERPIECE
SERIES

大师系列

Burnt Copper | 焦铜色

POF - CH SL S11

Chevron Flooring | 鱼骨拼地板

Select Live Sawn | 优选自然切面



Burnished Bronze | 古铜哑光

POF - CH SL S12

Chevron Flooring | 鱼骨拼地板

Select Live Sawn | 优选自然切面

MASTERPIECE
SERIES
大师系列



Burnished Bronze | 古铜哑光


POF - CH SL S12

Installation Instructions

安装说明

General Principles (All Methods)

通用安装准则(全铺装方式适用)



- Always maintain an expansion gap around the perimeter and all fixed objects (columns, pipes). Minimum expansion gap: 10 – 15 mm (or equivalent to plank thickness).
- Intermediate Expansion Joints: Required for both the length and width of large floor areas, depending on product specifications.
- Doorways: Expansion gaps are required at doorways to allow for differential movement between rooms.
- Layout Direction: For the best visual effect, install parallel to the longest wall or along the hallway length.
- In areas with intense natural light, install in the direction of the light source to minimize the appearance of minor surface texture variations.
- 墙体四周及立柱、管道等固定物件周边, 务必预留伸缩缝, 预留宽度10-15 毫米, 也可等同板材厚度。
- 大面积地面铺装时, 长宽方向均需按产品要求设置中部伸缩缝。
- 房门位置必须预留伸缩缝, 适配不同空间地板伸缩差异。
- 铺设方向建议顺着房屋最长墙面或走廊走向, 视觉效果更佳。
- 采光充足区域, 顺着光源方向铺设, 弱化板面细微纹理色差。



A. Straight Installation

直铺安装

Applicable Methods | 适用铺装方式

- Full-spread glue-down - Highly recommended | 满胶铺贴 —— 强烈推荐
- Nail-down (wood subfloors only) - Highly recommended | 打钉安装(仅适用于木质基层) —— 强烈推荐
- Floating | 悬浮式安装


Installation Procedure

安装步骤



1. Door Jamb & Undercutting | 门套裁底

- Undercut door jambs and casings so flooring can slide underneath; this provides a clean finish and eliminates complex scribing.
裁切门套及门框底部, 使地板可伸入其下方铺设, 收口整洁美观, 省去精细修边工序。
- Remove and reinstall the other moldings after flooring installation is complete.
地板铺设完成后, 拆下并重新安装其余装饰线条。
- Thoroughly clean debris after cutting.
裁切完毕后彻底清理杂物碎屑




2. Reference Line | 弹放基准线

- Snap a chalk line parallel to the longest wall to establish a precise reference for layout, aiding in accurate installation and minimizing errors.
沿房屋最长墙面弹出墨线, 作为精准铺设基准, 保证施工规整、减少误差。
- Floating:** Distance = (2 x Plank Width) + Expansion Gap.
悬浮铺设: 放线距离 = 板材宽度 × 2 + 伸缩缝宽度
- Glue:** Snap the line approximately—450 mm from the starting wall (calculated as a multiple of plank width & expansion gap).
胶贴铺设: 距起始墙面约 450 毫米弹线, 尺寸按板宽与伸缩缝模数测算
- Nail-down:** Distance = Plank Width + Expansion gap to account for the required expansion gap.
打钉铺设: 放线距离 = 板材宽度 + 伸缩缝宽度

3. Installing the First Row | 铺设首排地板

Position planks along the reference line. If the wall is uneven, scribe and cut the first row to maintain a uniform expansion gap.


沿基准线摆放板材, 墙面不平时修裁板材, 确保伸缩缝宽窄一致。



Floating | 悬浮式

Orient the groove toward the wall; use wedges/spacers to maintain the gap. Plan the layout so the final row is not too narrow; trim the first row's width if necessary.


板槽朝向墙面, 用定位楔预留缝隙; 提前排版避免末排过窄, 必要时裁切首排宽度。



Glue-down | 悬浮式

Align the groove with the chalk line, tongue facing the wall. A sacrificial row nailed to the subfloor may be used to secure alignment.

板槽对齐墨线, 榫头朝向墙面, 可临时固定一排板材校准直线。



Nail-down | 打钉式


Align the first row against the guideline with the tongue side facing away from the starting wall.

- Drill and face-nail (through the top of the plank) as close to the wall as possible so the nailheads will be hidden by the baseboards later.
- Note: Flooring nailers often cannot be used for the first few rows due to wall clearance. Instead, drill and nail manually above the plank tongue every 4" (100mm).*

首排板材榫头背离起始墙面贴合基准线

- 尽量靠墙位置板面钻孔直钉, 后续踢脚线可遮盖钉眼;
- 首排受空间限制无法用打钉器, 需在榫头上侧手动钻孔打钉, 间距 100 毫米。


4. Main Installation | 主体铺设



General Technique

通用施工要点


- Engage the tongue and groove.
拼接榫槽紧密咬合
- Use a rubber mallet or tapping block to close joints. Never strike the wood edge directly with a hammer.
用橡胶锤与敲块敲合缝隙, 严禁铁锤直敲板材边缘
- Stagger end joints by a minimum of 15–20 cm (300mm–500mm is recommended, depending on manufacturer specifications).
板端错缝铺设, 最小间距 15-20 厘米, 建议 300-500 毫米



Floating Specifics

悬浮式安装细则


- Roll out underlayment with the moisture barrier facing down (if equipped); tape all joints to create a continuous seal.
铺设垫层, 防潮面朝下, 接缝处胶带密封严实
- The floor must float freely; do not fasten it to the subfloor at any point.
地板保持自由伸缩, 严禁固定于地面基层
- Do not install cabinetry or heavy fixtures on top of the flooring.
不可在地板上固定柜体及重型设施
- Apply a continuous bead of glue into the groove per instructions to ensure bonding and moisture resistance.
按规范在槽口均匀打胶, 增强粘合与防潮性能
- Immediately wipe excess glue with a damp cotton cloth.
溢出胶水立即用湿棉布擦拭干净
- Dry-fit (no glue) the first few rows to verify straightness.
先干铺数排, 校准铺设平直度



Glue-down Specifics

满胶铺贴细则


- Apply PU/MS adhesive according to the manufacturer's specifications (trowel size, coverage rate, open time).
按厂家要求选用刮板、把控用胶量与晾胶时间, 涂刷聚氨酯 / MS 胶
- Engage the plank ends and sides with minimal sliding to prevent adhesive displacement.
拼接板材轻对位, 减少滑动避免胶水偏移
- Perform frequent “transfer checks” by lifting a plank to ensure adequate adhesive coverage on the back.
适时掀起板材检查背面涂胶是否饱满
- Use weights if necessary to ensure a bond is formed.
必要时重物压实保证贴合牢固
- Restrict foot traffic on freshly glued sections. Use a kneeling board to distribute weight if access is required.
刚铺贴区域禁止踩踏, 如需作业请铺设垫板分散压力。
- Clean adhesive residue from the surface immediately.
及时清理板面残留胶水。



Nail-down Specifics

打钉安装细则

- Fastening Schedule: Use a flooring nailer/stapler to nail or staple planks every 8-10” (200-250mm).
固定间距: 使用地板钉枪 / 码钉枪固定, 间距 200-250 毫米。
- End Joints: Fasteners must be placed at least 2” (50mm) from each plank end to avoid splitting.
端头固定: 固定点位距板材端头至少 50 毫米, 防止开裂。
- Nailer Care: Check that the nailer base is clean and properly positioned to avoid damaging the finish. Adjust air pressure according to the wood species.
机具维护: 清理钉枪底座并摆正位置, 避免刮伤漆面, 根据木材种类调节气压。



SPECIAL NOTE - Supplemental Adhesive

特别须知 —— 辅助打胶

- For Nail-down installations, it is required to use adhesive along with nailing.
打钉铺设施工, 必须配合涂胶同步进行
- Apply a thin bead of adhesive in a wave pattern across the width and length of the plank.
沿板材长宽方向呈波浪状薄施胶条
- Ensure the adhesive is kept 1” (25mm) away from the edges of the planks.
沿板材长宽方向呈波浪状薄施胶条



5. Final Row

铺设最后一排

Measure and cut planks to size (allow for expansion gap).

测量尺寸裁切板材, 务必预留伸缩缝。

- Floating / Glue-down:** Use a pull bar to tighten joints. Insert wedges into the expansion gap to hold the final row securely.
悬浮 / 胶铺: 用拉紧器拼紧缝隙, 缝隙内塞入定位楔固定牢固。
- Nail-down:** The last few rows often require rip sawing to allow for the required 1/2” (12mm) gap. Like the first row, these may need to be manually drilled and face-nailed if the nailer cannot fit.
打钉铺设: 末排板材按需裁窄, 预留 12 毫米伸缩缝; 空间不足时同首排一致, 手动钻孔板面直钉固定。



B. Herringbone & Chevron Installation


人字拼与鱼骨拼安装

Applicable Methods | 适用铺装方式

- Full-spread glue-down | 满胶铺贴

Installation Procedure

安装步骤



1. Establish Center Line | 弹出中心线

Measure the room and snap a control line along the desired direction of installation.


丈量房间尺寸, 沿预定铺设方向弹出控制线。



2. Sort Planks | 板材分类

Separate planks into “Left” and “Right” groups.

将地板分为左向、右向两组分类摆放。



3. Establish Working Lines | 确定施工基准线

a) Herringbone

人字拼

- First put a few strips together in a braided manner, according to the pattern. Then draw a chalk line offset half a strip's width from the room centre (to mark the installation line) so that it aligns with the peaks of the braid, so that it lies straight in the room. |

先按款式预拼几块板材摆出造型, 再从房间中心线偏移半块板宽弹出安装墨线, 使其对齐拼花顶角, 保障整体铺设平直。

- These working lines will align with the corners of alternating planks.

施工基准线与交错排布的板材边角相互对齐。

b) Chevron


鱼骨拼

- Measure the full pattern width and divide by 2. The mitered point indicates the center.

量取整套拼花总宽度并均分, 斜切交汇点即为中心位置。

- The working line aligns with the opposite mitered ends of each plank.

量取整套拼花总宽度并均分, 斜切交汇点即为中心位置。




4. Dry Lay

预铺试排

Layout a small test section to verify pattern balance.


先小面积试铺, 确认拼花布局匀称协调。



5. Create Anchor

固定定位基座

- To ensure the pattern remains square, cut a plywood piece to match the pattern size.
为保证拼花方正规整, 裁切与拼花尺寸相符的胶合板定位板。
- Screw this anchor board to the subfloor at the intersection of the working lines and the starting diagonal.
将定位板固定在基层地面, 对准基准线与起始斜向交汇位置。



6. Adhesive Application

涂刷胶水

Use the specified notched trowel held at a 45° angle.

使用专用齿形刮板, 呈 45° 角施胶。

- Spread only enough adhesive for 30–45 minutes of work to prevent skinning.
单次涂胶量控制在 30-45 分钟内可施工完毕, 避免胶水表层凝固。
- Note: Do not obscure working lines with adhesive; reference marks must remain visible.*
注意: 切勿遮盖施工基准线, 务必保留标线清晰可见。




7. First Row Installation

铺设首排

Begin at the anchor point; install Left/Right pairs along the chalk line.

从定位基点开始, 沿墨线成对铺设左右向板材。


- The tongue should face the direction of the building. Install one row (or pair) at a time.
板材榫头朝向室内主走向, 逐排逐组依次铺贴。
- Use spacers or weights to prevent shifting temporarily.
使用定位块或重物临时固定, 防止板材移位。



8. Check Squareness

方正度校验


- Regularly check alignment with a carpenter's square at the head of the run.
施工端头常用直角尺核查铺设垂直度。
- Correct any deviation immediately.
出现偏差及时修正。



9. Extending the Pattern

延展铺贴拼花

- To set up subsequent rows, dry-lay approximately 8 planks.
铺设后续排数前, 先预铺约 8 块板材。
- Measure from the existing working line to the furthest point of the dry-laid group.
从原有基准线量至预铺板材最远端
- Record this measurement (A). "A" is the distance for snapping the following working line.
记录该尺寸 A, 以此尺寸弹出下一条基准线
- Repeat for the entire floor area.
全屋区域重复此操作



10. Continuing Installation

持续铺贴

- Use painters' tape to secure joints.
用美纹纸固定拼接缝
- A weighted roller (45–70 kg) may be used if required. Clean excess wet adhesive immediately.
必要时使用 45-70 公斤重压滚筒压实, 即刻清理多余湿胶



Maintenance

保养

Maintenance & Cleaning Instruction

保养及清洁使用说明

1. Daily Cleaning | 日常清洁

Sweep or vacuum (use a soft brush attachment; disengage the rotating beater bar).

扫地或吸尘(选用软毛刷配件, 关闭旋转滚刷)

2. Routine Cleaning | 常规清洁

Mop using a damp, well-wrung cloth and a professional cleaner (e.g., Bona or equivalent).

使用拧干的微湿拖布, 搭配专用木地板清洁剂(如博纳或同等品质产品)擦拭

3. Prohibited | 禁用事项

Do not use wet/soaking mops.

严禁大水浸泡式拖地

Do not use steam cleaners.

禁止使用蒸汽清洁机

Do not use harsh detergents, vinegar, or wax on UV-lacquered surfaces.

漆板面不可使用强效清洁剂、白醋及地板蜡

4. Environmental Control | 环境管控

Maintain stable indoor humidity year-round

全年借助空调、除湿设备保持室内湿度稳定



Technical Specification

技术资料

Straight Flooring

直铺地板

Herringbone Flooring & Chevron Flooring

鱼骨拼地板 & 人字拼地板



Straight Flooring

Product Overview		Surface & Finish	
Construction	Engineered	Finish	UV-Cured Lacquer (9 Layers)
Wood Species	American Northern Red Oak	Gloss Level(*)	Matt: 5% Gloss
Installation		Surface Texture	Smooth or Light Wire-Brushed
		Edge Profile	Finished Flooring: Micro Bevel Unfinished Flooring: Square Edge
		Locking System	Tongue and Groove
Installation Method	Glue-Down or Nail-Down Recommended; Floating Alternatively	Color Variation(**)	Natural Color Variation
Installation Grade	Above, On, Below		
Radiant Heat Compatibility	Max Surface Temperature ≤ 29°C		

Dimensions

Width (mm)	Thickness (mm)	Length (mm)			Face Layer (mm)
		Standard (400-2300)	Large (600-3000)	X-Large (1800-3600)	
127	15	●	●		4
152			●		
178			●		
203	15		●		
	19			●	
229	15		●		
	19			●	
254	15		●		
	19			●	
279	15				
	19			●	
304	15				
	19			●	

Herringbone Flooring & Chevron Flooring

Product Overview		Surface & Finish	
Construction	Engineered	Finish	UV-Cured Lacquer (9 Layers)
Wood Species	American Northern Red Oak	Gloss Level(*)	Matt: 5% Gloss
Installation		Surface Texture	Smooth or Light Wire-Brushed
		Edge Profile	Finished Flooring: Micro Bevel Unfinished Flooring: Square Edge
		Locking System	Tongue and Groove
Installation Method	Glue-Down or Nail-Down Recommended; Floating Alternatively	Color Variation(**)	Natural Color Variation
Installation Grade	Above, On, Below		
Radiant Heat Compatibility	Max Surface Temperature ≤ 29°C		

Dimensions

Width (mm)	Thickness (mm)	Length (mm)	Face Layer (mm)
		600	
101	15	●	4
127		●	

Warranty(***)

Installed by 3rd-Party Partners	Structural: 2 Years Surface: 2 Years	Weight Per Pack	Under 35 kg
Installed by An Cuong Authorized Partners	Structural: 15 Years Surface: 5 Years	Area Per Pack	2.32 m²
		Planks Per Pack	3 - 10 pcs

Certifications and Compliance



Remarks
(*) Gloss level tolerance: +/-1%
(**) Natural variation is inherent in real wood, including differences in color, tone, and grain. Each plank is unique, and the installed floor will display a natural range of variations.
(***) Warranty period varies depending on installation provider.
• Structural warranty covers dimensional stability under normal conditions.
• Surface warranty covers finish performance under proper use and maintenance.
• Exclusions: improper installation, misuse, abnormal moisture/temperature, external damage.

