

TACEDGE Ground Engineering

V1 · Screenshots & Workflow Guide

The runtime-observed visual companion to the V1 Product Definition, prepared for the Interim Development Technical Lead ahead of the V2 technical scoping sprint.

```
RUNTIME Local disposable · RockControl tenant · fictional data
SOURCE TACEDGE Geotech @ 975a2ea
INSPECTED 2026-07-17
CLASS INTERNAL · A4 LANDSCAPE
```

Contents

SECTION	TITLE
<u>00</u>	<u>Read First</u>
<u>01</u>	<u>Visual Executive Summary</u>
<u>02</u>	<u>Role & Surface Map</u>
<u>03</u>	<u>Screen Atlas</u>
<u>04</u>	<u>Core Ground-Engineering Workflows (WF-01-WF-10)</u>
<u>05</u>	<u>Safety & Supporting Workflows (WF-11-WF-16)</u>
<u>06</u>	<u>Administration & Tenant Workflows (WF-17-WF-24)</u>
<u>07</u>	<u>Cross-Workflow Findings</u>
<u>08</u>	<u>V1 → V2 Visual Orientation</u>
<u>09</u>	<u>Runtime Validation Findings</u>
<u>10</u>	<u>Appendices</u>

00 · Read First

The visual, runtime-observed companion to the V1 Product Definition. It shows what V1 looks like and how its workflows behave, captured from a safely run instance of the application.

ARTEFACT	COMPANION TO	RUNTIME	DATA	EVIDENCE SOURCE	INSPECTION DATE
V1 Screenshots & Workflow Guide	TACEDGE Ground Engineering V1 Product Definition	Local disposable instance · RockControl tenant	Fictional / seeded – no production data	TACEDGE Geotech @ 975a2ea	2026-07-17

Purpose & audience

This guide exists to let the incoming Interim Development Technical Lead *see* V1 during the V2 scoping sprint: what the screens look like, how a field crew member, supervisor and project manager move through the core **configure** → **capture** → **review** → **export** chain, and where observed runtime behaviour differs from the static Product Definition. It does not repeat the Product Definition's full technical detail – it is the picture that sits beside it.

HOW THIS RUNTIME WAS OBTAINED (SAFETY BOUNDARY)

tacedge-v1-PD is the only writable repository. TACEDGE Geotech was inspected as a strictly read-only evidence source; no intentional changes were made to it. The application was run from a **disposable copy of the tracked source** (commit `975a2ea`) outside both repositories, against a local throwaway PostgreSQL seeded with **fictional data** (project "Riverview Cutting Stabilisation", client "Alpine Hydro Ltd"). No external service was configured, so no email, Teams, SharePoint, voice call or notification could be sent. All accounts are fictional fixtures. No credentials appear in this repository.

Observation classifications

CHIP	MEANING
OBSERVED	Directly seen in the running application.
OBSERVED – READ ONLY	Seen; no write action performed.
OBSERVED – TEST DATA	Completed using the approved local test data.
PARTIALLY OBSERVED	Part seen; a dependency or safety boundary blocked completion.
BLOCKED	Could not be inspected (access, integration or safety constraint).
CONTRADICTED	Runtime materially differs from the Product Definition.

Known limitations of this runtime

- One tenant only (RockControl). LPC port, SteepWorks and TACEDGE-brand experiences are BLOCKED – no local data/domains.
- No AI keys: plan import, test-sheet OCR, the engineering test-report PDF, meeting analysis, voice extraction and Ask RC are BLOCKED.

- No map tiles (no LINZ/Mapbox key); no external send (email/Teams/SharePoint/voice).
- Dev server, not the production build; small seeded data volume – not a performance sample.

How to use & print


Read the Visual Executive Summary, then the core workflows (WF-01 to WF-10). The Screen Atlas is a reference grid; Runtime Validation Findings records where runtime met or diverged from the Product Definition. Print the landscape package from /v1-screenshots-workflows/print – browser print dialog, A4 **landscape**, background graphics on, save as PDF.

WHAT V1 LOOKS LIKE, IN ONE GLANCE

01 · Visual Executive Summary


The main surfaces and the load-bearing workflow, directly observed.

V1 runs. From a fresh sign-in it presents a role-adaptive dashboard, a tabbed project workspace, a status-coloured anchor plan, a phone-first drill capture screen that inherits design presets, a testing register with pass/fail conformance, a Drill Summary review table, and a report builder with a live multi-page PDF. The **configure** → **capture** → **review** → **export** chain is real and legible.




OBSERVED – TEST DATA

Configure/monitor – the role-adaptive dashboard.




OBSERVED – TEST DATA

Configure – the schematic Anchor Plan.




OBSERVED – TEST DATA


Capture – drill dialog with design presets inherited.



OBSERVED – TEST DATA Review – Drill Summary (note the empty Review column: no confirm gate).



OBSERVED – TEST DATA Export – Report Builder with a live 28–page PDF preview.



OBSERVED Field – the phone-first bottom-nav experience.

MOST IMPORTANT VISUAL / WORKFLOW FINDINGS

- **The configure → capture spine is genuinely present:** design presets flow into the field drill dialog; the operator confirms and records rather than decides.
- **There is no confirm/QA gate:** the Drill Summary "Review" column stays empty and export acts on live data – reviewing is not confirming (confirms the PD).
- **Outputs are mature:** a 5-sheet drill-log XLSX and a live multi-page engineer report both exist and render.
- **Much depends on AI/integrations:** the test-report PDF, OCR, voice and meeting analysis are all disabled without keys – several are load-bearing, not optional.


Unverified: anything AI-dependent, offline resync, map-with-tiles, and every non-RockControl tenant.

WHO SEES WHAT, ON WHICH SURFACE

02 · Role & Surface Map


The four role groups against desktop, mobile and voice surfaces, with observed thumbnails.

GROUP	ROLES	OBSERVED NAVIGATION	PRIMARY SURFACE
Management	OrgAdmin · ProjectManager · HSEManager	Full: projects, operations, safety, admin, settings	Desktop
Supervisor	SiteSupervisor	Operations + safety + meetings; trimmed admin	Desktop / tablet
Field	FieldTech · Subcontractor	Drill, Daily Activity, Notes, safety-lite, Forms, My Submissions – must pick a project on Drill	Mobile
Viewer	ClientViewer	Read-only surfaces	Desktop




OBSERVED — TEST DATA

Management (OrgAdmin) — full navigation.




OBSERVED

Field — capture-focused navigation.




OBSERVED


Viewer — read-only.



OBSERVED Mobile field surface + bottom nav.



PARTIALLY OBSERVED Voice surface – Quick Voice Report (extraction blocked).




PARTIALLY OBSERVED TACEDGE-brand shell (host fallback).

53 SCREENS · EVERY MEANINGFUL SURFACE

03 · Screen Atlas

A reference grid of every meaningful accessible V1 screen, grouped by area, each with its route, screen-sheet ID, role and runtime classification.


Authentication



Login

/login · PDS-AUTH · Public


OBSERVED



Register

/register · PDS-AUTH · Public

OBSERVED



Forgot password

/forgot-password · PDS-AUTH · Public

OBSERVED

Request Organisation Access

Request access to join your organisation on TacEdge

Full Name

John Doe

Work Email

you@company.com

Use your company email address

Organisation

Default Organisation

Submit request

Request access

/request-access · PDS-AUTH · Public

OBSERVED

Dashboard

TACEDGE

Shared Operational Clarity, Single Face

Search ... (Ctrl+K)

Ask TacEdge

Voice report

New Form

Dashboard

Projects

Project Operations

Drill and Grout Logs

Drill Summary

Notes

Daily Activity

Safety

Voice Report

Meetings

Incidents

Near Misses

Site Inspections

Asset Assessments

Good morning, Test

1 active project · Friday, 17 July 2026

1

Active projects

12

1 placed 1 failed 1 saved

71%

7 of 12 complete

32

Test items

\$0

Budget

83%

Compliance rate

Project Progress

RVC 2508

Riverview Cutting Stabilisation

Address: Riverview, U.K.

Active 12

Notes 32

Grout 24%

71%

Riverview Cutting Chaps, NZ

Available

Dashboard (OrgAdmin)

/ · PDS-DSH · OrgAdmin

OBSERVED — TEST DATA

TACEDGE

Shared Operational Clarity, Single Face

Search ... (Ctrl+K)

Ask TacEdge

Voice report

New Form

Dashboard

Project Operations

Drill and Grout Logs

Drill Summary

Daily Activity

Notes

Safety

Voice Report

Meetings

Incidents

Forms

My Submissions

Welcome back

What do you need to do?

Drill & Grout

Notes

Drill Summary

Forms

Daily Activity

Voice Report

Dashboard (Field)

/ · PDS-DSH · FieldTech

OBSERVED

TACEDGE

Shared Operational Clarity, Single Face

Search ... (Ctrl+K)

Ask TacEdge

Voice report

New Form

Dashboard

Project overview and insights

Active Jobs

0

Forms Pending

1

Open Incidents

0

Compliance Rate

0%

Recent Incidents

No incidents reported

View all

Dashboard (Viewer)

/ · PDS-DSH · ClientViewer

OBSERVED

Welcome back

What do you need to do?

Dashboard (mobile)

/ · PDS-DSH · FieldTech

OBSERVED

Projects & setup

TACEDGE

Shared Operational Clarity, Single Fact.

Search ... (Ctrl+K)

Ask TacEdge

Voice report

New Form

Dashboard

Projects

Project Operations

Drill and Grout Logs

Drill Summary

Notes

Daily Activity

Safety

Voice Report

Meetings

Incidents

Near Misses

Site Inspections

Asset Assessments

Projects

GeoTech construction projects across New Zealand

Search projects, clients, or locations...

RVC - 2926

active

Riverview Cutting Stabilisation

Alpine Hydro Ltd

Riverview Cutting, Ottago, NZ

Engineer: K. Manning, CPEng (Southgate Geotechnical)

Projects list

/projects · PDS-PRJ · Management

OBSERVED — TEST DATA

TACEDGE

Shared Operational Clarity, Single Fact.

Search ... (Ctrl+K)

Ask TacEdge

Voice report

New Form

Dashboard

Projects

Project Operations

Drill and Grout Logs

Drill Summary

Notes

Daily Activity

Safety

Voice Report

Meetings

Incidents

Near Misses

Site Inspections

Asset Assessments

Riverview Cutting Stabilisation

active

Project Code: RVC - 2926

OverviewJob BriefSpecificationsAnchor PlanSite MapDrill SummaryDAS SpecsReportsRecordsSurveysSettings

Project Information

ClientAlpine Hydro Ltd

LocationRiverview Cutting, Ottago, NZ

EngineerK. Manning, CPEng (Southgate Geotechnical)

Team

Key team members for this project

No team members added yet.

+ Add

Project overview

/projects/:id · PDS-PRJD · Management

OBSERVED — TEST DATA

TACEDGE

Shared Operational Clarity, Single Fact.

Search ... (Ctrl+K)

Ask TacEdge

Voice report

New Form

Dashboard

Projects

Project Operations

Drill and Grout Logs

Drill Summary

Notes

Daily Activity

Safety

Voice Report

Meetings

Incidents

Near Misses

Site Inspections

Asset Assessments

Riverview Cutting Stabilisation

active

Project Code: RVC - 2926

OverviewJob BriefSpecificationsAnchor PlanSite MapDrill SummaryDAS SpecsReportsRecordsSurveysSettings

Project Specifications

Set up the building blocks here, then assemble Anchor Designs from them below. The Anchor Plan tab uses the designs you create.

Grout Mix Types

0 types

No types defined — add one to categorise mixes (e.g. Cementitious, Resin, PU).

+ Add

Grout Mixes

0 mixes

No grout mixes defined

+ Add

Drill Methods

0 methods

No drill methods defined

+ Add

Anchor Designs

Reusable specs (bar, hole diameter, depth, drill method, grout mix). Available to every zone's planter.

+ Add Design

Rock Anchors RB250

BAR

INSTALL

Bar: RB250, Installed bar

Spec: 100.00mm

Rock Pins RB180

BAR

INSTALL


Bar: RB180, Installed bar

Spec: 50.00mm

Specifications

/projects/:id · PDS-PRJD · Management


OBSERVED — TEST DATA



Anchor Plan

/projects/:id · PDS-PRJD · Management

OBSERVED — TEST DATA




DAS specs

/projects/:id · PDS-PRJD · Management

OBSERVED


Field capture



Drill — project select

/drill · PDS-DRL · Field


OBSERVED



Drill grid

/drill · PDS-DRL · Field

OBSERVED — TEST DATA



Driller Quick Fill

/drill · PDS-DRL · Field

OBSERVED — TEST DATA

Anchor Map

Pick a project, or log a one-off drill without one.

Drill grid (mobile)

/drill · PDS-DRL · Field

OBSERVED

Testing

Anchor Testing

View and manage all anchor test results across projects

Total Tests6

Passed5

Failed1

Pending0

Filters

Search anchor ref, tester...

All Projects

All Results

Anchor Ref	Project	Test Date	Standard	Design (kN)	Proof (kN)	Max (kN)	Crimp %	Result	Tested By
A6	Riverstone Cutting Stabilisation RVC-008	14 Jul 2026	pt-B35	320	426	426	—	Pass	Crew A — Tim K

Riverstone Cutting

Anchor Testing list

/anchor-testing · PDS-TST · Management

OBSERVED — TEST DATA

Anchor Testing

View and manage all anchor test results across projects

Total Tests6

Passed5

Failed1

Pending0

Filters

Search anchor ref, tester...

All Projects

All Results

Anchor Ref	Project	Test Date	Standard	Design (kN)	Proof (kN)	Max (kN)	Crimp %	Result	Tested By
A6	Riverstone Cutting Stabilisation RVC-008	14 Jul 2026	pt-B35	320	426	426	—	Pass	Crew A — Tim K

Riverstone Cutting

Test detail / results

/anchor-testing · PDS-TST · Management

OBSERVED — TEST DATA

Review & reporting

TACEEDGE

Mineral Operational Safety, Simple, Fast.

Search... [Ctrl+K]

Ask TACEEDGE

Voice report

New Entry

0

Dashboard

Projects

Project Operations

Drill and Grout Logs

Drill Summary

Notes

Daily Activity

Safety

Voice Report

Meetings

Incidents

Near Misses

Site Inspections

Asset Assessments

Drill Summary

Track and manage drill installations across all projects

PDF

Email

Export

Total Anchors12

Today's Installs0

Grouted7

Tested6

Total Metres Drilled32.3 m

Avg Metres/Day5.4 m

Grout Bags Used14est. from litres

Grout Volume200 L+1% vs theoretical

Search by reference, crew, project, or comments...

All projects

All statuses

All time

RefLocationDateGroutedTimeLength (m)Dia (mm)CrewStatusTestReview

A8Riverview Cutting Stabilisation - Zone 1 - South Face14 Jul 202616:293.59m188.89mmCrew ADrilled---

Drill Summary

/anchor-logs • PDS-ALG • Management

OBSERVED — TEST DATA

Drill and Grout Log — Riverview Cutting Stabilisation (RVC-2026)

Actual content of the v1 drill-log XLSX export (sheet "Drill log table"), rendered as a table for legibility.

ID	DATE	DRILLED (m)/m/y/y	ANCHOR TYPE	HAUL DIAMETER (mm)	DEPTH (m)	HOLE INC. (mm)	FROM DEPTH	TO DEPTH	GRROUT CONDITIONS
A1	2026-07-05		Rock Anchors RB25G	102	3.55	15		0.5	Weathered greywacke
A2	2026-07-05		Rock Anchors RB25G	103	3.6	15.5		0.5	Sound greywacke
A3	2026-07-06		Rock Anchors RB25G	100	3.5	14.5		0.6	Weathered greywacke
								2.1	Sound greywacke
A4	2026-07-08		Rock Anchors RB25G	100	3.52	15		0.5	Hard greywacke
								0.5	Weathered greywacke
A5	2026-07-08		Rock Anchors RB25G	100	3.48	15		0.5	Weathered greywacke
A6	2026-07-10		Rock Anchors RB25G	103	3.55	15		0.5	Weathered greywacke
A7	2026-07-12		Rock Anchors RB25G	100	3.5	15		3.55	Sound greywacke
A8	2026-07-14		Rock Anchors RB25G	100	3.5	15			

Source: CET app/projects/40840/anchors - opened/grout logs table, Totals, Anchor Map, Consulting Summary, Drop Down Lists

Drill-log XLSX (content)

/api/.../drill-log/xlsx • PDS-ALG • Management

OBSERVED — TEST DATA

TACEEDGE

Mineral Operational Safety, Simple, Fast.

Search... [Ctrl+K]

Ask TACEEDGE

Voice report

New Entry

0

Dashboard

Projects

Project Operations

Drill and Grout Logs

Drill Summary

Notes

Daily Activity

Safety

Voice Report

Meetings

Incidents

Near Misses

Site Inspections

Asset Assessments

Anchor Acceptance Test Report — Zone 1

RVC-2026 - Zone 1 - South

All changes saved

PDF

AI

Save

Export PDF

Sections

Overview

Location

1. Introduction

1.1 Project identification

1.2 Scope

1.3 Standards and governing test procedures

2. Equipment

2.1 Material

2.2 Test procedure

2.3 Acceptance criteria

4. Observations

6. Results

6.1 Anchor schedule

6.2 Per-anchor results

6.3 Confirmation summary

7. Conclusions

REPORT

Riverview Cutting Stabilisation — Anchor Acceptance Test

Riverview Cutting Stabilisation — Anchor Acceptance Test Report

Consultation with design to demonstrate with EN ISO 22475-2:2018

Author: TACEEDGE Ltd

Project: Riverview Cutting Stabilisation

Project ID: RVC-2026

Version: 1.0

2026-07-17

REPORT

Report Builder

/reports/:id • PDS-RPT • Management

OBSERVED — TEST DATA

TACEEDGE

Mineral Operational Safety, Simple, Fast.

Search... [Ctrl+K]

Ask TACEEDGE

Voice report

New Entry

0

Dashboard

Projects

Project Operations

Drill and Grout Logs

Drill Summary

Notes

Daily Activity

Safety

Voice Report

Meetings

Incidents

Near Misses

Site Inspections

Asset Assessments

Riverview Cutting Stabilisation

Active

Project Code: RVC-2026

Overview

Job Brief

Specifications

Anchor Plan

Site Map

Drill Summary

DAGS Specs

Reports

Records

Surveys

Settings

Engineer Reports

Build, edit and export consultancy-grade reports — anchor acceptance levels, drill logs and more. Live PDF preview, structured templates aligned to BS EN ISO 22475-2:2018 and BS EN 12057:2003. View change log/print full revision history.

Open Report Builder

Drill & Grout Log spreadsheet

Auto-populates the operator's XLSX from this project's anchor installs and grout profile layers. Use the filters to scope the export.

Date range

All time

Include planned anchors (rows without drill data)

Will export 10 of 12 anchors. 2 excluded by filters (planned but not drilled anchors are excluded by any date filter).

Generate report

Project reports

/projects/:id/reports • PDS-RPT • Management

OBSERVED

Daily activity

TACEDGE

Shared Operational Capacity, Simple, Fast.

Search... (Ctrl+K)

Ask TacEdge

Voice report

New Entry

Dashboard

Projects

Project Operations

Drill and Grout Logs

Drill Summary

Notes

Daily Activity

Safety

Voice Report

Meetings

Incidents

Near Misses

Site Inspections

Asset Assessments

Daily Activity Sheet

Record daily site activities, staff hours, and plant usage

Sheet Details

Site *
Enter site name

Date *
07/17/2020

DAS Completed By *
Sam Keller

Project #
Select project

Weather
e.g. Fine, Rain, Overcast

Day / Night Shift
Day

Staff

+ Add Row

Name	Role	Start	Finish	Travel (hrs)	Standby (hrs)	Worked (hrs)	Break (hrs)	Total (hrs)
Name	Position							0.0

DAS list

/daily-activity · PDS-DAS · Supervisor

OBSERVED

TACEDGE

Shared Operational Capacity, Simple, Fast.

Search... (Ctrl+K)

Ask TacEdge

Voice report

New Entry

Dashboard

Projects

Project Operations

Drill and Grout Logs

Drill Summary

Notes

Daily Activity

Safety

Voice Report

Meetings

Incidents

Near Misses

Site Inspections

Asset Assessments

Daily Activity Sheet

Record daily site activities, staff hours, and plant usage

Sheet Details

Site *
Enter site name

Date *
07/17/2020

DAS Completed By *
Sam Keller

Project #
Select project

Weather
e.g. Fine, Rain, Overcast

Day / Night Shift
Day

Staff

+ Add Row

Name	Role	Start	Finish	Travel (hrs)	Standby (hrs)	Worked (hrs)	Break (hrs)	Total (hrs)
Name	Position							0.0

New DAS sheet

/daily-activity · PDS-DAS · Supervisor

OBSERVED — TEST DATA

Safety

TACEDGE

Shared Operational Capacity, Simple, Fast.

Search... (Ctrl+K)

Ask TacEdge

Voice report

New Entry

Dashboard

Projects

Project Operations

Drill and Grout Logs

Drill Summary

Notes

Daily Activity

Safety

Voice Report

Meetings

Incidents

Near Misses

Site Inspections

Asset Assessments

Incidents

Report and track workplace incidents

+ Report Incident

Total Incidents
0

Open
0

Under Review
0

Resolved
0

Search incidents by description, location, or reporter...

No incidents found
No incidents have been reported

Incidents

/incidents · PDS-SAF · Safety

OBSERVED

TACEDGE

Shared Operational Capacity, Simple, Fast.

Search... (Ctrl+K)

Ask TacEdge

Voice report

New Entry

Dashboard

Projects

Project Operations

Drill and Grout Logs

Drill Summary

Notes

Daily Activity

Safety

Voice Report

Meetings

Incidents

Near Misses

Site Inspections

Asset Assessments

Near Misses

Report and track near-miss events to prevent future incidents

+ Report Near Miss

Total Reports
0

Pending
0

High Risk
0

Search near misses by description, location, or category...

No near misses found
No near-miss events have been reported

Near misses

/near-misses · PDS-SAF · Safety

OBSERVED

TACEDGE

Shared Operational Capacity, Simple, Fast.

Search... (Ctrl+K)

Ask TacEdge

Voice report

New Entry

Dashboard

Projects

Project Operations

Drill and Grout Logs

Drill Summary

Notes

Daily Activity

Safety

Voice Report

Meetings

Incidents

Near Misses

Site Inspections

Asset Assessments

Site Inspections

Schedule and manage site safety inspections

+ New Inspection

Total Inspections
0

Pending
0

Completed
0

Total
0

Search inspections by site, type, or inspector...

No inspections found
Schedule your first site inspection

Site inspections

/site-inspections · PDS-SAF · Management

OBSERVED

TACEDGE
Shared Operational Capacity, Single Form

Search... (Ctrl+K)

Ask TacEdgeVoice reportNew Form

Asset Assessments
Track asset conditions and schedule assessments

Total Assessments0

Pending0

Completed0

Search assets by name, type, or location...

No asset assessments found
Start tracking asset conditions with your first assessment

Asset assessments
/asset-assessments · PDS-SAF · Management
OBSERVED

MenuSearch

+PhoneFT

Back to FormsDiscard

Job Safety Analysis (JSA)

JSA fill (mobile)
/forms/:id · PDS-FRM · Field
OBSERVED — TEST DATA

TACEDGE
Shared Operational Capacity, Single Form

Search... (Ctrl+K)

Ask TacEdgeVoice reportNew Form

Anchor Map
Pick a project, or log a new off-drill without one

Quick voice report
Tap to start recording — state, time, location, severity all get filled in automatically. What kind of report? (optional) — we can guess.
IncidentNear missTake 5Inspection
Crime briefingVariationDrill log
Tap to start. Speak naturally for 30-60 seconds.
Cancel

Voice report
__voice__ · PDS-DSH · Field
PARTIALLY OBSERVED

Meetings

TACEDGE
Shared Operational Capacity, Single Form

Search... (Ctrl+K)

Ask TacEdgeVoice reportNew Form

Meetings

Search meetings...All ProjectsAll Types

Toolbox talk — Riverview Cutting scheduled
Toolbox Talk · Site office · Jul 17, 2026

Meetings list
/meetings · PDS-MTG · ALL
OBSERVED — TEST DATA

TACEDGE
Shared Operational Capacity, Single Form

Search... (Ctrl+K)

Ask TacEdgeVoice reportNew Form

Toolbox talk — Riverview Cutting scheduled
Toolbox Talk · Site office · Jul 17, 2026 8:30 AM

Tap the microphone to start recording this meeting

OverviewAttendanceTranscriptActionsPhotosAI Analysis

Meeting Details
Code: MTG-378432608A3839
Type: Toolbox Talk
Status: scheduled
Location: Site office
Participants: 0
Actions Name: 0

Meeting detail
/meetings/:id · PDS-MTGD · ALL
PARTIALLY OBSERVED

Forms

TACEDGE

Shared Operational Capacity, Simple, Fast.

Search... (Ctrl+K)

Ask TacEdgeVoice reportNew Form

DashboardProjects

Project OperationsDrill and Grout LogsDrill SummaryNotesDaily Activity

SafetyVoice ReportMeetingsIncidentsNear MissesSite InspectionsAsset Assessments

Forms

Select a form type to get started

Take 5 — Pre-task Check

Stop, look, assess, manage, proceed

Incident Report

Report an incident or injury

Job Safety Analysis (JSA)

Site JSA with daily crew sign-in

Need a different form?

Build a custom one in the Form Builder — drag questions, set required fields, save. It shows up here for everyone on your team to fill.

Create a custom form

Forms gallery

/forms · PDS-FRM · ALL

OBSERVED — TEST DATA

TACEDGE

Shared Operational Capacity, Simple, Fast.

Search... (Ctrl+K)

Ask TacEdgeVoice reportNew Form

DashboardProjects

Project OperationsDrill and Grout LogsDrill SummaryNotesDaily Activity

SafetyVoice ReportMeetingsIncidentsNear MissesSite InspectionsAsset Assessments

Form Builder

Create and manage custom form templates

PreviewSave Template

Template Details

Get up the basic information for your form template

Template Name *
e.g. Incident Report

Description
Describe what this form is used for...

Form Type
Incident Report

Existing Templates

Load a template to edit or create a new one

Take 5 — Pre-task Check
3 questions

Incident Report
5 questions

Job Safety Analysis (JSA)
5 questions

Form Builder

/form-builder · PDS-FB · Management

OBSERVED

TACEDGE

Shared Operational Capacity, Simple, Fast.

Search... (Ctrl+K)

Ask TacEdgeVoice reportNew Form

DashboardProjects

Project OperationsDrill and Grout LogsDrill SummaryNotesDaily Activity

SafetyVoice ReportMeetingsIncidentsNear MissesSite InspectionsAsset Assessments

Form Submissions

View and manage all submitted forms including voice reports

Select

Filters

SearchForm code or type...StatusAll statusesForm TypeAll typesSourceAll sources

Show archived forms

VAR-176030887219

Submitted 24 minutes ago · Jul 17, 2025 6:31 AM

Site: Additional row of rock pile — Zone 1 crest

reason: ground conditions

pending

Submissions inbox

/submissions · PDS-SUB · ALL

OBSERVED

Mapping & survey

TACEDGE

Shared Operational Capacity, Simple, Fast.

Search... (Ctrl+K)

Ask TacEdgeVoice reportNew Form

DashboardProjects

Project OperationsDrill and Grout LogsDrill SummaryNotesDaily Activity

SafetyVoice ReportMeetingsIncidentsNear MissesSite InspectionsAsset Assessments

Riverview Cutting Stabilisation

Project Code: RVC-2926

OverviewJob BriefSpecificationsAnchor PlanSite MapDrill SummaryDAQ SpecsReportsRecordsSurveysSettings

Site Map

Drop anchors, draw, scale, and measure on the site photo. Two-finger pinch to zoom on touch.

Anchor Plan

Burrenna Dam — south face (sample)Anchor PlanZone 1 — South face

SelectPinAnchorDrawScaleMeasureBlankAnchorsAdd form gridExport

Type:AnchorMarkDrawRed hatRecentCustomNewLabel (auto-recommends): e.g. A1

Click the photo to drop. Type "A1" — red dot drops "A1". Visual only — doesn't change the grid.

Site Map

/projects/:id · PDS-PRJD · Management

PARTIALLY OBSERVED

TACEDGE

Shared Operational Capacity, Simple, Fast.

Search... (Ctrl+K)

Ask TacEdgeVoice reportNew Form

DashboardProjects

Project OperationsDrill and Grout LogsDrill SummaryNotesDaily Activity

SafetyVoice ReportMeetingsIncidentsNear MissesSite InspectionsAsset Assessments

Riverview Cutting Stabilisation

Project Code: RVC-2926

OverviewJob BriefSpecificationsAnchor PlanSite MapDrill SummaryDAQ SpecsReportsRecordsSurveysSettings

Surveys

Riverview Cutting Stabilisation

New Survey

No surveys yet

Create a survey to upload and analyse site images

New Survey

Drone surveys

/projects/:id · PDS-PRJD · Management

OBSERVED — READ ONLY

Administration & integrations

TACEEDGE

Marine Operational Safety, Simple, Fast.

Search... [Ctrl+K]

Ask TACEEDGE

Voice report

New Entry

0

Dashboard

Projects

Project Operations

Drill and Ground Logs

Drill Summary

Notes

Daily Activity

Safety

Voice Report

Meetings

Incidents

Near Misses

Site Inspections

Asset Assessments

Settings

Organisation

Team

Branding

Configuration

Notifications

Permissions

Standards

DAS Master Data

Organisation Details

Manage your organisation's basic information

Organisation Name

Rock Control

Domain

rockcontrolapp

Status: Active

Save Changes

Settings – users

/settings · PDS-SET · OrgAdmin

OBSERVED – TEST DATA

TACEEDGE

Marine Operational Safety, Simple, Fast.

Search... [Ctrl+K]

Ask TACEEDGE

Voice report

New Entry

0

Dashboard

Projects

Project Operations

Drill and Ground Logs

Drill Summary

Notes

Daily Activity

Safety

Voice Report

Meetings

Incidents

Near Misses

Site Inspections

Asset Assessments

Settings

Organisation

Team

Branding

Configuration

Notifications

Permissions

Standards

DAS Master Data

Organisation Details

Manage your organisation's basic information

Organisation Name

Rock Control

Domain

rockcontrolapp

Status: Active

Save Changes

Settings – branding

/settings · PDS-SET · OrgAdmin

PARTIALLY OBSERVED

TACEEDGE

Marine Operational Safety, Simple, Fast.

Search... [Ctrl+K]

Ask TACEEDGE

Voice report

New Entry

0

Dashboard

Projects

Project Operations

Drill and Ground Logs

Drill Summary

Notes

Daily Activity

Safety

Voice Report

Meetings

Incidents

Near Misses

Site Inspections

Asset Assessments

Asset Register

Jacks, gauges, vehicles, harnesses, ropes, rigs — with cert tracking and assessment history

Total assets

1

Expired certs

0

Expiring in 30 days

0

Testing gear

Vehicles

Safety gear

Plant / rigs

Search name, serial, regn...

Name

Subtype

Serial / rego

Cert expiry

Status

Location

Hydraulic jack — HQ-30

—

—

—

Search

—

Asset Register

/assets · PDS-AST · Management

OBSERVED – TEST DATA

TACEEDGE

Marine Operational Safety, Simple, Fast.

Search... [Ctrl+K]

Ask TACEEDGE

Voice report

New Entry

0

Dashboard

Projects

Project Operations

Drill and Ground Logs

Drill Summary

Notes

Daily Activity

Safety

Voice Report

Meetings

Incidents

Near Misses

Site Inspections

Asset Assessments

Documents

Browse document libraries

No document libraries found

No document libraries configured

Documents (SharePoint)

/documents · PDS-D0C · Management

OBSERVED – READ ONLY

TACEEDGE

Marine Operational Safety, Simple, Fast.

Search... [Ctrl+K]

Ask TACEEDGE

Voice report

New Entry

0

Dashboard

Projects

Project Operations

Drill and Ground Logs

Drill Summary

Notes

Daily Activity

Safety

Voice Report

Meetings

Incidents

Near Misses

Site Inspections

Asset Assessments

Calendar

Convert Outlook to sync events across platforms.

Connected Outlook

All your events — TACEEDGE, Outlook, safety meetings, project milestones.

Month

Week

Agenda

New Event

July 2026

Mon

Tue

Wed

Thu

Fri

Sat

Sun

29

30

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

Calendar

/calendar · PDS-CAL · Management

PARTIALLY OBSERVED

TACEEDGE

Marine Operational Safety, Simple, Fast.

Search... [Ctrl+K]

Ask TACEEDGE

Voice report

New Entry

0

Dashboard

Projects

Project Operations

Drill and Ground Logs

Drill Summary

Notes

Daily Activity

Safety

Voice Report

Meetings

Incidents

Near Misses

Site Inspections

Asset Assessments

Notes

Quick capture for site observations and punch lists. Notes auto-link anchor refs (A1.2) and dates (2024-05-13) to their records.

All projects

Search notes

Remember Calling Drillbitback

Minor water ingress noted while drilling A6 at...

10 minutes ago

Pick a note from the list, or create a new one.

New note

Notes

/notes · PDS-NTS · Field

OBSERVED – TEST DATA

TACEDGE
Shared Operational Clarity, Single Fact

Search... (Ctrl+K)

Ask TacEdgeVoice reportNew Form

DashboardProjects

Project Operations

Drill and Grout LogsDrill SummaryNotesDaily Activity

Safety

Voice ReportMeetingsIncidentsNear MissesSite InspectionsAsset Assessments

Variation Request

Document project variations and scope changes

Variation Request Form

Document project variations and scope changes

Select Project*

Choose a project...

Variation Number

VAR-001

Category

Select category

Variation Title

Brief title of the variation

Detailed Description

Variations

/variations · PDS-VAR · Management

OBSERVED

≡Search

+Voice callFT

Profile

Manage your personal information and view account details

Profile + PWA

/profile · PDS-PRF · Field

OBSERVED

TACEDGE
Shared Operational Clarity, Single Fact

Search... (Ctrl+K)

Ask TacEdgeVoice reportNew Form

DashboardProjects

Project Operations

Drill and Grout LogsDrill SummaryNotesDaily Activity

Safety

Voice ReportMeetingsIncidentsNear MissesSite InspectionsAsset Assessments

Thanks for piloting the new TacEdge app by TacEdge.

Your team's feedback during this pilot directly shapes what we build next. We respond fast to bugs and suggestions — please don't hesitate to use the channels below. Nothing is too small.

Need help or hit a snag?

Three ways to reach us. Use whichever is fastest for you.

Report a bug

Found something broken or odd? Use the in-app feedback widget — it captures the screen, your location, and the page — automatically or via our 30-sec tool.

Open feedback widget

Help

/help · PDS-PRF · All

OBSERVED

Tenant-specific & legacy

TACEDGE brand shell

/ (host) · PDS-MKT · Public

PARTIALLY OBSERVED

TACEDGE marketing (geotech)

/geotech · PDS-MKT · Public

PARTIALLY OBSERVED

TACEDGE
Shared Operational Clarity, Single Fact

Search... (Ctrl+K)

Ask TacEdgeVoice reportNew Form

DashboardProjects

Project Operations

Drill and Grout LogsDrill SummaryNotesDaily Activity

Safety

Voice ReportMeetingsIncidentsNear MissesSite InspectionsAsset Assessments

Jobs

Manage construction projects and sites

Search jobs, sites, or codes...


No jobs yet

Create Your First Job

Jobs (semi-legacy)

/jobs · PDS-JOB · Management


OBSERVED — READ ONLY



Sites (semi-legacy)

/sites · PDS-SIT · Management


OBSERVED — READ ONLY



Not found

* · — · All

OBSERVED



LPC port experience

— · — · LPC

BLOCKED

WF-01 TO WF-10 • CONFIGURE → CAPTURE → REVIEW → EXPORT

04 • Core Ground-Engineering Workflows

The load-bearing chain, step by step, screenshot-led. These are the workflows most relevant to V2 scoping.

WF-01 · Sign in and reach the tenant experience

PRIMARY ACTOR All roles	SUPPORTING —	START ROUTE /login	END STATE Role-adaptive dashboard	RUNTIME STATUS OBSERVED
CAPABILITIES V1-AUTH-01 · V1-DSH-01 · V1-ORG-03	SCREEN SHEETS PDS-AUTH · PDS-DSH			


- 1

Action. Open the app; enter email + password (Microsoft OAuth also offered).

Sees. A tenant-branded login — RockControl branding resolved from the host before sign-in.

Records. A Postgres-backed session cookie (30-day rolling).

Hand-off. Into the authenticated shell.




OBSERVED Login — RockControl brand resolved pre-login.

2

Action. Arrive on the dashboard (OrgAdmin).

Sees. KPI tiles (anchors, completion, metres, grout, test pass), a project-progress card and analytics charts.

The in-app sidebar shows a TACEDGE wordmark and “Ask TacEdge”, though the tenant is RockControl (RV-12 – likely a local default; verify in production).



OBSERVED — TEST DATA


OrgAdmin dashboard — full management navigation.

3

Action. Compare the field and viewer roles.


Sees. FieldTech gets a capture-focused, trimmed navigation; ClientViewer is read-only.

Hand-off. Field users go to Drill; viewers to read surfaces.



OBSERVED

FieldTech dashboard — navigation trimmed to capture + safety.




OBSERVED

ClientViewer dashboard — read-only surfaces.


4

Action. Open the mobile experience (field crew).

Sees. A phone layout with a fixed bottom bar: Home · This Page · Drill · Voice, and a slide-in nav drawer.



OBSERVED Field mobile dashboard + bottom navigation.



OBSERVED Mobile navigation drawer.

WORKFLOW OUTCOME

The user lands on a dashboard whose navigation and widgets are shaped by their role group. No confirmation or approval occurs at sign-in; it is an entry point only.

External side effects: None. (Microsoft OAuth path exists but was not exercised locally.)

V2 SCOPING RELEVANCE

- Which tenant-config fields must drive the in-app shell, not only the login page? (The app shell showed TACEDGE branding for the RockControl tenant locally – RV-12.)
- Is the four-group role model (Management / Supervisor / Field / Viewer) the right granularity for the V2 operator → PM → engineer chain?

WF-02 · Configure a ground-engineering project


PRIMARY ACTOR Project Manager	SUPPORTING OrgAdmin	START ROUTE /projects	END STATE Project with zones, designs, mixes and methods	RUNTIME STATUS OBSERVED – TEST DATA
CAPABILITIES V1-PRJ-01 · V1-PRJ-02 · V1-CFG-01 · V1-CFG-02 · V1-CFG-03	SCREEN SHEETS PDS-PRJ · PDS-PRJD			

1

Action. Open Projects and select a project.

Sees. A projects list with status and progress.

Hand-off. Into the project workspace.




OBSERVED — TEST DATA Projects list.

2

Action. Review the project overview.

Sees. A tabbed workspace: Overview, Job Brief, Specifications, Anchor Plan, Site Map, Drill Summary, DAS Specs, Reports, Records, Surveys, Settings.



OBSERVED — TEST DATA

Project workspace — tab strip and header.

3

Action. Define specifications.

Sees. Anchor designs, grout mixes and drill methods for the project.

Records. Design/mix/method rows the plan and capture inherit.

Hand-off. Specifications feed the Anchor Plan and the drill dialog.

The screenshot shows the TACEDGE web application interface for the 'Riverview Cutting Stabilisation' project (Project Code: RVC - 2026). The left sidebar contains navigation links for Dashboard, Projects, Project Operations (Drill and Grout Logs, Drill Summary, Notes, Daily Activity), Safety (Voice Report, Meetings, Incidents, Near Misses, Site Inspections, Asset Assessments, Asset Register), and Admin (Forms, Submissions, Form Builder). The main content area is titled 'Project Specifications' and includes a sub-header 'Set up the building blocks here, then assemble Anchor Designs from them below. The Anchor Plan tab uses the designs you create.' Below this are three sections: 'Grout Mix Types' (0 type(s)), 'Grout Mixes' (0 mix(es)), and 'Drill Methods' (0 method(s)), each with an 'Add' button. The 'Anchor Designs' section (Reusable specs (bar, hole diameter, depth, drill method, grout mix). Available to every zone's planner.) shows two designs: 'Rock Anchors RB25G 15.00\"

OBSERVED — TEST DATA

Specifications — the building blocks capture inherits.

4

Action. Review supporting project areas.

Sees. A per-project Records area (meetings, documents, incidents, variations) and a documents store.

The screenshot shows the TACEDGE web application interface for the 'Riverview Cutting Stabilisation' project (Project Code: RVC - 2026). The left sidebar is the same as the previous screenshot. The main content area is titled 'Meetings & Briefings' and includes a sub-header 'Toolbox tabs: pre-meets, and safety briefings for this project'. Below this is a table with one row: 'MTC-17620260001' (Toolbox Talk - Riverview Cutting Site Visit) with a 'Toolbox Talk' label and a 'New Meeting' button.

OBSERVED

Records tab — meetings within the project.

The screenshot shows the TACEDGE web application interface for the 'Riverview Cutting Stabilisation' project (Project Code: RVC - 2026). The left sidebar is the same as the previous screenshot. The main content area is titled 'Documents' and includes a sub-header 'Toolbox tabs: pre-meets, and safety briefings for this project'. Below this is a table with one row: 'MTC-17620260001' (Toolbox Talk - Riverview Cutting Site Visit) with a 'Toolbox Talk' label and a 'New Meeting' button.

OBSERVED

Project documents area.

WORKFLOW OUTCOME

A configured project shell: zones/sections, anchor designs, grout mixes and drill methods that field capture later inherits. Nothing is released; this is preparation.

External side effects: None (local writes only).

V2 SCOPING RELEVANCE

- Does V2 keep per-project setup, or move to reusable, work-type-scoped templates the PD calls out as absent in V1?
- The setup is spread across many tabs with no guided first-run – is a “cold PM in under 10 minutes” bar (V2 DoD 1) reachable from this base?

WF-03 · Plan anchors

PRIMARY ACTOR Project Manager	SUPPORTING —	START ROUTE /projects/:id	END STATE Planned anchors placed in zones	RUNTIME STATUS OBSERVED — TEST DATA
CAPABILITIES V1-PRJ-02 · V1-PLN-01 · V1-PLN-02	SCREEN SHEETS PDS-PRJD			


- 1

Action. Open the Anchor Plan.

Sees. A status-coloured anchor grid by zone (2 planned · 3 drilled · 1 grouted · 6 tested), row-direction control, design legend, and an “Import plan from PDF” action.

Records. Planned anchor rows.

Hand-off. Drillers see saved anchors in the Drill screen immediately.




OBSERVED — TEST DATA Anchor Plan — schematic grid, design legend, PDF-import entry.

2

Action. Attempt AI-assisted planning (Job Brief / PDF import).

Sees. The entry points render but the AI actions are disabled without a key.

AI plan import and job-brief extraction are **BLOCKED** in this runtime; the propose → approve → commit discipline could not be observed end-to-end.



BLOCKED

Job Brief tab — AI extraction unavailable (no key).

WORKFLOW OUTCOME

A zone/row anchor layout with designs assigned — the source of the field crew's day list and the Status Board's tallies. AI PDF import can propose the layout but a human approves before anything is created.

External side effects: None. AI plan import and job brief require the Anthropic key and were **BLOCKED** locally.

V2 SCOPING RELEVANCE

- Is AI plan import load-bearing or assistive for V2 (V2 makes it a Must, human-approved)?
- The plan is schematic (zone/row grid) plus a face-photo map — does that satisfy the V2 Spatial Map job, or is real-space placement new?

WF-04 · Locate and select an anchor


PRIMARY ACTOR Field crew	SUPPORTING —	START ROUTE /drill	END STATE The intended anchor is open for capture	RUNTIME STATUS OBSERVED — TEST DATA
CAPABILITIES V1-DRL-01 · V1-MAP-02	SCREEN SHEETS PDS-DRL · PDS-PRJD			

- 1

Action. Open Drill.

Sees. A “Select a project” step, plus a “Just Drill” option that captures an install as a form with no project.

The project-less “Just Drill” path (RV-10) is a second capture route that lands in Submissions rather than the anchor plan.




OBSERVED Drill entry — project select and the “Just Drill” one-off path.

2


Action. Select the project.

Sees. A status-coloured Anchor Map with a Grid / Photo Map toggle, a live progress bar and “7 of 12 complete”.

Hand-off. Tap an anchor to open capture.



OBSERVED – TEST DATA Drill grid – status tiles, Grid/Photo-Map toggle, progress.



OBSERVED Drill grid on a phone.

WORKFLOW OUTCOME

The field user identifies and opens the anchor they are working on, from a schematic grid or a face-photo map.

External side effects: None.

V2 SCOPING RELEVANCE

- Should V2 unify the planned-anchor flow and the project-less “Just Drill” capture path (RV-10)?
- Is “pick a project first” the right first step for a field user, or should the device already know the job?

WF-05 · Capture drilling


PRIMARY ACTOR Field crew	SUPPORTING Site Supervisor	START ROUTE /drill	END STATE Anchor status = drilled	RUNTIME STATUS OBSERVED — TEST DATA
CAPABILITIES V1-DRL-01 · V1-DRL-02 · V1-DRL-03 · V1-OFF-01	SCREEN SHEETS PDS-DRL			

- 1

Action. Open a planned anchor from the grid.

Sees. A “Driller Quick Fill” dialog with a FROM DESIGN panel (hole diameter, max depth, bar spec, design angle, design load) pre-filled from the plan.

This is the configure → capture spine in one screen: the operator touches only what physically varies.



OBSERVED — TEST DATA Driller Quick Fill — design presets inherited; minimal entry.

2

Action. Enter crew, date, actual angle, lithology by depth and notes; optionally flag for testing.

Sees. Lithology from/to rows (free-type where no presets exist), a notes field, and a “Flag this anchor for testing” control.

Records. A drill record + ground-profile layers; the testing flag if set.

Hand-off. Status auto-advances to drilled; the PM sees it live.

OBSERVED — TEST DATA

Full capture dialog — lithology, notes, flag-for-testing.

3

Action. Use quick / bulk drill for repeated values.

Sees. A streamlined quick-drill mode.

Records. Multiple anchors updated efficiently.

OBSERVED

Quick-drill mode.

OBSERVED

Drill grid (desktop, supervisor).

WORKFLOW OUTCOME

A drill record against a planned anchor, with lithology and notes. Status auto-advances to drilled and populates the PM's live views. The operator confirms and records; they do not decide the specs.

External side effects: None (local writes). Offline replay exists but was not exercised in this runtime.

V2 SCOPING RELEVANCE

- Does the V2 review lifecycle (submitted → confirmed) change this capture dialog, or ride alongside it?
- Is the offline sync-queue robust enough for the V2 “full shift, no signal, nothing lost” bar (DoD 4)?

WF-06 · Capture grouting

PRIMARY ACTOR	SUPPORTING	START ROUTE	END STATE	RUNTIME STATUS
Field crew	—	/drill	Anchor status = grouted	OBSERVED — TEST DATA
CAPABILITIES	SCREEN SHEETS			
V1-GRT-01	PDS-DRL			

- 1
- Action.** Select a drilled anchor and record grout.

Sees. The same quick-fill dialog family, now for grout — mix selection, volumes/bag counts, date, issue flags.

Records. A grout record; status advances to grouted.

Hand-off. Grouted anchors become testable.

The requires-redrill path was not exercised (no false failures were created).

TACEEDGE

Shared Operational Clarity. Simple. Fast.

Dashboard

Project Operations

Drill and Grout Logs

Drill Summary

Daily Activity

Notes

Safety

Voice Report

Meetings

Incidents

Forms

My Submissions

Anchor Map

Drill Plan Specs

Today's Activity

Anchor M

Tap an anchor to drill or grout

Riverview Cutting S

Working on: B4

Grid Layout

Anchor Map

Design: Rock Pins

Drill Plan Specs

Today's Activity

Driller Quick Fill — B4

Fill in only the drilling details. Design specs are pre-filled from the project plan.

FROM DESIGN — Rock Pins RB16G

Hole Diameter: 50.00mm

Max Depth: 2.00m

Bar Spec: RB16G threaded bar

Design Angle: 10.00°

Design Load: 80.00kN

Driller / Crew

Frankie Tane - teammate

Date Drilled *

07/17/2026

Actual Angle (deg)

10.00

Lithology (from / to depth — m)

+ Add Layer

Drilled depth: — / design 2m

0

To

Material / lithology

No lithology presets set on this project — type freely above, or configure on the Specifications tab.

Notes (anything specific to this hole)

e.g., Encountered void at 3m, redrilled at angle...

Flag this anchor for testing

Tip: If this hole encountered something the PM should review (e.g. unexpected lithology).

7 of 12 complete

2 planned - 3 drilled - 1 grouted - 6 tested

Clear

Select

OBSERVED — TEST DATA

Grout is captured through the same quick-fill pattern.

WORKFLOW OUTCOME

A grout record against a drilled anchor (mix from PM presets, volumes, date). Status advances to grouted.

External side effects: None.

V2 SCOPING RELEVANCE

- Where does the requires-redrill exception sit in the V2 two-dimension model (work phase vs review state)?

WF-07 · Capture and process an anchor test

PRIMARY ACTOR

Project Manager

SUPPORTING

Site Supervisor

START ROUTE

/anchor-testing

END STATE

Test result with conformance

RUNTIME STATUS

PARTIALLY OBSERVED

CAPABILITIES

V1-TST-01 · V1-TST-02 · V1-TST-03 · V1-TST-04

SCREEN SHEETS

PDS-TST

- 1

Action. Open Anchor Testing.

Sees. A test list with pass/fail totals (5 pass, 1 fail), standard, design/proof/max loads, creep and tester.

TACEDGE

Shared Operational Clarity. Simple. Fast.

Dashboard

Projects

Project Operations

Drill and Grout Logs

Drill Summary

Notes

Daily Activity

Safety

Voice Report

Meetings

Incidents

Near Misses

Site Inspections

Asset Assessments

Asset Register

Admin

Forms

Submissions

Form Builder

Pat Morgan

pm@rockcontrol.app

Search... (Ctrl+K)

Ask TacEdge

Voice report

New Form

1

Anchor Testing

View and manage all anchor test results across projects

Export CSV

Total Tests

6

Passed

5

Failed

1

Pending

0

Filters

Search anchor ref, tester...

All Projects

All Results

Anchor Ref	Project	Test Date	Standard	Design (kN)	Proof (kN)	Max (kN)	Creep α	Result	Tested By
A6	Riverview Cutting Stabilisation RVC-2026	14 Jul 2026	pti dc35	320	426	426	—	Pass	Crew A — Tim K
A5	Riverview Cutting Stabilisation RVC-2026	13 Jul 2026	pti dc35	320	426	426	—	Pass	Crew B — Jess R
A4	Riverview Cutting Stabilisation RVC-2026	12 Jul 2026	pti dc35	320	426	426	—	Pass	Crew B — Jess R
A3	Riverview Cutting Stabilisation RVC-2026	11 Jul 2026	pti dc35	320	426	426	—	Fail	Crew A — Tim K

OBSERVED — TEST DATA

Anchor Testing — results, standards and a visible Fail.

2

Action. Review a test against its standard.

Sees. Per-load-step readings and conformance against the selected standard (e.g. PTI DC35).

Photo OCR and the test-report PDF are BLOCKED without AI; the report PDF returned HTTP 500 “AI service unavailable” (RV-05).

Anchor Ref	Project	Test Date	Standard	Design (kN)	Proof (kN)	Max (kN)	Creep α	Result	Tested By
A6	Riverview Cutting Stabilisation RVC-2026	14 Jul 2026	pti dc35	328	426	426	—	Pass	Crew A — Tim K
A5	Riverview Cutting Stabilisation RVC-2026	13 Jul 2026	pti dc35	328	426	426	—	Pass	Crew B — Jess R
A4	Riverview Cutting Stabilisation RVC-2026	12 Jul 2026	pti dc35	328	426	426	—	Pass	Crew B — Jess R
A3	Riverview Cutting Stabilisation RVC-2026	11 Jul 2026	pti dc35	328	426	426	—	Fail	Crew A — Tim K

OBSERVED — TEST DATA

Test results with standards and conformance columns.

WORKFLOW OUTCOME

A load-test record against a standard, with a pass/fail conformance result. Paper remains the capture medium; the platform digitises downstream via AI OCR.

External side effects: None. Photo OCR and the engineering test-report PDF require the Anthropic key and were BLOCKED (RV-05).

V2 SCOPING RELEVANCE

- Is AI acceptable in the trusted-record path — the test-report PDF itself would not render without it (RV-05)?
- V2 treats “value is in digitising the output, not the capture” — does V1’s OCR-first pattern match that intent?

WF-08 · Review the project record

PRIMARY ACTOR

Project Manager

SUPPORTING

—

START ROUTE

/anchor-Logs

END STATE

Reviewed (not confirmed)
record

RUNTIME STATUS

OBSERVED — TEST DATA

CAPABILITIES

V1-DRL-03

SCREEN SHEETS

PDS-ALG

- 1 Action. Open Drill Summary.
- Sees. Every anchor with drill/grout/test columns, stats, filters — and a Review column that is empty for all rows.
- RV-02: there is no QA/confirm gate. needsPmReview is a flag; “Review” never resolves to a locked, confirmed state. Export/PDF/Email sit at the top of the same screen.

TACEEDGE

Shared Operational Clarity. Simple. Fast.

Dashboard

Projects

Project Operations

Drill and Grout Logs

Drill Summary

Notes

Daily Activity

Safety

Voice Report

Meetings

Incidents

Near Misses

Site Inspections

Asset Assessments

Asset Register

Admin

Forms

Submissions

Form Builder

PM

Pat Morgan

pm@rockcontrol.app

Search... (Ctrl+K)

Ask TacEdge

Voice report

New Form

1

0

Drill Summary

Track and manage drill installations across all projects

PDF

Email

Export

Total Anchors

12

Total Metres Drilled

32.3 m

Today's Installs

0

Avg Metres/Day

5.4 m

Grouted

7

Grout Bags Used

14
est. from litres

Tested

6

Grout Volume

200 L
+1% vs theoretical

Search by reference, crew, project, or comments...

All projects

All statuses

All time

Ref	Location	Date	Grouted	Time	Length (m)	Dia (mm)	Crew	Status	Test	Review
A8	Riverview Cutting Stabilisation - Zone 1 — South face	14 Jul 2026	—	06:25	3.50m	100.00mm	Crew A	Drilled	—	—
B2	Riverview Cutting Stabilisation - Zone 1 — South face	14 Jul 2026	—	06:25	2.02m	50.00mm	Crew A	Drilled	—	—
B1	Riverview Cutting Stabilisation - Zone 1 — South face	14 Jul 2026	—	06:25	2.05m	51.00mm	Crew A	Drilled	—	—
A7	Riverview Cutting Stabilisation - Zone 1 —	12 Jul 2026	13 Jul 2026	06:25	3.50m	100.00mm	Crew B	Grouted	—	—

OBSERVED — TEST DATA

Drill Summary — note the empty Review column: no confirm gate.

2

Action. Open a log for detail / edit.

Sees. A per-anchor detail dialog.

Records. Edits to the anchor record (capability-gated, not state-gated).

OBSERVED Anchor log detail.

WORKFLOW OUTCOME

The PM sees the whole anchor record, can filter, bulk-edit and flag rows for review – but there is no confirm/QA gate.

Reviewing is not confirming; export acts on live data directly.

External side effects: None.

V2 SCOPING RELEVANCE

- How does V2's submitted → confirmed → re-opened lifecycle graft onto this flat table (RV-02)?
- Where should the confirmed-only-outward boundary live relative to the Drill Summary and the exports beside it?

WF-09 · Export and release information

PRIMARY ACTOR

Project Manager

SUPPORTING

—

START ROUTE

/anchor-logs

END STATE

XLSX / PDF / built report output

RUNTIME STATUS

OBSERVED — TEST DATA

CAPABILITIES

V1-RPT-01 · V1-RPT-02 · V1-RPT-03

SCREEN SHEETS

PDS-ALG · PDS-RPT

- 1

Action. Export the drill log to XLSX.

Sees. A 5-sheet workbook (Drill log table, Totals, Anchor Map, Grouting Summary, Drop-Down Lists) populated with the project record.

The XLSX export worked at runtime (RV-06); the image is rendered from the actual exported file.

Drill and Grout Log — Riverview Cutting Stabilisation (RVC-2026)

Actual content of the V1 drill-log XLSX export (sheet "Drill log table"), rendered as a table for legibility.

ID	DATE DRILLED DD/MM/YY	ANCHOR TYPE	HOLE DIAMETER (MM)	DEPTH (M)	HOLE INC. (DEG)	FROM DEPTH	TO DEPTH	GROUND CONDITIONS
A1	2026-07-05	Rock Anchors RB25G	102	3.55	15		0.5	Weathered greywacke
							3.55	Sound greywacke
A2	2026-07-05	Rock Anchors RB25G	101	3.6	15.5		0.5	Weathered greywacke
							3.6	Sound greywacke
A3	2026-07-06	Rock Anchors RB25G	100	3.5	14.5		0.6	Weathered greywacke
							2.1	Sound greywacke
							3.5	Hard greywacke
A4	2026-07-08	Rock Anchors RB25G	100	3.52	15		0.5	Weathered greywacke
							3.52	Sound greywacke
A5	2026-07-08	Rock Anchors RB25G	100	3.48	15		0.5	Weathered greywacke
							3.48	Sound greywacke
A6	2026-07-10	Rock Anchors RB25G	101	3.55	15		0.5	Weathered greywacke
							3.55	Sound greywacke
A7	2026-07-12	Rock Anchors RB25G	100	3.5	15			
A8	2026-07-14	Rock Anchors RB25G	100	3.5	15			

Source: GET /api/projects/id/drill-log/xlsx · openpyxl-built template · 5 sheets (Drill log table, Totals, Anchor Map, Grouting Summary, Drop Down Lists)

OBSERVED — TEST DATA

Content of the actual drill-log XLSX export.


2

Action. Open the “email logs to teammate” dialog (not sent).

Sees. A recipient picker restricted to tenant teammates.

Hand-off. Would email the log set to a colleague.

Opened read-only; no email was sent (send is disabled in this runtime).



OBSERVED — READ ONLY

Email-logs dialog (opened, not sent).


3

Action. Build an engineer report.

Sees. A section outline (Cover → Sign-off), a block editor, and a live 28-page PDF preview with a metadata block (client, project, prepared-by, revision, status) and the tenant logo.


Records. A report document + immutable revision snapshots.

Hand-off. The built report is the client-facing deliverable.



OBSERVED — TEST DATA

Report Builder — block editor and live multi-page PDF preview.



OBSERVED

Project reports list.

WORKFLOW OUTCOME

The outward-facing V1 record is an exported file (XLSX drill log, engineering test PDF) or a built report emailed to the engineer. Release is an export action, not a state transition – nothing is “confirmed” before it leaves.

External side effects: Email send (opened, NOT triggered). The test-report PDF is AI-gated (RV-05).

V2 SCOPING RELEVANCE

- Which export is the client-facing record of truth in V2 – the drill-log XLSX, the test PDF, or the built report?
- Does the Report Builder become the V2 closeout tool, or does release-from-record replace document assembly?

WF-10 • Complete a Daily Activity Sheet

PRIMARY ACTOR
Site Supervisor

CAPABILITIES
V1-DAS-01 • V1-DAS-02 • V1-DAS-03

SUPPORTING
Field crew

SCREEN SHEETS
PDS-DAS • PDS-PRJD

START ROUTE
/daily-activity

END STATE
Saved DAS + PDF /
invoice XLSX

RUNTIME STATUS
OBSERVED — TEST DATA

- 1 Action. Open Daily Activity and start a sheet.
- Sees. Sheet details (site, date, shift, weather, completed-by), a Staff table and a Plant & Equipment table with Add-Row.
- Records. A daily-activity form with crew/plant hours.

OBSERVED — TEST DATA

New DAS — staff and plant hour tables.

OBSERVED

Daily Activity list.

2

Action. Rely on the project DAS specs.

Sees. Positions, personnel and plant with rates, assigned per project, feed the pickers.

The screenshot displays the TACEDGE mobile application interface for the 'Riverview Cutting Stabilisation' project. The sidebar menu on the left includes sections for Project Operations (Dashboard, Projects, Drill and Grout Logs, Drill Summary, Notes, Daily Activity), Safety (Voice Report, Meetings, Incidents, Near Misses, Site Inspections, Asset Assessments, Asset Register), and Admin (Forms, Submissions, Form Builder, Test Admin). The main content area shows the 'DAS Specs' section for the project, which includes 'Sheet defaults' (Default shift: Day, Default site: e.g. SH1 Kaikoura) and 'Crew on this job' (3 crew selected: Frankie Tane, Rangl Broome, Sam Keller).

OBSERVED

Project DAS specs – the rate/roster catalogues.

WORKFLOW OUTCOME

A per-shift record of crew and plant hours, auto-totalled and exportable as a PDF and an invoice-format XLSX. V1 already exceeds the V2 “resourcing sheet” scope here.

External side effects: None.

V2 SCOPING RELEVANCE

- Does V2 adopt V1’s DAS rate cards (positions/personnel/plant rates) as-is, given V2 parks pay/invoice computation?

WF-11 TO WF-16

05 · Safety & Supporting Workflows

The safety, voice, meeting, forms and mapping workflows that run alongside the core chain.

WF-11 · JSA daily sign-in

PRIMARY ACTOR Field crew	SUPPORTING OrgAdmin	START ROUTE /forms/:id	END STATE Child sign-in record	RUNTIME STATUS OBSERVED – TEST DATA
CAPABILITIES V1-SAF-04 · V1-FRM-01	SCREEN SHEETS PDS-FRM · PDS-FB			

1

Action. Open the JSA form on a phone and sign in.

Sees. A dynamic form (task, hazards, controls, PPE) with a signature field.

Records. A child sign-in form linked to the parent JSA.

No enforced barrier gates drilling on sign-in in V1 (WF-05 opens regardless).

The screenshot shows a mobile application interface for a Job Safety Analysis (JSA) form. At the top, there is a navigation bar with a menu icon, a search icon, and a green button with a plus sign. Below this, there is a header section with a back arrow, the text "Back to Forms", a red trash icon, and the text "Discard". The main title is "Job Safety Analysis (JSA)" in bold, followed by the subtitle "Site JSA with daily crew sign-in". The form contains several sections: "Project *" with a dropdown menu labeled "Select a project..." and a hint "Select the project this form relates to"; a progress bar showing "1/3 required"; "Task being assessed *" with a text input field; "Key hazards identified *" with a text input field containing "Rockfall · working at height · plant movement"; and "Controls in place *" with a text input field. At the bottom, there is a navigation bar with icons for "Home", "This Page", "Drill", and "Voice". The "This Page" icon is highlighted with a green circle containing a white 'T'.

OBSERVED — TEST DATA

JSA fill with daily sign-in (mobile).

WORKFLOW OUTCOME

A daily acknowledgement against a parent JSA, with a signature. Notably, drilling is NOT gated on sign-in in V1 – unlike the V2 SOS-4 concept.

External side effects: None.

V2 SCOPING RELEVANCE

- Does V2 require JSA sign-on to gate drilling, and where would that gate live (client, API, both)?

WF-12 · Incident or near-miss report

PRIMARY ACTOR Field crew	SUPPORTING HSE / PM	START ROUTE /incidents	END STATE Submitted incident form	RUNTIME STATUS OBSERVED – TEST DATA
CAPABILITIES V1-SAF-01 · V1-SAF-02 · V1-FRM-03	SCREEN SHEETS PDS-SAF · PDS-FRM · PDS-SUB			

1

Action. Open Incidents; start a report.

Sees. An incidents list and a template-driven form.

Records. An incident-report form (test content).

The screenshot shows the TACEdge web application. The header includes the TACEdge logo, a search bar, and navigation links for 'New Tooltips', 'Voice report', and 'Incidents'. The left sidebar contains a menu with options like 'Dashboard', 'Projects', 'Project Operations', 'Drill and Great Logs', 'Drill Summary', 'Issues', 'Daily Activity', 'Voice Report', 'Meetings', 'Incidents', 'New Misses', 'Site Inspections', 'Asset Assessments', 'Asset Register', 'Forms', 'Subscriptions', and 'Team Hub'. The main content area is titled 'Incidents' and shows a summary of incident counts: 'Total Incidents: 0', 'Open: 0', 'Under Review: 0', and 'Resolved: 0'. Below this is a search bar and a message stating 'No incidents found. No incidents have been reported.'

OBSERVED Incidents list.

The screenshot shows the TACEdge mobile application interface for reporting an incident. The header includes a menu icon, a search bar, and navigation links for '+', 'Phone', and 'FT'. The main content area is titled 'Incident Report' and includes a subtitle 'Report an incident or injury'. Below this is a 'Project *' section with a dropdown menu labeled 'Select a project...' and a note 'Select the project this form relates to'. A progress indicator shows '0/4 required'. The form includes sections for 'What happened? *' (a large text input area), 'Location *' (a text input area), and 'Date of incident *' (a date picker showing 'mm/dd/yyyy'). The bottom navigation bar includes icons for 'Home', 'This Page', 'T' (selected), 'Drill', and 'Voice'.

OBSERVED – TEST DATA Incident form (mobile).

2

Action. Attempt to submit incomplete.

Sees. Required-field validation blocks submission.

Back to Forms Discard

Incident Report

Report an incident or injury

Project *

Select a project... ▾

Select the project this form relates to

0/4 required

What happened? *

What happened? is required

Location *

Location is required

Date of incident *

Home This Page T Drill Voice

OBSERVED

Required-field validation on the incident form.

WORKFLOW OUTCOME

A safety event captured via a form template, listed for management, with status. Teams/SharePoint sync and AI analysis are integration-dependent.

External side effects: Teams / SharePoint notifications (disabled locally). No real incident was submitted.

V2 SCOPING RELEVANCE

- Which incident store is authoritative – the incidents table or form-based incident-reports (the PD flags two stores)?


WF-13 · In-app voice report

PRIMARY ACTOR	SUPPORTING	START ROUTE	END STATE	RUNTIME STATUS
Field crew	—	__voice__	Extracted form (draft)	PARTIALLY OBSERVED
CAPABILITIES	SCREEN SHEETS			
V1-VCE-02 · V1-VCE-03	PDS-DSH			

- 1
- Action.** Open the Quick Voice Report dialog.

Sees. Report-type chips (Incident, Near miss, Take 5, Inspection, Crew briefing, Variation, Drill log) and a mic – “speak naturally for 30–60 seconds”.

Transcription and AI field extraction are BLOCKED without keys; only the entry surface was observed.



PARTIALLY OBSERVED Quick Voice Report – type chips + mic (extraction blocked).

WORKFLOW OUTCOME

A voice-first report dialog that (with Deepgram + Anthropic) transcribes speech and extracts a structured form. Locally the dialog and report-type chips were seen; transcription/extraction were BLOCKED.

External side effects: None locally (Deepgram/Anthropic disabled). The phone agent was not called.

V2 SCOPING RELEVANCE

- Is voice a V2 workspace feature or a retained service – V2 makes voice transcription a “Should”, not a Must?

WF-14 • Safety meeting / toolbox talk


PRIMARY ACTOR	SUPPORTING	START ROUTE	END STATE	RUNTIME STATUS
Site Supervisor	All	/meetings	Meeting record + actions	PARTIALLY OBSERVED
CAPABILITIES	SCREEN SHEETS			
V1-MTG-01 • V1-MTG-02 • V1-MTG-03	PDS-MTG • PDS-MTGD			

- 1
- Action.** Open Meetings and a meeting.

Sees. A meetings list and a detail view with attendance and actions.

Records. Participants, tasks.

Recording, transcription and AI analysis are BLOCKED without keys.



WORKFLOW OUTCOME

A meeting record with participants, tasks and (with keys) recording, transcription and AI analysis. Recording/AI were BLOCKED locally.

External side effects: None locally.

V2 SCOPING RELEVANCE

- Is the meetings suite (recording, transcription, AI) in the V2 workspace scope, or a separate H&S product?


WF-15 · Dynamic form creation and submission

PRIMARY ACTOR OrgAdmin	SUPPORTING Field crew	START ROUTE /forms	END STATE Template + submissions	RUNTIME STATUS OBSERVED — TEST DATA
CAPABILITIES V1-FRM-01 · V1-FRM-02 · V1-FRM-03	SCREEN SHEETS PDS-FB · PDS-FRM · PDS-SUB			

- 1
- Action. Browse templates; open the Form Builder.

Sees. A template gallery and a drag-and-drop field builder.

Records. Form templates.



OBSERVED — TEST DATA

Forms gallery.

OBSERVED

Form Builder.

2

Action. Review the submissions inbox.

Sees. Submitted forms with status (draft → pending → approved/rejected → completed → archived).

Records. Status changes.

The screenshot displays the TACEDGE Form Submissions interface. The sidebar on the left contains navigation links for Dashboard, Projects, Project Operations (Drill and Grout Logs, Drill Summary, Notes, Daily Activity), Safety (Voice Report, Meetings, Incidents, Near Misses, Site Inspections, Asset Assessments, Asset Register), and Admin (Forms, Submissions, Form Builder). The main content area is titled 'Form Submissions' and includes a search bar, filters for Search, Status, Form Type, and Source, and a toggle for 'Show archived forms'. A single submission is listed with ID VAR-1784269887219, status 'pending', and details about a rock pin addition.

OBSERVED

Submissions inbox.

WORKFLOW OUTCOME

Custom form templates authored in a builder, filled dynamically on a phone, and reviewed in a submissions inbox with a status lifecycle.

External side effects: None.

V2 SCOPING RELEVANCE

- How much of the general forms platform does the V2 ground-engineering workspace keep vs. shed?


WF-16 · Project map and face-photo workflow

PRIMARY ACTOR Project Manager	SUPPORTING Field crew	START ROUTE /projects/:id	END STATE Annotations / pinned anchors	RUNTIME STATUS PARTIALLY OBSERVED
CAPABILITIES V1-MAP-01 · V1-MAP-02	SCREEN SHEETS PDS-PRJD			

- 1
- Action. Open the Site Map tab.

Sees. The map frame and controls render; no basemap imagery without a LINZ/Mapbox key.

Map behaviour with tiles, and face-photo pinning, remain unverified in this runtime.



PARTIALLY OBSERVED Site Map — frame renders; no tiles locally.

WORKFLOW OUTCOME

A MapLibre project map with annotations, and a face-photo canvas where anchors are pinned onto rock-face imagery. Map tiles were absent locally (no LINZ key).

External side effects: None.

V2 SCOPING RELEVANCE

- Do face-photo pins and the zone grid satisfy the V2 Status Board / Spatial Map jobs, or is that surface new?

WF-17 TO WF-24 · SAFELY ACCESSIBLE ONLY

06 · Administration & Tenant Workflows

Administration, integrations and tenant surfaces observed in the local runtime. LPC port (WF-22) and the AI assistant (WF-21) were BLOCKED and are recorded as such.

WF-17 · Asset register and certification

PRIMARY ACTOR

OrgAdmin

SUPPORTING

—

START ROUTE

/assets

END STATE

Asset with certification expiry

RUNTIME STATUS

OBSERVED — TEST DATA

CAPABILITIES

V1-AST-01

SCREEN SHEETS

PDS-AST

- 1 Action. Open the Asset Register.
- Sees. Assets with categories, certification dates and expiry.
- Records. Asset rows.

TACEDGE

Shared Operational Clarity. Simple. Fast.

Dashboard

Projects

Project Operations

Drill and Grout Logs

Drill Summary

Notes

Daily Activity

Safety

Voice Report

Meetings

Incidents

Near Misses

Site Inspections

Asset Assessments

Asset Register

Admin

Forms

Submissions

Form Builder

Test Admin

Search... (Ctrl+K)

Ask TacEdge

Voice report

New Form

1

Asset Register

Jacks, gauges, vehicles, harnesses, ropes, rigs — with cert tracking and assessment history.

New asset

Total assets

1

Expired certs

0

Expiring in 30 days

0

Testing gear 1

Vehicles 0

Safety gear 0

Plant / rigs 0

Search name, serial, rego...

Name	Subtype	Serial / rego	Cert expiry	Status	Location
Hydraulic jack — HJ-30	—	—	—	In-service	—

OBSERVED — TEST DATA

Asset Register with certification expiry.

WORKFLOW OUTCOME

A register of plant and test equipment with certification/calibration expiry; jack assets link to anchor tests.

External side effects: None.

V2 SCOPING RELEVANCE

- Is asset / calibration tracking within the V2 workspace scope?


WF-18 · User creation and RBAC

PRIMARY ACTOR OrgAdmin	SUPPORTING —	START ROUTE /settings	END STATE Users + capability overrides	RUNTIME STATUS OBSERVED — TEST DATA
CAPABILITIES V1-USR-01 · V1-USR-02	SCREEN SHEETS PDS-SET			

- 1
- Action. Open Settings → users.

Sees. A user table and role administration.

Records. Users; capability overrides.



OBSERVED — TEST DATA Settings — user management.

WORKFLOW OUTCOME

User management and per-org capability overrides from Settings.

External side effects: Invite email (not sent locally).

V2 SCOPING RELEVANCE

- Does V2 keep per-org RBAC overrides, or a fixed role model?


WF-19 · Tenant branding and configuration

PRIMARY ACTOR OrgAdmin	SUPPORTING —	START ROUTE /settings	END STATE Branding / flags configured	RUNTIME STATUS PARTIALLY OBSERVED
CAPABILITIES V1-ORG-02 · V1-ORG-03	SCREEN SHEETS PDS-SET			

- 1
- Action. Open Settings → branding.

Sees. Branding and configuration controls.

Records. tenant_config updates.



PARTIALLY OBSERVED Settings — branding/configuration.

WORKFLOW OUTCOME

Per-tenant branding, feature flags and copy overrides. The PD notes PATCH /api/tenant/config is un-zodded.

External side effects: None.

V2 SCOPING RELEVANCE


- Where does the config-not-code boundary sit in V2, given V1's in-app branding leakage (RV-12)?

WF-20 · Project documents and SharePoint

PRIMARY ACTOR OrgAdmin	SUPPORTING Viewer	START ROUTE /documents	END STATE Document listing	RUNTIME STATUS OBSERVED – READ ONLY
CAPABILITIES V1-DOC-01 · V1-PRJ-04	SCREEN SHEETS PDS-DOC · PDS-PRJD			

- 1
- Action. Open Documents.

Sees. “No document libraries configured” – a graceful empty state.



OBSERVED – READ ONLY Documents – SharePoint-absent empty state.

WORKFLOW OUTCOME

A SharePoint-backed document browser (via Microsoft Graph) plus a per-project documents store. SharePoint was absent locally – a clean empty state.

External side effects: None.

V2 SCOPING RELEVANCE


- Consolidate to one document model in V2; does SharePoint remain a customer requirement?

WF-23 · Drone survey and point cloud

PRIMARY ACTOR	SUPPORTING	START ROUTE	END STATE	RUNTIME STATUS
Project Manager	—	/projects/:id	Survey / analysis	OBSERVED — READ ONLY
CAPABILITIES	SCREEN SHEETS			
V1-DRN-01 · V1-DRN-02 · V1-DRN-03	PDS-PRJD			

- 1
- Action. Open the Surveys tab.

Sees. An empty surveys surface.



OBSERVED — READ ONLY Drone surveys — empty; worker blocked.

WORKFLOW OUTCOME

A drone-survey surface for imagery and point clouds. Empty locally; the point-cloud worker and AI analysis are BLOCKED.

External side effects: None.

V2 SCOPING RELEVANCE

- Is drone / point-cloud processing within the V2 workspace scope, or a separate capability?

WF-24 · Global search and calendar

PRIMARY ACTOR

OrgAdmin

SUPPORTING

—

START ROUTE

top bar

END STATE

Results / events

RUNTIME STATUS

PARTIALLY OBSERVED

CAPABILITIES

V1-SRCH-01 · V1-CAL-01


SCREEN SHEETS

PDS-DSH · PDS-CAL

- 1

Action. Open the Calendar.

Sees. A calendar surface; Outlook connect requires OAuth.



PARTIALLY OBSERVED Calendar (Outlook connect blocked).

WORKFLOW OUTCOME

A global command-palette search and an Outlook-syncable calendar. Outlook connect was BLOCKED locally.

External side effects: None.

V2 SCOPING RELEVANCE

- Are search and calendar within the V2 workspace scope?

PATTERNS ACROSS THE WHOLE PRODUCT

07 • Cross-Workflow Findings

What repeated across workflows – strengths and V2 scoping risks.

THEME	OBSERVATION
Navigation consistency	A single, coherent sidebar + top bar across surfaces; role trims are clean; mobile has a purpose-built bottom bar. Consistent and legible.
Role clarity	The four groups are visibly distinct; Field is meaningfully trimmed. Subcontractor vs FieldTech was not separable at runtime (identical capabilities).
Mobile usability	Capture screens are genuinely phone-first (drill grid, quick-fill, forms, sign-in). Management surfaces are desktop-oriented.
Workflow hand-offs	Field capture → PM review is live and clear. PM review → outward record is an <i>export</i> , not a hand-off through a confirmed state.
Status & lifecycle	Anchor status auto-advances and is shown consistently. There is no review-state lifecycle and no confirm gate (RV-02).
Duplicate concepts	Two capture paths (planned vs "Just Drill"); two document surfaces (project docs vs SharePoint); semi-legacy Jobs/Sites still routed.
Customer-specific branching	In-app brand rendered as TACEDGE for the RockControl tenant locally (RV-12) – a sign of brand resolution leaking beyond config.
Offline behaviour	Machinery exists (sync queue) but was not exercised; a genuine risk area for the V2 "full shift offline" bar.
Error / empty handling	Empty and integration-absent states are graceful (Documents, Surveys, Calendar). Form validation blocks incomplete submissions.
Data-entry burden	Design presets sharply reduce field entry (a real strength). PM setup is spread across many tabs with no guided first-run.

THEME	OBSERVATION
Export dependence	The outward record is a file. The engineering test-report PDF depends on AI (RV-05) – a reliability coupling worth noting.
Genuine strengths	Preset inheritance, the status-coloured anchor plan/grid, the XLSX export depth, and the live report-preview builder.
V2 scoping risks	No confirm lifecycle; AI in the trusted-record path; tenant branching in code; multiple overlapping models to migrate.

OBSERVED V1 BESIDE THE V2 REFERENCE DIRECTION

08 · V1 → V2 Visual Orientation

Neutral orientation only – not a delta report. V1 comes from this runtime; V2 comes from the reference package.

AREA	V1 (OBSERVED)	V2 (REFERENCE DIRECTION)	NATURE OF DELTA	QUESTION FOR THE TECHNICAL LEAD
Review lifecycle	Drill Summary reviews; no confirm gate; export on live data (RV-02).	Two-dimension model: work phase + review state (submitted → confirmed → re-opened); confirmed-only-outward.	Review lifecycle · data model	How does the confirm dimension graft onto the flat anchor-log table?
Engineer surface	ClientViewer read-only role; outward record is an emailed file.	A glance-first engineer view of confirmed records; QA queue; closeout from the live record.	UX · workflow	What server state must exist before an engineer view is honest?
Field capture	Quick-fill dialog inheriting design presets; status auto-advances.	Same spine, but capture feeds the confirm lifecycle and a Status Board.	Workflow	Does the capture dialog change, or only what happens to its output?
Work types	Anchors hard-coded end to end.	Work type = completion-criteria configuration on one spine (anchoring + piling proven).	Data model · architecture	Can the anchor schema generalise, or is a work-item abstraction new core?
Sign-on	JSA daily sign-in exists; drilling is NOT gated on it.	Sign-on gates drilling (SOS-4) – the one enforced barrier.	Workflow	Where does the gate live and does V1's form model support it?

AREA	V1 (OBSERVED)	V2 (REFERENCE DIRECTION)	NATURE OF DELTA	QUESTION FOR THE TECHNICAL LEAD
AI	Broad and often load-bearing (test PDF, OCR, voice, analysis) – disabled without keys.	Narrow, human-approved: plan import + test conversion; voice a "Should".	Product scope · reliability	Which V1 AI features earn a place in V2's propose-approve-commit discipline?
Reporting	Report Builder with live multi-page PDF + revisions.	Reporting as release: confirmed records reach the engineer.	Reporting · workflow	Does the builder become the closeout tool, or does release-from-record replace it?
Platform config	In-app brand leaked to TACEDGE for a non-TACEDGE tenant (RV-12).	Config-not-code; a clean, documented config boundary.	Platform configuration	Where must the tenant-config boundary sit to stop brand/logic leaking into code?

RUNTIME VS THE STATIC PRODUCT DEFINITION

09 • Runtime Validation Findings

Where the running application confirmed, refined or contradicted the Product Definition. The full register is `evidence/V1 Runtime Validation Findings.md`; the Product Definition itself is not modified here.

ID	FINDING	RESULT	EVIDENCE
RV-01	The application runs; the "not run / no screenshots" gap is closed for the RockControl tenant.	REFINED	~69 screenshots
RV-02	No QA/confirm gate – Drill Summary Review column stays empty; needsPmReview is a flag.	CONFIRMED	WF-08-S01
RV-03	Design presets flow into field capture (configure → capture spine).	CONFIRMED	WF-05-S03
RV-04	Anchor status auto-advances and is shown consistently.	CONFIRMED	WF-03-S01
RV-05	The engineering test-report PDF itself depends on the AI service (HTTP 500 without a key).	REFINED	Server log
RV-06	Drill-log XLSX export works – a 5-sheet workbook.	CONFIRMED	WF-09-S01
RV-07	Report Builder produces a live multi-page PDF with signatory metadata.	CONFIRMED	WF-09-S04
RV-08	<code>RESEND_API_KEY</code> is required at boot (server crashes without it).	CONTRADICTED	Boot log
RV-09	Fail-open webhook validation – the app logs "endpoints are unprotected" at boot.	CONFIRMED	Boot log

ID	FINDING	RESULT	EVIDENCE
RV-10	A project-less "Just Drill" one-off capture path exists.	NEW	WF-04-S00
RV-11	FieldTech nav is materially trimmed; drill requires project selection.	CONFIRMED	WF-04-S00
RV-12	In-app shell shows TACEDGE branding for the RockControl tenant (local).	CAUTION	WF-01-S01/02

RECOMMENDED PRODUCT DEFINITION UPDATES (NOT APPLIED HERE)

Two narrow corrections surfaced: **RV-05** – note the test-report PDF's AI dependency; **RV-08** – add `RESEND_API_KEY` to the effective fail-closed-at-boot set (any value satisfies boot; it only fails on send). The Product Definition's core findings otherwise held up against the runtime.

10 · Appendices

Reference tables. The machine-readable registers live under `evidence/`.

A. Screenshot register (summary)

53+ screens captured; full per-image detail (filename, route, PDS, capability, role, classification, data type, redaction) is in `evidence/V1_Screenshot_Register.csv`. All images use fictional/test data; no redaction was required and none was applied.

B. Workflow register

ID	WORKFLOW	ACTOR	RUNTIME	PRINCIPAL LIMITATION
WF-01	Sign in and reach the tenant experience	All roles	OBSERVED	In-app brand leakage (RV-12)
WF-02	Configure a ground-engineering project	Project Manager	OBSERVED – TEST DATA	Setup spread across tabs
WF-03	Plan anchors	Project Manager	OBSERVED – TEST DATA	AI import blocked
WF-04	Locate and select an anchor	Field crew	OBSERVED – TEST DATA	Project select first; dual paths
WF-05	Capture drilling	Field crew	OBSERVED – TEST DATA	Offline not exercised

ID	WORKFLOW	ACTOR	RUNTIME	PRINCIPAL LIMITATION
WF-06	Capture grouting	Field crew	OBSERVED – TEST DATA	Redrill path not exercised
WF-07	Capture and process an anchor test	Project Manager	PARTIALLY OBSERVED	OCR + report PDF AI-blocked
WF-08	Review the project record	Project Manager	OBSERVED – TEST DATA	No confirm gate
WF-09	Export and release information	Project Manager	OBSERVED – TEST DATA	Test PDF AI-gated; email not sent
WF-10	Complete a Daily Activity Sheet	Site Supervisor	OBSERVED – TEST DATA	Invoice XLSX not rendered
WF-11	JSA daily sign-in	Field crew	OBSERVED – TEST DATA	Drilling not gated on sign-in
WF-12	Incident or near-miss report	Field crew	OBSERVED – TEST DATA	Two incident stores; AI blocked
WF-13	In-app voice report	Field crew	PARTIALLY OBSERVED	Extraction blocked
WF-14	Safety meeting / toolbox talk	Site Supervisor	PARTIALLY OBSERVED	Recording/AI blocked
WF-15	Dynamic form creation and submission	OrgAdmin	OBSERVED – TEST DATA	Unstructured jsonb
WF-16	Project map and face-photo workflow	Project Manager	PARTIALLY OBSERVED	No tiles
WF-17	Asset register and certification	OrgAdmin	OBSERVED – TEST DATA	–
WF-18	User creation and RBAC	OrgAdmin	OBSERVED – TEST DATA	RBAC tab shallow
WF-19	Tenant branding and configuration	OrgAdmin	PARTIALLY OBSERVED	Un-zodded config
WF-20	Project documents and SharePoint	OrgAdmin	OBSERVED – READ ONLY	SharePoint absent
WF-23	Drone survey and point cloud	Project Manager	OBSERVED – READ ONLY	Worker blocked
WF-24	Global search and calendar	OrgAdmin	PARTIALLY OBSERVED	Outlook blocked

C. Blocked / uncaptured

- **BLOCKED workflows:** WF-21 (Ask RC assistant – no AI key), WF-22 (LPC port experience – no tenant/domain).
- **BLOCKED actions within workflows:** AI plan import & job brief (WF-03), test-sheet OCR & test-report PDF (WF-07), voice extraction (WF-13), meeting recording/analysis (WF-14), map tiles (WF-16), SharePoint browse (WF-20), drone worker (WF-23), Outlook connect (WF-24).
- **Tenant variants not captured:** LPC port, SteepWorks, and full TACEDGE-brand (only the host-fallback shell was seen).

D. Capture & sanitisation methodology

- **Runtime:** disposable copy of TACEDGE Geotech @ 975a2ea , local PostgreSQL 16 on 127.0.0.1:5433, seeded by the repo's own seed-local.cjs with names further fictionalised. Server: npm run dev on :5000.
- **Automation:** Puppeteer (Chromium) capture scripts in tools/ – deterministic viewports (1440×900 desktop, 390×844 mobile), animations disabled, session cookies from throwaway local accounts (never committed). Scripts never send communications or create production records.
- **Sanitisation:** all data is fictional/seeded, so screenshots needed no redaction; each was reviewed before inclusion. Raw captures live in the gitignored working/ ; only reviewed images are in public/screenshots/v1-workflows/ .

E. Runtime & repository baseline

EVIDENCE SOURCE	RUNTIME	TENANT	ROLES	INSPECTION DATE	OUTPUT REPO
TACEDGE Geotech @ 975a2ea352f1e1ab260c622a66ab59291d8b81b1	Local disposable · PostgreSQL 16 · Node dev server	RockControl (engineering)	OrgAdmin · ProjectManager · SiteSupervisor · FieldTech · ClientViewer (all fictional)	2026-07-17	tacedge-v1-PD · claude/tacedge- v1-product- definition-bxrl5e

F. Open validation questions

- Confirm in-app branding on a real tenant domain (RV-12).
- Observe every AI-dependent path with keys (import, OCR, test PDF, voice, meeting analysis).
- Field-test offline capture and resync against the "full shift" bar.
- Capture the LPC port, SteepWorks and full TACEDGE-brand experiences on configured tenants.
- Confirm which exports customers actually receive, and which incident store is authoritative.