Fpt University

TRƯỜNG ĐẠI HỌC FPT

CAPSTONE PROJECT REPORT

Report 6 – Software User Guides

PickleVerse – Multiplayer Pickleball Skill-Training and Match Game with AI Coaching

Project code: PKV Group: GFA26SE111

Supervisor: Mr. Lại Đức Hùng

Team: Huỳnh Trung Kiên (Leader), Nguyễn Văn Thành Đạt,

Nguyễn Gia Huy, Trần Nguyễn Hiếu Thuận

– Ho Chi Minh City, November 2026 –

Table of Contents

I. Record of Changes 3
II. Release Package & User Guides 3
1. Deliverable Package 3
2. Installation Guides 4
2.1 System Requirements 4
2.2 Installation Instruction 4
3. User Manual 6
3.1 Overview 6
3.2 Workflow W01 – Learn and Sync a Drill 8
3.3 Workflow W02 – Play a Bot Match and Get a Tip 14
3.4 Workflow W03 – Find and Play an Online Match 19
3.5 Workflow W04 – Moderation and Content (Administrator) 23
3.6 Other Player Functions 30
3.7 Troubleshooting 32

I. Record of Changes

Date	A* M, D	In charge	Change Description
11/11/2026	A	Nguyễn Gia Huy	v1.0 – First release package description, installation guides (player, server, development) and user manual organised by the four review workflows, with real screenshots of the game and the admin web.

*A - Added M - Modified D - Deleted

II. Release Package & User Guides

1. Deliverable Package

Table 1 lists the items of the release package of PickleVerse 1.0. Source code and documents are versioned in the Git repository https://github.com/Tad-Min/PickleVerse; this package corresponds to the commit main @ 7f8ee32 (10/11/2026) for the software and to the v1.1 documents of 11/11/2026. The final release will be tagged v1.0 at milestone M08.

Table 1. Deliverable package of PickleVerse 1.0

No.	Deliverable Item	Description
1	Project Schedule / Tracking	Doc/Project_report/Report/PickleVerse_Project_Schedule.xml (MS Project XML: 82 tasks, 4 resources, 61 assignments, % complete as of 11/11/2026) and PickleVerse_Project_Tracking.xlsx (sheets WBS, Backlog, Issues, Defects, Q&A)
2	Project Backlog	Sheet Backlog of the tracking workbook: 14 product and iteration backlog items for Iterations 5 and 6 with priority, owner, estimate and status
3	Source Codes	Unity client and dedicated server: My project/ (Unity 6000.6.2f1, 13 runtime assemblies); Web API: src/Backend (ASP.NET Core .NET 10, 4 projects); AI coaching service: src/AiService (Python 3.12, FastAPI); admin web: src/Frontend (React 18, TypeScript, Vite); tests: src/Testing; deployment: deploy/, docker-compose*.yml, .github/workflows/dockerhub.yml
4	Database Script(s)	src/Database.sql – single script with the schema (51 tables, 71 foreign keys) and seed data (roles, currencies, 15 lessons, 12 techniques, 3 paddles, 17 missions, 10 achievements, 10 ranked bot accounts) executed in one transaction
5	Final Report Document	Report7_Final Project Report.docx, which consolidates Reports 1–6; the individual Reports 1–6 (.docx) and their PDF exports in Doc/Project_report/Report/pdf
6	Test Cases Document	Report5_Test Documentation.docx, Report5_Test Report.xlsx (117 cases with Round 1 results) and Report5_Unit Test.xlsx (10 functions, 66 decision-table cases); evidence files in Doc/Project_report/Report/evidence

No.	Deliverable Item	Description
7	Defects List	Sheet Defects of the tracking workbook (18 defects with severity, owner and status); also listed in the Test Report workbook
8	Issues List	Sheet Issues of the tracking workbook (10 issues with priority, owner, open and close dates)
9	Slide	Defense presentation – prepared for milestone M10 (Week 15, 14–20/12/2026)
10	Server images	Docker Hub repository tadminm/pickelverse with four digest-locked images per release: api-<release>, ai-<release>, server-<release> (Unity Linux dedicated server) and web-<release>
11	Game client builds	Windows 64-bit build (PickleVerse.exe, Mono) and Android build (PickleVerse.apk, IL2CPP, ARM64) produced from the Unity project for the release; the scene list and settings are defined in My project/ProjectSettings
12	Design sources	PlantUML sources and rendered diagrams (Doc/Project_report/Report/diagrams), the editable draw.io file PickleVerse_UseCase_ConceptualERD.drawio and the report build scripts (Doc/Project_report/Report/build)

2. Installation Guides

2.1 System Requirements

Table 2. System requirements

Component	Requirement
Player PC	Windows 10 or 11, 64-bit; DirectX 11 graphics card; recommended Intel Core i5 (10th generation) or equivalent, GTX 1650 or equivalent, 16 GB RAM (reference device of NFR-03); keyboard and mouse; broadband Internet for online features; outbound UDP allowed for Photon and port 3669
Player phone	Android 8.0 (API level 26) or later, ARM64 processor; touch screen; Wi-Fi or 4G connection for online features
Administrator	Latest Google Chrome or Microsoft Edge on a desktop screen of at least 1366 × 768; an account with the Admin role
Server host	Linux amd64 (Ubuntu 24.04 used for staging) with Docker Engine and Docker Compose v2 that supports up `--wait-timeout`; recommended 4 vCPU and 8 GB RAM; the game-server container is limited to 2 CPUs and 2 GB RAM by default; open ports 80/tcp (admin web), 8080/tcp (Web API) and 3669/udp (dedicated game server)
External services	Photon Cloud application for Fusion 2.1.3 (App ID in the Fusion settings of the Unity project); a Gmail account with an app password for SMTP (STARTTLS, port 587)
Developer PC	Unity Hub with Unity 6000.6.2f1 (Windows, Linux Dedicated Server and Android build support); .NET 10 SDK; Python 3.12; Node.js 22 with npm; Docker Desktop; Git; Java 17 only for rendering the report diagrams

2.2 Installation Instruction

2.2.1 Install the game on Windows

1. Copy the Windows release folder (PickleVerse_Windows) to the PC, for example to C:\Games\PickleVerse. The folder contains PickleVerse.exe, PickleVerse_Data and the Unity runtime files; keep them together.
2. Run PickleVerse.exe. When Windows Defender Firewall asks, allow the game on private networks so that UDP traffic to Photon and to the game server is possible.
3. The Login screen opens (Figure 1). The first sign-in needs an Internet connection; afterwards training can also be started offline from the same PC.




Figure 1. First screen after installation – Login

2.2.2 Install the game on Android

1. Copy PickleVerse.apk to the phone or download it from the release location shared by the team.
2. In Settings → Security (or Apps → Special access), allow installing apps from the file manager or browser used to open the APK.
3. Open the APK and select Install. Start PickleVerse from the app drawer; the game runs in landscape mode with touch controls (joystick and shot buttons).

2.2.3 Deploy the server with the CI/CD pipeline (staging and release)

The staging server tad-min.io.vn is deployed automatically. Every push to the main branch runs the GitHub Actions workflow "Build, publish and deploy PickleVerse" (.github/workflows/dockerhub.yml):

1. **Validate** – builds the .NET solution and runs the IntegrationChecks, runs the FastAPI tests and type-checks the admin web.
2. **Build Unity Linux Dedicated Server** – builds the dedicated server with GameCI (unity-builder) using the Unity licence stored in the repository secrets.
3. **Publish** – builds and pushes four digest-locked images (api, ai, server, web) to Docker Hub tadminm/pickelverse and runs a smoke test.
4. **Deploy** – uploads the release bundle over SSH (deploy/ci/ssh-deploy.sh) and runs deploy/linux/deploy.sh on the host. The script checks the release checksums and the database schema fingerprint, keeps the previous release for rollback and starts the stack with docker-compose.linux.yml.

Before the first deployment the administrator of the host prepares the deployment root and creates the host `.env` file from deploy/linux/runtime.env.example. The variables are listed in Table 3; secret values are never committed to the repository.

Table 3. Server environment variables (host .env)

Variable	Purpose
POSTGRES_PASSWORD	Password of the PostgreSQL database user
JWT_KEY	Signing key of the access tokens (at least 32 random characters)
SMTP_USERNAME, SMTP_APP_PASSWORD, SMTP_FROM_EMAIL	Gmail account, app password and sender address for OTP e-mails
S3_ACCESS_KEY, S3_SECRET_KEY	Credentials of the S3-compatible replay storage
AI_SERVICE_KEY	Shared key between the Web API worker and the AI coaching service (X-AI-Key)
PKV_GAME_SERVER_KEY	Service key used by the dedicated server to call the Web API

Variable	Purpose
PKV_API_BIND, API_PORT, WEB_BIND, WEB_PORT	Bind address and public ports of the API (8080) and the admin web
POSTGRES_PORT, POSTGRES_MAX_POOL_SIZE, REDIS_PORT, S3_PORT	Internal ports and the database connection pool size
PKV_GAME_CPUS, PKV_GAME_MEMORY	Resource limits of the dedicated game server (default 2 CPUs, 2 GB)
AI_COACHING_CALIBRATION_SHA256	Hash of the approved coaching calibration file; the service refuses a different file

2.2.4 Initialise the database and create the first administrator

1. On first start, the PostgreSQL container runs src/Database.sql on the empty data volume. It creates all 51 tables and the seed data in one transaction. An existing volume is never re-initialised; use a new volume name to start from an empty database in development.
2. To use an existing PostgreSQL server instead, create an empty database and run `psql -v ON_ERROR_STOP=1 -d <database> -f src/Database.sql` once.
3. The script creates no administrator account. Register a normal account in the game, verify its e-mail, then grant it the Admin role once with SQL: `UPDATE Users SET RoleId = (SELECT RoleId FROM Roles WHERE RoleName = 'Admin') WHERE Email = '<e-mail>';`. Further administrators are assigned from the Users page of the admin web (FR-29).
4. Check the deployment: `GET http://<host>:8080/health/ready` must return HTTP 200; the admin web must open at http://<host>/ and accept the administrator account.

2.2.5 Set up a local development environment

1. Clone the repository and copy `.env.example` to `.env`; fill JWT_KEY, the SMTP values and AI_SERVICE_KEY.
2. Start the back-end services with `docker compose up -d --build`. The development stack exposes PostgreSQL on 127.0.0.1:15432, pgAdmin on 15050, S3 storage on 19000, Redis on 16379 and the Web API on 8080; the AI service is reachable only inside the Docker network.
3. Admin web: in src/Frontend run `npm install` and `npm run dev`, then open http://localhost:5173.
4. Unity: open the folder My project with Unity 6000.6.2f1 from Unity Hub. Select Assets/Resources/BackendApiSettings.asset and set **Base Url** to the API address (http://localhost:8080 for local development; the release build uses http://tad-min.io.vn:8080). Open the scene Assets/Scenes/UI/Login.unity and press Play.
5. Tests: run the Unity EditMode tests in Window → General → Test Runner (or `unity command test run --mode editor` with the Unity CLI), `python -m pytest -q` in src/AiService, and `dotnet run --project src/Testing/Backend` for the integration checks.

3. User Manual

3.1 Overview

PickleVerse has two applications. Players use the game client on Windows or Android to learn the rules, train techniques, play bot and online matches, receive AI coaching and follow their progress. Administrators use the admin web application to manage accounts, training content, matches, moderation, analytics and expert labelling. Figure 2 shows how a player moves between the screens of the game; the four sections that follow describe the four end-to-end workflows committed at Review 2, each owned by one team member.




Figure 2. Screens of the game client and the navigation between them

Table 4. Workflows of the user manual

Workflow	Purpose	Main screens	Owner (BM04)
W01 – Learn and sync a drill	Create an account, learn the rules and practise a drill online or offline	Login, Register, Tutorial, Training Academy, Drill Result	Trần Nguyễn Hiếu Thuận
W02 – Play a bot match and get a tip	Play a singles match against a bot and read the AI coaching	Mode Selection, Bot Match Setup, Bot Match, Match Result, Coaching	Nguyễn Gia Huy
W03 – Find and play an online match	Play ranked singles or a private room with friends on the dedicated server	Online Lobby, Ready Check, Multiplayer Court, History	Nguyễn Văn Thành Đạt
W04 – Moderation and content (administrator)	Handle reports and appeals, manage users, lessons, matches and analytics	Admin web: Dashboard, Users, Moderation, CMS, Matches, Analytics	Huỳnh Trung Kiên

Controls. Table 5 summarises the default controls; all keys can be changed in Settings → Controls.

Table 5. Default controls

Action	PC (keyboard)	Android (touch)
Move / run	W, A, S, D / hold Left Shift	Virtual joystick / run button
Drive (and serve)	J – hold and release	Shot button 1
Dink	K	Shot button 2

Action	PC (keyboard)	Android (touch)
Volley	L	Shot button 3
Drop / Smash / Reset	J+K / J+L / K+L	Swipe combination between the shot buttons
Add power / aim cross-court	Hold U / hold I while releasing the shot	Power and cross toggles
Pause, settings / confirm	Esc / Enter	Pause button / tap

The shot is decided when the first shot key is released, so press the key early and release it just before the ball reaches the paddle. A release that is too early or too late produces the feedback "Bạn thả nút hơi sớm/muộn".

3.2 Workflow W01 – Learn and Sync a Drill

Purpose. A new player creates an account, learns the court, rules and controls with the tutorial, then practises the techniques with graded drills. Training also works offline after the first sign-in, and offline results are synchronised once when the game is online again. Figure 3 shows the activity flow.




Figure 3. Workflow W01 – Learn and sync a drill

Step 1 – Register and verify the e-mail

1. On the Login screen select **Đăng ký** (Register).
2. Enter the e-mail address, a password of at least 6 characters and the same password again, then select **TẠO TÀI KHOẢN**. Invalid input is shown in red under the form (Figure 5).
3. Open the mailbox (also check the spam folder) and copy the six-digit code. Enter it on the verification page and select **XÁC THỰC**. If the code does not arrive, select **Gửi lại mã xác thực** after 60 seconds.




Figure 4. Register screen




Figure 5. Validation message on the Register screen




Figure 6. E-mail verification with the six-digit code

Step 2 – Sign in and choose the experience level

1. Enter the e-mail and password and select **ĐĂNG NHẬP**. Forgotten passwords are reset with **Quên mật khẩu** (Figure 7): enter the e-mail, then the code received and a new password.
2. At the first sign-in the game asks "Bạn đã quen với pickleball chưa?". Choose **Người mới** to start the tutorial or **Đã thành thạo** to go to the Menu. The choice cannot be changed later.




Figure 7. Forgot password screen

Step 3 – Complete the tutorial

The tutorial has 17 short steps about the court, faults, the two-bounce rule, the non-volley zone and the shot keys. Read each step, select **TIẾP TỤC** (Enter) to continue, **XEM LẠI** to replay the demonstration or **ĐỂ SAU** to leave and finish later from Mode Selection.



Figure 8. Tutorial – step 1 of 17




Figure 9. Tutorial – fault when the ball does not cross the net

Step 4 – Practise a drill

1. From the Menu select **CHƠI NGAY** → **Luyện tập**. The academy lists 15 lessons in the groups Basic, Control, Advanced and Doubles; locked lessons open after their prerequisite is passed.
2. Select **LUYỆN TẬP** on a lesson to read the briefing: target (for example 6 of 8 serves), first-pass reward and the star rules. Select **BẮT ĐẦU**.
3. Hit the shots shown by the coach panel. After the last shot the result shows the number of successful shots, the accuracy, the mean timing error, the practice time and the most frequent error with a tip. Stars: 1 star when the target is reached, 2 stars at 80%, 3 stars at 90% with timing ≤ 0.16 s.
4. Select **LUYỆN LẠI** to retry, **BÀI TIẾP THEO** for the next lesson, or **DANH SÁCH BÀI** for the catalogue. A failed attempt costs nothing.




Figure 10. Lesson catalogue




Figure 11. Lesson briefing with target and star rules




Figure 12. Drill result

Step 5 – Train offline and synchronise

1. Without a connection, open the game and select **Luyện tập ngoại tuyến** on the Login screen. This button appears only on a device where the account has signed in before.
2. Practise as in Step 4. The banner "Đang luyện tập ngoại tuyến · n mục chờ đồng bộ" shows how many results wait for synchronisation; bot and online matches and the shop are disabled.
3. When the Internet is available again, select **Đăng nhập** on the banner. Pending results are sent and applied once; **Chi tiết** shows rejected items, if any.




Figure 13. Menu in offline training mode




Figure 14. Training progress after practising

3.3 Workflow W02 – Play a Bot Match and Get a Tip

Purpose. The player applies the techniques in a singles match against a computer opponent and receives AI coaching based on the shots of the match. Figure 15 shows the flow.




Figure 15. Workflow W02 – Play a bot match and get a tip

Step 1 – Set up the match

1. In the Menu select **CHƠI NGAY → Đấu với bot**.
2. Choose the difficulty (Dễ, Vừa, Khó, or the adaptive option that follows your Elo), the time of day (Ban ngày / Ban đêm) and the court (Chuyên nghiệp / Ngoài trời), then select **VÀO SÂN**.




Figure 16. Mode selection




Figure 17. Bot match setup

Step 2 – Play the match

1. After the introduction, serve within 10 seconds: hold J behind the baseline and release to serve diagonally over the non-volley zone.
2. Let the return and the third shot bounce (two-bounce rule); afterwards volley with L only outside the non-volley zone. Faults appear as a banner, for example "Lỗi • Bóng ra ngoài".
3. A game is won at 11 points with a 2-point lead and the match at two games. Each side can take two time-outs per game from the pause menu (Esc).




Figure 18. Bot match – introduction




Figure 19. Bot match – rally with the score panel

Step 3 – Read the result and the coaching

1. The result shows the winner and the game score. A win gives 100 Tokenpad and 10 XP, a loss 50 Tokenpad and 5 XP; practice bot matches do not change Elo.
2. Select **Xem phân tích** to open the coaching popup: number of shots, contacts and serves, the main errors and up to three recommended drills. Select **Luyện ngay** to open the recommended lesson.
3. Open **LỊCH SỬ** in the Menu to see the match in the history list.




Figure 20. Match result




Figure 21. AI coaching summary with a recommended drill



Figure 22. Match history

3.4 Workflow W03 – Find and Play an Online Match

Purpose. The player plays against other people: a ranked singles match that changes Elo, or a private singles or doubles room with friends. Online matches run on the dedicated server, which decides the score. Figure 23 shows the flow.




Figure 23. Workflow W03 – Find and play an online match

Step 1 – Find a ranked match

1. Select **CHƠI NGAY** → **Đấu online** → **ĐẤU ĐƠN 1v1**, then **Tìm trận**. The lobby shows "Đang tìm đối thủ trực tuyến…" and the waiting time; **Hủy** stops the search.
2. When an opponent with a similar Elo is found, accept within 10 seconds. If nobody is found within 180 seconds, a ranked bot is offered instead.
3. If the dedicated server is busy, the lobby shows "Máy chủ đang bận • Đang chờ lượt thi đấu…" and continues automatically when the server is free.




Figure 24. Online lobby – singles




Figure 25. Searching for an opponent

Step 2 – Play with friends in a private room

1. Select **Tạo phòng** in Mode Selection and choose 1v1 or 2v2. Share the room code with friends, or invite an online friend from the friend list.
2. Friends type the code in **Mã phòng** and select **THAM GIA BẰNG MÃ**, or accept the invitation. The host starts the match. Private matches do not change Elo.



Figure 26. Friends drawer used to find and invite friends

Step 3 – Play, reconnect and see the result

1. Play as in a bot match. If the connection drops, the game reconnects automatically for up to 30 seconds and you continue with the server score.
2. If you leave or cannot reconnect in time, the match ends as interrupted and gives no Elo or reward.
3. At the end the result shows the Elo change for ranked matches. The match appears in **LỊCH SỬ**; from there you can watch the replay or report a player (**Tố cáo**).




Figure 27. Multiplayer court




Figure 28. Elo leaderboard

3.5 Workflow W04 – Moderation and Content (Administrator)

Purpose. An administrator keeps the community and the training content healthy: handles player reports and appeals, manages accounts and roles, publishes lessons, monitors matches and reads the analytics. Figures 29 and 30 show the moderation and content flows. Every administrative change is recorded in the audit log.




Figure 29. Workflow W04 – Report, sanction and appeal




Figure 30. Workflow W04 – Publish training content

Step 1 – Sign in to the admin web

Open the admin web address (http://tad-min.io.vn on staging), enter the e-mail and password of an Admin account and select **Xác thực & Truy cập**. Accounts without the Admin role are rejected. The dashboard shows the number of users, today's active players, matches, online time and pending reports.




Figure 31. Admin web login




Figure 32. Admin dashboard

Step 2 – Manage user accounts

1. Open **Quản lý người dùng**. Search by name, e-mail or ID and filter by status (ACTIVE, SUSPENDED, BANNED).
2. Use the action icons of a row to assign a role, activate an e-mail manually, apply or revoke a sanction (a suspension needs a future expiry date and a reason of 3–2,000 characters) or reset player progress.
3. Progress reset: select the groups LEARNING, RANKING, MISSIONS or ECONOMY, check the preview of the impact and confirm. Reset is refused while the player is searching or playing.




Figure 33. Users page (e-mail addresses hidden in this figure)

Step 3 – Review reports and appeals

1. Open **Xử lý vi phạm**. Pending reports are listed with the reporter, the reported player, the match and the reason.
2. Open a report, download the match evidence or replay, choose **Chấp nhận tố cáo** (optionally with a suspension or ban) or **Bác tố cáo**, write the reason and select **Lưu quyết định**.
3. In the appeals section, review the statement of a restricted player. Accepting an appeal revokes only the sanction it concerns.




Figure 34. Reports, decisions and appeals

Step 4 – Manage lessons and content

1. Open **Nội dung (CMS)**. The left list shows the 15 lessons with their status and version.
2. Select a lesson to edit the code, name, technique template, group, number of shots, target, rewards, minimum level and target radius, then select **Lưu bản nháp**.
3. Select **Xuất bản bản đã lưu** to publish the draft for new attempts, or **Gỡ xuất bản** to hide the lesson. Attempts already in progress keep their version.
4. Use the other tabs to add a drill, publish a cosmetic item in the shop, or create a daily or weekly mission.




Figure 35. Content management – lesson editor

Step 5 – Monitor matches

Open **Giám sát trận đấu**. **Trận đang hoạt động** lists live matches refreshed every 5 seconds with the score and the connection reported by the dedicated server. To stop a live match select **Dừng trận có lý do**, enter the reason and confirm; the match ends as interrupted without Elo or reward. **Lịch sử** shows finished matches with kind, games won and end time.




Figure 36. Match monitoring – history

Step 6 – Read analytics and label coaching sessions

1. Open **Thống kê & AI Telemetry**, choose the date range (Vietnam time, at most 366 days) and select **Làm mới**. The page shows registrations, daily players, completed matches, active hours,

retention, popular lessons with pass rate, the technique-error heat map and matchmaking health.

2. Open **Gán nhãn coaching** to act as an expert reviewer. Select a synchronised session, inspect the shot-by-shot evidence, set the observed level, the error labels and the data group, then save. **Xuất dataset** exports the labelled data used to evaluate the AI coaching.




Figure 37. Player and matchmaking analytics




Figure 38. Expert labelling of a training session

3.6 Other Player Functions

Table 6. Other player functions

Function	How to use
Missions and streak	Menu → NHIỆM VỤ: 7 daily and 10 weekly missions; select NHẬN THƯỞNG when a mission is complete and NHẬN THƯỞNG TỔNG for the set bonus. Missions renew at 07:00 Vietnam time; play at least one match per day to keep the streak.
Shop	Menu → CỬA HÀNG: preview a paddle and buy it with Tokenpad or Elite Token (if a price exists in that currency).
Collection	Menu → BỘ SƯU TẬP: owned paddles; select TRANG BỊ to use a paddle in matches.
Friends and leaderboard	Friend drawer on the left of the Menu: search by name or ID, send or answer requests, remove or block players; the Bảng xếp hạng tab ranks players by Elo.
Replay	LỊCH SỬ → replay button of a match: pause, seek and change speed from 0.5× to 2×. Only players of the match can watch it.
Report a player	LỊCH SỬ → Tố cáo on a finished match: choose the player and enter the reason (up to 254 characters).
Decisions and appeals	Menu → Quyết định & Khiếu nại: shows sanctions on the account; a restricted player can send one appeal (at least 10 characters) per sanction.
Settings	Menu → CÀI ĐẶT: Tổng quan (sign out), Âm thanh, Đồ họa, Điều khiển (key binding and touch layout). Select ÁP DỤNG VÀ LƯU to keep the changes.




Figure 39. Missions and daily streak




Figure 40. Shop




Figure 41. Collection



Figure 42. Settings




Figure 43. Settings – key binding

3.7 Troubleshooting

Table 7. Troubleshooting

Message or symptom	Cause	What to do
No verification e-mail	The e-mail is delayed or in the spam folder; SMTP is unavailable	Check the spam folder; select Gửi lại mã xác thực after 60 seconds; if it still fails, ask an administrator to activate the account manually
"Email chưa được xác thực…"	The account was registered but not verified	Open Bạn cần xác thực email? and enter the code
"Email hoặc mật khẩu không chính xác."	Wrong e-mail or password	Check the input or use Quên mật khẩu
"Tài khoản đang bị hạn chế…"	The account is suspended or banned	Read the decision and send an appeal from Quyết định & Khiếu nại
"Không kết nối được Photon…"	No Internet or UDP blocked by a firewall	Check the connection and allow the game in the firewall
"Máy chủ đang bận • Đang chờ lượt thi đấu…"	The dedicated server is running another match	Wait in the lobby; the match starts when the server is free
Offline results not synchronised	The device has not signed in since training offline	Select Đăng nhập on the offline banner; check Chi tiết for rejected items
"Số dư tiền tệ không đủ…"	Not enough Tokenpad or Elite Token	Earn Tokenpad by playing matches, lessons and missions