SELECTED FIELD RESULTS

Sample run — Irrigated

East Lansing, MI | Silty Clay | Irrigated | 150 lb N/ac | 2010–2014

Same field with automatic irrigation. Higher uptake, but watch for leaching after heavy water.

RUN & FIELD

Location	East Lansing, MI 42.7055°N, 84.4646°W
Dataset	Irrigated corn (mock sample data)
Simulation period	2010–2014 (5 seasons)
Run created	Oct 9, 2026

SET MANAGEMENT

Soil texture	Silty Clay
Soil depth	Deep (more than 40")
Tillage	No tillage
Crop	Corn for grain, 100-day hybrid
Plant population	38,000 seeds/acre
Planting date	May 1
Irrigation	Yes (automatic)
Inorganic N	150 lbs/acre (actual N)
Cover crop / manure	No / No

Key results, whole run

841 kg N/ha	60.4 kg N/ha	1,000 kg N/ha	3,927 mm	792 mm
Plant N uptake	Nitrate leached	Fertilizer N applied	Rainfall	Irrigation

Season by season


Year	Rain (mm)	Irrigation (mm)	Fertilizer N (kg/ha)	Plant N uptake (kg/ha)	N leached (kg/ha)	Soil nitrate Dec 31 (kg/ha)	Lowest PESW (mm)
2010	709	154	200	168	8.2	66	84
2011	722	154	200	168	6.9	110	107
2012	910	132	200	168	16.5	128	114
2013	842	132	200	168	11.8	158	109
2014	744	220	200	168	17.0	174	81
Total	**3,927**	**792**	**1,000**	**841**	**60.4**		

Plant N uptake and N leached are the increase within each calendar year (SALUS reports them as running totals). PESW = plant-extractable soil water.

How the season unfolded

Daily results for the whole simulation (mock sample data). Shaded bands mark each growing season (May–Sep).


NITROGEN POOLS



SOIL WATER




WEATHER & MANAGEMENT EVENTS



Soil nitrate profile snapshots

Nitrate-N concentration by soil layer on key dates each year. Depth runs left to right, as in the app. Values above the shared scale are clipped and labelled.



About this report. Generated from SALUS Online. In demo mode, results are mock sample data (invented numbers, not SALUS output) placed at the MSU Agronomy Farm (East Lansing, MI). Answers that don't change the demo data are recorded for reference only.
Units. N amounts in kg N/ha (1 kg/ha is about 0.89 lb/acre); water in mm; nitrate concentration in mg N per kg dry soil.