

Super Properties			
Global attributes for All Events			
Attribute	Type	Example	Description
timestamp	TIMESTAMP	46114.85417	Event's timestamp (UTC)
Version	STRING	2.1.13	Application Version
Platform	STRING	iOS Android	The platform which the user use
Device	STRING	iPhone 15 Galaxy S24	The device which the user use
UserID	STRING	dd_a123bc	The ID of the user
CountryCode	STRING	IL US UK	The country international code
RollsBalance	INT	45	Current number of rolls
CoinsBalance	INT	1500000	Current amount of coins
PlayerLevel	INT	14	The current Kingdom level
Session_Start			
The event will be send once the user started the session			
Attribute	Type	Example	Description
Source	STRING	Notification Organic	How the user chose to enter the game
Connection	STRING	WiFi Cellular	Network type at start
DaysSinceInstall	INT	7	Player seniority in days

Dice_Roll_Completed			
once the dice land and reward is calculated			
Attribute	Type	Example	Description
Multiplier	INT	5	The bet multiplier used for the roll
RewardType	STRING	Attack Steal Raid Coins	The core gameplay outcome
mission_items_collected	INT	30	Number of event tokens (e.g., Magical Wands) earned in this roll.
active_mission_id	STRING	magical_mission_04	Identifier for the current live-ops event
secondary_reward_type	STRING	Puzzle_Pieces Chef_Ingredients	The meta-game reward being pursued
Attack_Initiated			
when the user clicks 'Attack' and transition begins			
Attribute	Type	Example	Description
TargetID	STRING	u_887722	The ID of the player being attacked
TargetKingdomLevel	INT	12	The level of the kingdom being attacked
TargetBuildingID	STRING	statue_03	The specific building selected
RollMultiplier	INT	5	The bet multiplier used
Attack_Finished			
after the attack animation ends and reward is shown			
Attribute	Type	Example	Description
Outcome	STRING	Success Blocked	Did the target have a shield?
IsBullseye	BOOLEAN	True False	Did the player hit the center target?
BullseyeBonus	FLOAT	2	The x2 bonus multiplier if the player hit the bullseye
CardLevelBonus	FLOAT	1.5	The bonus multiplier based on the Attack Card level
TotalGoldGained	INT	250000	Final amount after all multipliers and bonuses
Steal_Started			
when the Steal screen appears and potential prize is shown			
Attribute	Type	Example	Description
TargetID	STRING	u_112233	The ID of the player being robbed
PotentialStealAmount	INT	1000000	The maximum amount available to steal
StealCardLevel	INT	4	The current level of the player's Steal card
RollMultiplier	INT	3	The bet multiplier used
Steal_Finished			
when the player complete the steal or hits a bomb			
Attribute	Type	Example	Description
TotalTries	INT	5	How many times the player rolled the steal-die
IsExploded	BOOLEAN	True False	Did the player hit the bomb?
BaseAmountCollected	INT	450000	The amount collected before bonuses
CardLevelBonus	FLOAT	1.2	The bonus multiplier from the Steal Card level
FinalAmountStolen	INT	540000	Final coins added (Base * CardBonus * Multiplier)
Raid_Started			
when the player enters the Raid obstacle course			
Attribute	Type	Example	Description
TargetID	STRING	u_994433	The ID of the player being raided
RaidCardLevel	INT	5	The current level of the player's Raid card
RollMultiplier	INT	10	The bet multiplier used
Raid_Finished			
when the raid ends (Success or Failure)			
Attribute	Type	Example	Description
TotalObstaclesPassed	INT	3	How many obstacles were cleared
IsGrandPrizeReached	BOOLEAN	True False	Did the player reach the end?
TotalRaidCoins	INT	1250000	The sum of all coins earned during the raid
Kingdom_Building_Finished			
when a build/upgrade is completed			

Attribute	Type	Example	Description
BuildingID	STRING	house_02	The ID of the building
BuildingType	STRING	House Statue	The type of the structure
Cost	INT	500000	The price of the build
NewBuildingLevel	INT	3	The level after the upgrade
Kingdom_Completed			
once all buildings in a kingdom are finished			
Attribute	Type	Example	Description
KingdomID	INT	5	The index of the completed kingdom
TimeToFinish	INT	86400	Total seconds spent on this kingdom
Rolls_Rewarded	INT	50	Bonus rolls awarded

Shop_Entered			
once the user opens the store			
Attribute	Type	Example	Description
Trigger	STRING	Out_of_Rolls Manual	What led the player to the shop
LastScreen	STRING	Main_Lobby Map	The screen before the shop
HasSpecialOffer	BOOLEAN	True False	Was a personalized deal shown
Out_of_Rolls			
once the user has 0 rolls balance			
Attribute	Type	Example	Description
LastMultiplier	INT	5	The multiplier used before running out
Offer_Presented	STRING	Pack_Small Ad	The offer shown to the player
Interaction	STRING	Clicked Dismissed	How the user reacted to the offer
Purchase_Completed			
after a successful IAP transaction			
Attribute	Type	Example	Description
ProductID	STRING	pack_100_rolls	The internal identifier used to track the specific item across all platforms.
Price	FLOAT	9.9	The transaction value as charged in the local store.
Currency	STRING	USD ILS	The local currency code
Payment_Provider	STRING	Apple	The platform processing the payment (Apple,Google)

Card_Send_Initiated			
when the user clicks 'Send' on a specific card to a friend			
Attribute	Type	Example	Description
FriendUserID	STRING	fb_998877	The ID of the friend receiving the card
CardID	STRING	rare_dragon_05	The ID of the card being sent
SetID	STRING	mythical_creatures	The set the card belongs to
IsDuplicate	BOOLEAN	TRUE	Was this an extra card the user had? (Should be True)
Card_Send_Finished			
after the 'Card Sent' animation and confirmation			
Attribute	Type	Example	Description
FriendUserID	STRING	fb_998877	The ID of the friend
Status	STRING	Success Failed	Did the transfer complete successfully?
Team_Help_Rolls_Given			
when a user clicks 'Help' on a teammate's request for rolls			
Attribute	Type	Example	Description
TeammateUserID	STRING	dd_user_5544	The ID of the person who asked for help
TeamID	STRING	team_israel_01	The ID of the squad/team
RewardForHelper	INT	5000	Coins or reward given to the user for helping
CurrentTeamRank	INT	12	The rank of the team at the moment of help
Team_Request_Rolls_Started			
when the user clicks 'Request Rolls' from their team			
Attribute	Type	Example	Description
TeamID	STRING	team_israel_01	The ID of the squad
RollsRequested	INT	10	The amount of rolls the user is asking for
TimeSinceLastRequest	INT	28800	Seconds passed since the last request (Cooldown check)
Invite_Sent			
when the user sends a game invite to a new friend			
Attribute	Type	Example	Description
Platform	STRING	Facebook WhatsApp	The platform used for the invite
InviteSource	STRING	PopUp Settings	Where in the app the invite was triggered