Backend Documentation

1.User Account Creation:

```
Method: post
API: http://localhost:3000/api/users/register
Request: {
"userId": "user123",
 "name": "John Doe",
 "email": "john@example.com",
 "password": "password123",
 "mobileNo": "1234567890",
 "address": "123 Main St"
Response: {"message":"User registered"}
2.User Login:
Method: post
API: http://localhost:3000/api/users/login
Request:
{
"userId": "user123",
 "password": "password123"
Response:
   "token":
"eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VySWQiOiJ1c2VyMTIzIiwiaWF0IjoxNzQ
3Nzk5MjUyLCJleHAiOjE3NDc4MDI4NTJ9.y8entncjqEBUeBB2N9tWxpBUP1iW8kSxSwORdl3Gnu8
   "user": {
       "userId": "user123",
       "name": "John Doe",
       "email": "john@example.com"
   }
}
```

3.List all Products(with pagination)

```
Method: get
API: <a href="http://localhost:3000/api/products?page=1&limit=1">http://localhost:3000/api/products?page=1&limit=1</a>
Response:
   "products": [
        {
             "id": "p01",
             "name": "iPhone 15",
             "description": "Latest Apple smartphone with A16 Bionic chip",
             "price": 1200,
             "stock": 10,
             "imageUrl": "https://example.com/iphone15.jpg"
        }
   ],
   "total": 2,
   "page": 1,
   "limit": 1
4. View Product Details
Method: get
API: http://localhost:3000/api/products/p01
Response:
{
   "id": "p01",
   "name": "iPhone 15",
   "description": "Latest Apple smartphone with A16 Bionic chip",
   "price": 1200,
   "stock": 10,
   "imageUrl": "https://example.com/iphone15.jpg"
}
Managing Cart
5.Adding Product:
Method: post
API: http://localhost:3000/api/cart
Request
 "userId": "u1",
 "productId": "p01"
```

```
Response::
   "message": "Product added to cart"
6. View Products in user cart:
Method: get
API: <a href="http://localhost:3000/api/cart?userId=u1">http://localhost:3000/api/cart?userId=u1</a>
Response:
   {
        "productId": "p01",
        "quantity": 2,
        "id": "p01",
        "name": "iPhone 15",
        "description": "Latest Apple smartphone with A16 Bionic chip",
        "price": 1200,
        "stock": 10,
        "imageUrl": "https://example.com/iphone15.jpg"
   }
]
7.Delete from cart
Method: delete
API: http://localhost:3000/api/cart
Request:
{
"userId": "u1",
"productId": "p01"
Response:
   "message": "Product removed from cart"
}
Managing Orders
8.Order Product
Method: post
API: http://localhost:3000/api/orders
Request:
"userId": "u1"
Response:
```

```
"message": "Order placed",
   "order": {
        "id": "order-1747805022903",
        "userId": "u1",
        "items": [
            {
                 "productId": "p01",
                 "quantity": 1
            }
        ],
        "status": "Success",
        "timestamp": "2025-05-21T05:23:42.903Z"
   }
9.User Orders:
Method: get
API: <a href="http://localhost:3000/api/orders?userId=u1&page=1&limit=5">http://localhost:3000/api/orders?userId=u1&page=1&limit=5</a>
Params:
Key: value
userld:1
page:1
limit:5
Response::
   "orders": [
        {
             "id": "order-1747844065620",
             "userId": "u1",
             "items": [
                 {
                      "productId": "p01",
                      "quantity": 1
                 },
                 {
                      "productId": "p02",
                      "quantity": 2
                 }
             ],
             "status": "Success",
             "timestamp": "2025-05-21T16:14:25.620Z"
       }
   ]
```