

TB Disperser

Version: 1.3.0 | Documentation date: 2026-08-04

Overview

Stretches the front of drums and synth hits so they feel heavier, sharper, or more elastic.

What this plug-in solves

Sharp transients can need more weight or length without clipping, compression, or obvious tonal boost. TB Disperser rotates phase around a chosen frequency region so components arrive at different times, turning a short spike into a deeper sweep while largely preserving the static magnitude response.

What you can expect

- Longer and heavier attacks
- Frequency-focused phase sweeps
- Animated dispersion without DAW automation
- Transient design that differs from saturation or EQ

How it works

TB Disperser changes the timing relationship between different frequency areas at the beginning of a sound. The total length can remain short, but the attack is stretched into a curved sweep that can make a kick feel heavier, a snare feel sharper, or a synthetic hit feel more elastic.

Frequency chooses where the sweep is focused, Amount sets how audible it becomes, and Pinch changes the shape of the movement. Speed and the frequency LFO add motion over time. Start with a clear transient, set the tonal focus first, then raise the amount only until the desired weight or snap appears.

Quick start

- 1 Begin with LFO Off.
- 2 Set Frequency near the body of the transient.
- 3 Raise Amount until the attack clearly changes.

- 4 Use Pinch to focus the contour.
- 5 Use Speed to fit the source envelope.
- 6 Enable an LFO only when continuous motion is desired.

Interface and key sections



This is a direct capture of the current plug-in interface. Use the visible labels to locate the areas and controls explained below.

Amount

Controls the total strength of phase rotation and therefore the audible length and curvature of the transient sweep.

Frequency

Sets the center or pivot of the dispersion. Low settings emphasize weight; higher settings create sharper zaps and metallic contours.

Pinch

Concentrates the phase action around the selected frequency. Higher values sound more focused and resonant.

Speed

Scales the time behavior of the dispersion independently of LFO Rate. Slower values stretch movement; faster values tighten it.

Frequency LFO

LFO Type selects Off, Sine, Triangle, Saw, Square, or Random. LFO Range sets frequency travel in octaves and LFO Rate controls motion speed.

Programs

Programs demonstrate tight phase shaping, drum bloom, bass bloom, metallic sweeps, pulse motion, and randomized scatter.

Controllable properties

The guide uses the names shown on the plug-in panel. Each explanation describes the audible result, a useful way to approach the control, and an important interaction to listen for.

Control	What it does and when to use it
Amount	Sets how strongly the named effect changes the sound. Raise it until the contribution is obvious, then reduce it slightly and recheck the sound in the complete mix.
Bypass	Turns the complete effect off or on for a direct before-and-after comparison. Compare with bypass at a similar loudness. If the effect creates a tail, let that tail settle before judging the difference.
Frequency	Chooses the main tonal area or carrier pitch used by this control. Sweep broadly to find the useful tonal area, then make the focus narrower and the change smaller while listening in the full mix.
LFO Range	Sets how far the moving center frequency travels. Set the speed first and then add only enough movement to hear the pattern without pulling attention away from the performance.
LFO Rate	Sets how quickly the center frequency moves. Set the speed first and then add only enough movement to hear the pattern without pulling attention away from the performance.
LFO Type	Chooses the movement shape or turns automatic movement off. Set the speed first and then add only enough movement to hear the pattern without pulling attention away from the performance.
Pinch	Focuses the phase sweep around a narrower frequency area. Higher values sound sharper and more resonant. Move it gradually and listen for the point where the intended result becomes clear without introducing a new problem elsewhere.
Program	Loads a factory starting point. Adjust the controls afterward to fit the current sound. Use a preset as a direction, not a finished answer. Change one section at a time so it is clear which adjustment improves the source.
Speed	Shortens or stretches the phase movement around each hit. Set the speed first and then add only enough movement to hear the pattern without pulling attention away from the performance.

Practical uses

Kick weight

- Set Frequency low.
- Use moderate Amount and low-to-medium Pinch.
- Adjust Speed until the front edge becomes heavier without turning into a chirp.

Expected result: The kick feels deeper and longer without a conventional bass boost.

Animated synth zap

- Set a mid or high Frequency.
- Raise Pinch.
- Choose Saw, Square, or Random LFO.
- Set LFO Range and Rate for the rhythmic movement.

Expected result: The transient contour sweeps through the spectrum with repeatable motion.

Common pitfalls

Phase dispersion changes waveform shape and peak timing even when the spectrum looks similar. Reduce the main amount, feedback, drive, or input first, then rebuild the sound while watching the output meter and listening after the source stops.

Extreme settings can sound like pitch or resonant chirps. Feed the plug-in one clear note at a time, confirm the musical key or target, and reduce correction or variation if the result becomes unstable.

Recheck layered drums for cancellation. Return the strongest control toward neutral, compare with bypass at a similar loudness, and add the processing back one section at a time.