

TB AUDIO PLUG-INS
Team Impulse Impact

USER MANUAL

TB SubLow

Additive Low-End Generator

Creates new bass at the frequency you choose, independent of the input pitch, with focused Core, resonant Bloom, and onset Punch layers and zero latency.

Target 32 to 250 Hz

Core, Bloom, and Punch layers

Zero latency

12 factory presets



Contents

- 01 Overview
- 02 Quick start
- 03 Interface
- 04 Controls
- 05 Presets
- 06 Recipes
- 07 Tips and troubleshooting
- 08 Parameter reference
- 09 Version history
- 10 Support and license

01 Overview


TB SubLow is an additive low-frequency engine. It creates new bass at a frequency you choose, independent of the input pitch, and builds that energy beneath the original sound.

CORE generates a focused, stable centre at **TARGET**. **BLOOM** adds resonant body, short diffusion, and subtle harmonics around the low end. **PUNCH** reinforces the onsets, and **RESPONSE** sets how the generated layers follow the body and release of the source. Unlike a fixed rumble generator or an octave-down effect, TB SubLow reacts to full-band mono or stereo material, and it adds no latency.

Key features

- TARGET from 32 to 250 Hz, independent of the input pitch
- Three generated layers: CORE, BLOOM, and PUNCH
- RESPONSE sets how quickly the layers follow and release
- Zero reported latency; the dry signal is not delayed
- Input (DRY) and output (SUM) meters with live Body, Bloom, Punch, and Generated feedback
- 12 factory presets in three groups, user presets, undo, and redo

Signal flow



About this manual

This manual describes TB SubLow 1.3.0 for Windows (VST3). The current macOS build is version 0.1.3 and may differ from the descriptions here.

02 Quick start

- 1 Insert TB SubLow on a kick, bass, or full mix. The defaults are **TARGET** 55 Hz, **CORE** 30%, **BLOOM** 15%, **PUNCH** 20%, and **RESPONSE** 50%.
- 2 Set **TARGET** near the fundamental you want to reinforce, for example the kick's low thump.
- 3 Set the amount of steady sub with **CORE**.

- 4 Add **PUNCH** for impact on hits, or **BLOOM** for a fuller, resonant body.
- 5 Adjust **RESPONSE** for a faster or longer-lasting body.
- 6 Match the level with **OUTPUT** and compare with bypass on small speakers and headphones.

03 Interface



TB SubLow 1.3 interface (portfolio image).

Area	What it does
Preset bar	Previous and next factory preset, the preset list, SAVE, UNDO, and REDO.
INPUT meter (DRY)	The stereo input level.
SUB PRESSURE CHAMBER	The TARGET frequency with live BODY, BLOOM, PUNCH, and GENERATED activity.
BYP	Bypasses all processing while keeping the current settings.
Controls	TARGET , CORE , BLOOM , PUNCH , RESPONSE , and OUTPUT .
OUTPUT meter (SUM)	The stereo output level: the dry signal plus the generated low end.

04 Controls

Control	Range · default	What it does
TARGET	32 to 250 Hz · 55 Hz	Sets the centre frequency of the generated low layer. It is not a filter cutoff or a pitch shifter.
CORE	0 to 100% · 30%	Sets the amount of narrow, stable generated low end. Too much stacks on top of the original bass.
BLOOM	0 to 100% · 15%	Sets the amount of modal, diffused low-frequency bloom: resonant body, short diffusion, and subtle harmonics.
PUNCH	0 to 100% · 20%	Sets the amount of short, onset-driven low impact. It does not raise sustained loudness.

Control	Range · default	What it does
RESPONSE	0 to 100% · 50%	Sets how quickly the spectral envelope follows and releases. It does not add latency.
OUTPUT	−12 to +6 dB · 0 dB	Sets the final level of the dry signal plus the generated layers. It is not a limiter.
BYP	Off, On · Off	Bypasses all processing while keeping the current settings.

TB SubLow adds new low-frequency energy. Check phase against the original bass, translation on small speakers, and headroom. There is no limiter or true-peak protection.

05 Presets

Step through factory presets with the arrows, or open the list to choose a factory or user preset. SAVE stores the current settings as a .tblsl preset. UNDO and REDO step through recent parameter and preset changes.

Group	Preset	TARGET	CORE	BLOOM	PUNCH	RESP.	OUTPUT
Foundation	Init	55 Hz	30%	15%	20%	50%	0 dB
Foundation	Tight Impact	52 Hz	36%	7%	42%	78%	−1 dB
Foundation	Deep Foundation	42 Hz	40%	18%	12%	42%	−1.5 dB
Foundation	Subtle Mix Floor	48 Hz	16%	9%	8%	60%	0 dB
Bloom	Bass Bloom	46 Hz	30%	28%	8%	36%	−1.5 dB
Bloom	Pad Bloom	65 Hz	22%	38%	5%	25%	−2 dB
Bloom	Cinematic Bloom	36 Hz	34%	48%	22%	32%	−3 dB
Bloom	Slow Room	58 Hz	24%	34%	8%	28%	−2 dB
Special	Kick Anchor	50 Hz	42%	8%	48%	82%	−1.5 dB
Special	Bass Support	41 Hz	35%	14%	10%	38%	−1 dB
Special	Punch Translator	70 Hz	27%	7%	58%	86%	−2 dB
Special	Upper Bass Pulse	110 Hz	24%	8%	44%	74%	−1.5 dB

Preset	Description
Init	A safe, audible starting point with balanced core, bloom, and punch.
Tight Impact	Adds a compact low strike while keeping the decay out of the way.
Deep Foundation	Builds a lower, steadier foundation with a restrained onset.
Subtle Mix Floor	Supports a full mix with low movement that stays behind the source.
Bass Bloom	Breathes around sustained bass while keeping the fundamental stable.
Pad Bloom	Lets sustained material open into a soft, slowly moving low field.

Preset	Description
Cinematic Bloom	Creates a deep modal bloom for impacts and cinematic beds.
Slow Room	Turns sustained spectral motion into a warm, diffuse low tail.
Kick Anchor	Follows drum attacks firmly and adds a short target-centred anchor.
Bass Support	Adds stable weight to bass without turning every articulation into a hit.
Punch Translator	Prioritises the fast translated strike over sustained sub energy.
Upper Bass Pulse	Places a compact generated pulse above the usual sub range for translation.

06 Recipes

Starting points for common jobs. Adjust them by ear.

Kick that translates

A kick that still thumps on small speakers.

Preset	Kick Anchor
TARGET	Near the kick's fundamental
PUNCH	40 to 60%

- 1 Check CORE first, then add PUNCH only on the onset.
- 2 Compare with bypass on small speakers.

Fuller bass body

Sustained bass that needs weight without more hits.

Preset	Bass Support or Bass Bloom
BLOOM	15 to 30%

- 1 Lower CORE and PUNCH if the low end gets crowded.

Cinematic impact

Deep blooms under hits and trailers.

Preset	Cinematic Bloom
TARGET	30 to 45 Hz

- 1 Watch headroom; lower OUTPUT if the sum gets too hot.

Mix floor

Gentle low support under a full mix.

Preset	Subtle Mix Floor
CORE	10 to 20%

- 1 Keep it subtle; it should be felt rather than heard.

07 Tips and troubleshooting

Symptom	What to check
The low end gets muddy or too heavy.	Lower CORE and BLOOM, or move TARGET away from the existing bass fundamental.
The low end thins out against the original.	The generated layer may be out of phase with the source bass. Move TARGET slightly and compare.
The bass is lost on small speakers.	Try Upper Bass Pulse or raise TARGET above the usual sub range.

Symptom	What to check
The sound clips.	Lower OUTPUT; TB SubLow has no limiter.
Hits sound too sharp.	Lower PUNCH or RESPONSE.

08 Parameter reference

Panel label	Host parameter	Range	Default
TARGET	Target	32 to 250 Hz	55 Hz
CORE	Core	0 to 100%	30%
BLOOM	Bloom	0 to 100%	15%
PUNCH	Punch	0 to 100%	20%
RESPONSE	Response	0 to 100%	50%
OUTPUT	Output	-12 to +6 dB	0 dB
BYP	Bypass	Off, On	Off

09 Version history

Version	Changes
1.3.0 · 2026-08-14	Rebuilt the editor around a blue-cyan Sub Pressure Chamber with real stereo input and output meters, and added live feedback for Body, Bloom, Punch, and generated sub energy. Parameters and presets are unchanged.
1.2.0 · 2026-07-30	Adjusted the effect logo's size and margins in the header.

10 Support and license

Report problems or request features at github.com/TaebeumKim/TB_Audio-Plugins/issues. Include the plug-in version, your DAW, and your operating system.

TB Audio plug-ins are free for personal and commercial work under the TB Audio Plug-ins Freeware License. If you release or monetize work made with them, add a credit such as **Made with TB Audio Plug-ins by Team Impulse Impact**. Selling or bundling the plug-ins is not allowed.

If the plug-ins help your music, you can support development at ko-fi.com/teamimpulseimpact.