

TB Resonator

USER MANUAL



Purpose

Makes incoming sound ring like a tuned body, creating instrument-like tone and sustain.

License: MIT License

This software is licensed under the MIT License. Copyright (c) 2026 TaebeumKim. See the repository LICENSE file for the full terms.

Controllable properties

Each control is listed by its panel name. Use the description to decide what to listen for, then make small changes in the context of the music.

Control and settings	What it changes
Body Range: SOFT 0% to METAL 100% Default: STRING 50%	Moves the resonant material from soft and wooden toward bright and metallic.
Bypass Range: Off, On Default: Off	Turns the complete effect off or on for a direct before-and-after comparison.
Memory Range: 40 ms to 30 s Default: 1.1 s	Sets how long the resonant body keeps ringing after the input fades.
Mix Range: 0% to 100% Default: 35%	Blends the original sound with the processed sound.
Program Range: 12 factory programs Default: Init	Loads a factory starting point. Adjust the controls afterward to fit the current sound.
Touch Range: STRIKE 0% to DRIVE 100% Default: NATURAL 50%	Changes how the body is excited, from a short strike to a continuously driven tone.

Control and settings	What it changes
Tune Range: C1 32.7 Hz to C7 2093 Hz Default: C3 130.8 Hz	Chooses the note or resonant pitch used by the effect.