

TB EQ

USER MANUAL



Purpose

Shapes tone and controls harsh, boomy, or distracting frequencies with up to 24 precise bands.

License: MIT License

This software is licensed under the MIT License. Copyright (c) 2026 TaebeumKim. See the repository LICENSE file for the full terms.

Controllable properties

Each control is listed by its panel name. Use the description to decide what to listen for, then make small changes in the context of the music.

Control and settings	What it changes
Band 1 Attenuation Range: -96 to -3 Default: -96	Sets how much of the selected resonance is removed or heard in the isolated listening mode.
Band 1 Channel Mode Range: Stereo, Mid, Side Default: Stereo	Chooses which stereo channel or center/side area this band changes.
Band 1 Dynamic Range: Off, On Default: Off	Lets this band move only when the selected frequency becomes louder or quieter.
Band 1 Dynamic Attack Range: 0.1 to 200 Default: 15	Sets how quickly the band reacts to a new peak in the selected frequency.
Band 1 Dynamic Range Range: -24 to 24 Default: -6	Limits how far the band can move when dynamic control is active.
Band 1 Dynamic Ratio Range: 1 to 20 Default: 2	Sets how strongly the band reacts after it crosses the threshold.
Band 1 Dynamic Release Range: 1 to 2000 Default: 150	Sets how quickly the band returns after the selected frequency settles.

Control and settings	What it changes
Band 1 Dynamic Threshold Range: -60 to 0 Default: -24	Sets how loud the selected frequency must be before dynamic movement begins.
Band 1 Enabled Range: Off, On Default: On	Turns this EQ band on or off.
Band 1 Frequency Range: 20 to 20000 Default: 1000	Chooses the tonal area this band changes.
Band 1 Gain Range: -24 to 24 Default: 0	Raises or lowers the selected tonal area.
Band 1 Q Range: 0.1 to 30 Default: 1	Sets how wide or narrow the tonal change is.
Band 1 Spectral Range: Off, On Default: Off	Turns on focused control of narrow resonances around this band.
Band 1 Spectral Depth Range: 0 to 24 Default: 24	Sets how strongly detected resonances are reduced.
Band 1 Spectral Niddle Range: 0 to 100 Default: 0	Focuses the control on narrower, more noticeable resonances.
Band 1 Spectral Range Range: 0.05 to 8 Default: 1	Limits the maximum resonance reduction around this band.
Band 1 Spectral Sensitivity Range: 0 to 1 Default: 0.5	Sets how easily narrow resonances are selected for control.
Band 1 Type Range: Bell, Low Shelf, High Shelf, Low Cut, High Cut, Notch, Band Pass, All Pass Default: Bell	Chooses the filter shape for this band.

Control and settings	What it changes
Band 2 Attenuation Range: -96 to -3 Default: -96	Sets how much of the selected resonance is removed or heard in the isolated listening mode.
Band 2 Channel Mode Range: Stereo, Mid, Side Default: Stereo	Chooses which stereo channel or center/side area this band changes.
Band 2 Dynamic Range: Off, On Default: Off	Lets this band move only when the selected frequency becomes louder or quieter.
Band 2 Dynamic Attack Range: 0.1 to 200 Default: 15	Sets how quickly the band reacts to a new peak in the selected frequency.
Band 2 Dynamic Range Range: -24 to 24 Default: -6	Limits how far the band can move when dynamic control is active.
Band 2 Dynamic Ratio Range: 1 to 20 Default: 2	Sets how strongly the band reacts after it crosses the threshold.
Band 2 Dynamic Release Range: 1 to 2000 Default: 150	Sets how quickly the band returns after the selected frequency settles.
Band 2 Dynamic Threshold Range: -60 to 0 Default: -24	Sets how loud the selected frequency must be before dynamic movement begins.
Band 2 Enabled Range: Off, On Default: Off	Turns this EQ band on or off.
Band 2 Frequency Range: 20 to 20000 Default: 1000	Chooses the tonal area this band changes.
Band 2 Gain Range: -24 to 24 Default: 0	Raises or lowers the selected tonal area.

Control and settings	What it changes
Band 2 Q Range: 0.1 to 30 Default: 1	Sets how wide or narrow the tonal change is.
Band 2 Spectral Range: Off, On Default: Off	Turns on focused control of narrow resonances around this band.
Band 2 Spectral Depth Range: 0 to 24 Default: 24	Sets how strongly detected resonances are reduced.
Band 2 Spectral Niddle Range: 0 to 100 Default: 0	Focuses the control on narrower, more noticeable resonances.
Band 2 Spectral Range Range: 0.05 to 8 Default: 1	Limits the maximum resonance reduction around this band.
Band 2 Spectral Sensitivity Range: 0 to 1 Default: 0.5	Sets how easily narrow resonances are selected for control.
Band 2 Type Range: Bell, Low Shelf, High Shelf, Low Cut, High Cut, Notch, Band Pass, All Pass Default: Bell	Chooses the filter shape for this band.
Band 3 Attenuation Range: -96 to -3 Default: -96	Sets how much of the selected resonance is removed or heard in the isolated listening mode.
Band 3 Channel Mode Range: Stereo, Mid, Side Default: Stereo	Chooses which stereo channel or center/side area this band changes.
Band 3 Dynamic Range: Off, On Default: Off	Lets this band move only when the selected frequency becomes louder or quieter.
Band 3 Dynamic Attack Range: 0.1 to 200 Default: 15	Sets how quickly the band reacts to a new peak in the selected frequency.

Control and settings	What it changes
Band 3 Dynamic Range Range: -24 to 24 Default: -6	Limits how far the band can move when dynamic control is active.
Band 3 Dynamic Ratio Range: 1 to 20 Default: 2	Sets how strongly the band reacts after it crosses the threshold.
Band 3 Dynamic Release Range: 1 to 2000 Default: 150	Sets how quickly the band returns after the selected frequency settles.
Band 3 Dynamic Threshold Range: -60 to 0 Default: -24	Sets how loud the selected frequency must be before dynamic movement begins.
Band 3 Enabled Range: Off, On Default: Off	Turns this EQ band on or off.
Band 3 Frequency Range: 20 to 20000 Default: 1000	Chooses the tonal area this band changes.
Band 3 Gain Range: -24 to 24 Default: 0	Raises or lowers the selected tonal area.
Band 3 Q Range: 0.1 to 30 Default: 1	Sets how wide or narrow the tonal change is.
Band 3 Spectral Range: Off, On Default: Off	Turns on focused control of narrow resonances around this band.
Band 3 Spectral Depth Range: 0 to 24 Default: 24	Sets how strongly detected resonances are reduced.
Band 3 Spectral Niddle Range: 0 to 100 Default: 0	Focuses the control on narrower, more noticeable resonances.

Control and settings	What it changes
Band 3 Spectral Range Range: 0.05 to 8 Default: 1	Limits the maximum resonance reduction around this band.
Band 3 Spectral Sensitivity Range: 0 to 1 Default: 0.5	Sets how easily narrow resonances are selected for control.
Band 3 Type Range: Bell, Low Shelf, High Shelf, Low Cut, High Cut, Notch, Band Pass, All Pass Default: Bell	Chooses the filter shape for this band.
Band 4 Attenuation Range: -96 to -3 Default: -96	Sets how much of the selected resonance is removed or heard in the isolated listening mode.
Band 4 Channel Mode Range: Stereo, Mid, Side Default: Stereo	Chooses which stereo channel or center/side area this band changes.
Band 4 Dynamic Range: Off, On Default: Off	Lets this band move only when the selected frequency becomes louder or quieter.
Band 4 Dynamic Attack Range: 0.1 to 200 Default: 15	Sets how quickly the band reacts to a new peak in the selected frequency.
Band 4 Dynamic Range Range: -24 to 24 Default: -6	Limits how far the band can move when dynamic control is active.
Band 4 Dynamic Ratio Range: 1 to 20 Default: 2	Sets how strongly the band reacts after it crosses the threshold.
Band 4 Dynamic Release Range: 1 to 2000 Default: 150	Sets how quickly the band returns after the selected frequency settles.
Band 4 Dynamic Threshold Range: -60 to 0 Default: -24	Sets how loud the selected frequency must be before dynamic movement begins.

Control and settings	What it changes
Band 4 Enabled Range: Off, On Default: Off	Turns this EQ band on or off.
Band 4 Frequency Range: 20 to 20000 Default: 1000	Chooses the tonal area this band changes.
Band 4 Gain Range: -24 to 24 Default: 0	Raises or lowers the selected tonal area.
Band 4 Q Range: 0.1 to 30 Default: 1	Sets how wide or narrow the tonal change is.
Band 4 Spectral Range: Off, On Default: Off	Turns on focused control of narrow resonances around this band.
Band 4 Spectral Depth Range: 0 to 24 Default: 24	Sets how strongly detected resonances are reduced.
Band 4 Spectral Niddle Range: 0 to 100 Default: 0	Focuses the control on narrower, more noticeable resonances.
Band 4 Spectral Range Range: 0.05 to 8 Default: 1	Limits the maximum resonance reduction around this band.
Band 4 Spectral Sensitivity Range: 0 to 1 Default: 0.5	Sets how easily narrow resonances are selected for control.
Band 4 Type Range: Bell, Low Shelf, High Shelf, Low Cut, High Cut, Notch, Band Pass, All Pass Default: Bell	Chooses the filter shape for this band.
Band 5 Attenuation Range: -96 to -3 Default: -96	Sets how much of the selected resonance is removed or heard in the isolated listening mode.

Control and settings	What it changes
Band 5 Channel Mode Range: Stereo, Mid, Side Default: Stereo	Chooses which stereo channel or center/side area this band changes.
Band 5 Dynamic Range: Off, On Default: Off	Lets this band move only when the selected frequency becomes louder or quieter.
Band 5 Dynamic Attack Range: 0.1 to 200 Default: 15	Sets how quickly the band reacts to a new peak in the selected frequency.
Band 5 Dynamic Range Range: -24 to 24 Default: -6	Limits how far the band can move when dynamic control is active.
Band 5 Dynamic Ratio Range: 1 to 20 Default: 2	Sets how strongly the band reacts after it crosses the threshold.
Band 5 Dynamic Release Range: 1 to 2000 Default: 150	Sets how quickly the band returns after the selected frequency settles.
Band 5 Dynamic Threshold Range: -60 to 0 Default: -24	Sets how loud the selected frequency must be before dynamic movement begins.
Band 5 Enabled Range: Off, On Default: Off	Turns this EQ band on or off.
Band 5 Frequency Range: 20 to 20000 Default: 1000	Chooses the tonal area this band changes.
Band 5 Gain Range: -24 to 24 Default: 0	Raises or lowers the selected tonal area.
Band 5 Q Range: 0.1 to 30 Default: 1	Sets how wide or narrow the tonal change is.

Control and settings	What it changes
Band 5 Spectral Range: Off, On Default: Off	Turns on focused control of narrow resonances around this band.
Band 5 Spectral Depth Range: 0 to 24 Default: 24	Sets how strongly detected resonances are reduced.
Band 5 Spectral Niddle Range: 0 to 100 Default: 0	Focuses the control on narrower, more noticeable resonances.
Band 5 Spectral Range Range: 0.05 to 8 Default: 1	Limits the maximum resonance reduction around this band.
Band 5 Spectral Sensitivity Range: 0 to 1 Default: 0.5	Sets how easily narrow resonances are selected for control.
Band 5 Type Range: Bell, Low Shelf, High Shelf, Low Cut, High Cut, Notch, Band Pass, All Pass Default: Bell	Chooses the filter shape for this band.
Band 6 Attenuation Range: -96 to -3 Default: -96	Sets how much of the selected resonance is removed or heard in the isolated listening mode.
Band 6 Channel Mode Range: Stereo, Mid, Side Default: Stereo	Chooses which stereo channel or center/side area this band changes.
Band 6 Dynamic Range: Off, On Default: Off	Lets this band move only when the selected frequency becomes louder or quieter.
Band 6 Dynamic Attack Range: 0.1 to 200 Default: 15	Sets how quickly the band reacts to a new peak in the selected frequency.
Band 6 Dynamic Range Range: -24 to 24 Default: -6	Limits how far the band can move when dynamic control is active.

Control and settings	What it changes
Band 6 Dynamic Ratio Range: 1 to 20 Default: 2	Sets how strongly the band reacts after it crosses the threshold.
Band 6 Dynamic Release Range: 1 to 2000 Default: 150	Sets how quickly the band returns after the selected frequency settles.
Band 6 Dynamic Threshold Range: -60 to 0 Default: -24	Sets how loud the selected frequency must be before dynamic movement begins.
Band 6 Enabled Range: Off, On Default: Off	Turns this EQ band on or off.
Band 6 Frequency Range: 20 to 20000 Default: 1000	Chooses the tonal area this band changes.
Band 6 Gain Range: -24 to 24 Default: 0	Raises or lowers the selected tonal area.
Band 6 Q Range: 0.1 to 30 Default: 1	Sets how wide or narrow the tonal change is.
Band 6 Spectral Range: Off, On Default: Off	Turns on focused control of narrow resonances around this band.
Band 6 Spectral Depth Range: 0 to 24 Default: 24	Sets how strongly detected resonances are reduced.
Band 6 Spectral Niddle Range: 0 to 100 Default: 0	Focuses the control on narrower, more noticeable resonances.
Band 6 Spectral Range Range: 0.05 to 8 Default: 1	Limits the maximum resonance reduction around this band.

Control and settings	What it changes
Band 6 Spectral Sensitivity Range: 0 to 1 Default: 0.5	Sets how easily narrow resonances are selected for control.
Band 6 Type Range: Bell, Low Shelf, High Shelf, Low Cut, High Cut, Notch, Band Pass, All Pass Default: Bell	Chooses the filter shape for this band.
Band 7 Attenuation Range: -96 to -3 Default: -96	Sets how much of the selected resonance is removed or heard in the isolated listening mode.
Band 7 Channel Mode Range: Stereo, Mid, Side Default: Stereo	Chooses which stereo channel or center/side area this band changes.
Band 7 Dynamic Range: Off, On Default: Off	Lets this band move only when the selected frequency becomes louder or quieter.
Band 7 Dynamic Attack Range: 0.1 to 200 Default: 15	Sets how quickly the band reacts to a new peak in the selected frequency.
Band 7 Dynamic Range Range: -24 to 24 Default: -6	Limits how far the band can move when dynamic control is active.
Band 7 Dynamic Ratio Range: 1 to 20 Default: 2	Sets how strongly the band reacts after it crosses the threshold.
Band 7 Dynamic Release Range: 1 to 2000 Default: 150	Sets how quickly the band returns after the selected frequency settles.
Band 7 Dynamic Threshold Range: -60 to 0 Default: -24	Sets how loud the selected frequency must be before dynamic movement begins.
Band 7 Enabled Range: Off, On Default: Off	Turns this EQ band on or off.

Control and settings	What it changes
Band 7 Frequency Range: 20 to 20000 Default: 1000	Chooses the tonal area this band changes.
Band 7 Gain Range: -24 to 24 Default: 0	Raises or lowers the selected tonal area.
Band 7 Q Range: 0.1 to 30 Default: 1	Sets how wide or narrow the tonal change is.
Band 7 Spectral Range: Off, On Default: Off	Turns on focused control of narrow resonances around this band.
Band 7 Spectral Depth Range: 0 to 24 Default: 24	Sets how strongly detected resonances are reduced.
Band 7 Spectral Niddle Range: 0 to 100 Default: 0	Focuses the control on narrower, more noticeable resonances.
Band 7 Spectral Range Range: 0.05 to 8 Default: 1	Limits the maximum resonance reduction around this band.
Band 7 Spectral Sensitivity Range: 0 to 1 Default: 0.5	Sets how easily narrow resonances are selected for control.
Band 7 Type Range: Bell, Low Shelf, High Shelf, Low Cut, High Cut, Notch, Band Pass, All Pass Default: Bell	Chooses the filter shape for this band.
Band 8 Attenuation Range: -96 to -3 Default: -96	Sets how much of the selected resonance is removed or heard in the isolated listening mode.
Band 8 Channel Mode Range: Stereo, Mid, Side Default: Stereo	Chooses which stereo channel or center/side area this band changes.

Control and settings	What it changes
Band 8 Dynamic Range: Off, On Default: Off	Lets this band move only when the selected frequency becomes louder or quieter.
Band 8 Dynamic Attack Range: 0.1 to 200 Default: 15	Sets how quickly the band reacts to a new peak in the selected frequency.
Band 8 Dynamic Range Range: -24 to 24 Default: -6	Limits how far the band can move when dynamic control is active.
Band 8 Dynamic Ratio Range: 1 to 20 Default: 2	Sets how strongly the band reacts after it crosses the threshold.
Band 8 Dynamic Release Range: 1 to 2000 Default: 150	Sets how quickly the band returns after the selected frequency settles.
Band 8 Dynamic Threshold Range: -60 to 0 Default: -24	Sets how loud the selected frequency must be before dynamic movement begins.
Band 8 Enabled Range: Off, On Default: Off	Turns this EQ band on or off.
Band 8 Frequency Range: 20 to 20000 Default: 1000	Chooses the tonal area this band changes.
Band 8 Gain Range: -24 to 24 Default: 0	Raises or lowers the selected tonal area.
Band 8 Q Range: 0.1 to 30 Default: 1	Sets how wide or narrow the tonal change is.
Band 8 Spectral Range: Off, On Default: Off	Turns on focused control of narrow resonances around this band.

Control and settings	What it changes
Band 8 Spectral Depth Range: 0 to 24 Default: 24	Sets how strongly detected resonances are reduced.
Band 8 Spectral Niddle Range: 0 to 100 Default: 0	Focuses the control on narrower, more noticeable resonances.
Band 8 Spectral Range Range: 0.05 to 8 Default: 1	Limits the maximum resonance reduction around this band.
Band 8 Spectral Sensitivity Range: 0 to 1 Default: 0.5	Sets how easily narrow resonances are selected for control.
Band 8 Type Range: Bell, Low Shelf, High Shelf, Low Cut, High Cut, Notch, Band Pass, All Pass Default: Bell	Chooses the filter shape for this band.
Band 9 Attenuation Range: -96 to -3 Default: -96	Sets how much of the selected resonance is removed or heard in the isolated listening mode.
Band 9 Channel Mode Range: Stereo, Mid, Side Default: Stereo	Chooses which stereo channel or center/side area this band changes.
Band 9 Dynamic Range: Off, On Default: Off	Lets this band move only when the selected frequency becomes louder or quieter.
Band 9 Dynamic Attack Range: 0.1 to 200 Default: 15	Sets how quickly the band reacts to a new peak in the selected frequency.
Band 9 Dynamic Range Range: -24 to 24 Default: -6	Limits how far the band can move when dynamic control is active.
Band 9 Dynamic Ratio Range: 1 to 20 Default: 2	Sets how strongly the band reacts after it crosses the threshold.

Control and settings	What it changes
Band 9 Dynamic Release Range: 1 to 2000 Default: 150	Sets how quickly the band returns after the selected frequency settles.
Band 9 Dynamic Threshold Range: -60 to 0 Default: -24	Sets how loud the selected frequency must be before dynamic movement begins.
Band 9 Enabled Range: Off, On Default: Off	Turns this EQ band on or off.
Band 9 Frequency Range: 20 to 20000 Default: 1000	Chooses the tonal area this band changes.
Band 9 Gain Range: -24 to 24 Default: 0	Raises or lowers the selected tonal area.
Band 9 Q Range: 0.1 to 30 Default: 1	Sets how wide or narrow the tonal change is.
Band 9 Spectral Range: Off, On Default: Off	Turns on focused control of narrow resonances around this band.
Band 9 Spectral Depth Range: 0 to 24 Default: 24	Sets how strongly detected resonances are reduced.
Band 9 Spectral Niddle Range: 0 to 100 Default: 0	Focuses the control on narrower, more noticeable resonances.
Band 9 Spectral Range Range: 0.05 to 8 Default: 1	Limits the maximum resonance reduction around this band.
Band 9 Spectral Sensitivity Range: 0 to 1 Default: 0.5	Sets how easily narrow resonances are selected for control.

Control and settings	What it changes
Band 9 Type Range: Bell, Low Shelf, High Shelf, Low Cut, High Cut, Notch, Band Pass, All Pass Default: Bell	Chooses the filter shape for this band.
Band 10 Attenuation Range: -96 to -3 Default: -96	Sets how much of the selected resonance is removed or heard in the isolated listening mode.
Band 10 Channel Mode Range: Stereo, Mid, Side Default: Stereo	Chooses which stereo channel or center/side area this band changes.
Band 10 Dynamic Range: Off, On Default: Off	Lets this band move only when the selected frequency becomes louder or quieter.
Band 10 Dynamic Attack Range: 0.1 to 200 Default: 15	Sets how quickly the band reacts to a new peak in the selected frequency.
Band 10 Dynamic Range Range: -24 to 24 Default: -6	Limits how far the band can move when dynamic control is active.
Band 10 Dynamic Ratio Range: 1 to 20 Default: 2	Sets how strongly the band reacts after it crosses the threshold.
Band 10 Dynamic Release Range: 1 to 2000 Default: 150	Sets how quickly the band returns after the selected frequency settles.
Band 10 Dynamic Threshold Range: -60 to 0 Default: -24	Sets how loud the selected frequency must be before dynamic movement begins.
Band 10 Enabled Range: Off, On Default: Off	Turns this EQ band on or off.

Control and settings	What it changes
Band 10 Frequency Range: 20 to 20000 Default: 1000	Chooses the tonal area this band changes.
Band 10 Gain Range: -24 to 24 Default: 0	Raises or lowers the selected tonal area.
Band 10 Q Range: 0.1 to 30 Default: 1	Sets how wide or narrow the tonal change is.
Band 10 Spectral Range: Off, On Default: Off	Turns on focused control of narrow resonances around this band.
Band 10 Spectral Depth Range: 0 to 24 Default: 24	Sets how strongly detected resonances are reduced.
Band 10 Spectral Niddle Range: 0 to 100 Default: 0	Focuses the control on narrower, more noticeable resonances.
Band 10 Spectral Range Range: 0.05 to 8 Default: 1	Limits the maximum resonance reduction around this band.
Band 10 Spectral Sensitivity Range: 0 to 1 Default: 0.5	Sets how easily narrow resonances are selected for control.
Band 10 Type Range: Bell, Low Shelf, High Shelf, Low Cut, High Cut, Notch, Band Pass, All Pass Default: Bell	Chooses the filter shape for this band.
Band 11 Attenuation Range: -96 to -3 Default: -96	Sets how much of the selected resonance is removed or heard in the isolated listening mode.

Control and settings	What it changes
Band 11 Channel Mode Range: Stereo, Mid, Side Default: Stereo	Chooses which stereo channel or center/side area this band changes.
Band 11 Dynamic Range: Off, On Default: Off	Lets this band move only when the selected frequency becomes louder or quieter.
Band 11 Dynamic Attack Range: 0.1 to 200 Default: 15	Sets how quickly the band reacts to a new peak in the selected frequency.
Band 11 Dynamic Range Range: -24 to 24 Default: -6	Limits how far the band can move when dynamic control is active.
Band 11 Dynamic Ratio Range: 1 to 20 Default: 2	Sets how strongly the band reacts after it crosses the threshold.
Band 11 Dynamic Release Range: 1 to 2000 Default: 150	Sets how quickly the band returns after the selected frequency settles.
Band 11 Dynamic Threshold Range: -60 to 0 Default: -24	Sets how loud the selected frequency must be before dynamic movement begins.
Band 11 Enabled Range: Off, On Default: Off	Turns this EQ band on or off.
Band 11 Frequency Range: 20 to 20000 Default: 1000	Chooses the tonal area this band changes.
Band 11 Gain Range: -24 to 24 Default: 0	Raises or lowers the selected tonal area.
Band 11 Q Range: 0.1 to 30 Default: 1	Sets how wide or narrow the tonal change is.

Control and settings	What it changes
Band 11 Spectral Range: Off, On Default: Off	Turns on focused control of narrow resonances around this band.
Band 11 Spectral Depth Range: 0 to 24 Default: 24	Sets how strongly detected resonances are reduced.
Band 11 Spectral Niddle Range: 0 to 100 Default: 0	Focuses the control on narrower, more noticeable resonances.
Band 11 Spectral Range Range: 0.05 to 8 Default: 1	Limits the maximum resonance reduction around this band.
Band 11 Spectral Sensitivity Range: 0 to 1 Default: 0.5	Sets how easily narrow resonances are selected for control.
Band 11 Type Range: Bell, Low Shelf, High Shelf, Low Cut, High Cut, Notch, Band Pass, All Pass Default: Bell	Chooses the filter shape for this band.
Band 12 Attenuation Range: -96 to -3 Default: -96	Sets how much of the selected resonance is removed or heard in the isolated listening mode.
Band 12 Channel Mode Range: Stereo, Mid, Side Default: Stereo	Chooses which stereo channel or center/side area this band changes.
Band 12 Dynamic Range: Off, On Default: Off	Lets this band move only when the selected frequency becomes louder or quieter.
Band 12 Dynamic Attack Range: 0.1 to 200 Default: 15	Sets how quickly the band reacts to a new peak in the selected frequency.

Control and settings	What it changes
Band 12 Dynamic Range Range: -24 to 24 Default: -6	Limits how far the band can move when dynamic control is active.
Band 12 Dynamic Ratio Range: 1 to 20 Default: 2	Sets how strongly the band reacts after it crosses the threshold.
Band 12 Dynamic Release Range: 1 to 2000 Default: 150	Sets how quickly the band returns after the selected frequency settles.
Band 12 Dynamic Threshold Range: -60 to 0 Default: -24	Sets how loud the selected frequency must be before dynamic movement begins.
Band 12 Enabled Range: Off, On Default: Off	Turns this EQ band on or off.
Band 12 Frequency Range: 20 to 20000 Default: 1000	Chooses the tonal area this band changes.
Band 12 Gain Range: -24 to 24 Default: 0	Raises or lowers the selected tonal area.
Band 12 Q Range: 0.1 to 30 Default: 1	Sets how wide or narrow the tonal change is.
Band 12 Spectral Range: Off, On Default: Off	Turns on focused control of narrow resonances around this band.
Band 12 Spectral Depth Range: 0 to 24 Default: 24	Sets how strongly detected resonances are reduced.
Band 12 Spectral Niddle Range: 0 to 100 Default: 0	Focuses the control on narrower, more noticeable resonances.

Control and settings	What it changes
Band 12 Spectral Range Range: 0.05 to 8 Default: 1	Limits the maximum resonance reduction around this band.
Band 12 Spectral Sensitivity Range: 0 to 1 Default: 0.5	Sets how easily narrow resonances are selected for control.
Band 12 Type Range: Bell, Low Shelf, High Shelf, Low Cut, High Cut, Notch, Band Pass, All Pass Default: Bell	Chooses the filter shape for this band.
Band 13 Attenuation Range: -96 to -3 Default: -96	Sets how much of the selected resonance is removed or heard in the isolated listening mode.
Band 13 Channel Mode Range: Stereo, Mid, Side Default: Stereo	Chooses which stereo channel or center/side area this band changes.
Band 13 Dynamic Range: Off, On Default: Off	Lets this band move only when the selected frequency becomes louder or quieter.
Band 13 Dynamic Attack Range: 0.1 to 200 Default: 15	Sets how quickly the band reacts to a new peak in the selected frequency.
Band 13 Dynamic Range Range: -24 to 24 Default: -6	Limits how far the band can move when dynamic control is active.
Band 13 Dynamic Ratio Range: 1 to 20 Default: 2	Sets how strongly the band reacts after it crosses the threshold.
Band 13 Dynamic Release Range: 1 to 2000 Default: 150	Sets how quickly the band returns after the selected frequency settles.

Control and settings	What it changes
Band 13 Dynamic Threshold Range: -60 to 0 Default: -24	Sets how loud the selected frequency must be before dynamic movement begins.
Band 13 Enabled Range: Off, On Default: Off	Turns this EQ band on or off.
Band 13 Frequency Range: 20 to 20000 Default: 1000	Chooses the tonal area this band changes.
Band 13 Gain Range: -24 to 24 Default: 0	Raises or lowers the selected tonal area.
Band 13 Q Range: 0.1 to 30 Default: 1	Sets how wide or narrow the tonal change is.
Band 13 Spectral Range: Off, On Default: Off	Turns on focused control of narrow resonances around this band.
Band 13 Spectral Depth Range: 0 to 24 Default: 24	Sets how strongly detected resonances are reduced.
Band 13 Spectral Niddle Range: 0 to 100 Default: 0	Focuses the control on narrower, more noticeable resonances.
Band 13 Spectral Range Range: 0.05 to 8 Default: 1	Limits the maximum resonance reduction around this band.
Band 13 Spectral Sensitivity Range: 0 to 1 Default: 0.5	Sets how easily narrow resonances are selected for control.

Control and settings	What it changes
Band 13 Type Range: Bell, Low Shelf, High Shelf, Low Cut, High Cut, Notch, Band Pass, All Pass Default: Bell	Chooses the filter shape for this band.
Band 14 Attenuation Range: -96 to -3 Default: -96	Sets how much of the selected resonance is removed or heard in the isolated listening mode.
Band 14 Channel Mode Range: Stereo, Mid, Side Default: Stereo	Chooses which stereo channel or center/side area this band changes.
Band 14 Dynamic Range: Off, On Default: Off	Lets this band move only when the selected frequency becomes louder or quieter.
Band 14 Dynamic Attack Range: 0.1 to 200 Default: 15	Sets how quickly the band reacts to a new peak in the selected frequency.
Band 14 Dynamic Range Range: -24 to 24 Default: -6	Limits how far the band can move when dynamic control is active.
Band 14 Dynamic Ratio Range: 1 to 20 Default: 2	Sets how strongly the band reacts after it crosses the threshold.
Band 14 Dynamic Release Range: 1 to 2000 Default: 150	Sets how quickly the band returns after the selected frequency settles.
Band 14 Dynamic Threshold Range: -60 to 0 Default: -24	Sets how loud the selected frequency must be before dynamic movement begins.
Band 14 Enabled Range: Off, On Default: Off	Turns this EQ band on or off.

Control and settings	What it changes
Band 14 Frequency Range: 20 to 20000 Default: 1000	Chooses the tonal area this band changes.
Band 14 Gain Range: -24 to 24 Default: 0	Raises or lowers the selected tonal area.
Band 14 Q Range: 0.1 to 30 Default: 1	Sets how wide or narrow the tonal change is.
Band 14 Spectral Range: Off, On Default: Off	Turns on focused control of narrow resonances around this band.
Band 14 Spectral Depth Range: 0 to 24 Default: 24	Sets how strongly detected resonances are reduced.
Band 14 Spectral Niddle Range: 0 to 100 Default: 0	Focuses the control on narrower, more noticeable resonances.
Band 14 Spectral Range Range: 0.05 to 8 Default: 1	Limits the maximum resonance reduction around this band.
Band 14 Spectral Sensitivity Range: 0 to 1 Default: 0.5	Sets how easily narrow resonances are selected for control.
Band 14 Type Range: Bell, Low Shelf, High Shelf, Low Cut, High Cut, Notch, Band Pass, All Pass Default: Bell	Chooses the filter shape for this band.
Band 15 Attenuation Range: -96 to -3 Default: -96	Sets how much of the selected resonance is removed or heard in the isolated listening mode.

Control and settings	What it changes
Band 15 Channel Mode Range: Stereo, Mid, Side Default: Stereo	Chooses which stereo channel or center/side area this band changes.
Band 15 Dynamic Range: Off, On Default: Off	Lets this band move only when the selected frequency becomes louder or quieter.
Band 15 Dynamic Attack Range: 0.1 to 200 Default: 15	Sets how quickly the band reacts to a new peak in the selected frequency.
Band 15 Dynamic Range Range: -24 to 24 Default: -6	Limits how far the band can move when dynamic control is active.
Band 15 Dynamic Ratio Range: 1 to 20 Default: 2	Sets how strongly the band reacts after it crosses the threshold.
Band 15 Dynamic Release Range: 1 to 2000 Default: 150	Sets how quickly the band returns after the selected frequency settles.
Band 15 Dynamic Threshold Range: -60 to 0 Default: -24	Sets how loud the selected frequency must be before dynamic movement begins.
Band 15 Enabled Range: Off, On Default: Off	Turns this EQ band on or off.
Band 15 Frequency Range: 20 to 20000 Default: 1000	Chooses the tonal area this band changes.
Band 15 Gain Range: -24 to 24 Default: 0	Raises or lowers the selected tonal area.
Band 15 Q Range: 0.1 to 30 Default: 1	Sets how wide or narrow the tonal change is.

Control and settings	What it changes
Band 15 Spectral Range: Off, On Default: Off	Turns on focused control of narrow resonances around this band.
Band 15 Spectral Depth Range: 0 to 24 Default: 24	Sets how strongly detected resonances are reduced.
Band 15 Spectral Niddle Range: 0 to 100 Default: 0	Focuses the control on narrower, more noticeable resonances.
Band 15 Spectral Range Range: 0.05 to 8 Default: 1	Limits the maximum resonance reduction around this band.
Band 15 Spectral Sensitivity Range: 0 to 1 Default: 0.5	Sets how easily narrow resonances are selected for control.
Band 15 Type Range: Bell, Low Shelf, High Shelf, Low Cut, High Cut, Notch, Band Pass, All Pass Default: Bell	Chooses the filter shape for this band.
Band 16 Attenuation Range: -96 to -3 Default: -96	Sets how much of the selected resonance is removed or heard in the isolated listening mode.
Band 16 Channel Mode Range: Stereo, Mid, Side Default: Stereo	Chooses which stereo channel or center/side area this band changes.
Band 16 Dynamic Range: Off, On Default: Off	Lets this band move only when the selected frequency becomes louder or quieter.
Band 16 Dynamic Attack Range: 0.1 to 200 Default: 15	Sets how quickly the band reacts to a new peak in the selected frequency.

Control and settings	What it changes
Band 16 Dynamic Range Range: -24 to 24 Default: -6	Limits how far the band can move when dynamic control is active.
Band 16 Dynamic Ratio Range: 1 to 20 Default: 2	Sets how strongly the band reacts after it crosses the threshold.
Band 16 Dynamic Release Range: 1 to 2000 Default: 150	Sets how quickly the band returns after the selected frequency settles.
Band 16 Dynamic Threshold Range: -60 to 0 Default: -24	Sets how loud the selected frequency must be before dynamic movement begins.
Band 16 Enabled Range: Off, On Default: Off	Turns this EQ band on or off.
Band 16 Frequency Range: 20 to 20000 Default: 1000	Chooses the tonal area this band changes.
Band 16 Gain Range: -24 to 24 Default: 0	Raises or lowers the selected tonal area.
Band 16 Q Range: 0.1 to 30 Default: 1	Sets how wide or narrow the tonal change is.
Band 16 Spectral Range: Off, On Default: Off	Turns on focused control of narrow resonances around this band.
Band 16 Spectral Depth Range: 0 to 24 Default: 24	Sets how strongly detected resonances are reduced.
Band 16 Spectral Niddle Range: 0 to 100 Default: 0	Focuses the control on narrower, more noticeable resonances.

Control and settings	What it changes
Band 16 Spectral Range Range: 0.05 to 8 Default: 1	Limits the maximum resonance reduction around this band.
Band 16 Spectral Sensitivity Range: 0 to 1 Default: 0.5	Sets how easily narrow resonances are selected for control.
Band 16 Type Range: Bell, Low Shelf, High Shelf, Low Cut, High Cut, Notch, Band Pass, All Pass Default: Bell	Chooses the filter shape for this band.
Band 17 Attenuation Range: -96 to -3 Default: -96	Sets how much of the selected resonance is removed or heard in the isolated listening mode.
Band 17 Channel Mode Range: Stereo, Mid, Side Default: Stereo	Chooses which stereo channel or center/side area this band changes.
Band 17 Dynamic Range: Off, On Default: Off	Lets this band move only when the selected frequency becomes louder or quieter.
Band 17 Dynamic Attack Range: 0.1 to 200 Default: 15	Sets how quickly the band reacts to a new peak in the selected frequency.
Band 17 Dynamic Range Range: -24 to 24 Default: -6	Limits how far the band can move when dynamic control is active.
Band 17 Dynamic Ratio Range: 1 to 20 Default: 2	Sets how strongly the band reacts after it crosses the threshold.
Band 17 Dynamic Release Range: 1 to 2000 Default: 150	Sets how quickly the band returns after the selected frequency settles.

Control and settings	What it changes
Band 17 Dynamic Threshold Range: -60 to 0 Default: -24	Sets how loud the selected frequency must be before dynamic movement begins.
Band 17 Enabled Range: Off, On Default: Off	Turns this EQ band on or off.
Band 17 Frequency Range: 20 to 20000 Default: 1000	Chooses the tonal area this band changes.
Band 17 Gain Range: -24 to 24 Default: 0	Raises or lowers the selected tonal area.
Band 17 Q Range: 0.1 to 30 Default: 1	Sets how wide or narrow the tonal change is.
Band 17 Spectral Range: Off, On Default: Off	Turns on focused control of narrow resonances around this band.
Band 17 Spectral Depth Range: 0 to 24 Default: 24	Sets how strongly detected resonances are reduced.
Band 17 Spectral Niddle Range: 0 to 100 Default: 0	Focuses the control on narrower, more noticeable resonances.
Band 17 Spectral Range Range: 0.05 to 8 Default: 1	Limits the maximum resonance reduction around this band.
Band 17 Spectral Sensitivity Range: 0 to 1 Default: 0.5	Sets how easily narrow resonances are selected for control.

Control and settings	What it changes
Band 17 Type Range: Bell, Low Shelf, High Shelf, Low Cut, High Cut, Notch, Band Pass, All Pass Default: Bell	Chooses the filter shape for this band.
Band 18 Attenuation Range: -96 to -3 Default: -96	Sets how much of the selected resonance is removed or heard in the isolated listening mode.
Band 18 Channel Mode Range: Stereo, Mid, Side Default: Stereo	Chooses which stereo channel or center/side area this band changes.
Band 18 Dynamic Range: Off, On Default: Off	Lets this band move only when the selected frequency becomes louder or quieter.
Band 18 Dynamic Attack Range: 0.1 to 200 Default: 15	Sets how quickly the band reacts to a new peak in the selected frequency.
Band 18 Dynamic Range Range: -24 to 24 Default: -6	Limits how far the band can move when dynamic control is active.
Band 18 Dynamic Ratio Range: 1 to 20 Default: 2	Sets how strongly the band reacts after it crosses the threshold.
Band 18 Dynamic Release Range: 1 to 2000 Default: 150	Sets how quickly the band returns after the selected frequency settles.
Band 18 Dynamic Threshold Range: -60 to 0 Default: -24	Sets how loud the selected frequency must be before dynamic movement begins.
Band 18 Enabled Range: Off, On Default: Off	Turns this EQ band on or off.

Control and settings	What it changes
Band 18 Frequency Range: 20 to 20000 Default: 1000	Chooses the tonal area this band changes.
Band 18 Gain Range: -24 to 24 Default: 0	Raises or lowers the selected tonal area.
Band 18 Q Range: 0.1 to 30 Default: 1	Sets how wide or narrow the tonal change is.
Band 18 Spectral Range: Off, On Default: Off	Turns on focused control of narrow resonances around this band.
Band 18 Spectral Depth Range: 0 to 24 Default: 24	Sets how strongly detected resonances are reduced.
Band 18 Spectral Niddle Range: 0 to 100 Default: 0	Focuses the control on narrower, more noticeable resonances.
Band 18 Spectral Range Range: 0.05 to 8 Default: 1	Limits the maximum resonance reduction around this band.
Band 18 Spectral Sensitivity Range: 0 to 1 Default: 0.5	Sets how easily narrow resonances are selected for control.
Band 18 Type Range: Bell, Low Shelf, High Shelf, Low Cut, High Cut, Notch, Band Pass, All Pass Default: Bell	Chooses the filter shape for this band.
Band 19 Attenuation Range: -96 to -3 Default: -96	Sets how much of the selected resonance is removed or heard in the isolated listening mode.

Control and settings	What it changes
Band 19 Channel Mode Range: Stereo, Mid, Side Default: Stereo	Chooses which stereo channel or center/side area this band changes.
Band 19 Dynamic Range: Off, On Default: Off	Lets this band move only when the selected frequency becomes louder or quieter.
Band 19 Dynamic Attack Range: 0.1 to 200 Default: 15	Sets how quickly the band reacts to a new peak in the selected frequency.
Band 19 Dynamic Range Range: -24 to 24 Default: -6	Limits how far the band can move when dynamic control is active.
Band 19 Dynamic Ratio Range: 1 to 20 Default: 2	Sets how strongly the band reacts after it crosses the threshold.
Band 19 Dynamic Release Range: 1 to 2000 Default: 150	Sets how quickly the band returns after the selected frequency settles.
Band 19 Dynamic Threshold Range: -60 to 0 Default: -24	Sets how loud the selected frequency must be before dynamic movement begins.
Band 19 Enabled Range: Off, On Default: Off	Turns this EQ band on or off.
Band 19 Frequency Range: 20 to 20000 Default: 1000	Chooses the tonal area this band changes.
Band 19 Gain Range: -24 to 24 Default: 0	Raises or lowers the selected tonal area.
Band 19 Q Range: 0.1 to 30 Default: 1	Sets how wide or narrow the tonal change is.

Control and settings	What it changes
Band 19 Spectral Range: Off, On Default: Off	Turns on focused control of narrow resonances around this band.
Band 19 Spectral Depth Range: 0 to 24 Default: 24	Sets how strongly detected resonances are reduced.
Band 19 Spectral Niddle Range: 0 to 100 Default: 0	Focuses the control on narrower, more noticeable resonances.
Band 19 Spectral Range Range: 0.05 to 8 Default: 1	Limits the maximum resonance reduction around this band.
Band 19 Spectral Sensitivity Range: 0 to 1 Default: 0.5	Sets how easily narrow resonances are selected for control.
Band 19 Type Range: Bell, Low Shelf, High Shelf, Low Cut, High Cut, Notch, Band Pass, All Pass Default: Bell	Chooses the filter shape for this band.
Band 20 Attenuation Range: -96 to -3 Default: -96	Sets how much of the selected resonance is removed or heard in the isolated listening mode.
Band 20 Channel Mode Range: Stereo, Mid, Side Default: Stereo	Chooses which stereo channel or center/side area this band changes.
Band 20 Dynamic Range: Off, On Default: Off	Lets this band move only when the selected frequency becomes louder or quieter.
Band 20 Dynamic Attack Range: 0.1 to 200 Default: 15	Sets how quickly the band reacts to a new peak in the selected frequency.

Control and settings	What it changes
Band 20 Dynamic Range Range: -24 to 24 Default: -6	Limits how far the band can move when dynamic control is active.
Band 20 Dynamic Ratio Range: 1 to 20 Default: 2	Sets how strongly the band reacts after it crosses the threshold.
Band 20 Dynamic Release Range: 1 to 2000 Default: 150	Sets how quickly the band returns after the selected frequency settles.
Band 20 Dynamic Threshold Range: -60 to 0 Default: -24	Sets how loud the selected frequency must be before dynamic movement begins.
Band 20 Enabled Range: Off, On Default: Off	Turns this EQ band on or off.
Band 20 Frequency Range: 20 to 20000 Default: 1000	Chooses the tonal area this band changes.
Band 20 Gain Range: -24 to 24 Default: 0	Raises or lowers the selected tonal area.
Band 20 Q Range: 0.1 to 30 Default: 1	Sets how wide or narrow the tonal change is.
Band 20 Spectral Range: Off, On Default: Off	Turns on focused control of narrow resonances around this band.
Band 20 Spectral Depth Range: 0 to 24 Default: 24	Sets how strongly detected resonances are reduced.
Band 20 Spectral Niddle Range: 0 to 100 Default: 0	Focuses the control on narrower, more noticeable resonances.

Control and settings	What it changes
Band 20 Spectral Range Range: 0.05 to 8 Default: 1	Limits the maximum resonance reduction around this band.
Band 20 Spectral Sensitivity Range: 0 to 1 Default: 0.5	Sets how easily narrow resonances are selected for control.
Band 20 Type Range: Bell, Low Shelf, High Shelf, Low Cut, High Cut, Notch, Band Pass, All Pass Default: Bell	Chooses the filter shape for this band.
Band 21 Attenuation Range: -96 to -3 Default: -96	Sets how much of the selected resonance is removed or heard in the isolated listening mode.
Band 21 Channel Mode Range: Stereo, Mid, Side Default: Stereo	Chooses which stereo channel or center/side area this band changes.
Band 21 Dynamic Range: Off, On Default: Off	Lets this band move only when the selected frequency becomes louder or quieter.
Band 21 Dynamic Attack Range: 0.1 to 200 Default: 15	Sets how quickly the band reacts to a new peak in the selected frequency.
Band 21 Dynamic Range Range: -24 to 24 Default: -6	Limits how far the band can move when dynamic control is active.
Band 21 Dynamic Ratio Range: 1 to 20 Default: 2	Sets how strongly the band reacts after it crosses the threshold.
Band 21 Dynamic Release Range: 1 to 2000 Default: 150	Sets how quickly the band returns after the selected frequency settles.

Control and settings	What it changes
Band 21 Dynamic Threshold Range: -60 to 0 Default: -24	Sets how loud the selected frequency must be before dynamic movement begins.
Band 21 Enabled Range: Off, On Default: Off	Turns this EQ band on or off.
Band 21 Frequency Range: 20 to 20000 Default: 1000	Chooses the tonal area this band changes.
Band 21 Gain Range: -24 to 24 Default: 0	Raises or lowers the selected tonal area.
Band 21 Q Range: 0.1 to 30 Default: 1	Sets how wide or narrow the tonal change is.
Band 21 Spectral Range: Off, On Default: Off	Turns on focused control of narrow resonances around this band.
Band 21 Spectral Depth Range: 0 to 24 Default: 24	Sets how strongly detected resonances are reduced.
Band 21 Spectral Niddle Range: 0 to 100 Default: 0	Focuses the control on narrower, more noticeable resonances.
Band 21 Spectral Range Range: 0.05 to 8 Default: 1	Limits the maximum resonance reduction around this band.
Band 21 Spectral Sensitivity Range: 0 to 1 Default: 0.5	Sets how easily narrow resonances are selected for control.

Control and settings	What it changes
Band 21 Type Range: Bell, Low Shelf, High Shelf, Low Cut, High Cut, Notch, Band Pass, All Pass Default: Bell	Chooses the filter shape for this band.
Band 22 Attenuation Range: -96 to -3 Default: -96	Sets how much of the selected resonance is removed or heard in the isolated listening mode.
Band 22 Channel Mode Range: Stereo, Mid, Side Default: Stereo	Chooses which stereo channel or center/side area this band changes.
Band 22 Dynamic Range: Off, On Default: Off	Lets this band move only when the selected frequency becomes louder or quieter.
Band 22 Dynamic Attack Range: 0.1 to 200 Default: 15	Sets how quickly the band reacts to a new peak in the selected frequency.
Band 22 Dynamic Range Range: -24 to 24 Default: -6	Limits how far the band can move when dynamic control is active.
Band 22 Dynamic Ratio Range: 1 to 20 Default: 2	Sets how strongly the band reacts after it crosses the threshold.
Band 22 Dynamic Release Range: 1 to 2000 Default: 150	Sets how quickly the band returns after the selected frequency settles.
Band 22 Dynamic Threshold Range: -60 to 0 Default: -24	Sets how loud the selected frequency must be before dynamic movement begins.
Band 22 Enabled Range: Off, On Default: Off	Turns this EQ band on or off.

Control and settings	What it changes
Band 22 Frequency Range: 20 to 20000 Default: 1000	Chooses the tonal area this band changes.
Band 22 Gain Range: -24 to 24 Default: 0	Raises or lowers the selected tonal area.
Band 22 Q Range: 0.1 to 30 Default: 1	Sets how wide or narrow the tonal change is.
Band 22 Spectral Range: Off, On Default: Off	Turns on focused control of narrow resonances around this band.
Band 22 Spectral Depth Range: 0 to 24 Default: 24	Sets how strongly detected resonances are reduced.
Band 22 Spectral Niddle Range: 0 to 100 Default: 0	Focuses the control on narrower, more noticeable resonances.
Band 22 Spectral Range Range: 0.05 to 8 Default: 1	Limits the maximum resonance reduction around this band.
Band 22 Spectral Sensitivity Range: 0 to 1 Default: 0.5	Sets how easily narrow resonances are selected for control.
Band 22 Type Range: Bell, Low Shelf, High Shelf, Low Cut, High Cut, Notch, Band Pass, All Pass Default: Bell	Chooses the filter shape for this band.
Band 23 Attenuation Range: -96 to -3 Default: -96	Sets how much of the selected resonance is removed or heard in the isolated listening mode.

Control and settings	What it changes
Band 23 Channel Mode Range: Stereo, Mid, Side Default: Stereo	Chooses which stereo channel or center/side area this band changes.
Band 23 Dynamic Range: Off, On Default: Off	Lets this band move only when the selected frequency becomes louder or quieter.
Band 23 Dynamic Attack Range: 0.1 to 200 Default: 15	Sets how quickly the band reacts to a new peak in the selected frequency.
Band 23 Dynamic Range Range: -24 to 24 Default: -6	Limits how far the band can move when dynamic control is active.
Band 23 Dynamic Ratio Range: 1 to 20 Default: 2	Sets how strongly the band reacts after it crosses the threshold.
Band 23 Dynamic Release Range: 1 to 2000 Default: 150	Sets how quickly the band returns after the selected frequency settles.
Band 23 Dynamic Threshold Range: -60 to 0 Default: -24	Sets how loud the selected frequency must be before dynamic movement begins.
Band 23 Enabled Range: Off, On Default: Off	Turns this EQ band on or off.
Band 23 Frequency Range: 20 to 20000 Default: 1000	Chooses the tonal area this band changes.
Band 23 Gain Range: -24 to 24 Default: 0	Raises or lowers the selected tonal area.
Band 23 Q Range: 0.1 to 30 Default: 1	Sets how wide or narrow the tonal change is.

Control and settings	What it changes
Band 23 Spectral Range: Off, On Default: Off	Turns on focused control of narrow resonances around this band.
Band 23 Spectral Depth Range: 0 to 24 Default: 24	Sets how strongly detected resonances are reduced.
Band 23 Spectral Niddle Range: 0 to 100 Default: 0	Focuses the control on narrower, more noticeable resonances.
Band 23 Spectral Range Range: 0.05 to 8 Default: 1	Limits the maximum resonance reduction around this band.
Band 23 Spectral Sensitivity Range: 0 to 1 Default: 0.5	Sets how easily narrow resonances are selected for control.
Band 23 Type Range: Bell, Low Shelf, High Shelf, Low Cut, High Cut, Notch, Band Pass, All Pass Default: Bell	Chooses the filter shape for this band.
Band 24 Attenuation Range: -96 to -3 Default: -96	Sets how much of the selected resonance is removed or heard in the isolated listening mode.
Band 24 Channel Mode Range: Stereo, Mid, Side Default: Stereo	Chooses which stereo channel or center/side area this band changes.
Band 24 Dynamic Range: Off, On Default: Off	Lets this band move only when the selected frequency becomes louder or quieter.
Band 24 Dynamic Attack Range: 0.1 to 200 Default: 15	Sets how quickly the band reacts to a new peak in the selected frequency.

Control and settings	What it changes
Band 24 Dynamic Range Range: -24 to 24 Default: -6	Limits how far the band can move when dynamic control is active.
Band 24 Dynamic Ratio Range: 1 to 20 Default: 2	Sets how strongly the band reacts after it crosses the threshold.
Band 24 Dynamic Release Range: 1 to 2000 Default: 150	Sets how quickly the band returns after the selected frequency settles.
Band 24 Dynamic Threshold Range: -60 to 0 Default: -24	Sets how loud the selected frequency must be before dynamic movement begins.
Band 24 Enabled Range: Off, On Default: Off	Turns this EQ band on or off.
Band 24 Frequency Range: 20 to 20000 Default: 1000	Chooses the tonal area this band changes.
Band 24 Gain Range: -24 to 24 Default: 0	Raises or lowers the selected tonal area.
Band 24 Q Range: 0.1 to 30 Default: 1	Sets how wide or narrow the tonal change is.
Band 24 Spectral Range: Off, On Default: Off	Turns on focused control of narrow resonances around this band.
Band 24 Spectral Depth Range: 0 to 24 Default: 24	Sets how strongly detected resonances are reduced.
Band 24 Spectral Niddle Range: 0 to 100 Default: 0	Focuses the control on narrower, more noticeable resonances.

Control and settings	What it changes
Band 24 Spectral Range Range: 0.05 to 8 Default: 1	Limits the maximum resonance reduction around this band.
Band 24 Spectral Sensitivity Range: 0 to 1 Default: 0.5	Sets how easily narrow resonances are selected for control.
Band 24 Type Range: Bell, Low Shelf, High Shelf, Low Cut, High Cut, Notch, Band Pass, All Pass Default: Bell	Chooses the filter shape for this band.
Bypass Range: Off, On Default: Off	Turns the complete effect off or on for a direct before-and-after comparison.
Delta Band Range: 0 to 23 Default: 0	Chooses which band you hear when isolating only the sound changed by that band.
Delta Mode Range: Off, All bands, Selected band Default: Off	Chooses whether isolated listening follows one band or the current EQ processing mode.
Input Gain Range: -24 to 24 Default: 0	Sets how loud the sound enters the plug-in. Raise it for a stronger response or lower it for more headroom.
Output Gain Range: -24 to 24 Default: 0	Sets the final listening level after processing.
Program Range: 6 factory programs Default: Init / Flat	Loads a factory starting point. Adjust the controls afterward to fit the current sound.