

TB Scrambler

Version: 2.3.0 | Documentation date: 2026-08-04

Overview

Rearranges a chosen frequency area to create glitchy and unpredictable tone changes.

What this plug-in solves

Full-band glitch and resynthesis can destroy rhythm, low-end weight, and mix placement. TB Scrambler confines its transformation between Low and High boundaries, then rearranges spectral structure inside that window so recognition can be reduced without discarding the whole source.

What you can expect

- Vocal and loop de-recognition
- Metallic, encrypted, and radio-like formants
- Protected bass and air outside the selected window
- Continuous movement from reconstruction to full displacement

How it works

TB Scrambler selects a frequency region and rearranges the detail inside that region over time. The dry signal can remain recognizable while the chosen area becomes fragmented, unstable, or glitch-like, which makes the effect useful for transitions and designed moments rather than only constant processing.

Set the lower and upper boundaries around material that is safe to transform, then raise Amount until the motion becomes clear. Repeatability controls whether the same input produces a familiar pattern or a less predictable one. Narrow regions preserve more identity; wider regions create a more complete transformation.

Quick start

- 1 Set Scramble Amount to its maximum temporarily so the selected region is easy to identify.
- 2 Move Low and High until only the intended spectrum is transformed.
- 3 Reduce Scramble Amount to the usable intensity.

- 4 Compare with bypass at matched loudness.
- 5 Automate Amount for transitions and boundaries for evolving focus.

Interface and key sections



This is a direct capture of the current plug-in interface. Use the visible labels to locate the areas and controls explained below.

Low and High boundaries

Only spectral bands between Low and High are rearranged. Keep Low above the fundamental to preserve bass weight; lower High to retain natural air.

Scramble Amount

At its minimum the selected region reconstructs normally. Raising the control moves its tone and fine structure toward the scrambled pattern.

Repeatability

The permutation is repeatable rather than a new random map every block, which makes presets and automation stable.

Programs

Factory programs move from Vocal Haze and Drum Grit through Formant Flip, Alien Broadcast, Glass Shatter, and Total Dislocation.

Controllable properties

The guide uses the names shown on the plug-in panel. Each explanation describes the audible result, a useful way to approach the control, and an important interaction to listen for.

Control	What it does and when to use it
Bypass	Turns the complete effect off or on for a direct before-and-after comparison. Compare with bypass at a similar loudness. If the effect creates a tail, let that tail settle before judging the difference.
High	Sets the top of the frequency area that will be rearranged. Move it gradually and listen for the point where the intended result becomes clear without introducing a new problem elsewhere.
Low	Sets the bottom of the frequency area that will be rearranged. Move it gradually and listen for the point where the intended result becomes clear without introducing a new problem elsewhere.
Program	Loads a factory starting point. Adjust the controls afterward to fit the current sound. Use a preset as a direction, not a finished answer. Change one section at a time so it is clear which adjustment improves the source.
Scramble Amount	Sets how strongly the selected frequencies are rearranged. Raise it until the contribution is obvious, then reduce it slightly and recheck the sound in the complete mix.

Practical uses

Alien vocal

- Set Low above the vocal fundamental.
- Set High around the upper intelligibility region.
- Raise Scramble Amount until formants become synthetic.
- Back Amount down if words need to remain clear.

Expected result: The voice becomes encrypted and metallic while low-end presence survives.

Drum texture

- Protect the kick below Low.
- Limit High to keep cymbal air natural.
- Use a medium Amount and automate toward full displacement for fills.

Expected result: The midrange becomes fractured without erasing the groove.

Common pitfalls

Low must remain below High for a useful processing window. Return the strongest control toward neutral, compare with bypass at a similar loudness, and add the processing back one section at a time.

High Amount can make speech unintelligible by design. Return the strongest control toward neutral, compare with bypass at a similar loudness, and add the processing back one section at a time.

Latency and spectral smearing are normal consequences of band analysis. Use the lighter quality setting while recording and reserve the heavier option for playback or export. Change latency-related modes while playback is stopped.