
Layer 1: R² change after extended fitting, averaged over three observed seeds
command_forward_displacement_m
command_lateral_displacement_m
command_orientation_deg
future_200ms_direction_error
future_200ms_forward_velocity_mps
future_200ms_left_force_contact_gt10N
future_200ms_pitch_deg
future_200ms_right_force_contact_gt10N
future_200ms_roll_deg
generator_phase_cos
generator_phase_sin
gyro_x_degps
gyro_y_degps
gyro_z_degps
head_height_m
head_vertical_velocity_mps
left_ankle_hip_x_m
left_ankle_hip_y_m
left_ankle_hip_z_m
left_force_contact_gt10N
left_force_norm_N
phase_cos_times_pitch_deg
phase_sin_times_roll_deg
right_ankle_hip_x_m
right_ankle_hip_y_m
right_ankle_hip_z_m
right_force_contact_gt10N
right_force_norm_N
torso_pitch_deg
torso_roll_deg
continued / hidden / bc
continued / hidden / dagger_mixed
continued / input / bc
continued / input / dagger_mixed
scratch / hidden / bc
scratch / hidden / dagger_mixed
scratch / input / bc
scratch / input / dagger_mixed
0.10
0.05
0.00
−0.05
−0.10
R² after minus before (not percentage retained)