

Splash Scattered Media Gallery w Youtube AS3

Created by OxylusFlash.com

Website: http://www.oxylusflash.com Email: contact@oxylusflash.com

Support only on our public forum: http://forum.oxylusflash.com/splash-scattered-media-gallery-w-youtube-as3/

Component Overview

This gallery is a pseudo-random gallery. The pictures are randomly positioned over an wall(page), and, if there are too many pictures, they are distributed on different walls(pages), it is XML and real-time resizable. The pictures are randomly rotated and can be dragged along the wall. To navigate through walls(pages), this gallery comes with a pagination controller. Every picture has a detail view mode. In the detail mode, the gallery can play video and audio files or show swf and image files.

Folders in the Downloaded Pack

- **1 Source FLA** original source files (.fla, .as), you do not need to upload any of these to your server. Use these to change the code or edit graphics and export a new swf to see the changes. The files will be exported to the second folder.
- 2 Published SWF published swf file, html file, js code for embedding the swf, xml sample file.
- 3- PSD original Photoshop .psd design.
- 4- Help Files text files containing copyright information about the fonts and images used, and documentation.

Installation notes

The component can be found inside 1 – Source FLA/main.fla file, inside the Library (Ctr+L to show the Library), under the folder named mcMmGal. The corresponding symbol is named mcMmGal. If you want to add it to another project, open the Library of main.fla, right click on mcMmGal and copy, then go to your project's Library and paste. Drag the mcMmGal symbol (from mcMmGal Library folder) on the stage and give it an instance name in the properties panel (for example mmGal_mc). You need to copy the caurina, org and com directories to your project's directory.



XML settings overview

```
Inside the 2 - Published SWF/xml folder you can find the data.xml XML file.
```

Nodes inside <layout></layout>

width – Number/ String, sets component width, it can take relative or absolute values
 height - Number/ String, sets component height, it can take relative or absolute values
 minWidth - Number, sets component minimum width
 minHeight - Number, sets component minimum height
 offsetX - Number, sets component horizontal offset
 offsetY - Number, sets component vertical offset

Nodes inside <tooltips></tooltips>

offsetY - Number, sets tool tip vertical offset
offsetX - Number, sets tool tip horizontal offset
textOffsetY - Number, sets tool tip text vertical offset
textOffsetX - Number, sets tool tip text horizontal offset

OXYLUS FLASH

http://www.oxylusflash.com

Fax: +40 (0) 332 815 673
Mobile: +40 (0) 788 182 448
+40 (0) 742 094 758
+40 (0) 788 182 593
info@oxylusflash.com



useUpperCase - Boolean, sets tool tip text upper case flag(if true, the text will be written in uppercase, else, it will be left as it is)

videoPrefix - String, sets tool tip prefix for video files

audioPrefix - String, sets tool tip prefix for audio files

flashPrefix - String, sets tool tip prefix for flash files

imagePrefix - String, sets tool tip prefix for image files

pagination - String, sets pagination text

Nodes inside <thumbCell></thumbCell>

width - Number, sets thumb cell width, it will be used for the pseudo-random positioning algorithm (the algorithm will create a grid of cells with this width and place the pictures in it)

height - Number, sets thumb cell height, it will be used for the pseudo-random positioning algorithm (the algorithm will create a grid of cells with this height and place pictures in it)

Nodes inside <thumbCell><thumbnail></thumbnail></thumbCell>

maxRotation - Number, sets thumbnail x & y maximum rotation value

Nodes inside <thumbCell><thumbnail></border></thumbnail></thumbCell>

size - Number, sets thumbnail border thickness

color - Hex Number, sets thumbnail border color

Nodes inside <thumbCell><thumbnail><innerBorder></thumbnail></thumbCell>

size - Number, sets thumbnail inner border thickness

color - Hex Number, sets thumbnail inner border color

alpha - Number, sets thumbnail inner border alpha

Nodes inside <thumbCell><thumbnail><fileTypelcon></thumbnail></thumbCell>

visible - Boolean, sets file type icon visibility flag

normalAlpha - Number, sets file type icon normal state alpha value

overAlpha - Number, sets file type icon over state alpha value

Nodes inside <thumbCell><thumbnail><shadow></thumbnail></thumbCell>

visible - Boolean, sets thumbnail shadow visibility flag

color - Hex Number, sets thumbnail shadow color value

OXYLUS FLASH

Fax: +40 (0) 332 815 673 Mobile: +40 (0) 788 182 448

+40 (0) 742 094 758 +40 (0) 788 182 593

info@oxylusflash.com http://www.oxylusflash.com



alpha - Number, sets thumbnail shadow alpha value

blur - Number, sets thumbnail shadow blur value

angle - Number, sets thumbnail shadow angle value

distance - Number, sets thumbnail shadow distance value

Nodes inside <pagination></pagination>

alwaysDisplay - Boolean, sets pagination controller visibility flag

align - String, sets pagination controller align(values: top, bottom, left, right, center, topLeft, topRight, bottomLeft, bottomRight)

offsetX - Number, sets pagination controller horizontal offset

offsetY - Number, sets pagination controller vertical offset

Nodes inside <pagination><thumbOffset></thumbOffset></pagination>

offsetX - Number, sets pagination thumb horizontal offset

offsetY - Number, sets pagination thumb vertical offset

holderOffsetX - Number, sets pagination thumb holder horizontal offset

holderOffsetY - Number, sets pagination thumb holder vertical offset

Nodes inside <detailView></detailView>

useUpperCase - Boolean, sets player upper case flag(if true, all the letters will be upper case)

hideOffLimitPicture - Boolean, sets thumbnail that are out of range flag(if a thumb is in front< detail view mode> and you go on another page, when you close the player< thumbnail in detail view mode> the thumb will/ not disappear)

margin - Number, sets player< thumbnail in detail view mode> bounds

Nodes inside <detailView><animation></animation></detailView>

bringToFrontTime - Number, sets thumbnail animation time when clicked

bringToFrontType - String, sets thumbnail animation type when clicked

sentToBackTime - Number, sets thumbnail animation time when closed

sentToBackType - String, sets thumbnail animation type when closed

Nodes inside <detailView><closeBtn></detailView>

label - String, sets close button label

normalAlpha - Number, sets close button normal state alpha value

overAlpha - Number, sets close button over state alpha value

OXYLUS FLASH

Fax: +40 (0) 332 815 673 Mobile: +40 (0) 788 182 448

+40 (0) 742 094 758 +40 (0) 788 182 593



Nodes inside <detailView><playBtn></detailView>

normalAlpha - Number, sets middle screen play button normal state alpha value **overAlpha** - Number, sets middle screen play button over state alpha value

Nodes inside <detailView><video></video></detailView>

preloaderColor - Hex Number, sets video player pre loader color

titlePrefix - String, sets video player title prefix

autoPlay - Boolean, sets video player auto play flag

repeat - Boolean, sets video player repeat flag

buffer - Number, sets video player buffer time value

initVolume - Number, sets video player initial volume value

fit - String, sets video player fit type(values: fitToFill, fitToSize, fitToSizeForced, stretch & normal)

Nodes inside <detailView><video></animation></video></detailView>

bringToFrontTime - Number, sets video player animation time when showedbringToFrontType - String, sets video player animation type when showed

Nodes inside <detailView><audio></audio></detailView>

preloaderColor - Hex Number, sets audio player pre loader color

titlePrefix - String, sets audio player title prefix

autoPlay - Boolean, sets audio player auto play flag

repeat - Boolean, sets audio player repeat flag

buffer - Number, sets audio player buffer time value

initVolume - Number, sets audio player initial volume value

Nodes inside <detailView><audio></animation></audio></detailView>

 $\label{prop:cont} \textbf{bringToFrontTime} \text{ -} \text{ Number, sets audio player animation time when showed}$

 $\label{prop:cont} \textbf{bringToFrontType} \text{ - } \textbf{String, sets audio player animation type when showed}$

Nodes inside <detailView><flash></flash></detailView>

titlePrefix - String, sets flash viewer title prefix

OXYLUS FLASH

Fax: +40 (0) 332 815 673 Mobile: +40 (0) 788 182 448

+40 (0) 742 094 758 +40 (0) 788 182 593



Nodes inside <detailView><flash><animation></flash></detailView>

bringToFrontTime - Number, sets flash viewer animation time when showed

bringToFrontType - String, sets flash viewer animation type when showed

Nodes inside <detailView><image></detailView>

titlePrefix - String, sets image viewer title prefix

Nodes inside <detailView><image><animation></animation></image></detailView>

bringToFrontTime - Number, sets image viewer animation time when showed

bringToFrontType - String, sets image viewer animation type when showed

Nodes inside <youtube></youtube>

player - String, sets youtube API URL

securityDomain - String, sets youtube security domain

Nodes inside <youtube><policyFiles></policyFiles></youtube>

policy - String, sets youtube policy file

Nodes inside <youtube><API></API></youtube>

location - String, sets youtube video request URL

version - String, sets youtube API version

format - String, sets youtube API format

Nodes inside <yotube><error></error></youtube>

offsetX - Number, sets error message horizontal offset

offsetY - Number, sets error message vertical offset

padX - Number, sets error message text field horizontal padding

padY - Number, sets error message text field vertical padding

notFound - String, sets error message label when a video request is not found

notAllowed - String, sets error message label when a video request is not allowed

Nodes inside <content><item></item></content>

OXYLUS FLASH

Fax: +40 (0) 332 815 673 Mobile: +40 (0) 788 182 448

+40 (0) 742 094 758

+40 (0) 788 182 593 info@oxylusflash.com

http://www.oxylusflash.com



type - String, sets item type(it can take: audio, video, flash & image)

title - String, sets item title

thumbnail - String, sets item thumbnail URL

link - String, sets item link(only for image & flash item type)

linkTarget - String, sets item link target(values: _self, _blank, _parent, _top)

Nodes inside <content><item></detailView></detailView></item></content>

width - Number, sets item natural width

height - Number, sets item natural height

source - String, for image and flash item types, sets image/ swf URL, for video item, sets the video type(youtube/ local)

file - String, sets video url

quality - String, sets youtube video quality

albumArt - String, sets audio player album art url

By default, the component loads the xml file named *data.xml*. You can find this file by going to this url: **SourcePack\2 - Published SWF\xml**. To change the xml URL you can go in Flash IDE, select the named mcMmGal, go to Component Inspector Tab(Shift-f7) and edit the value field, example:



To use flashVars, open index.html(**SourcePack\2 - Published SWF\index.html**) using an html editor(ex.: notepad), and uncomment this line:

//flashvars.xmlFile = "data.xml"; // SET XML FILE HERE(remove "//" that are in front of *flashvars.xmlFile*) Change "data.xml" to whatever you want and save the index.html file(ctrl-s).

Other things

For more HEX codes you can visit: http://kuler.adobe.com/

YouTube API page: http://code.google.com/apis/youtube/flash_api_reference.html

http://www.oxylusflash.com



Animation types: http://hosted.zeh.com.br/tweener/docs/en-us/misc/transitions.html



OXYLUS FLASH

Fax: +40 (0) 332 815 673 Mobile: +40 (0) 788 182 448 +40 (0) 742 094 758 +40 (0) 788 182 593

info@oxylusflash.com http://www.oxylusflash.com