
Sintex

SWRX™

Sewerage Waste Rain Water System

UPVC



*Tested under lab conditions. Refer to www.sintexonline.com/disclaimer



RATLOC™ Technology

Welspun

Next-Gen Sewerage, Waste Rain Water System

Sintex SWRX™ | UPVC PLUS



RATLOC™ Technology

Sewerage, Waste & Rain Water System

Sintex SWRX

A Sewerage, Waste & Rain Water system is a vital component in any building, designed to efficiently collect and transport wastewater from bathrooms, kitchens, and other sanitary fixtures to a proper disposal or treatment system. For long-term reliability and effective performance, the system must be built with durable, high-quality piping solutions.

Sintex introduces **SWRX 3 layer pipe,** with **NXT Advantage of Anti-Rodent Technology,** a groundbreaking solution specifically designed to tackle one of the most common and costly issues in plumbing systems—rodent damage. Rodents like rats and squirrels are notorious for chewing on plastic pipes, causing leaks, blockages, and even potential system failures. This not only leads to expensive repairs but can also result in hygiene problems and system downtime, particularly in residential, commercial, and industrial settings.

Sintex **SWRX** pipes are made from a **single layer of high-quality PVC material** that is specifically engineered to resist rodent damage. These pipes feature a **smooth inner surface** for unobstructed flow and are **lightweight,** making them easy to handle and install. Additionally, they are **corrosion and chemical resistant,** ensuring superior durability in diverse environmental conditions.

With **Sintex SWRX,** you get the combined benefits of enhanced **rodent resistance, easy installation,** and long-lasting performance, making them the perfect choice for **residential, commercial,** and **industrial drainage systems.** Trust Sintex SWRX for a reliable, **cost- effective,** and **safe** solution for all your drainage needs.

SINTEX SWRX PIPES

• Designed specifically for soil, waste, and rainwater management, SWR pipes and fittings provide efficient flow solutions.

• Crafted from high-quality uPVC material, ensuring durability and reliability.

• Outer diameters (OD) range from 75mm to 160mm, with BIS standards allowing for sizes between 40mm and 315mm.

• Intended for non-pressurized drainage tasks, they are optimal for wastewater discharge systems.

• Specifications: Pipes adhere to IS 13592-2013, while fittings comply with IS 14735:1999 standards.

• These pipes offer, cost-effective answer for both sanitation and drainage needs.

• Used in applications like roof vents orDrain-Waste-Vent (DWV) systems, they allow airflow into the drainage system to maintain stable air pressure too.

PRODUCT MARKING

• Text on Type A is in Blue Color.

• Text on Type B is in White Color.

Range

Type	Product	Sub-Type	Text Colour	Size (mm)	Length	Photo
Type A	Pipes	Ring Fit	Blue	75-160	1.8 - 6	
		Sol Fit	Blue	75-160	3-6	
Type B	Pipes	Ring Fit	White	75-110	3	
		Sol Fit	White	75-160	3-6	
Type B	Fittings	Ring Fit	NA	75-160	NA	
		Sol Fit	NA	75-160	NA	

Solvent Cement SKUs - PVC	
Packaging Type	**SKUs**
Co-Ex Bottle	50 ML 100 ML 250 ML
Tin	500 ML 1L
Lubricant	100 GM 250 GM 500 GM

Other Features and Benefits of Sintex SWRX SWR Pipes & Fittings



ENVIRONMENTAL IMPACT

uPVC has a lower feedstock energy compared to other polymers and common building materials. It is the least energy-intensive of all thermoplastics. Life cycle analysis and independent studies show that PVC's environmental impact is highly favorable. By using Sintex SWRX pipes, the consumption of global natural resources is minimized, and the system is recyclable after its prolonged service life, leaving no harmful impact on air, water, or land during manufacturing or operation.



ANTI RAT

Rodent damage poses a severe threat to underground drainage networks. Fortunately, **SWRX** pipes feature a specialized antirat composition—available exclusively in **3-layer SWRX Sintex pipes**—making them highly unappealing to pests. This prevents chewing and costly leaks. Rely on Sintex SWRX for a secure, pest-proof, and lasting wastewater system.



3 LAYERS PIPE

Experience the perfect mix of robust multi layer construction and advanced protection. Our unique 3-layer SWR pipes are now available with anti rat technology to deter rodents and prevent chewing damage. Choose this innovative solution for a secure, leak-free, and highly durable drainage network today.



STRONGER, RESILIENT, AND LIGHTWEIGHT

The **Sintex SWRX system** is known for its exceptional durability and resilience. The SWR pipes and fittings offer impressive mechanical strength and high impact resistance. Despite their toughness, this drainage system remains lightweight, making transportation, installation, and long-term service effortless.



CHEMICAL RESISTANT

The **Sintex SWRX PVC Sewage, Waste and Rain Water system** is highly resistant to a wide range of acids, alkalis, effluents, salts, minerals, and aggressive soils. This superior chemical resistance ensures the system remains unaffected.



CORROSION RESISTANCE

Sintex SWRX pipes and fittings offer unmatched corrosion resistance for drainage systems. Unlike metal, they are inherently immune to harsh chemicals, biological acids, and alkalis found in wastewater. This prevents scaling and rust, ensuring smooth flow. Choose **SWRX** for a leak-proof, maintenance-free solution that lasts decades.

Other Features and Benefits of Sintex SWRX SWR Pipes & Fittings




QUICK AND EASY INSTALLATIONS

The **Sintex SWRX pipes and fittings** can be easily connected using either a rubber ring or solvent weld system. These simple installation techniques ensure a completely leak-proof system, reduce installation time, and minimize maintenance requirements.



UV STABILIZED

The **Sintex SWRX PVC Sewage, Waste & Rain Water system** is UV stabilized, providing protection while being operational even under direct sunlight, ensuring the system's longevity in outdoor environments.



HIGH FLOW RATES

With exceptionally smooth bores, precision joints, and a lack of internal projections, **Sintex SWRX pipes** deliver unmatched hydraulic capacity, maintaining high flow rates throughout their entire lifespan.



FLAMMABILITY

The **Sintex SWRX pipes** are non-combustible and inherently resistant to ignition. Even when exposed to a heat source, these pipes are difficult to ignite and will self-extinguish once the heat source is removed.



ECONOMICAL

The **Sintex SWRX uPVC drainage system** provides a cost-effective alternative to traditional drainage systems, offering both value and reliability in a long-term solution.

Types of Sintex SWRX

SWR pipes are available in two main types:

• Type A: Designed specifically for rainwater and ventilation applications
• Type B: Intended for handling soil and waste discharge

These pipes and fittings are offered in two connection systems:

• Ringfit: Uses a rubber ring for a secure, leak-proof connection
• Selfit System: Features a self-locking design for easy and reliable installation

Ringfit (Push-Fit)

• Integrated ring in the groove allows for fast, easy installation.
• Spigot end simply pushes into the socket—no threading or adhesive needed.
• PTFE and EPDM rings ensure a strong, leak-proof seal, handling pressures up to 0.5 kg/cm².
• Accommodates thermal expansion and contraction; joints can be reopened for adjustments.
• Expansion rate is 0.06 mm/m/°C, with a 2m pipe expanding by 2.4 mm for a 20°C rise.
• Low installation and maintenance costs.

Selfit

• Selfit pipes have one plain end and one socketed end
• Ideal for concealed drainage and recommended for horizontal installations, as they're not exposed to sunlight, avoiding issues with expansion and contraction
• Joints are made with solvent cement, creating a permanent, watertight seal

Other variants of SWR PRO 3 layer. Pipes are made of three layers – Outer & inner layers are made of UPVC & the middle layer is made of mineral-reinforced polypropylene. With Anti Rodent property.



TRUST OF Sintex NOW IN PIPES

HOT & COLD
WATER SYETEM



POTABLE
WATER SYSTEM



SEWERAGE WASTE
WATER &
RAIN WATER SYSTEM



DRAINAGE SYSTEM




AGRICULTURAL
WATER SYSTEM



RECYCLE WATER
SYSTEM



SURFACE DRAINAGE
WATER SYSTEM



PIPES

SCAN QR CODE
TO KNOW MORE

SINTEX-BAPL LIMITED

Toll Free No.: 1800-121-2764

www.sintexonline.com
Email: sintex_support@welspun.com

sintex_bapl_limited sintexBAPLLimited Sintex BAPL Limited