

10:42

4G

WhatsApp



Gut
Comfort

Immunity

Growth

Trusted
Quality

Summary

taha-abdelmonim.github.io

The addition of prebiotics in infant formula alters the GI microbiota resembling that of breastfed infants¹

GOS is one of the most common prebiotics²

Prebiotics “GOS” supplemented formula shows a spectrum of benefits:



Better stool consistency.^{1,3}



Higher concentration of bifidobacteria compared to infants on a non-supplemented standard formula.¹

GI: Gastrointestinal; GOS: Galacto-oligosaccharides.

1. Vandenplas Y, De Greef E, Veereman G. Prebiotics in infant formula. *Gut Microbes*. 2014;5(6):681-687.
2. Davani-Davari D, Negahdaripour M, Karimzadeh I, et al. Prebiotics: Definition, Types, Sources, Mechanisms, and Clinical Applications. *Foods*. 2019;8(3):92.
3. Giovannini M, Verduci E, Gregori D, et al. Prebiotic Effect of an Infant Formula Supplemented with Galacto-Oligosaccharides: Randomized Multicenter Trial. *J Am Coll Nutr*. 2014;33(5):385-93.



Gut
Comfort

Immunity

Growth

Trusted
Quality

Summary

GOS is one of the most common prebiotics²

Prebiotics “GOS” supplemented formula shows a spectrum of benefits:



Higher concentration of bifidobacteria compared to infants on a non-supplemented standard formula.¹



Lower risk rates of colic and regurgitation.³

GI: Gastrointestinal; GOS: Galacto-oligosaccharides.

1. Vandenplas Y, De Greef E, Veereman G. Prebiotics in infant formula. *Gut Microbes*. 2014;5(6):681-687.
2. Davani-Davari D, Negahdaripour M, Karimzadeh I, et al. Prebiotics: Definition, Types, Sources, Mechanisms, and Clinical Applications. *Foods*. 2019;8(3):92.
3. Giovannini M, Verduci E, Gregori D, et al. Prebiotic Effect of an Infant Formula Supplemented with Galacto-Oligosaccharides: Randomized Multicenter Trial. *J Am Coll Nutr*. 2014;33(5):385-93.



Gut
Comfort

Immunity

Growth

Trusted
Quality

Summary


AA



taha-abdelmonim.github.io



Nuralac[®] advanced formula supports gut comfort by offering...



GOS: Galacto-oligosaccharide.

1. Nuralac[®] Labeling Information.



Omega-3 PUFAs “DHA” participates in regulating gut immunity and in maintaining gut homeostasis¹

Role of omega-3 PUFAs “DHA” in improving intestinal immunity:



Influencing the gut microbiota by:¹

- Modulating the type and the abundance of gut microbes.
- Altering the levels of proinflammatory mediators.
- Regulating the levels of short-chain fatty acids or short-chain fatty acid salts.



Omega-3 PUFAs exert their beneficial effects on health, brain functions, and behavior by influencing gut microbiota composition and, thus, gut-brain axis functionality.²

PUFAs: Polyunsaturated fatty acids; DHA: Docosahexaenoic acid.

1. Fu Y, Wang Y, Gao H, et al. Associations among Dietary Omega-3 Polyunsaturated Fatty Acids, the Gut Microbiota, and Intestinal Immunity. *Mediators Inflamm*. 2021;2021:8879227.

2. Costantini L, Molinari R, Farinon B, Merendino N. Impact of Omega-3 Fatty Acids on the Gut Microbiota. *Int J Mol Sci*. 2017;18(12):2645.

maintaining gut homeostasis¹

Role of omega-3 PUFAs “DHA” in improving intestinal immunity:



axis functionality.²



Reducing the intestinal epithelial cell damage.¹



increasing intracellular mitochondrial activity and cell membrane integrity.¹

PUFAs: Polyunsaturated fatty acids; DHA: Docosahexaenoic acid.

1. Fu Y, Wang Y, Gao H, et al. Associations among Dietary Omega-3 Polyunsaturated Fatty Acids, the Gut Microbiota, and Intestinal Immunity. *Mediators Inflamm*. 2021;2021:8879227.

2. Costantini L, Molinari R, Farinon B, Merendino N. Impact of Omega-3 Fatty Acids on the Gut Microbiota. *Int J Mol Sci*. 2017;18(12):2645.



Gut
Comfort

Immunity

Growth

Trusted
Quality

Summary

Nuralac[®] advanced formula supports immunity by offering...

Higher
concentration of
DHA
(~70% more).¹

Immunity

Higher
concentration of
GOS
(20% more).¹



Adding the
most **abundant**
HMO in breast
milk (**2'-FL**).¹


Almost the highest level of GOS+2'-FL
combined vs. competitors (0.43 g/100 ml)

DHA: Docosahexaenoic acid; GOS: Galacto-oligosaccharide; HMOs: Human milk oligosaccharides; 2'-FL: 2'Fucosyllactose.

1. Nuralac[®] Labeling Information.

Infant formula with DHA supplement significantly decreases respiratory illness¹

Participants with ≥ 1 respiratory illness



Adapted from ref. 1

Toddlers consuming the formula with 130 mg DHA per day have a lower incidence of respiratory illness ($p=0.024$), compared to the formula without DHA.¹

DHA: Docosahexaenoic acid.

1. Minns LM, Kerling EH, Neely MR, et al. Toddler formula supplemented with docosahexaenoic acid (DHA) improves DHA status and respiratory health in a randomized, double-blind, controlled trial of US children less than 3 years of age. Prostaglandins Leukot Essent Fatty Acids. 2010;82(4-6):287-93.

Nuralac[®] advanced formula supports growth by offering...

Higher
concentration of
DHA
(~70% more).¹

Growth

Higher
concentration of
GOS
(20% more).¹



Adding the
most **abundant**
HMO in breast
milk (**2'-FL**).¹

Almost the highest level of GOS+2'-FL
combined vs. competitors (0.43 g/100 ml)

Optimized
protein level

DHA: Docosahexaenoic acid; GOS: Galacto-oligosaccharide; HMOs: Human milk oligosaccharides; 2'-FL: 2'Fucosyllactose.

1. Nuralac[®] Labeling Information.

Nuralac[®] advanced formula is brought to you by quality makers “Almarai” with the highest quality standards



First National Formula

- GMO free.
- Free from heavy metals and insecticides.
- Highest hygienic standards with consistently low microbial count.
- Quality control with 4,500 steps of quality checking.

GMO: Genetically modified organism.



Nuralac®: Nurturing growth with every scoop

- Got closer to **breast milk** content.
- Offers **superior gut comfort**.
- Enhances the **immunity** by a blend of components.
- Supports optimum **growth** and **development**.

