GIT LAB #01

Screenshot #01

```
Taha@DESKTOP-OP56308 MINGW64 /e/OOP
$ git init
Initialized empty Git repository in E:/OOP/.git/

Taha@DESKTOP-OP56308 MINGW64 /e/OOP (master)
$ 
\[
\begin{align*}
\text{Taha@DESKTOP-OP56308 MINGW64 /e/OOP (master)}
\end{align*}
```

Screenshot #02

```
Taha@DESKTOP-OP56308 MINGW64 /e/OOP (master)

$ C:\Program Files\git
bash: C:Program: command not found

Taha@DESKTOP-OP56308 MINGW64 /e/OOP
```

```
Taha@DESKTOP-OP56308 MINGW64 /e/OOP

$ C:\Program Files\git> git file.txt
bash: C:Program: command not found

Taha@DESKTOP-OP56308 MINGW64 /e/OOP

$ ||
```

Screenshot #04

git	2/20/2018 9:43 PM	File folder	
git	2/20/2018 9:42 PM	File	0 KB
nello	2/20/2018 9:07 PM	TXT File	1 KB

Screenshot #05

```
Taha@DESKTOP-OP56308 MINGW64 /e/OOP (master)
$ git config --global user.name="taha96"
error: invalid key: user.name=taha96

Taha@DESKTOP-OP56308 MINGW64 /e/OOP (master)
$
```

Screenshot #07

```
Taha@DESKTOP-OP56308 MINGW64 /e/OOP (master)
$ git add hello.txt

Taha@DESKTOP-OP56308 MINGW64 /e/OOP (master)
$
```

Screenshot #08

```
Taha@DESKTOP-OP56308 MINGW64 /e/OOP (master)

$ git commit -m "taha-imtiaz"

[master (root-commit) 7de864e] taha-imtiaz

1 file changed, 1 insertion(+)

create mode 100644 hello.txt

Taha@DESKTOP-OP56308 MINGW64 /e/OOP (master)

$ \[
\begin{align*}
\text{Taha@DESKTOP-OP56308 MINGW64 /e/OOP (master)}

\end{align*}
```