

# TREVIA EV TECHNOLOGIES

## Website Content & Information Architecture 2026

*Primary Commercial Product: Trevia CMS — the operating layer for your charging network*

*Prepared for: UI/UX Design, Development, Copywriting & Marketing Teams*

treviaev.in

# Table of Contents

- Table of Contents..... 2**
- A. Brand / Message Foundation..... 5**
  - A.1 Category Definition..... 5**
  - A.2 Positioning Statement..... 5**
  - A.3 One-Line Description..... 5**
  - A.4 30-Word Description..... 5**
  - A.5 50-Word Description..... 5**
  - A.6 100-Word Company Description..... 5**
  - A.7 Tagline Options..... 6**
  - A.8 Core Messaging Pillars..... 6**
  - A.9 Brand Vocabulary..... 6**
- B. Complete Sitemap..... 8**
  - B.1 Primary Navigation..... 8**
  - B.2 Full Sitemap..... 8**
  - B.3 Footer Architecture..... 8**
- C–D. Homepage..... 10**
  - Home..... 10**
    - Hero..... 10**
    - The Problem — A Fragmented Charging Ecosystem..... 10**
    - Operational Consequences..... 10**
    - Trevia's Digital Infrastructure Layer..... 11**
    - Trevia CMS — The Operating Layer..... 11**
    - Trevia Drive — Charging Discovery..... 11**
    - Built on Interoperability..... 11**
    - Who Trevia Serves..... 11**
    - Technology, Briefly..... 11**
    - Where Trevia Stands Today..... 11**
    - Vision..... 11**
    - Suggested Diagrams / Visuals..... 12**
    - Proof Points..... 12**
    - FAQ..... 12**
    - Design Notes..... 12**
    - Data / Claims to Verify..... 12**
- E. Trevia CMS — Charging Management Software..... 13**
  - Trevia CMS..... 13**

|                                                 |    |
|-------------------------------------------------|----|
| <b>Hero</b>                                     | 13 |
| <b>The Problem</b>                              | 13 |
| <b>The Solution</b>                             | 13 |
| <b>Charger Connectivity &amp; OCPP 1.6J</b>     | 13 |
| <b>Real-Time Monitoring</b>                     | 14 |
| <b>Remote Operations</b>                        | 14 |
| <b>Sessions &amp; Transactions</b>              | 14 |
| <b>Fault &amp; Error Visibility</b>             | 14 |
| <b>Multi-Location Management</b>                | 14 |
| <b>Tariff Management</b>                        | 14 |
| <b>Payments &amp; Settlement</b>                | 14 |
| <b>APIs &amp; Integrations</b>                  | 14 |
| <b>Analytics</b>                                | 14 |
| <b>Built for CPO Operations</b>                 | 15 |
| <b>Scalability</b>                              | 15 |
| <b>Security &amp; Reliability</b>               | 15 |
| <b>Suggested Diagrams / Visuals</b>             | 15 |
| <b>Proof Points</b>                             | 15 |
| <b>FAQ</b>                                      | 15 |
| <b>Design Notes</b>                             | 16 |
| <b>Data / Claims to Verify</b>                  | 16 |
| <b>Trevia Drive — Charging Discovery</b>        | 17 |
| <b>Trevia Drive</b>                             | 17 |
| <b>Hero</b>                                     | 17 |
| <b>The Problem</b>                              | 17 |
| <b>The Solution</b>                             | 17 |
| <b>What It Does</b>                             | 17 |
| <b>Availability</b>                             | 17 |
| <b>Suggested Diagrams / Visuals</b>             | 17 |
| <b>FAQ</b>                                      | 18 |
| <b>Design Notes</b>                             | 18 |
| <b>Data / Claims to Verify</b>                  | 18 |
| <b>F. Competitive Differentiation</b>           | 19 |
| <b>G. Technology Page</b>                       | 20 |
| <b>Technology — OCPP &amp; Interoperability</b> | 20 |
| <b>Hero</b>                                     | 20 |
| <b>Architecture Overview</b>                    | 20 |

|                                                              |    |
|--------------------------------------------------------------|----|
| <b>OCPP 1.6J</b>                                             | 20 |
| <b>WebSocket Connectivity</b>                                | 20 |
| <b>Authentication &amp; Heartbeats</b>                       | 20 |
| <b>Commands &amp; Remote Operations</b>                      | 20 |
| <b>Telemetry, Sessions &amp; Transactions</b>                | 21 |
| <b>APIs &amp; Integrations</b>                               | 21 |
| <b>Cloud &amp; Data Infrastructure</b>                       | 21 |
| <b>Suggested Diagrams / Visuals</b>                          | 21 |
| <b>FAQ</b>                                                   | 21 |
| <b>Design Notes</b>                                          | 21 |
| <b>Data / Claims to Verify</b>                               | 21 |
| <b>H. Buyer-Specific Solutions</b>                           | 23 |
| <b>For CPOs &amp; Operators</b>                              | 23 |
| <b>For Fleets</b>                                            | 23 |
| <b>For Enterprises</b>                                       | 23 |
| <b>For Energy &amp; Utilities</b>                            | 23 |
| <b>For Government / Infrastructure Bodies</b>                | 24 |
| <b>I. Trust &amp; Traction</b>                               | 25 |
| <b>J. Conversion Strategy</b>                                | 26 |
| <b>K. Design / Content Direction</b>                         | 27 |
| <b>Prioritise</b>                                            | 27 |
| <b>Avoid</b>                                                 | 27 |
| <b>L. Content Governance — Do Not Publish Until Verified</b> | 28 |
| <b>M. Final Messaging Library</b>                            | 29 |
| <b>10 Homepage Headlines</b>                                 | 29 |
| <b>10 Taglines</b>                                           | 29 |
| <b>10 Trevia CMS Headlines</b>                               | 29 |
| <b>10 Trevia CMS Subheadlines</b>                            | 30 |
| <b>10 CTA Options</b>                                        | 30 |
| <b>10 Short Company Descriptions</b>                         | 30 |
| <b>LinkedIn Company Description</b>                          | 31 |
| <b>Google Business / Company Description</b>                 | 31 |
| <b>Investor-Facing Description</b>                           | 31 |
| <b>Enterprise-Facing Description</b>                         | 31 |
| <b>Government-Facing Description</b>                         | 31 |

## A. Brand / Message Foundation

### A.1 Category Definition

Trevia operates in EV charging digital infrastructure — the software layer that sits between charging hardware and the operators, fleets, enterprises, and drivers who depend on it. Trevia is not a hardware vendor, not a charge point operator, and not a single-sided consumer app. Its primary commercial product, Trevia CMS, is the operational software that lets a charge point operator or fleet run its charging network as one connected system rather than a set of disconnected vendor tools.

### A.2 Positioning Statement

**The operating layer for your charging network.**

Supporting line: Trevia CMS connects chargers over OCPP and gives operators one place to monitor, run, and grow their charging infrastructure — across hardware vendors and sites.

### A.3 One-Line Description

Trevia builds the operating layer that connects EV chargers, operators, fleets, and drivers into one interoperable network.

### A.4 30-Word Description

Trevia EV Technologies builds Trevia CMS, the operating layer for EV charging networks — connecting chargers over OCPP and giving operators and fleets centralised monitoring, control, and data across every site and vendor.

### A.5 50-Word Description

Trevia EV Technologies builds the software infrastructure behind EV charging. Trevia CMS connects chargers over OCPP, giving charge point operators and fleets a single operating layer for monitoring, remote operations, session and tariff management, and network-wide data — replacing fragmented, vendor-locked tools with one interoperable platform.

### A.6 100-Word Company Description

Trevia EV Technologies is a software infrastructure company for India's EV charging ecosystem. Its primary product, Trevia CMS, is the operating layer that connects charging hardware to the people who run it — giving charge point operators, fleets, and enterprises centralised monitoring, remote operations, session and transaction visibility, fault detection, tariff management, and multi-site control, all built on OCPP for interoperability across hardware vendors. Trevia also operates Trevia Drive, a consumer charging discovery experience, extending the same connected infrastructure to EV drivers. Trevia is not a charger manufacturer or a single closed network — it is the software that connects them.

## A.7 Tagline Options

- The operating layer for your charging network. (Recommended)
- Digital infrastructure for EV charging.
- One platform to run every charger, on every site.
- The software layer connecting EV charging infrastructure.
- Interoperability for a fragmented charging network.
- Built for every charger. Run from one platform.
- The infrastructure behind a connected charging network.
- Charging infrastructure, finally operable.
- One system for every site, every vendor.
- The operating system for EV charging networks.

## A.8 Core Messaging Pillars

| Pillar                              | What It Means                                                                                                                    | Where It Shows Up                                 |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|
| Operating layer, not a dashboard    | Trevia CMS is operational software that runs charging infrastructure, not a passive reporting tool                               | Homepage, CMS page hero                           |
| Interoperability-first              | Built on OCPP, works across hardware vendors rather than locking operators into one manufacturer                                 | Technology page, CMS page, Solutions pages        |
| Built for fragmentation             | Designed from day one for multi-site, multi-vendor, multi-network environments                                                   | Homepage problem section, CMS page                |
| Two-sided infrastructure            | Trevia CMS (operator side) and Trevia Drive (driver side) run on the same underlying connectivity layer                          | Homepage, Platform page                           |
| Enterprise-credible, India-grounded | Serious infrastructure software positioning suited to CPOs, fleets, energy companies, and government bodies in the Indian market | About page, Government/Enterprise solutions pages |

## A.9 Brand Vocabulary

| Use                                                                                                                       | Avoid                                                                                                    |
|---------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| operating layer, digital infrastructure, interoperability, connected network, centralised control, operational visibility | revolutionizing, game-changing, disrupting the future, seamless ecosystem, cutting-edge, next-generation |
| charge point operator, fleet operator, enterprise, energy company, government/public infrastructure                       | generic “green mobility” or “clean energy future” language not specific to charging infrastructure       |

| Use                                                                                 | Avoid                                                                                                                   |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| OCPP, telemetry, sessions, transactions, tariffs, faults, uptime, remote operations | vague technical buzzwords without a concrete referent (“AI-powered” without defined scope, “smart” without a mechanism) |
| hardware-agnostic, vendor-neutral, multi-site, multi-network                        | “only platform that...” or “industry-leading” claims without evidence                                                   |

## B. Complete Sitemap

Trevia CMS is elevated to a primary navigation item and given its own dedicated section, reflecting its role as the primary commercial product. Trevia Drive remains present but secondary. Resources and Privacy/Terms are added as standard enterprise-site scaffolding.

### B.1 Primary Navigation

- Platform (the connected infrastructure layer, overview of CMS + Drive)
- Trevia CMS (primary product — charging management software)
- Trevia Drive (consumer charging discovery)
- Solutions — CPOs & Operators | Fleets | Enterprises | Energy & Utilities | Government
- Technology — OCPP & Interoperability | APIs & Integrations
- Company — About | Traction/Journey
- Resources
- Primary CTA button: Request a Demo

### B.2 Full Sitemap

- Home
- Platform
- Trevia CMS (Charging Management Software)
- Trevia Drive (Charging Discovery)
- Solutions → For CPOs & Operators
- Solutions → For Fleets
- Solutions → For Enterprises
- Solutions → For Energy & Utilities
- Solutions → For Government / Infrastructure Bodies
- Technology → OCPP & Interoperability
- Technology → APIs & Integrations
- About
- Traction / Journey
- Resources (knowledge hub — phase 2)
- Contact / Request a Demo
- Privacy Policy
- Terms of Use

### B.3 Footer Architecture

| Column     | Links                                                                 |
|------------|-----------------------------------------------------------------------|
| Product    | Trevia CMS, Trevia Drive, Request a Demo                              |
| Solutions  | CPOs & Operators, Fleets, Enterprises, Energy & Utilities, Government |
| Technology | OCPP & Interoperability, APIs & Integrations                          |
| Company    | About, Traction/Journey, Contact, Careers [VERIFY BEFORE PUBLISHING]  |
| Legal      | Privacy Policy, Terms of Use                                          |

## C–D. Homepage

Narrative order: category → fragmentation → operational consequences → Trevia's digital infrastructure layer → Trevia CMS → Trevia Drive → interoperability → who Trevia serves → technology → proof/traction → vision → CTA. The page should read like an enterprise infrastructure company, not an EV marketing site — restrained language, concrete mechanisms, no manufactured urgency.

### Home

**Page Objective:** Establish category and problem within seconds; lead with Trevia CMS as the primary product; route every visitor type to the correct next step.

**Target Audience:** CPOs, fleet operators, enterprises, energy/utility and government stakeholders, EV drivers, investors/partners.

**SEO Title:** Trevia — The Operating Layer for Your Charging Network

**Meta Description:** Trevia CMS connects EV chargers over OCPP and gives operators, fleets, and enterprises one platform to monitor, run, and grow their charging network.

**H1:** The operating layer for your charging network.

**Eyebrow:** EV Charging Infrastructure Software

### Hero

Headline: The operating layer for your charging network.

Supporting copy: Charging infrastructure is growing faster than the software running it. Trevia CMS connects your chargers over OCPP and gives you one platform to monitor, operate, and scale — across every site and every hardware vendor.

**Primary CTA:** Request a Demo

**Secondary CTA:** Explore the Platform

### The Problem — A Fragmented Charging Ecosystem

Charging stations, hardware, and operator tools are largely built as disconnected systems. Every added vendor or site multiplies the number of tools an operator has to check.

- Disconnected charging networks and operator platforms
- Different hardware and software standards across sites
- Limited real-time visibility into charger status and sessions
- Manual intervention required to keep operations running
- Difficult to scale operations across multiple sites or networks

### Operational Consequences

Fragmentation is not just an inconvenience — it shows up directly in operating cost and reliability: faults discovered late, revenue leakage from untracked sessions, and operations staff manually reconciling data across vendor dashboards instead of running the network.

### **Trevia's Digital Infrastructure Layer**

Trevia sits between charging hardware and everyone who depends on it. Conceptual flow: Chargers → Trevia's Digital Infrastructure Layer → Operators / Fleets / Enterprises / Government → EV Drivers.

### **Trevia CMS — The Operating Layer**

Trevia CMS is the primary product: OCPP-based connectivity, real-time monitoring, remote operations, session and transaction tracking, fault visibility, tariff management, multi-site control, APIs, and analytics — in one platform. Full detail on the Trevia CMS page.

### **Trevia Drive — Charging Discovery**

Trevia Drive extends the same connected infrastructure to EV drivers, bringing charging discovery from multiple networks into a single experience. [VERIFY BEFORE PUBLISHING — confirm current scope and availability before describing specific functionality on the homepage.]

### **Built on Interoperability**

Because Trevia CMS is built on OCPP rather than a closed, proprietary protocol, it connects to chargers across hardware vendors — operators are not locked into a single manufacturer's ecosystem.

### **Who Trevia Serves**

- CPOs & Operators — centralised control across chargers, sites, and vendors
- Fleets — charging visibility and utilisation data tied to fleet operations
- Enterprises — manage workplace and destination charging as one asset class
- Energy & Utilities — network-level visibility and interoperable data
- Government — a coordinated view of public charging infrastructure
- EV Drivers — one place to discover and access charging across networks

### **Technology, Briefly**

Chargers connect via OCPP 1.6J over a persistent WebSocket connection; Trevia CMS ingests telemetry and transaction data and exposes it through APIs. Full architecture on the Technology page.

### **Where Trevia Stands Today**

Trevia is an early-stage company building and validating Trevia CMS. Current milestones are listed in full on the Traction page; surface only the 3–4 strongest, most current ones here.

### **Vision**

To become the core operating layer for EV charging infrastructure across India, extending the same interoperability model into adjacent energy-mobility infrastructure as the market matures.

## Suggested Diagrams / Visuals

- Horizontal flow diagram: Chargers → Trevia CMS → Operators/Fleets/Enterprises/Government → Drivers (via Trevia Drive)
- Simple “before/after” comparison: fragmented multi-vendor dashboards vs. one Trevia CMS view

## Proof Points

- OCPP 1.6J-based connectivity (protocol-level, not a customer claim)
- T-Hub incubation, DPIIT recognition [confirm exact public framing — see Trust & Traction]

## FAQ

### Is Trevia a charger manufacturer?

No. Trevia builds the software layer that connects chargers from multiple hardware vendors — it does not manufacture charging hardware.

### Does Trevia operate charging stations directly?

No. Trevia provides the operating software that charge point operators use to run their own stations.

### What is the difference between Trevia CMS and Trevia Drive?

Trevia CMS is the operator-facing platform for running charging infrastructure. Trevia Drive is the driver-facing app for discovering and accessing charging.

### Final CTA: Request a Demo of Trevia CMS

**Target Keywords:** EV charging management software, EV charging infrastructure software, OCPP charging management system, EV charging platform India

## Design Notes

Hero: static and confident, no looping 3D. One architecture-style graphic can replace a hero image entirely.

“Who Trevia Serves” as a 6-card grid linking into the relevant Solutions page.

Keep Trevia Drive visually and structurally secondary to Trevia CMS throughout the page.

## Data / Claims to Verify

**[VERIFY BEFORE PUBLISHING]** Which 3–4 traction milestones are current enough for the homepage at launch

**[VERIFY BEFORE PUBLISHING]** Current scope and availability of Trevia Drive functionality described on the homepage

## E. Trevia CMS — Charging Management Software

This is the most important page on the site. It must make a technical or operations buyer understand, within the first screen, that Trevia CMS is operational software that runs a charging network — not a passive monitoring dashboard.

### Trevia CMS

**Page Objective:** Convert CPOs, fleet operators, and enterprise buyers by demonstrating that Trevia CMS is the operational software layer between chargers and everything that runs on top of them.

**Target Audience:** Charge point operators, fleet operators, enterprise facilities teams, energy companies evaluating charging management software.

**SEO Title:** Trevia CMS — EV Charging Management Software

**Meta Description:** Trevia CMS is the operating layer for your charging network — OCPP-based connectivity, real-time monitoring, remote operations, tariffs, and analytics in one platform.

**H1:** The operating layer for your charging network.

**Eyebrow:** Trevia CMS — Charging Management Software

### Hero

Headline: The operating layer for your charging network.

Supporting copy: Trevia CMS is not another dashboard bolted on top of your chargers. It is the operational software that connects, monitors, and runs your charging network — across every site and every hardware vendor.

**Primary CTA:** Request a Demo

**Secondary CTA:** Talk to Our Team

### The Problem

Operators running chargers from multiple hardware vendors, across multiple sites, typically manage each in a separate vendor dashboard — with no single place to see the network as a whole, and no consistent way to act when something goes wrong.

### The Solution

Trevia CMS connects to chargers over OCPP and becomes the single operational layer for your network — monitoring, control, transactions, tariffs, and data, regardless of which vendor's hardware is installed at a given site.

### Charger Connectivity & OCPP 1.6J

Chargers connect to Trevia CMS using OCPP 1.6J, the open protocol supported across most charger hardware manufacturers — this is what allows Trevia CMS to operate hardware from multiple vendors on one platform, rather than requiring hardware built specifically for Trevia.

### **Real-Time Monitoring**

Charger status, connectivity, and health are visible in real time across every connected site, so operators see problems as they happen rather than after a driver reports a failed charge.

### **Remote Operations**

Where supported by the connected hardware, operators can issue remote commands — for example, resetting an unresponsive charger or querying its live status — without a site visit.

### **Sessions & Transactions**

Every charging session is tracked from start to finish, with transaction-level data — energy delivered, duration, and status — available for reporting and reconciliation.

### **Fault & Error Visibility**

Faults and errors reported by connected chargers are surfaced to the operator directly, rather than requiring a physical site check to discover a charger has gone down.

### **Multi-Location Management**

Operators running chargers across multiple sites manage them from one platform — the number of sites or vendors does not multiply the number of tools required to run the network.

### **Tariff Management**

Trevia CMS supports configuring and managing charging tariffs across sites and charger types, so pricing can be set and adjusted centrally rather than per-site. [VERIFY BEFORE PUBLISHING — confirm current tariff-management capability scope before publishing specifics.]

### **Payments & Settlement**

[VERIFY BEFORE PUBLISHING — do not describe payment or settlement functionality as live until confirmed. If confirmed, describe only the confirmed scope.]

### **APIs & Integrations**

Trevia CMS is designed to expose charging, session, and operational data via APIs, so operators can integrate that data into their own reporting, billing, or fleet-management systems. Public API documentation: [VERIFY BEFORE PUBLISHING].

### **Analytics**

Operational and energy data collected across the network is available in aggregate for reporting and planning — turning day-to-day charging activity into data operators can act on. Specific analytics/reporting feature scope: [VERIFY BEFORE PUBLISHING].

## Built for CPO Operations

Trevia CMS is built around the day-to-day reality of running a charge point business: multiple sites, multiple hardware vendors, and the need for one operational view rather than one per vendor.

## Scalability

The platform is designed so that adding chargers, sites, or hardware vendors does not add operational complexity — new connections extend the same operating layer rather than requiring a separate system.

## Security & Reliability

[VERIFY BEFORE PUBLISHING — specific uptime figures, security certifications, and compliance credentials must not be published until confirmed. Describe authentication and monitoring approach only in general terms until then.]

## Suggested Diagrams / Visuals

- Architecture diagram: Charger (multi-vendor) → OCPP/WebSocket → Trevia CMS (connectivity, monitoring, sessions, tariffs, analytics) → APIs → operator dashboards / third-party systems
- Annotated product screenshot of the CMS dashboard (real-time charger status view)
- Simple before/after: per-vendor dashboards vs. single Trevia CMS operating view

## Proof Points

- OCPP 1.6J-based connectivity
- Purpose-built for multi-site, multi-vendor charging operations
- MVP developed and validated [VERIFY BEFORE PUBLISHING — confirm exact public framing of development/pilot stage]

## FAQ

### Does Trevia CMS work with our existing charger hardware?

Trevia CMS connects to chargers over OCPP 1.6J, the open protocol supported by most major charger hardware manufacturers, so it is designed to work across vendors rather than requiring specific hardware.

### Can Trevia CMS manage chargers across multiple sites?

Yes — multi-site, multi-vendor management is a core design goal of the platform.

### Does Trevia CMS handle payments?

[VERIFY BEFORE PUBLISHING — answer only once payment/settlement functionality is confirmed.]

### Is there an API?

Trevia CMS is designed to expose data via APIs for integration into operators' own systems. [VERIFY BEFORE PUBLISHING — confirm public API documentation availability.]

## Final CTA: Request a Demo of Trevia CMS

**Target Keywords:** EV charging management software, OCPP charging management system, CPO software, charging station management platform, EV fleet charging software

### Design Notes

This page should look and read like an enterprise SaaS product page (Datadog/Cloudflare product-page conventions) — architecture diagram and real UI screenshots above the fold, not a hero photo of a charger.

Each capability section should pair one short paragraph with one visual (screenshot, icon, or diagram) — avoid long unbroken text blocks.

Security/reliability section should remain visually present, marked as forthcoming, rather than omitted — signals the topic is taken seriously.

### Data / Claims to Verify

[VERIFY BEFORE PUBLISHING] *Tariff management feature scope*

[VERIFY BEFORE PUBLISHING] *Payment/settlement functionality — confirm whether live at all*

[VERIFY BEFORE PUBLISHING] *Public API documentation availability*

[VERIFY BEFORE PUBLISHING] *Analytics/reporting feature scope*

[VERIFY BEFORE PUBLISHING] *Exact public framing of MVP/pilot development stage*

[VERIFY BEFORE PUBLISHING] *Security certifications and uptime figures*

---

# Trevia Drive — Charging Discovery

## Trevia Drive

**Page Objective:** Explain the consumer product clearly, positioned as an extension of Trevia's infrastructure layer, without overclaiming functionality.

**Target Audience:** EV drivers seeking charging infrastructure.

**SEO Title:** Trevia Drive — EV Charging Discovery

**Meta Description:** Trevia Drive brings EV charging infrastructure from multiple networks into a single discovery experience for drivers.

**H1:** One app to find charging, across networks.

**Eyebrow:** Trevia Drive — For EV Drivers

## Hero

Headline: One app to find charging, across networks.

Supporting copy: Charging infrastructure is spread across multiple operators and networks. Trevia Drive brings it into a single, unified discovery experience — built on the same infrastructure layer that runs Trevia CMS.

**Primary CTA:** Explore Charging

**Secondary CTA:** Download the App

## The Problem

EV drivers often need to check multiple apps, one per charging network or operator, to find a working charger nearby.

## The Solution

Trevia Drive aggregates charging infrastructure from multiple networks and operators into one discovery experience.

## What It Does

- Discover charging stations across multiple networks and operators in one place
- A unified experience in place of switching between operator-specific apps
- AI-assisted discovery [VERIFY BEFORE PUBLISHING — confirm current scope before publishing]

## Availability

[VERIFY BEFORE PUBLISHING — confirm current Android/iOS store status before publishing an availability claim.]

## Suggested Diagrams / Visuals

- Product screenshots of the live app UI (map/discovery view)

## FAQ

### Is Trevia Drive connected to Trevia CMS?

Yes — both run on Trevia's underlying charging infrastructure layer, which is what allows Trevia Drive to surface charger data from connected networks.

**Final CTA:** Explore Charging

**Target Keywords:** EV charging aggregator, EV charging discovery app, find EV charging India

### Design Notes

Real app screenshots, not illustrated graphics.

Keep visually and structurally secondary to the Trevia CMS page — this is not the primary commercial narrative.

### Data / Claims to Verify

**[VERIFY BEFORE PUBLISHING]** *Current app store availability and status*

**[VERIFY BEFORE PUBLISHING]** *Scope of AI functionality currently live*

**[VERIFY BEFORE PUBLISHING]** *Number of networks/operators currently aggregated*

**[VERIFY BEFORE PUBLISHING]** *Live/real-time charger availability accuracy*

---

## F. Competitive Differentiation

This is a positioning framework for internal and page-copy use — not a public competitor-comparison page. No competitor should be named on the live site; the site should communicate Trevia's structural position by category contrast only.

| Category              | How the Category Typically Operates                                                  | Trevia's Structural Advantage                                                                                                                     |
|-----------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| Hardware vendors      | Sell physical charging equipment, often paired with vendor-locked software           | Trevia is hardware-agnostic — Trevia CMS runs chargers from multiple vendors rather than being tied to one manufacturer's ecosystem               |
| Closed CPO platforms  | Proprietary software built to run one operator's own network only                    | Trevia CMS is designed as an interoperable software layer any operator can run on, not a closed operator-specific system                          |
| Consumer aggregators  | Discovery-only, single-sided consumer product with no operational software behind it | Trevia combines driver-facing discovery (Trevia Drive) with the underlying operational infrastructure (Trevia CMS) that actually runs the network |
| Generic IoT platforms | General-purpose device management, not built for EV charging protocols               | Trevia is purpose-built for OCPP and the operational needs specific to EV charging — sessions, tariffs, faults, transactions                      |

**Framing discipline: describe the structural advantage of the category position — do not claim to be the “only” company doing this, and do not name specific competitors on the public website.**

## G. Technology Page

### Technology — OCPP & Interoperability

**Page Objective:** Establish technical credibility for CTOs and technical evaluators while remaining legible to non-technical business buyers.

**Target Audience:** Technical evaluators at CPOs, enterprises, energy companies; investors assessing technical depth.

**SEO Title:** EV Charging Interoperability & OCPP — Trevia

**Meta Description:** Trevia CMS connects EV chargers over OCPP 1.6J, with real-time telemetry, session tracking, and APIs built for interoperability across hardware vendors.

**H1:** Built for interoperability, not a single vendor.

**Eyebrow:** Technology

#### Hero

Headline: Built for interoperability, not a single vendor.

Supporting copy: Trevia CMS speaks the open protocols that connect charging hardware, so operators are not locked into one manufacturer's ecosystem.

**Primary CTA:** Talk to Our Team

#### Architecture Overview

Charger → OCPP → Trevia CMS → APIs/Integrations → Operator, Fleet, and Enterprise applications. Each connected charger communicates with Trevia CMS over OCPP; the platform processes that data and makes it available to operators directly and, where integrated, to third-party systems via API.

#### OCPP 1.6J

Trevia CMS communicates with chargers using OCPP 1.6J, the open protocol most widely supported across charger hardware manufacturers — the foundation of Trevia's hardware-agnostic positioning.

#### WebSocket Connectivity

Chargers maintain a persistent WebSocket connection to Trevia CMS, enabling real-time status updates rather than periodic polling.

#### Authentication & Heartbeats

Each connected charger authenticates with the platform and sends periodic heartbeat signals, letting Trevia CMS detect when a charger goes offline or becomes unresponsive.

#### Commands & Remote Operations

Where supported by the connected hardware, Trevia CMS can issue remote commands — for example, resetting a charger or querying its current status.

### Telemetry, Sessions & Transactions

The platform ingests telemetry (status, faults, energy readings), tracks charging sessions from initiation to completion, and records transaction-level data for reporting and reconciliation.

### APIs & Integrations

Trevia CMS is designed to expose data via APIs for operators' own reporting, billing, or fleet-management integrations. Public API documentation: [VERIFY BEFORE PUBLISHING].

### Cloud & Data Infrastructure

Specific cloud provider, hosting architecture, and database technology: [VERIFY BEFORE PUBLISHING] — not to be published until confirmed.

### Suggested Diagrams / Visuals

- Primary architecture diagram: Charger → OCPP → Trevia CMS → APIs/Integrations → Operator/Fleet/Enterprise applications, rendered as clean labelled boxes and arrows — no isometric or 3D styling

### FAQ

#### What protocol does Trevia CMS use to connect to chargers?

OCPP 1.6J, the industry-standard open protocol supported by most charger hardware manufacturers.

#### Can our existing systems integrate with Trevia CMS?

Trevia CMS is designed to expose data via APIs for integration. [VERIFY BEFORE PUBLISHING — confirm current integration/API availability.]

#### Final CTA: Talk to Our Team

**Target Keywords:** OCPP charging management system, EV charging API, EV charging interoperability

### Design Notes

Treat this page like an infrastructure vendor's technical page (Cloudflare/AWS style) — one architecture diagram should anchor the page rather than several decorative technical illustrations.

### Data / Claims to Verify

[VERIFY BEFORE PUBLISHING] *Cloud hosting provider and backend architecture*

[VERIFY BEFORE PUBLISHING] *Public API documentation availability*

[VERIFY BEFORE PUBLISHING] *Which specific remote commands are supported per hardware vendor*



## H. Buyer-Specific Solutions

### For CPOs & Operators

**Problem:** Operational fragmentation across sites, hardware vendors, and network environments makes charging infrastructure harder to run as scale increases.

**Trevia Solution:** Trevia CMS gives operators centralised, OCPP-based monitoring and control across every connected charger — one operating layer instead of one dashboard per vendor.

**Business Outcome:** Operators add sites and hardware without adding operational complexity, and act on faults and utilisation data instead of discovering issues after the fact.

**CTA:** Request a Demo

---

### For Fleets

**Problem:** Fleet operators need to plan around charging availability, cost, and utilisation, but often lack visibility into how their vehicles are actually charging.

**Trevia Solution:** Trevia CMS surfaces charging session, energy, and utilisation data tied directly to fleet operations, alongside centralised visibility into the chargers fleets depend on.

**Business Outcome:** Better data supports planning for routes, costs, and charger deployment, rather than managing fleet charging on assumptions.

**CTA:** Explore Fleet Solutions / Talk to Sales

---

### For Enterprises

**Problem:** Workplace and destination charging is often managed as an afterthought, spread across whichever vendor installed each site's hardware.

**Trevia Solution:** Trevia CMS provides a single operational view across all of an enterprise's charging assets, regardless of which vendor installed them.

**Business Outcome:** Charging becomes a manageable, visible part of facilities operations rather than a collection of disconnected vendor relationships.

**CTA:** Discuss Infrastructure

---

### For Energy & Utilities

**Problem:** As utilities and energy companies expand into EV charging, they need infrastructure-level visibility and data that scales with public charging networks, not just individual sites.

**Trevia Solution:** Trevia CMS offers network-level visibility, interoperable data across hardware vendors, and a platform designed to scale with public charging deployments.

**Business Outcome:** Utilities can manage charging infrastructure with the same operational rigor as other grid-connected assets, using comparable data across the network.

**CTA:** Discuss Infrastructure

---

## For Government / Infrastructure Bodies

**Problem:** Public charging infrastructure is typically deployed by multiple operators with no central visibility, making coordinated planning difficult.

**Trevia Solution:** Trevia CMS supports a coordinated, data-driven view of public charging infrastructure spanning multiple operators — supporting planning rather than operating any single network.

**Business Outcome:** Public-sector stakeholders can make infrastructure decisions based on actual network data rather than operator-by-operator reporting.

**CTA:** Discuss Infrastructure

---

**[VERIFY BEFORE PUBLISHING]** *No active government contracts, named pilots, or named enterprise customers should be referenced on any Solutions page until confirmed in writing by each named party.*

## I. Trust & Traction

Structured as a credible milestone framework — not growth metrics. Every item is marked with its current confirmation status; none should be published without the noted verification.

| Item                            | Public Framing (once verified)                                                                         | Status                                                                                        |
|---------------------------------|--------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| Company incorporation           | Incorporated September 2025                                                                            | Confirmed — safe to publish                                                                   |
| DPIIT recognition               | DPIIT-recognised startup                                                                               | Confirmed — safe to publish                                                                   |
| T-Hub                           | T-Hub incubated / T-Hub Blitz Cohort 3 participant — confirm exact relationship term before publishing | [VERIFY BEFORE PUBLISHING — confirm “incubated” vs. “cohort participant” language]            |
| Google for Startups             | Engaged with Google for Startups / Google Cloud program — not a partnership or endorsement claim       | [VERIFY BEFORE PUBLISHING — confirm exact program name and permitted language]                |
| AWS / startup ecosystem support | Engaged with AWS Startups program                                                                      | [VERIFY BEFORE PUBLISHING — confirm exact program name and permitted language]                |
| Trevia CMS product development  | Core platform developed and undergoing validation                                                      | [VERIFY BEFORE PUBLISHING — confirm current stage: MVP, pilot, or live commercial deployment] |
| Pilots / deployments            | Do not name specific organisations without written permission                                          | [VERIFY BEFORE PUBLISHING]                                                                    |
| Partnerships                    | Do not publish any named partnership until a written agreement permits public reference                | [VERIFY BEFORE PUBLISHING]                                                                    |
| Team size / composition         | Do not publish a specific number without current confirmation                                          | [VERIFY BEFORE PUBLISHING]                                                                    |

## J. Conversion Strategy

| Visitor Type | CTA                                     | Where It Appears                                   |
|--------------|-----------------------------------------|----------------------------------------------------|
| CPO          | Request a Demo                          | Homepage hero, Trevia CMS page, CPO solutions page |
| Fleet        | Explore Fleet Solutions / Talk to Sales | Fleets solutions page                              |
| Enterprise   | Discuss Infrastructure                  | Enterprises solutions page                         |
| Government   | Discuss Infrastructure                  | Government solutions page                          |
| Partner      | Partner With Trevia                     | About page, footer                                 |
| Investor     | Contact Founder                         | About page                                         |
| Driver       | Explore Charging                        | Homepage, Trevia Drive page                        |

## K. Design / Content Direction

Visual language should communicate enterprise software, infrastructure, reliability, technical credibility, and Indian EV infrastructure context — not a consumer EV brand.

### Prioritise

- Architecture diagrams
- Real product UI and dashboards
- Data flows and network diagrams
- Real infrastructure photography, used selectively
- Restrained motion — state changes, not scroll spectacle
- Strong typography and generous whitespace

### Avoid

- Excessive neon or futuristic colour treatments
- Flying cars or futuristic-city animation
- Generic stock EV imagery
- Excessive 3D rendering
- Gaming-style interface elements
- AR/VR aesthetics
- Unnecessary scroll-triggered animation

## L. Content Governance — Do Not Publish Until Verified

**This is the single most important checklist for the content and marketing teams before launch.**

- Customers — no logos or names without written permission from each customer.
- Pilots — confirm which, if any, can be named publicly and in what terms.
- Charger numbers — confirm the number of chargers connected to the platform before publishing any figure.
- Revenue — do not publish any figures given pre-revenue status.
- Funding — do not publish any figures or investor names without confirmation.
- Partnerships — no named partnership without a written agreement permitting public reference.
- App-store status — confirm current Android/iOS listing and version before publishing availability claims.
- AI functionality — confirm exact scope of what is live in Trevia Drive versus planned before describing it as “AI-powered.”
- Payment functionality — confirm whether in-app or CMS payment/settlement functionality exists before describing it.
- Product availability — confirm current live status of both Trevia CMS and Trevia Drive before describing either as commercially available.
- Team information — confirm team size and any names/roles approved for public listing.
- Certifications — no ISO, SOC 2, or other security/compliance certification claims unless held and confirmed.
- Geographic coverage — confirm which cities/regions are currently served before making coverage claims.
- Ecosystem relationships — confirm exact permitted language for T-Hub, Google for Startups, and AWS Startups before publishing.

## M. Final Messaging Library

### 10 Homepage Headlines

- The operating layer for your charging network. (Recommended)
- One platform to run every charger, on every site.
- Digital infrastructure for EV charging.
- Built for interoperability, not a single vendor.
- The software connecting EV charging infrastructure.
- Charging infrastructure, finally operable.
- One system for every site, every vendor.
- The infrastructure behind a connected charging network.
- Software infrastructure for India's EV charging ecosystem.
- Connecting operators, fleets, and drivers on one platform.

### 10 Taglines

- The operating layer for your charging network. (Recommended)
- Digital infrastructure for EV charging.
- One platform. Every charger.
- Interoperability for a fragmented charging network.
- Built for every charger. Run from one platform.
- The infrastructure behind a connected charging network.
- One system for every site, every vendor.
- The operating system for EV charging networks.
- Software infrastructure for EV charging.
- Connecting chargers, operators, and drivers.

### 10 Trevia CMS Headlines

- The operating layer for your charging network. (Recommended)
- Run every charger from one platform.
- One system. Every site. Every vendor.
- The software layer between your chargers and your operations.
- Charging infrastructure, under one operational view.
- Not a dashboard. An operating layer.
- Your charging network, centrally operated.
- Interoperable by design.

- Built to run charging networks, not just monitor them.
- One platform for every charger you operate.

## 10 Trevia CMS Subheadlines

- Trevia CMS connects chargers over OCPP and gives you one place to monitor, run, and grow your charging network.
- Centralised monitoring, remote operations, and network-wide data — across every hardware vendor you run.
- OCPP-based connectivity means your chargers work with Trevia CMS regardless of manufacturer.
- From charger status to session data to tariffs — one operational layer, not a dashboard per vendor.
- Built for operators running multiple sites and multiple hardware vendors at once.
- Real-time visibility into every charger, every site, every fault.
- The software layer that turns a fragmented charging network into one operable system.
- Monitor, operate, and scale your charging network from a single platform.
- Designed for the operational reality of running EV charging infrastructure at scale.
- One operating layer, built to grow with your network.

## 10 CTA Options

- Request a Demo (recommended primary)
- Talk to Our Team
- Explore the Platform
- Discuss Infrastructure
- Explore Fleet Solutions
- Talk to Sales
- Partner With Trevia
- Contact Founder
- Explore Charging
- Download the App

## 10 Short Company Descriptions

- Trevia builds the operating layer that connects EV chargers, operators, fleets, and drivers into one interoperable network.
- Trevia CMS is the software layer that runs EV charging networks across hardware vendors and sites.
- Trevia connects fragmented EV charging infrastructure into one operable system.
- Trevia builds OCPP-based software that gives charge point operators one platform to run their network.

- Trevia is the digital infrastructure layer behind India's EV charging ecosystem.
- Trevia CMS turns disconnected charging hardware into one centrally operated network.
- Trevia builds the software that connects EV chargers, operators, and drivers.
- Trevia is a software infrastructure company for EV charging, not a hardware vendor.
- Trevia's platform gives operators, fleets, and enterprises centralised control over their charging infrastructure.
- Trevia connects charging hardware, operators, and drivers through one interoperable software layer.

## LinkedIn Company Description

Trevia EV Technologies builds the operating layer for EV charging networks. Trevia CMS connects chargers over OCPP and gives charge point operators, fleets, and enterprises one platform to monitor, run, and scale their charging infrastructure — across hardware vendors and sites. Trevia also operates Trevia Drive, extending the same connected infrastructure to EV drivers. Based in Hyderabad, India.

## Google Business / Company Description

Trevia EV Technologies is a software infrastructure company for EV charging. Trevia CMS is our charging management platform for operators and fleets; Trevia Drive is our charging discovery app for EV drivers.

## Investor-Facing Description

Trevia is building the operating layer for EV charging infrastructure in a market where charging networks are expanding faster than the software that runs them. Trevia CMS gives charge point operators and fleets a single, interoperable platform to run multi-vendor, multi-site charging operations; Trevia Drive extends that same infrastructure to EV drivers, creating a two-sided network where operator and driver adoption reinforce each other. [VERIFY BEFORE PUBLISHING — append current stage, traction, and ask only with confirmed figures.]

## Enterprise-Facing Description

Trevia CMS gives enterprises a single operational view across every charging asset they run — workplace, destination, or fleet charging — regardless of which hardware vendor installed it. Built on OCPP for interoperability, designed to scale as sites and vendors are added.

## Government-Facing Description

Trevia CMS supports a coordinated, data-driven view of public charging infrastructure spanning multiple operators — built to support infrastructure planning and oversight, not to operate any single network. [VERIFY BEFORE PUBLISHING — confirm any specific claims about public-sector engagement before use.]