

# Computer Networks

Name: Taha Asim

Class: 3-J

## Command 1: Ipconfig

```
C:\Users\70173671>ipconfig

Windows IP Configuration

Wireless LAN adapter Wi-Fi 2:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . :

Wireless LAN adapter Local Area Connection* 11:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . :

Wireless LAN adapter Local Area Connection* 12:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . :

Ethernet adapter Ethernet 2:

    Connection-specific DNS Suffix  . :
    Link-local IPv6 Address . . . . . : fe80::41f1:d132:e03a:1d6e%13
    IPv4 Address. . . . . : 192.168.215.1
    Subnet Mask . . . . . : 255.255.255.0
    Default Gateway . . . . . :

Ethernet adapter Ethernet 3:

    Connection-specific DNS Suffix  . :
    Link-local IPv6 Address . . . . . : fe80::ec6b:c9fc:bd89:9f14%15
    IPv4 Address. . . . . : 192.168.10.1
    Subnet Mask . . . . . : 255.255.255.0
    Default Gateway . . . . . :

Ethernet adapter Ethernet 4:

    Connection-specific DNS Suffix  . : UOL.PK
    Link-local IPv6 Address . . . . . : fe80::d7dd:af4e:8035:c777%5
    IPv4 Address. . . . . : 172.20.177.53
    Subnet Mask . . . . . : 255.255.255.0
    Default Gateway . . . . . : 172.20.177.254

Ethernet adapter Bluetooth Network Connection 2:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . :
```

## Command 2: Ipconfig /all

```
C:\Users\70173671>ipconfig /all

Windows IP Configuration

Host Name . . . . . : D-2000007977
Primary Dns Suffix . . . . . : UOL.PK
Node Type . . . . . : Hybrid
IP Routing Enabled. . . . . : No
WINS Proxy Enabled. . . . . : No
DNS Suffix Search List. . . . . : UOL.PK

Wireless LAN adapter Wi-Fi 2:

Media State . . . . . : Media disconnected
Connection-specific DNS Suffix . :
Description . . . . . : Intel(R) Wi-Fi 6E AX211 160MHz
Physical Address. . . . . : EC-4C-8C-91-17-39
DHCP Enabled. . . . . : Yes
Autoconfiguration Enabled . . . . : Yes

Wireless LAN adapter Local Area Connection* 11:

Media State . . . . . : Media disconnected
Connection-specific DNS Suffix . :
Description . . . . . : Microsoft Wi-Fi Direct Virtual Adapter #3
Physical Address. . . . . : EC-4C-8C-91-17-3A
DHCP Enabled. . . . . : Yes
Autoconfiguration Enabled . . . . : Yes

Wireless LAN adapter Local Area Connection* 12:

Media State . . . . . : Media disconnected
Connection-specific DNS Suffix . :
Description . . . . . : Microsoft Wi-Fi Direct Virtual Adapter #4
Physical Address. . . . . : EE-4C-8C-91-17-39
DHCP Enabled. . . . . : Yes
Autoconfiguration Enabled . . . . : Yes
```

## Command 3: getmac

```
C:\Users\70173671>getmac

Physical Address    Transport Name
=====
00-50-56-C0-00-01   \Device\Tcpip_{64D5EE1B-5BC4-49DD-B262-BB9236615551}
00-50-56-C0-00-08   \Device\Tcpip_{6C0BE75F-81DC-4814-8E95-F6972BC1FD49}
10-98-19-2C-BE-4E   \Device\Tcpip_{1E395014-6EE1-494C-A461-7A2F768155CE}
EC-4C-8C-91-17-3D   Media disconnected
EC-4C-8C-91-17-39   Media disconnected
```

## Command 4: ping

```
C:\Users\70173671>ping google.com

Pinging google.com [142.250.186.14] with 32 bytes of data:
Reply from 142.250.186.14: bytes=32 time=32ms TTL=116
Reply from 142.250.186.14: bytes=32 time=31ms TTL=116
Reply from 142.250.186.14: bytes=32 time=31ms TTL=116
Reply from 142.250.186.14: bytes=32 time=31ms TTL=116

Ping statistics for 142.250.186.14:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 31ms, Maximum = 32ms, Average = 31ms
```

## Command 5: tracert

```
C:\Users\70173671>Tracert google.com

Tracing route to google.com [142.250.186.14]
over a maximum of 30 hops:

  1  <1 ms  <1 ms  <1 ms  172.20.177.254
  2   1 ms  <1 ms  1 ms  110.93.212.33
  3   2 ms   2 ms   2 ms  110.93.249.117
  4   1 ms   2 ms   1 ms  110.93.254.33
  5  21 ms  20 ms  20 ms  110.93.252.50
  6  23 ms  21 ms  20 ms  110.93.252.136
  7  33 ms  33 ms  34 ms  110.93.192.35
  8  34 ms  35 ms  35 ms  209.85.241.195
  9  33 ms  33 ms  37 ms  192.178.98.162
 10  35 ms  35 ms  35 ms  142.251.225.201
 11  38 ms  38 ms  37 ms  192.178.105.67
 12  37 ms  36 ms  42 ms  142.250.211.123
 13  35 ms  35 ms  35 ms  lcmcta-ak-in-f14.1e100.net [142.250.186.14]

Trace complete.
```

## Command 6: netsat

```
C:\Users\70173671>netstat

Active Connections

Proto Local Address           Foreign Address         State
TCP    127.0.0.1:49699          D-2000007977:49712     ESTABLISHED
TCP    127.0.0.1:49699          D-2000007977:54559     ESTABLISHED
TCP    127.0.0.1:49699          D-2000007977:54560     ESTABLISHED
TCP    127.0.0.1:49699          D-2000007977:54561     ESTABLISHED
TCP    127.0.0.1:49699          D-2000007977:54562     ESTABLISHED
TCP    127.0.0.1:49712          D-2000007977:49699     ESTABLISHED
TCP    127.0.0.1:54533          D-2000007977:54534     ESTABLISHED
TCP    127.0.0.1:54534          D-2000007977:54533     ESTABLISHED
TCP    127.0.0.1:54548          D-2000007977:54549     ESTABLISHED
TCP    127.0.0.1:54549          D-2000007977:54548     ESTABLISHED
TCP    127.0.0.1:54550          D-2000007977:54551     ESTABLISHED
TCP    127.0.0.1:54551          D-2000007977:54550     ESTABLISHED
TCP    127.0.0.1:54559          D-2000007977:49699     ESTABLISHED
TCP    127.0.0.1:54560          D-2000007977:49699     ESTABLISHED
TCP    127.0.0.1:54561          D-2000007977:49699     ESTABLISHED
TCP    127.0.0.1:54562          D-2000007977:49699     ESTABLISHED
TCP    127.0.0.1:59759          D-2000007977:59760     ESTABLISHED
TCP    127.0.0.1:59760          D-2000007977:59759     ESTABLISHED
TCP    127.0.0.1:59868          D-2000007977:59869     ESTABLISHED
TCP    127.0.0.1:59869          D-2000007977:59868     ESTABLISHED
TCP    127.0.0.1:59872          D-2000007977:59873     ESTABLISHED
TCP    127.0.0.1:59873          D-2000007977:59872     ESTABLISHED
TCP    172.20.177.53:7680       172.19.1.221:55543      ESTABLISHED
TCP    172.20.177.53:7680       DLB-EE-205-09:59491     ESTABLISHED
TCP    172.20.177.53:7680       DRC-SOCA-ALEEM:63776    ESTABLISHED
TCP    172.20.177.53:7680       DRC-MEDICAL-123:59279   ESTABLISHED
TCP    172.20.177.53:7680       DRC-Cexam-20:55092      ESTABLISHED
TCP    172.20.177.53:7680       D-2000010457:55801       ESTABLISHED
TCP    172.20.177.53:7680       D-2000008124:57196       ESTABLISHED
TCP    172.20.177.53:7680       D-2000003152:53899       ESTABLISHED
TCP    172.20.177.53:7680       D-2000002780:51326       TIME_WAIT
TCP    172.20.177.53:7680       D-2000002768:65159       TIME_WAIT
TCP    172.20.177.53:7680       D-2000002739:53230       TIME_WAIT
TCP    172.20.177.53:7680       172.20.140.121:57769     ESTABLISHED
TCP    172.20.177.53:7680       172.20.190.15:58573      ESTABLISHED
TCP    172.20.177.53:7680       172.20.190.38:63786      ESTABLISHED
TCP    172.20.177.53:7680       172.20.192.160:55494     ESTABLISHED
TCP    172.20.177.53:52303      kata:https               ESTABLISHED
TCP    172.20.177.53:52334      82.202.184.184:https     CLOSE_WAIT
```

## Command 7: netstat -r

```
C:\Users\70173671>netstat -r

=====
Interface List
 3...ec 4c 8c 91 17 39 .....Intel(R) Wi-Fi 6E AX211 160MHz
21...ec 4c 8c 91 17 3a .....Microsoft Wi-Fi Direct Virtual Adapter #3
20...ee 4c 8c 91 17 39 .....Microsoft Wi-Fi Direct Virtual Adapter #4
13...00 50 56 c0 00 01 .....VMware Virtual Ethernet Adapter for VMnet1
15...00 50 56 c0 00 08 .....VMware Virtual Ethernet Adapter for VMnet8
5...10 98 19 2c be 4e .....Intel(R) Ethernet Connection (17) I219-LM
6...ec 4c 8c 91 17 3d .....Bluetooth Device (Personal Area Network) #2
1.....Software Loopback Interface 1
=====

IPv4 Route Table
=====
Active Routes:
Network Destination        Netmask          Gateway           Interface        Metric
0.0.0.0                    0.0.0.0          172.20.177.254    172.20.177.53    35
127.0.0.0                  255.0.0.0         On-link           127.0.0.1        331
127.0.0.1                  255.255.255.255   On-link           127.0.0.1        331
127.255.255.255            255.255.255.255   On-link           127.0.0.1        331
172.20.177.0                255.255.255.0     On-link           172.20.177.53    291
172.20.177.53              255.255.255.255   On-link           172.20.177.53    291
172.20.177.255             255.255.255.255   On-link           172.20.177.53    291
192.168.10.0                255.255.255.0     On-link           192.168.10.1     291
192.168.10.1                255.255.255.255   On-link           192.168.10.1     291
192.168.10.255             255.255.255.255   On-link           192.168.10.1     291
192.168.215.0              255.255.255.0     On-link           192.168.215.1    291
192.168.215.1              255.255.255.255   On-link           192.168.215.1    291
192.168.215.255            255.255.255.255   On-link           192.168.215.1    291
224.0.0.0                  240.0.0.0         On-link           127.0.0.1        331
224.0.0.0                  240.0.0.0         On-link           192.168.215.1    291
224.0.0.0                  240.0.0.0         On-link           192.168.10.1     291
224.0.0.0                  240.0.0.0         On-link           172.20.177.53    291
255.255.255.255            255.255.255.255   On-link           127.0.0.1        331
255.255.255.255            255.255.255.255   On-link           192.168.215.1    291
255.255.255.255            255.255.255.255   On-link           192.168.10.1     291
255.255.255.255            255.255.255.255   On-link           172.20.177.53    291
=====
Persistent Routes:
None

IPv6 Route Table
=====
Active Routes:
If Metric Network Destination      Gateway
1      331 ::1/128                      On-link
```

