

Test 2 — Answer Key

Each row gives the item number, the B.E.S.T. benchmark and difficulty, the correct answer, and a student-facing explanation.

#	Benchmark	Answer	Explanation
1	MA.6.NSO.3.3 moderate	1.44	Squaring means multiplying the number by itself.
2	MA.6.DP.1.4 moderate	The data are skewed to the right, with most values in the lower intervals.	Most of the data sit in the low intervals with a tail stretching to the right, so the distribution is skewed right.
3	MA.6.NSO.1.2 moderate	-5, 5	Below zero is negative, and the opposite of a negative number is positive.
4	MA.6.AR.3.1 moderate	8:5	Divide both numbers by their greatest common factor.
5	MA.6.AR.3.3 moderate	30	Both quantities are multiplied by 5.
6	MA.6.NSO.1.3 moderate	8, -8	Both 8 and -8 are 8 units from 0.
7	MA.6.DP.1.2 moderate	24	Add the five values and divide the total by 5.
8	MA.6.NSO.2.2 moderate	6	Multiply the amount for one batch by the number of batches.
9	MA.6.NSO.3.1 moderate	12	The greatest number of identical bags is the greatest common factor.
10	MA.6.AR.3.5 moderate	18	Each yard is 3 feet, so multiply by 3.
11	MA.6.DP.1.1 moderate	How many minutes did each sixth grader spend on the bus this morning?, How many text messages did each student send yesterday?	Statistical questions anticipate variability in the answers.
12	MA.6.NSO.2.1 moderate	48	Multiply the unit price by the number of items.
13	MA.6.AR.1.3 moderate	17	Multiply the rate by the miles, then add the base fare.
14	MA.6.NSO.1.4 moderate	>	Find both absolute values, then compare those distances.
15	MA.6.DP.1.3 moderate	26	Read the value at that mark on the box plot.
16	MA.6.AR.1.4 moderate	48, 48	Distribute the factor to both terms inside the parentheses.

#	Benchmark	Answer	Explanation
17	MA.6.NSO.4.1 moderate	-6	Add the rise and subtract the fall from the starting temperature.
18	MA.6.AR.3.4 moderate	30	Find the discount, then subtract it from the original price.
19	MA.6.NSO.1.1 challenging	$1 \frac{1}{4}$	$1 \frac{1}{4}$ is more than 1 and less than 2, so it sits between them on the number line.
20	MA.6.AR.3.2 moderate	4.89	Divide the total cost by the number of bottles.
21	MA.6.NSO.4.2 moderate	-40	A loss each week is a negative change repeated, so multiply.
22	MA.6.DP.1.5 moderate	6, 1, 4, 1	Count how many values fall in each interval, then set that bar height.
23	MA.6.GR.2.1 moderate	66	Multiply the base by the height, then take half.
24	MA.6.GR.2.2 moderate	85	Find the area of the whole rectangle, then subtract the corner that is cut out.
25	MA.6.GR.1.1 easy	(-2, 4)	The first number tells how far to move right or left, and the second tells how far to move up or down.
26	MA.6.AR.2.4 moderate	38.96	Multiply both sides by the divisor to find the unknown.
27	MA.6.AR.2.3 moderate	30	Multiply both sides by the divisor to undo the division.
28	MA.6.NSO.2.3 moderate	$-8 \frac{1}{2}$	Multiply to find the ribbon used, then subtract from the whole roll.
29	MA.6.AR.2.1 moderate	11	An equation is true only for the value that balances both sides.
30	MA.6.NSO.3.2 moderate	12	Find the largest number that divides both addends.
31	MA.6.AR.1.1 easy	$(x + 10)/2$	Translate each word phrase in order, keeping subtraction and division in the order they are written.
32	MA.6.NSO.1.2 challenging	$8 \frac{1}{2}$	The opposite of a number is the same distance from 0 but on the other side.
33	MA.6.AR.2.2 moderate	56	Add the same number to both sides to undo the subtraction.
34	MA.6.GR.2.3 moderate	35	Multiply the three edge lengths together.
35	MA.6.NSO.3.4 moderate	$2^2 \times 3 \times 7$	Divide by the smallest prime repeatedly until only primes remain.
36	MA.6.NSO.3.5 moderate	60	Multiply the decimal by 100 to write it as a percent.
37	MA.6.GR.2.4 moderate	136	Find the area of each face from the net and add all six.

#	Benchmark	Answer	Explanation
38	MA.6.DP.1.6 moderate	23 1/2	Reorder the remaining values and find the middle; with six values, average the two in the middle.