



AI Mode

All

Images

Videos

News

More ▾



how to see hidden folders and files in zsh terminal in hyprland arch linux ??



To see hidden files and folders in a Zsh terminal on Arch Linux running Hyprland, use the standard command `ls -a` or `ls -la`. YouTube · Low Orbit Flux

In Linux, any file or folder that starts with a dot (`.`) is automatically treated as hidden. Since your desktop environment (Hyprland), shell (Zsh), and distribution (Arch Linux) all rely on standard Unix file commands, managing these files is straightforward. [🔗](#)

1. Essential Commands

Run these standard terminal commands inside your emulator (like Kitty, Alacritty, or Foot):

- `ls -a` : Lists all entries, including hidden files and folders.
- `ls -la` : Displays hidden files in a **long-list format** showing file sizes, permissions, ownership, and modification dates.
- `ls -LA` : Lists hidden items but excludes the standard `.` (current directory) and `..` (parent directory) shortcuts.
- `ls -ld .*` : Filters the output to display **only** hidden files and folders in the current path. Ask Ubuntu +3

2. Make it Permanent with Zsh Aliases

Instead of typing `-la` every time, you can create a permanent shortcut (alias)

Ask anything



AI Mode All Images Videos News More ▾



2. Scroll to the bottom and add the following lines:

bash

```
alias l='ls -A'  
alias la='ls -la'  
alias ll='ls -lhA'
```

Use code with caution.



3. Save the file (`Ctrl+O` , then `Enter` in Nano) and exit (`Ctrl+X`).

4. Apply the changes immediately to your current terminal window:

bash

```
source ~/.zshrc
```

Use code with caution.



3. Viewing Hyprland Configuration Files

Hyprland and its system components store all their configuration files inside hidden directories. You can find them by navigating directly to your user-level configuration path: [🔗](#)

- `cd ~/.config/hypr` : Navigates directly to your main Hyprland window manager configurations.
- `cd ~/.config/waybar` : Accesses your status bar files (if using Waybar).



AI Mode All Images Videos News More ▾



`zh` while inside [Yazi](#) to instantly toggle the visibility of hidden files.

- **Ranger:** Another common terminal file manager. Press `zh` or type `:set show_hidden!` to toggle your dotfiles. [🔗](#)

If you are using a graphical file manager built for Wayland (like Thunar or Dolphin), you can instantly toggle hidden files on your screen using the `Ctrl + H` keyboard shortcut. [ask Ask Ubuntu +1](#)

If you are trying to customize your layout or fix an issue, let me know:

- What **terminal emulator** you are currently running
- Which **file manager** (if any) you prefer to use
- Which **specific configuration file** you are looking to modify

I can give you the exact command or path you need!

