


Admin Side

File Name: Index.php



Code:

```
<?php

use function PHPSTORM_META\type;

require('dbconn.php');
?>

<!DOCTYPE html>
<html>

<!-- Head -->
<head>

    <title>Raza Library</title>

    <!-- Meta-Tags -->
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <meta http-equiv="Content-Type" content="text/html; charset=utf-8">
```

```

        <meta name="keywords" content="Library Member Login Form Widget Responsive,
Login Form Web Template, Flat Pricing Tables, Flat Drop-Downs, Sign-Up Web Templates, Flat Web
Templates, Login Sign-up Responsive Web Template, Smartphone Compatible Web Template, Free
Web Designs for Nokia, Samsung, LG, Sony Ericsson, Motorola Web Design" />
        <script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false); function hideURLbar(){ window.scrollTo(0,1); } </script>
        <!-- //Meta-Tags -->

        <!-- Style --> <link rel="stylesheet" href="css/style.css" type="text/css" media="all">

        <!-- Fonts -->
        <link href="//fonts.googleapis.com/css?family=Roboto:100,300,400,500,700,900"
rel="stylesheet">
        <!-- //Fonts -->

</head>
<!-- //Head -->

<!-- Body -->
<body style="background-image: url('images/bg.jpg')">

        <h1 style="color:white;">RAZA LIBRARY</h1>

        <div class="container">

                <div class="login">
                        <h2>Sign In</h2>
                        <form action="index.php" method="post">
                                <input type="text" Name="RollNo" placeholder="RollNo/Admin ID"
required="">
                                <input type="password" Name="Password" placeholder="Password"
required="">

                                <div class="send-button">
                                        <!--<form>-->
                                        <input type="submit" name="signin"; value="Sign In">
                                        </form>
                                </div>

                                <div class="clear"></div>
                        </div>

                <div class="register">
                        <h2>Sign Up</h2>
                        <form action="index.php" method="post">
                                <input type="text" Name="Name" placeholder="Name" required>

```

```

        <input type="text" Name="Email" placeholder="Email" required>
        <input type="password" Name="Password" placeholder="Password"
required>
        <input type="text" Name="PhoneNumber" placeholder="Phone
Number" required>
        <input type="text" Name="RollNo" placeholder="Roll Number"
required="">

        <select name="Category" id="Category">
            <option value="GEN">General</option>
            <option value="OBC">OBC</option>
            <option value="SC">SC</option>
            <option value="ST">ST</option>
        </select>
        <br>

        <br>
        <div class="send-button">
            <input type="submit" name="signup" value="Sign Up">
        </form>
        </div>
        <p>By creating an account, you agree to our <a class="underline"
href="terms.php">Terms</a></p>
        <p>Any Problem <a class="underline"
href="https://forms.gle/R3F3rEuqLTg8nmRN8">Contact Us</a></p>
        <div class="clear"></div>
    </div>

    <div class="clear"></div>

</div>

<div class="footer w3layouts agileits">
    <p> &copy; Devloped By Tahir Raza Shaikh </a></p>

</div>

<?php
if(isset($_POST['signin']))
{
    $u=$_POST['RollNo'];
    $p=$_POST['Password'];
    $c=$_POST['Category'];

    $sql="select * from LMS.user where RollNo='$u'";

    $result = $conn->query($sql);
    $row = $result->fetch_assoc();

```

```
$x=$row['Password'];
$y=$row['Type'];
if(strcasecmp($x,$p)==0 && !empty($u) && !empty($p))
{ //echo "Login Successful";
  $_SESSION['RollNo']=$u;

  if($y=='Admin')
    header('location:admin/index.php');
  else
    header('location:student/index.php');
}
else
{ echo "<script type='text/javascript'>alert('Failed to Login! Incorrect RollNo or Password')</script>";
}

}

if(isset($_POST['signup']))
{
    $name=$_POST['Name'];
    $email=$_POST['Email'];
    $password=$_POST['Password'];
    $mobno=$_POST['PhoneNumber'];
    $rollno=$_POST['RollNo'];
    $category=$_POST['Category'];


    $sql="insert into LMS.user (Name,Category,RollNo,EmailId,MobNo>Password,Type2) values
('$name','$category','$rollno','$email','$mobno','$password','Student')";

    if ($conn->query($sql) === TRUE) {
        echo "<script type='text/javascript'>alert('Registration Successful')</script>";
    } else {
        //echo "Error: " . $sql . "<br>" . $conn->error;
        echo "<script type='text/javascript'>alert('User Exists')</script>";
    }
}

?>

</body>
<!-- //Body -->

</html>
```

File Name: admin/Index.php**Code:**

```
<?php
require('dbconn.php');
?>

<?php
if ($_SESSION['RollNo']) {
    ?>

<!DOCTYPE html>
<html lang="en">

    <head>
        <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <title>Raza Library</title>
        <link type="text/css" href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
        <link type="text/css" href="bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">
        <link type="text/css" href="css/theme.css" rel="stylesheet">
        <link type="text/css" href="images/icons/css/font-awesome.css" rel="stylesheet">
        <link type="text/css"
href='http://fonts.googleapis.com/css?family=Open+Sans:400italic,600italic,400,600'
rel='stylesheet'>
```

```

</head>
<body>
  <div class="navbar navbar-fixed-top">
    <div class="navbar-inner">
      <div class="container">
        <a class="btn btn-navbar" data-toggle="collapse" data-target=".navbar-inverse-collapse">
          <i class="icon-reorder shaded"></i></a><a class="brand" href="index.php">Admin
Portal</a>
        <div class="nav-collapse collapse navbar-inverse-collapse">
          <ul class="nav pull-right">
            <li class="nav-user dropdown"><a href="#" class="dropdown-toggle" data-
toggle="dropdown">
              
              <b class="caret"></b></a>
              <ul class="dropdown-menu">
                <li><a href="index.php">Your Profile</a></li>
                <!--li><a href="#">Edit Profile</a></li>
                <li><a href="#">Account Settings</a></li-->
                <li class="divider"></li>
                <li><a href="logout.php">Logout</a></li>
              </ul>
            </li>
          </ul>
        </div>
      <!-- /.nav-collapse -->
    </div>
  </div>
  <!-- /navbar -->
  <div class="wrapper">
    <div class="container">
      <div class="row">
        <div class="span3">
          <div class="sidebar">
            <ul class="widget widget-menu unstyled">
              <li class="active"><a href="index.php"><i class="menu-icon icon-home"></i>Home
</a></li>
              <li><a href="message.php"><i class="menu-icon icon-inbox"></i>Messages</a>
</li>
              <li><a href="student.php"><i class="menu-icon icon-user"></i>Manage Students
</li>
              <li><a href="book.php"><i class="menu-icon icon-book"></i>All Books </a></li>
              <li><a href="addbook.php"><i class="menu-icon icon-edit"></i>Add Books </a></li>
              <li><a href="requests.php"><i class="menu-icon icon-tasks"></i>Issue/Return
Requests </a></li>

```

```

        <li><a href="recommendations.php"><i class="menu-icon icon-list"></i>Book
Recommendations </a></li>
        <li><a href="current.php"><i class="menu-icon icon-list"></i>Currently Issued
Books </a></li>
    </ul>
    <ul class="widget widget-menu unstyled">
        <li><a href="logout.php"><i class="menu-icon icon-signout"></i>Logout </a></li>
    </ul>
</div>
<!--/.sidebar-->
</div>
<!--/.span3-->

<div class="span9">
    <center>
        <div class="card" style="width: 50%;">

            <div class="card-body">

                <?php
                $rollno = $_SESSION['RollNo'];
                $sql="select * from LMS.user where RollNo='$rollno'";
                $result=$conn->query($sql);
                $row=$result->fetch_assoc();

                $name=$row['Name'];
                $category=$row['Category'];
                $email=$row['EmailId'];
                $mobno=$row['MobNo'];
                ?>

                <i>
                    <h1 class="card-title"><center><?php echo $name ?></center></h1>
                    <br>
                    <p><b>Email ID: </b><?php echo $email ?></p>
                    <br>
                    <p><b>Mobile number: </b><?php echo $mobno ?></p>
                    </b>
                </i>

            </div>
        </div>
    <br>
    <a href="edit_admin_details.php" class="btn btn-primary">Edit Details</a>
    </center>
</div>

<!--/.span9-->
</div>

```


```
</div>
<!--/.container-->
</div>
<div class="footer">
  <div class="container">
    <b class="copyright">&copy; Developed By Tahir Raza Shaikh </b>All rights reserved.
  </div>
</div>

<!--/.wrapper-->
<script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
<script src="scripts/jquery-ui-1.10.1.custom.min.js" type="text/javascript"></script>
<script src="bootstrap/js/bootstrap.min.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.resize.js" type="text/javascript"></script>
<script src="scripts/datatables/jquery.dataTables.js" type="text/javascript"></script>
<script src="scripts/common.js" type="text/javascript"></script>

</body>

</html>

<?php }
else {
  echo "<script type='text/javascript'>alert('Access Denied!!!')</script>";
} ?>
```


File Name:admin/ edit_admin_details.php**Code:**

```
<?php
ob_start();
require('dbconn.php');
?>

<?php
if ($_SESSION['RollNo']) {
    ?>

<!DOCTYPE html>
<html lang="en">

    <head>
        <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <title>Raza Library</title>
        <link type="text/css" href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
        <link type="text/css" href="bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">
        <link type="text/css" href="css/theme.css" rel="stylesheet">
        <link type="text/css" href="images/icons/css/font-awesome.css" rel="stylesheet">
        <link type="text/css"
href='http://fonts.googleapis.com/css?family=Open+Sans:400italic,600italic,400,600'
```

```

rel='stylesheet'>
</head>
<body>
  <div class="navbar navbar-fixed-top">
    <div class="navbar-inner">
      <div class="container">
        <a class="btn btn-navbar" data-toggle="collapse" data-target=".navbar-inverse-collapse">
          <i class="icon-reorder shaded"></i></a><a class="brand" href="index.php">Admin
Portal </a>
        <div class="nav-collapse collapse navbar-inverse-collapse">
          <ul class="nav pull-right">
            <li class="nav-user dropdown"><a href="#" class="dropdown-toggle" data-
toggle="dropdown">
              
              <b class="caret"></b></a>
              <ul class="dropdown-menu">
                <li><a href="index.php">Your Profile</a></li>
                <!--li><a href="#">Edit Profile</a></li>
                <li><a href="#">Account Settings</a></li-->
                <li class="divider"></li>
                <li><a href="logout.php">Logout</a></li>
              </ul>
            </li>
          </ul>
        </div>
      </div>
    </div>
  </div>
  <!-- /.nav-collapse -->
</div>
<!-- /navbar-inner -->
</div>
<!-- /navbar -->
<div class="wrapper">
  <div class="container">
    <div class="row">
      <div class="span3">
        <div class="sidebar">
          <ul class="widget widget-menu unstyled">
            <li class="active"><a href="index.php"><i class="menu-icon icon-home"></i>Home
</a></li>
            <li><a href="message.php"><i class="menu-icon icon-inbox"></i>Messages</a>
</li>
            <li><a href="student.php"><i class="menu-icon icon-user"></i>Manage Students
</a>
            </li>
            <li><a href="book.php"><i class="menu-icon icon-book"></i>All Books </a></li>
            <li><a href="addbook.php"><i class="menu-icon icon-edit"></i>Add Books </a></li>
            <li><a href="requests.php"><i class="menu-icon icon-tasks"></i>Issue/Return
Requests </a></li>

```

```

        <li><a href="recommendations.php"><i class="menu-icon icon-list"></i>Book
Recommendations </a></li>
        <li><a href="current.php"><i class="menu-icon icon-list"></i>Currently Issued
Books </a></li>
    </ul>
    <ul class="widget widget-menu unstyled">
        <li><a href="logout.php"><i class="menu-icon icon-signout"></i>Logout </a></li>
    </ul>
</div>
<!--/.sidebar-->
</div>
<!--/.span3-->

<div class="span9">
    <div class="module">
        <div class="module-head">
            <h3>Update Details</h3>
        </div>
        <div class="module-body">

            <?php
            $rollno = $_SESSION['RollNo'];
            $sql="select * from LMS.user where RollNo='$rollno'";
            $result=$conn->query($sql);
            $row=$result->fetch_assoc();

            $name=$row['Name'];
            $email=$row['EmailId'];
            $mobno=$row['MobNo'];
            $pswd=$row['Password'];
            ?>

            <form class="form-horizontal row-fluid" action="edit_admin_details.php?id=<?php
            echo $rollno ?>" method="post">

                <div class="control-group">
                    <label class="control-label" for="Name"><b>Name:</b></label>
                    <div class="controls">
                        <input type="text" id="Name" name="Name" value= "<?php echo $name?>"
class="span8" required>
                    </div>
                </div>

                <div class="control-group">
                    <label class="control-label" for="EmailId"><b>Email Id:</b></label>
                    <div class="controls">

```

```

        <input type="text" id="EmailId" name="EmailId" value= "<?php echo
$email?>" class="span8" required>
    </div>
</div>

    <div class="control-group">
        <label class="control-label" for="MobNo"><b>Mobile Number:</b></label>
        <div class="controls">
            <input type="text" id="MobNo" name="MobNo" value= "<?php echo
$mobno?>" class="span8" required>
        </div>
    </div>

    <div class="control-group">
        <label class="control-label" for="Password"><b>New Password:</b></label>
        <div class="controls">
            <input type="password" id="Password" name="Password" value= "<?php
echo $pswd?>" class="span8" required>
        </div>
    </div>

    <div class="control-group">
        <div class="controls">
            <button type="submit" name="submit" class="btn-
primary"><center>Update Details</center></button>
        </div>
    </div>

</form>

</div>
</div>
</div>

<!--/.span9-->
</div>
</div>
<!--/.container-->
</div>
<div class="footer">
    <div class="container">
        <b class="copyright">&copy; Devloped By Tahir Raza Shaikh </b>All rights reserved.
    </div>
</div>

<!--/.wrapper-->
<script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
<script src="scripts/jquery-ui-1.10.1.custom.min.js" type="text/javascript"></script>

```

```
<script src="bootstrap/js/bootstrap.min.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.resize.js" type="text/javascript"></script>
<script src="scripts/datatables/jquery.dataTables.js" type="text/javascript"></script>
<script src="scripts/common.js" type="text/javascript"></script>

<?php
if(isset($_POST['submit']))
{
    $rollno = $_GET['id'];
    $name=$_POST['Name'];
    $email=$_POST['EmailId'];
    $mobno=$_POST['MobNo'];
    $pswd=$_POST['Password'];

    $sql1="update LMS.user set Name='$name', EmailId='$email', MobNo='$mobno', Password='$pswd'
    where RollNo='$rollno'";


    if($conn->query($sql1) === TRUE){
        echo "<script type='text/javascript'>alert('Success')</script>";
        header( "Refresh:0.01; url=index.php", true, 303);
    }
    else
    {
        //echo $conn->error;
        echo "<script type='text/javascript'>alert('Error')</script>";
    }
}
?>

</body>

</html>

<?php }
else {
    echo "<script type='text/javascript'>alert('Access Denied!!!')</script>";
} ?>
```

File Name:admin/ message.php



Code:

```
<?php
require('dbconn.php');
?>

<?php
if ($_SESSION['RollNo']) {
    ?>

<!DOCTYPE html>
<html lang="en">

    <head>
        <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <title>Raza Library</title>
        <link type="text/css" href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
        <link type="text/css" href="bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">
        <link type="text/css" href="css/theme.css" rel="stylesheet">
        <link type="text/css" href="images/icons/css/font-awesome.css" rel="stylesheet">
        <link type="text/css"
href='http://fonts.googleapis.com/css?family=Open+Sans:400italic,600italic,400,600'
```

```

rel='stylesheet'>
</head>
<body>
  <div class="navbar navbar-fixed-top">
    <div class="navbar-inner">
      <div class="container">
        <a class="btn btn-navbar" data-toggle="collapse" data-target=".navbar-inverse-collapse">
          <i class="icon-reorder shaded"></i></a><a class="brand" href="index.php">Admin
Portal</a>
        <div class="nav-collapse collapse navbar-inverse-collapse">
          <ul class="nav pull-right">
            <li class="nav-user dropdown"><a href="#" class="dropdown-toggle" data-
toggle="dropdown">
              
              <b class="caret"></b></a>
              <ul class="dropdown-menu">
                <li><a href="index.php">Your Profile</a></li>
                <!--li><a href="#">Edit Profile</a></li>
                <li><a href="#">Account Settings</a></li-->
                <li class="divider"></li>
                <li><a href="logout.php">Logout</a></li>
              </ul>
            </li>
          </ul>
        </div>
      </div>
    </div>
  </div>
  <!-- /navbar-inner -->
</div>
<!-- /navbar -->
<div class="wrapper">
  <div class="container">
    <div class="row">
      <div class="span3">
        <div class="sidebar">
          <ul class="widget widget-menu unstyled">
            <li class="active"><a href="index.php"><i class="menu-icon icon-home"></i>Home
</a></li>
            <li><a href="message.php"><i class="menu-icon icon-inbox"></i>Messages</a>
</li>
            <li><a href="student.php"><i class="menu-icon icon-user"></i>Manage Students
</a>
            </li>
            <li><a href="book.php"><i class="menu-icon icon-book"></i>All Books </a></li>
            <li><a href="addbook.php"><i class="menu-icon icon-edit"></i>Add Books </a></li>
            <li><a href="requests.php"><i class="menu-icon icon-tasks"></i>Issue/Return
Requests </a></li>

```

```

                <li><a href="recommendations.php"><i class="menu-icon icon-list"></i>Book
Recommendations </a></li>
                <li><a href="current.php"><i class="menu-icon icon-list"></i>Currently Issued
Books </a></li>
            </ul>
            <ul class="widget widget-menu unstyled">
                <li><a href="logout.php"><i class="menu-icon icon-signout"></i>Logout </a></li>
            </ul>
        </div>
        <!--/.sidebar-->
    </div>
    <!--/.span3-->

    <div class="span9">
    <div class="content">

        <div class="module">
            <div class="module-head">
                <h3>Send a message</h3>
            </div>
            <div class="module-body">

                <br >

                <form class="form-horizontal row-fluid" action="message.php" method="post">
                    <div class="control-group">
                        <label class="control-label" for="Rollno"><b>Receiver Roll No:</b></label>
                        <div class="controls">
                            <input type="text" id="RollNo" name="RollNo" placeholder="RollNo"
class="span8" required>
                        </div>
                    </div>
                    <div class="control-group">
                        <label class="control-label" for="Message"><b>Message:</b></label>
                        <div class="controls">
                            <input type="text" id="Message" name="Message" placeholder="Enter
Message" class="span8" required>
                        </div>
                    </div>
                    <hr>
                    <div class="control-group">
                        <div class="controls">
                            <button type="submit" name="submit" class="btn">Add
Message</button>
                        </div>
                    </div>
                </form>
            </div>
        </div>
    </div>

```



```

        </div><!--/.content-->
    </div>
    <!--/.span9-->
</div>
</div>
<!--/.container-->
</div>
<div class="footer">
    <div class="container">
        <b class="copyright">&copy; Developed By Tahir Raza Shaikh </b>All rights reserved.
    </div>
</div>

<!--/.wrapper-->
<script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
<script src="scripts/jquery-ui-1.10.1.custom.min.js" type="text/javascript"></script>
<script src="bootstrap/js/bootstrap.min.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.resize.js" type="text/javascript"></script>
<script src="scripts/datatables/jquery.dataTables.js" type="text/javascript"></script>
<script src="scripts/common.js" type="text/javascript"></script>

<?php
if(isset($_POST['submit']))
{
    $rollno=$_POST['RollNo'];
    $message=$_POST['Message'];

    $sql1="insert into LMS.message (RollNo,Msg,Date,Time) values
('$_rollno','$_message',curdate(),curtime())";


    if($conn->query($sql1) === TRUE){
        echo "<script type='text/javascript'>alert('Success')</script>";
    }
    else
    {
        //echo $conn->error;
        echo "<script type='text/javascript'>alert('Error')</script>";
    }
}
?>
</body>

</html>

```

```
<?php }
else {
    echo "<script type='text/javascript'>alert('Access Denied!!!')</script>";
} ?>
```

File Name:admin/ student.php



Code:

```
<?php
require('dbconn.php');
?>

<?php
if ($_SESSION['RollNo']) {
    ?>

<!DOCTYPE html>
<html lang="en">

    <head>
        <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <title>Raza Library</title>
```

```

<link type="text/css" href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
<link type="text/css" href="bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">
<link type="text/css" href="css/theme.css" rel="stylesheet">
<link type="text/css" href="images/icons/css/font-awesome.css" rel="stylesheet">
<link type="text/css"
href='http://fonts.googleapis.com/css?family=Open+Sans:400italic,600italic,400,600'
rel='stylesheet'>
</head>
<body>
<div class="navbar navbar-fixed-top">
<div class="navbar-inner">
<div class="container">
<a class="btn btn-navbar" data-toggle="collapse" data-target=".navbar-inverse-collapse">
<i class="icon-reorder shaded"></i></a><a class="brand" href="index.php">Admin
Portal </a>
<div class="nav-collapse collapse navbar-inverse-collapse">
<ul class="nav pull-right">
<li class="nav-user dropdown"><a href="#" class="dropdown-toggle" data-
toggle="dropdown">

<b class="caret"></b></a>
<ul class="dropdown-menu">
<li><a href="index.php">Your Profile</a></li>
<!--li><a href="#">Edit Profile</a></li>
<li><a href="#">Account Settings</a></li-->
<li class="divider"></li>
<li><a href="logout.php">Logout</a></li>
</ul>
</li>
</ul>
</div>
<!-- /.nav-collapse -->
</div>
</div>
<!-- /navbar-inner -->
</div>
<!-- /navbar -->
<div class="wrapper">
<div class="container">
<div class="row">
<div class="span3">
<div class="sidebar">
<ul class="widget widget-menu unstyled">
<li class="active"><a href="index.php"><i class="menu-icon icon-home"></i>Home
</a></li>
<li><a href="message.php"><i class="menu-icon icon-inbox"></i>Messages</a>
</li>

```

```

        <li><a href="student.php"><i class="menu-icon icon-user"></i>Manage Students
    </a>
        </li>
        <li><a href="book.php"><i class="menu-icon icon-book"></i>All Books </a></li>
        <li><a href="addbook.php"><i class="menu-icon icon-edit"></i>Add Books </a></li>
        <li><a href="requests.php"><i class="menu-icon icon-tasks"></i>Issue/Return
    Requests </a></li>
        <li><a href="recommendations.php"><i class="menu-icon icon-list"></i>Book
    Recommendations </a></li>
        <li><a href="current.php"><i class="menu-icon icon-list"></i>Currently Issued
    Books </a></li>
    </ul>
    <ul class="widget widget-menu unstyled">
        <li><a href="logout.php"><i class="menu-icon icon-signout"></i>Logout </a></li>
    </ul>
</div>
<!--/.sidebar-->
</div>
<!--/.span3-->

<div class="span9">
    <form class="form-horizontal row-fluid" action="student.php" method="post">
        <div class="control-group">
            <label class="control-label" for="Search"><b>Search:</b></label>
            <div class="controls">
                <input type="text" id="title" name="title" placeholder="Enter Name/Roll
    No of Student" class="span8" required>
                <button type="submit" name="submit" class="btn">Search</button>
            </div>
        </div>
    </form>
    <br>
    <?php
    if(isset($_POST['submit']))
    {
        $s=$_POST['title'];
        $sql="select * from LMS.user where (RollNo='$s' or Name like '%$s%') and
    RollNo<>'2020027859'";
    }
    else
        $sql="select * from LMS.user where RollNo<>'2020027859'";

    $result=$conn->query($sql);
    $rowcount=mysqli_num_rows($result);

    if(!$rowcount)
        echo "<br><center><h2><b><i>No Results</i></b></h2></center>";
    else
    {

```

```

        ?>
<table class="table" id = "tables">
    <thead>
        <tr>
            <th>Name</th>
            <th>Roll No.</th>
            <th>Email id</th>
            <th></th>
        </tr>
    </thead>
    <tbody>
<?php

    //$result=$conn->query($sql);
    while($row=$result->fetch_assoc())
    {

        $email=$row['EmailId'];
        $name=$row['Name'];
        $rollno=$row['RollNo'];
        ?>
        <tr>
            <td><?php echo $name ?></td>
            <td><?php echo $rollno ?></td>
            <td><?php echo $email ?></td>
            <td>
                <center>
                    <a href="studentdetails.php?id=<?php echo $rollno; ?>" class="btn btn-
success">Details</a>
                    <!--a href="remove_student.php?id=<?php echo $rollno; ?>" class="btn btn-
danger">Remove</a-->
                </center>
            </td>
        </tr>

        <?php }} ?>
    </tbody>
</table></br>
    <center>
        <a href="export.php"><button type="button" class="btn btn-
primary">Export</button></a>
    </center>

</div>
<!--/.span9-->
</div>

```

```

        </div>
        <!--/.container-->
    </div>
<div class="footer">
    <div class="container">
        <b class="copyright">&copy; Developed By Tahir Raza Shaikh </b>All rights reserved.
    </div>
</div>

<!--/.wrapper-->
<script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
<script src="scripts/jquery-ui-1.10.1.custom.min.js" type="text/javascript"></script>
<script src="bootstrap/js/bootstrap.min.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.resize.js" type="text/javascript"></script>
<script src="scripts/datatables/jquery.dataTables.js" type="text/javascript"></script>
<script src="scripts/common.js" type="text/javascript"></script>

</body>

</html>

<?php }
else {
    echo "<script type='text/javascript'>alert('Access Denied!!!')</script>";
} ?>

```

Code findebook.php:

```

<?php
require('dbconn.php');
?>

<?php
if ($_SESSION['RollNo']) {
    ?>

<!DOCTYPE html>
<html lang="en">

    <head>
        <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <title>Raza Library</title>
        <link type="text/css" href="bootstrap/css/bootstrap.min.css" rel="stylesheet">

```

```

<link type="text/css" href="bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">
<link type="text/css" href="css/theme.css" rel="stylesheet">
<link type="text/css" href="images/icons/css/font-awesome.css" rel="stylesheet">
<link type="text/css"
href='http://fonts.googleapis.com/css?family=Open+Sans:400italic,600italic,400,600'
rel='stylesheet'>
</head>
<body>
<div class="navbar navbar-fixed-top">
<div class="navbar-inner">
<div class="container">
<a class="btn btn-navbar" data-toggle="collapse" data-target=".navbar-inverse-collapse">
<i class="icon-reorder shaded"></i></a><a class="brand" href="index.php">Admin
Portal </a>
<div class="nav-collapse collapse navbar-inverse-collapse">
<ul class="nav pull-right">
<li class="nav-user dropdown"><a href="#" class="dropdown-toggle" data-
toggle="dropdown">

<b class="caret"></b></a>
<ul class="dropdown-menu">
<li><a href="index.php">Your Profile</a></li>
<!--li><a href="#">Edit Profile</a></li>
<li><a href="#">Account Settings</a></li-->
<li class="divider"></li>
<li><a href="logout.php">Logout</a></li>
</ul>
</li>
</ul>
</div>
<!-- /.nav-collapse -->
</div>
</div>
<!-- /navbar-inner -->
</div>
<!-- /navbar -->
<div class="wrapper">
<div class="container">
<div class="row">
<div class="span3">
<div class="sidebar">
<ul class="widget widget-menu unstyled">
<li class="active"><a href="index.php"><i class="menu-icon icon-home"></i>Home
</a></li>
<li><a href="message.php"><i class="menu-icon icon-inbox"></i>Messages</a>
</li>
<li><a href="student.php"><i class="menu-icon icon-user"></i>Manage Students
</a>

```

```

                </li>
                <li><a href="book.php"><i class="menu-icon icon-book"></i>All Books </a></li>
                <li><a href="addbook.php"><i class="menu-icon icon-edit"></i>Add Books </a></li>
                <li><a href="requests.php"><i class="menu-icon icon-tasks"></i>Issue/Return
Requests </a></li>
                <li><a href="recommendations.php"><i class="menu-icon icon-list"></i>Book
Recommendations </a></li>
                <li><a href="current.php"><i class="menu-icon icon-list"></i>Currently Issued
Books </a></li>
            </ul>
            <ul class="widget widget-menu unstyled">
                <li><a href="logout.php"><i class="menu-icon icon-signout"></i>Logout </a></li>
            </ul>
        </div>
    <!--/.sidebar-->
</div>
<!--/.span3-->
<div class="span9">
    <div class="content">
        <div class="btn-controls">
            <div class="btn-box-row row-fluid">
                <a href="findbook.php" class="btn-box big span4"><i class="icon-
search"></i><b>Find Book</b>
                </a><a href="findbookissue.php" class="btn-box big span4"><i class="icon-
book"></i><b>Find Book Issue</b>
                </a><a href="finduser.php" class="btn-box big span4"><i class="icon-
user"></i><b>Find User</b>
            </div>
        </div>
    </div>
    <!--/.module-->
</div>
<!--/.content-->
</div>
<!--/.span9-->
</div>
</div>
<!--/.container-->
</div>
<div class="footer">
    <div class="container">
        <b class="copyright">&copy; Developed By Tahir Raza Shaikh </b>All rights reserved.
    </div>
</div>

<!--/.wrapper-->
<script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
<script src="scripts/jquery-ui-1.10.1.custom.min.js" type="text/javascript"></script>

```



```

<script src="bootstrap/js/bootstrap.min.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.resize.js" type="text/javascript"></script>
<script src="scripts/datatables/jquery.dataTables.js" type="text/javascript"></script>
<script src="scripts/common.js" type="text/javascript"></script>

</body>

</html>

<?php }
else {
    echo "<script type='text/javascript'>alert('Access Denied!!!')</script>";
} ?>

```

Code export.php:

```

<html>
<?php
include 'dbconn.php';

$sql="select * from LMS.user";
$result=$conn->query($sql);
$html='<table>
    <tr>
        <td>RollNo</td>
        <td>Name</td>
        <td>Type</td>
        <td>Category</td>
        <td>EmailId</td>
        <td>MobileNo.</td>
        <td>Password</td>
        <td>Type2</td>
    </tr>';
while($row=$result->fetch_assoc()){
    $html.='<table>
        <tr>
            <td>'.$row['RollNo'].'</td>
            <td>'.$row['Name'].'</td>
            <td>'.$row['Type'].'</td>
            <td>'.$row['Category'].'</td>
            <td>'.$row['EmailId'].'</td>
            <td>'.$row['MobNo'].'</td>
            <td>'.$row['Password'].'</td>
            <td>'.$row['Type2'].'</td>

```

```

    </tr>;
}
$html.='</table>';
header('Content-Type:application/xls');
header('Content-Disposition:attachment;filename=user_info.xls');
echo $html;

?>
</html>

```

File Name: studentdetails.php

```

<?php
require('dbconn.php');
?>

<?php
if ($_SESSION['RollNo']) {
    ?>

<!DOCTYPE html>
<html lang="en">

    <head>
        <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <title>Raza Library</title>
        <link type="text/css" href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
        <link type="text/css" href="bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">
        <link type="text/css" href="css/theme.css" rel="stylesheet">
        <link type="text/css" href="images/icons/css/font-awesome.css" rel="stylesheet">
        <link type="text/css"
href='http://fonts.googleapis.com/css?family=Open+Sans:400italic,600italic,400,600'
rel='stylesheet'>
    </head>
    <body>
        <div class="navbar navbar-fixed-top">
            <div class="navbar-inner">
                <div class="container">
                    <a class="btn btn-navbar" data-toggle="collapse" data-target=".navbar-inverse-collapse">
                        <i class="icon-reorder shaded"></i></a><a class="brand" href="index.php">Admin
Portal</a>
                    <div class="nav-collapse collapse navbar-inverse-collapse">
                        <ul class="nav pull-right">
                            <li class="nav-user dropdown"><a href="#" class="dropdown-toggle" data-
toggle="dropdown">

```

```

        
        <b class="caret"></b></a>
        <ul class="dropdown-menu">
            <li><a href="index.php">Your Profile</a></li>
            <!--li><a href="#">Edit Profile</a></li>
            <li><a href="#">Account Settings</a></li-->
            <li class="divider"></li>
            <li><a href="logout.php">Logout</a></li>
        </ul>
    </li>
</ul>
</div>
<!-- /.nav-collapse -->
</div>
</div>
<!-- /navbar-inner -->
</div>
<!-- /navbar -->
<div class="wrapper">
    <div class="container">
        <div class="row">
            <div class="span3">
                <div class="sidebar">
                    <ul class="widget widget-menu unstyled">
                        <li class="active"><a href="index.php"><i class="menu-icon icon-home"></i>Home
                        </a></li>
                        <li><a href="message.php"><i class="menu-icon icon-inbox"></i>Messages</a>
                        </li>
                        <li><a href="student.php"><i class="menu-icon icon-user"></i>Manage Students
                        </a>
                        </li>
                        <li><a href="book.php"><i class="menu-icon icon-book"></i>All Books </a></li>
                        <li><a href="addbook.php"><i class="menu-icon icon-edit"></i>Add Books </a></li>
                        <li><a href="requests.php"><i class="menu-icon icon-tasks"></i>Issue/Return
                        Requests </a></li>
                        <li><a href="recommendations.php"><i class="menu-icon icon-list"></i>Book
                        Recommendations </a></li>
                        <li><a href="current.php"><i class="menu-icon icon-list"></i>Currently Issued
                        Books </a></li>
                    </ul>
                    <ul class="widget widget-menu unstyled">
                        <li><a href="logout.php"><i class="menu-icon icon-signout"></i>Logout </a></li>
                    </ul>
                </div>
            <!--/.sidebar-->
        </div>
    <!--/.span3-->

```

```

<div class="span9">
  <div class="content">

    <div class="module">
      <div class="module-head">
        <h3>Student Details</h3>
      </div>
      <div class="module-body">
        <?php
          $rno=$_GET['id'];
          $sql="select * from LMS.user where RollNo='$rno'";
          $result=$conn->query($sql);
          $row=$result->fetch_assoc();

          $name=$row['Name'];
          $category=$row['Category'];
          $email=$row['EmailId'];
          $mobno=$row['MobNo'];

          echo "<b><u>Name:</u></b> ".$name."<br><br>";
          echo "<b><u>Category:</u></b> ".$category."<br><br>";
          echo "<b><u>Roll No:</u></b> ".$rno."<br><br>";
          echo "<b><u>Email Id:</u></b> ".$email."<br><br>";
          echo "<b><u>Mobile No:</u></b> ".$mobno."<br><br>";
        ?>

        <a href="student.php" class="btn btn-primary">Go Back</a>
      </div>
    </div>
  </div>
<!--/.span9-->

</div>
</div>
<!--/.container-->
</div>
<div class="footer">
  <div class="container">
    <b class="copyright">&copy; Developed By Tahir Raza Shaikh </b>All rights reserved.
  </div>
</div>

<!--/.wrapper-->
<script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
<script src="scripts/jquery-ui-1.10.1.custom.min.js" type="text/javascript"></script>
<script src="bootstrap/js/bootstrap.min.js" type="text/javascript"></script>

```

```

<script src="scripts/flot/jquery.flot.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.resize.js" type="text/javascript"></script>
<script src="scripts/datatables/jquery.dataTables.js" type="text/javascript"></script>
<script src="scripts/common.js" type="text/javascript"></script>


</body>

</html>

<?php }
else {
    echo "<script type='text/javascript'>alert('Access Denied!!!')</script>";
} ?>

```

File Name: admin/book.php



Code:

```

<?php
require('dbconn.php');
?>

<?php
if ($_SESSION['RollNo']) {

```

```

?>

<!DOCTYPE html>
<html lang="en">

  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Raza Library</title>
    <link type="text/css" href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
    <link type="text/css" href="bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">
    <link type="text/css" href="css/theme.css" rel="stylesheet">
    <link type="text/css" href="images/icons/css/font-awesome.css" rel="stylesheet">
    <link type="text/css"
href='http://fonts.googleapis.com/css?family=Open+Sans:400italic,600italic,400,600'
rel='stylesheet'>
  </head>
  <body>
    <div class="navbar navbar-fixed-top">
      <div class="navbar-inner">
        <div class="container">
          <a class="btn btn-navbar" data-toggle="collapse" data-target=".navbar-inverse-collapse">
            <i class="icon-reorder shaded"></i></a><a class="brand" href="index.php">Admin
Portal </a>
          <div class="nav-collapse collapse navbar-inverse-collapse">
            <ul class="nav pull-right">
              <li class="nav-user dropdown"><a href="#" class="dropdown-toggle" data-
toggle="dropdown">
                
                <b class="caret"></b></a>
                <ul class="dropdown-menu">
                  <li><a href="index.php">Your Profile</a></li>
                  <!--li><a href="#">Edit Profile</a></li>
                  <li><a href="#">Account Settings</a></li-->
                  <li class="divider"></li>
                  <li><a href="logout.php">Logout</a></li>
                </ul>
              </li>
            </ul>
          </div>
        </div>
      <!-- /.nav-collapse -->
    </div>
  </div>
  <!-- /navbar-inner -->
</div>
<div class="wrapper">
  <div class="container">

```

```

<div class="row">
  <div class="span3">
    <div class="sidebar">
      <ul class="widget widget-menu unstyled">
        <li class="active"><a href="index.php"><i class="menu-icon icon-home"></i>Home
        </a></li>
        <li><a href="message.php"><i class="menu-icon icon-inbox"></i>Messages</a>
        </li>
        <li><a href="student.php"><i class="menu-icon icon-user"></i>Manage Students
        </a>
        </li>
        <li><a href="book.php"><i class="menu-icon icon-book"></i>All Books </a></li>
        <li><a href="addbook.php"><i class="menu-icon icon-edit"></i>Add Books </a></li>
        <li><a href="requests.php"><i class="menu-icon icon-tasks"></i>Issue/Return
        Requests </a></li>
        <li><a href="recommendations.php"><i class="menu-icon icon-list"></i>Book
        Recommendations </a></li>
        <li><a href="current.php"><i class="menu-icon icon-list"></i>Currently Issued
        Books </a></li>
      </ul>
      <ul class="widget widget-menu unstyled">
        <li><a href="logout.php"><i class="menu-icon icon-signout"></i>Logout </a></li>
      </ul>
    </div>
    <!--/.sidebar-->
  </div>

  <div class="span9">
    <form class="form-horizontal row-fluid" action="book.php" method="post">
      <div class="control-group">
        <label class="control-label" for="Search"><b>Search:</b></label>
        <div class="controls">
          <input type="text" id="title" name="title" placeholder="Enter Name/ID of
Book" class="span8" required>
          <button type="submit" name="submit" class="btn">Search</button>
        </div>
      </div>
    </form>
    <br>
    <?php
    if(isset($_POST['submit']))
    {
      $s=$_POST['title'];
      $sql="select * from LMS.book where BookId='$s' or Title like '%$s%'";
    }
    else
      $sql="select * from LMS.book";

    $result=$conn->query($sql);

```

```

        $rowcount=mysqli_num_rows($result);

        if(!$rowcount)
            echo "<br><center><h2><b><i>No Results</i></b></h2></center>";
        else
        {

            ?>
            <table class="table" id = "tables">
                <thead>
                    <tr>
                        <th>Book id</th>
                        <th>Book name</th>
                        <th>Availability</th>
                        <th></th>
                    </tr>
                </thead>
                <tbody>
                    <?php

                        // $result=$conn->query($sql);
                        while($row=$result->fetch_assoc())
                        {
                            $bookid=$row['BookId'];
                            $name=$row['Title'];
                            $avail=$row['Availability'];

                            ?>
                            <tr>
                                <td><?php echo $bookid ?></td>
                                <td><?php echo $name ?></td>
                                <td><b><?php echo $avail ?></b></td>
                                <td><center>
                                    <a href="bookdetails.php?id=<?php echo $bookid; ?>" class="btn btn-
primary">Details</a>
                                    <a href="edit_book_details.php?id=<?php echo $bookid; ?>" class="btn btn-
success">Edit</a>
                                </center></td>
                            </tr>
                        <?php } ?>
                    </tbody>
                </table>
            </div>
            <!--/.span9-->
        </div>
    </div>

```



```

        <!--/.container-->
    </div>
<div class="footer">
    <div class="container">
        <b class="copyright">&copy; Developed By Tahir Raza Shaikh </b>All rights reserved.
    </div>
</div>

<!--/.wrapper-->
<script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
<script src="scripts/jquery-ui-1.10.1.custom.min.js" type="text/javascript"></script>
<script src="bootstrap/js/bootstrap.min.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.resize.js" type="text/javascript"></script>
<script src="scripts/datatables/jquery.dataTables.js" type="text/javascript"></script>
<script src="scripts/common.js" type="text/javascript"></script>

</body>

</html>

<?php }
else {
    echo "<script type='text/javascript'>alert('Access Denied!!!')</script>";
} ?>

```

Code : admin/findebook.php

```

<?php
require('dbconn.php');
?>

<?php
if ($_SESSION['RollNo']) {
    ?>

<!DOCTYPE html>
<html lang="en">

    <head>
        <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <title>Raza Library</title>
        <link type="text/css" href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
        <link type="text/css" href="bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">

```

```

<link type="text/css" href="css/theme.css" rel="stylesheet">
<link type="text/css" href="images/icons/css/font-awesome.css" rel="stylesheet">
<link type="text/css"
href='http://fonts.googleapis.com/css?family=Open+Sans:400italic,600italic,400,600'
rel='stylesheet'>
</head>
<body>
<div class="navbar navbar-fixed-top">
<div class="navbar-inner">
<div class="container">
<a class="btn btn-navbar" data-toggle="collapse" data-target=".navbar-inverse-collapse">
<i class="icon-reorder shaded"></i></a><a class="brand" href="index.php">Admin
Portal </a>
<div class="nav-collapse collapse navbar-inverse-collapse">
<ul class="nav pull-right">
<li class="nav-user dropdown"><a href="#" class="dropdown-toggle" data-
toggle="dropdown">

<b class="caret"></b></a>
<ul class="dropdown-menu">
<li><a href="index.php">Your Profile</a></li>
<!--li><a href="#">Edit Profile</a></li>
<li><a href="#">Account Settings</a></li-->
<li class="divider"></li>
<li><a href="logout.php">Logout</a></li>
</ul>
</li>
</ul>
</div>
<!-- /.nav-collapse -->
</div>
</div>
<!-- /navbar-inner -->
</div>
<!-- /navbar -->
<div class="wrapper">
<div class="container">
<div class="row">
<div class="span3">
<div class="sidebar">
<ul class="widget widget-menu unstyled">
<li class="active"><a href="index.php"><i class="menu-icon icon-home"></i>Home
</a></li>
<li><a href="message.php"><i class="menu-icon icon-inbox"></i>Messages</a>
</li>
<li><a href="student.php"><i class="menu-icon icon-user"></i>Manage Students
</a>
</li>

```

```

        <li><a href="book.php"><i class="menu-icon icon-book"></i>All Books </a></li>
        <li><a href="addbook.php"><i class="menu-icon icon-edit"></i>Add Books </a></li>
        <li><a href="requests.php"><i class="menu-icon icon-tasks"></i>Issue/Return
Requests </a></li>
        <li><a href="recommendations.php"><i class="menu-icon icon-list"></i>Book
Recommendations </a></li>
        <li><a href="current.php"><i class="menu-icon icon-list"></i>Currently Issued
Books </a></li>
    </ul>
    <ul class="widget widget-menu unstyled">
        <li><a href="logout.php"><i class="menu-icon icon-signout"></i>Logout </a></li>
    </ul>
</div>
<!--/.sidebar-->
</div>
<!--/.span3-->
<div class="span9">
    <div class="content">
        <div class="btn-controls">
            <div class="btn-box-row row-fluid">
                <a href="findbook.php" class="btn-box big span4"><i class="icon-
search"></i><b>Find Book</b>
                </a><a href="findbookissue.php" class="btn-box big span4"><i class="icon-
book"></i><b>Find Book Issue</b>
                </a><a href="finduser.php" class="btn-box big span4"><i class="icon-
user"></i><b>Find User</b>
            </a>
            </div>
        </div>
    </div>
<!--/.module-->
</div>
<!--/.content-->
</div>
<!--/.span9-->
</div>
</div>
<!--/.container-->
</div>
<div class="footer">
    <div class="container">
        <b class="copyright">&copy; Developed By Tahir Raza Shaikh </b>All rights reserved.
    </div>
</div>

<!--/.wrapper-->
<script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
<script src="scripts/jquery-ui-1.10.1.custom.min.js" type="text/javascript"></script>
<script src="bootstrap/js/bootstrap.min.js" type="text/javascript"></script>

```

```

<script src="scripts/flot/jquery.flot.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.resize.js" type="text/javascript"></script>
<script src="scripts/datatables/jquery.dataTables.js" type="text/javascript"></script>
<script src="scripts/common.js" type="text/javascript"></script>


</body>

</html>

<?php }
else {
    echo "<script type='text/javascript'>alert('Access Denied!!!')</script>";
} ?>

```

File Name:admin/bookdetails.php



Code: admin/bookdetails.php

```

<?php
require('dbconn.php');
?>

<?php
if ($_SESSION['RollNo']) {

```

```

?>

<!DOCTYPE html>
<html lang="en">

  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Raza Library</title>
    <link type="text/css" href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
    <link type="text/css" href="bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">
    <link type="text/css" href="css/theme.css" rel="stylesheet">
    <link type="text/css" href="images/icons/css/font-awesome.css" rel="stylesheet">
    <link type="text/css"
href='http://fonts.googleapis.com/css?family=Open+Sans:400italic,600italic,400,600'
rel='stylesheet'>
  </head>
  <body>
    <div class="navbar navbar-fixed-top">
      <div class="navbar-inner">
        <div class="container">
          <a class="btn btn-navbar" data-toggle="collapse" data-target=".navbar-inverse-collapse">
            <i class="icon-reorder shaded"></i></a><a class="brand" href="index.php">Admin
Portal</a>
          <div class="nav-collapse collapse navbar-inverse-collapse">
            <ul class="nav pull-right">
              <li class="nav-user dropdown"><a href="#" class="dropdown-toggle" data-
toggle="dropdown">
                
                <b class="caret"></b></a>
                <ul class="dropdown-menu">
                  <li><a href="index.php">Your Profile</a></li>
                  <!--li><a href="#">Edit Profile</a></li>
                  <li><a href="#">Account Settings</a></li-->
                  <li class="divider"></li>
                  <li><a href="logout.php">Logout</a></li>
                </ul>
              </li>
            </ul>
          </div>
        </div>
      <!-- /.nav-collapse -->
    </div>
  </div>
  <!-- /navbar-inner -->
</div>
<div class="wrapper">
  <div class="container">

```

```

<div class="row">
  <div class="span3">
    <div class="sidebar">
      <ul class="widget widget-menu unstyled">
        <li class="active"><a href="index.php"><i class="menu-icon icon-home"></i>Home
        </a></li>
        <li><a href="message.php"><i class="menu-icon icon-inbox"></i>Messages</a>
        </li>
        <li><a href="student.php"><i class="menu-icon icon-user"></i>Manage Students
        </a>
        </li>
        <li><a href="book.php"><i class="menu-icon icon-book"></i>All Books </a></li>
        <li><a href="addbook.php"><i class="menu-icon icon-edit"></i>Add Books </a></li>
        <li><a href="requests.php"><i class="menu-icon icon-tasks"></i>Issue/Return
        Requests </a></li>
        <li><a href="recommendations.php"><i class="menu-icon icon-list"></i>Book
        Recommendations </a></li>
        <li><a href="current.php"><i class="menu-icon icon-list"></i>Currently Issued
        Books </a></li>
      </ul>
      <ul class="widget widget-menu unstyled">
        <li><a href="logout.php"><i class="menu-icon icon-signout"></i>Logout </a></li>
      </ul>
    </div>
    <!--/.sidebar-->
  </div>

  <div class="span9">
    <div class="content">

      <div class="module">
        <div class="module-head">
          <h3>Book Details</h3>
        </div>
        <div class="module-body">
          <?php
            $x=$_GET['id'];
            $sql="select * from LMS.book where BookId='$x'";
            $result=$conn->query($sql);
            $row=$result->fetch_assoc();

            $bookid=$row['BookId'];
            $name=$row['Title'];
            $publisher=$row['Publisher'];
            $year=$row['Year'];
            $avail=$row['Availability'];

            echo "<b>Book ID:</b> ".$bookid."<br><br>";

```

```

        echo "<b>Title:</b> ".$name."<br><br>";
        $sql1="select * from LMS.author where BookId='$bookid'";
        $result=$conn->query($sql1);

        echo "<b>Author:</b> ";
        while($row1=$result->fetch_assoc())
        {
            echo $row1['Author']."&nbsp;";
        }
        echo "<br><br>";
        echo "<b>Publisher:</b> ".$publisher."<br><br>";
        echo "<b>Year:</b> ".$year."<br><br>";
        echo "<b>Availability:</b> ".$avail."<br><br>";

        ?>

        <a href="book.php" class="btn btn-primary">Go Back</a>
    </div>
</div>
</div>
<!--/.span3-->
<!--/.span9-->

<!--/.span3-->
<!--/.span9-->
</div>
</div>
<!--/.container-->
</div>
<div class="footer">
    <div class="container">
        <b class="copyright">&copy; Developed By Tahir Raza Shaikh </b>All rights reserved.
    </div>
</div>

<!--/.wrapper-->
<script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
<script src="scripts/jquery-ui-1.10.1.custom.min.js" type="text/javascript"></script>
<script src="bootstrap/js/bootstrap.min.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.resize.js" type="text/javascript"></script>
<script src="scripts/datatables/jquery.dataTables.js" type="text/javascript"></script>
<script src="scripts/common.js" type="text/javascript"></script>


</body>

```

```
</html>
```

```
<?php  
else {  
    echo "<script type='text/javascript'>alert('Access Denied!!!')</script>";  
} ?>
```

File Name: edit_book_details.php



Code:

```
<?php  
ob_start();  
require('dbconn.php');  
?>  
  
<?php  
if ($_SESSION['RollNo']) {  
    ?>  
  
<!DOCTYPE html>  
<html lang="en">
```



```

<head>
  <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Raza Library</title>
  <link type="text/css" href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
  <link type="text/css" href="bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">
  <link type="text/css" href="css/theme.css" rel="stylesheet">
  <link type="text/css" href="images/icons/css/font-awesome.css" rel="stylesheet">
  <link type="text/css"
href='http://fonts.googleapis.com/css?family=Open+Sans:400italic,600italic,400,600'
rel='stylesheet'>
</head>
<body>
  <div class="navbar navbar-fixed-top">
    <div class="navbar-inner">
      <div class="container">
        <a class="btn btn-navbar" data-toggle="collapse" data-target=".navbar-inverse-collapse">
          <i class="icon-reorder shaded"></i></a><a class="brand" href="index.php">Admin
Portal </a>
        <div class="nav-collapse collapse navbar-inverse-collapse">
          <ul class="nav pull-right">
            <li class="nav-user dropdown"><a href="#" class="dropdown-toggle" data-
toggle="dropdown">
              
              <b class="caret"></b></a>
              <ul class="dropdown-menu">
                <li><a href="index.php">Your Profile</a></li>
                <!--li><a href="#">Edit Profile</a></li>
                <li><a href="#">Account Settings</a></li-->
                <li class="divider"></li>
                <li><a href="logout.php">Logout</a></li>
              </ul>
            </li>
          </ul>
        </div>
      <!-- /.nav-collapse -->
    </div>
  </div>
  <!-- /navbar-inner -->
</div>
<!-- /navbar -->
<div class="wrapper">
  <div class="container">
    <div class="row">
      <div class="span3">
        <div class="sidebar">
          <ul class="widget widget-menu unstyled">
            <li class="active"><a href="index.php"><i class="menu-icon icon-home"></i>Home

```

```

        </a></li>
        <li><a href="message.php"><i class="menu-icon icon-inbox"></i>Messages</a>
        </li>
        <li><a href="student.php"><i class="menu-icon icon-user"></i>Manage Students
</a>

        </li>
        <li><a href="book.php"><i class="menu-icon icon-book"></i>All Books </a></li>
        <li><a href="addbook.php"><i class="menu-icon icon-edit"></i>Add Books </a></li>
        <li><a href="requests.php"><i class="menu-icon icon-tasks"></i>Issue/Return
Requests </a></li>
        <li><a href="recommendations.php"><i class="menu-icon icon-list"></i>Book
Recommendations </a></li>
        <li><a href="current.php"><i class="menu-icon icon-list"></i>Currently Issued
Books </a></li>
    </ul>
    <ul class="widget widget-menu unstyled">
        <li><a href="logout.php"><i class="menu-icon icon-signout"></i>Logout </a></li>
    </ul>
</div>
<!--/.sidebar-->
</div>
<!--/.span3-->

<div class="span9">
    <div class="module">
        <div class="module-head">
            <h3>Update Book Details</h3>
        </div>
        <div class="module-body">

            <?php
                $bookid = $_GET['id'];
                $sql = "select * from LMS.book where Bookid='$bookid'";
                $result=$conn->query($sql);
                $row=$result->fetch_assoc();
                $name=$row['Title'];
                $publisher=$row['Publisher'];
                $year=$row['Year'];
                $avail=$row['Availability'];

            ?>

            <br >
            <form class="form-horizontal row-fluid" action="edit_book_details.php?id=?php
echo $bookid ?>" method="post">
                <div class="control-group">
                    <b>

```

```

        <label class="control-label" for="Title">Book Title:</label></b>
        <div class="controls">
            <input type="text" id="Title" name="Title" value= "<?php echo $name?>"
class="span8" required>
        </div>
    </div>

    <div class="control-group">
        <b>
        <label class="control-label" for="Publisher">Publisher:</label></b>
        <div class="controls">
            <input type="text" id="Publisher" name="Publisher" value= "<?php echo
$publisher?>" class="span8" required>
        </div>
    </div>

    <div class="control-group">
        <b>
        <label class="control-label" for="Year">Year:</label></b>
        <div class="controls">
            <input type="text" id="Year" name="Year" value= "<?php echo $year?>"
class="span8" required>
        </div>
    </div>

    <div class="control-group">
        <b>
        <label class="control-label" for="Availability">Availability:</label></b>
        <div class="controls">
            <input type="text" id="Availability" name="Availability" value= "<?php
echo $avail?>" class="span8" required>
        </div>
    </div>

    <div class="control-group">
        <div class="controls">
            <button type="submit" name="submit" class="btn">Update
Details</button>
        </div>
    </div>

</form>
</div>
</div>
</div>

<!--/.span9-->
</div>

```

```
</div>
<!--/.container-->
</div>
<div class="footer">
  <div class="container">
    <b class="copyright">&copy; Developed By Tahir Raza Shaikh </b>All rights reserved.
  </div>
</div>

<!--/.wrapper-->
<script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
<script src="scripts/jquery-ui-1.10.1.custom.min.js" type="text/javascript"></script>
<script src="bootstrap/js/bootstrap.min.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.resize.js" type="text/javascript"></script>
<script src="scripts/datatables/jquery.dataTables.js" type="text/javascript"></script>
<script src="scripts/common.js" type="text/javascript"></script>

<?php
if(isset($_POST['submit']))
{
  $bookid = $_GET['id'];
  $name=$_POST['Title'];
  $publisher=$_POST['Publisher'];
  $year=$_POST['Year'];
  $avail=$_POST['Availability'];

  $sql1="update LMS.book set Title='$name', Publisher='$publisher', Year='$year', Availability='$avail'
  where BookId='$bookid'";


  if($conn->query($sql1) === TRUE){
    echo "<script type='text/javascript'>alert('Success')</script>";
    header( "Refresh:0.01; url=book.php", true, 303);
  }
  else
  {
    //echo $conn->error;
    echo "<script type='text/javascript'>alert('Error')</script>";
  }
}
?>

</body>

</html>
```

```
<?php  
else {  
    echo "<script type='text/javascript'>alert('Access Denied!!!')</script>";  
} ?>
```

File Name:admin/addbook.php



Code:

```
<?php  
require('dbconn.php');  
?  
  
<?php  
if ($_SESSION['RollNo']) {  
    ?  
  
<!DOCTYPE html>  
<html lang="en">
```

```

<head>
  <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Raza Library</title>
  <link type="text/css" href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
  <link type="text/css" href="bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">
  <link type="text/css" href="css/theme.css" rel="stylesheet">
  <link type="text/css" href="images/icons/css/font-awesome.css" rel="stylesheet">
  <link type="text/css"
href='http://fonts.googleapis.com/css?family=Open+Sans:400italic,600italic,400,600'
rel='stylesheet'>
</head>
<body>
  <div class="navbar navbar-fixed-top">
    <div class="navbar-inner">
      <div class="container">
        <a class="btn btn-navbar" data-toggle="collapse" data-target=".navbar-inverse-collapse">
          <i class="icon-reorder shaded"></i></a><a class="brand" href="index.php">Admin
Portal </a>
        <div class="nav-collapse collapse navbar-inverse-collapse">
          <ul class="nav pull-right">
            <li class="nav-user dropdown"><a href="#" class="dropdown-toggle" data-
toggle="dropdown">
              
              <b class="caret"></b></a>
              <ul class="dropdown-menu">
                <li><a href="index.php">Your Profile</a></li>
                <!--li><a href="#">Edit Profile</a></li>
                <li><a href="#">Account Settings</a></li-->
                <li class="divider"></li>
                <li><a href="logout.php">Logout</a></li>
              </ul>
            </li>
          </ul>
        </div>
      <!-- /.nav-collapse -->
    </div>
  </div>
  <!-- /navbar-inner -->
</div>
<!-- /navbar -->
<div class="wrapper">
  <div class="container">
    <div class="row">
      <div class="span3">
        <div class="sidebar">
          <ul class="widget widget-menu unstyled">

```

```

        <li class="active"><a href="index.php"><i class="menu-icon icon-home"></i>Home
        </a></li>
        <li><a href="message.php"><i class="menu-icon icon-inbox"></i>Messages</a>
        </li>
        <li><a href="student.php"><i class="menu-icon icon-user"></i>Manage Students
</a>

        </li>
        <li><a href="book.php"><i class="menu-icon icon-book"></i>All Books </a></li>
        <li><a href="addbook.php"><i class="menu-icon icon-edit"></i>Add Books </a></li>
        <li><a href="requests.php"><i class="menu-icon icon-tasks"></i>Issue/Return
Requests </a></li>
        <li><a href="recommendations.php"><i class="menu-icon icon-list"></i>Book
Recommendations </a></li>
        <li><a href="current.php"><i class="menu-icon icon-list"></i>Currently Issued
Books </a></li>
    </ul>
    <ul class="widget widget-menu unstyled">
        <li><a href="logout.php"><i class="menu-icon icon-signout"></i>Logout </a></li>
    </ul>
</div>
<!--/.sidebar-->
</div>
<!--/.span3-->
<!--/.span9-->
<div class="span9">
<div class="content">

    <div class="module">
        <div class="module-head">
            <h3>Add Book</h3>
        </div>
        <div class="module-body">

            <br >

            <form class="form-horizontal row-fluid" action="addbook.php" method="post">
                <div class="control-group">
                    <label class="control-label" for="Title"><b>Book Title</b></label>
                    <div class="controls">
                        <input type="text" id="title" name="title" placeholder="Title"
class="span8" required>
                    </div>
                </div>
                <div class="control-group">
                    <label class="control-label" for="Author"><b>Author</b></label>
                    <div class="controls">
                        <input type="text" id="author1" name="author1" class="span8" required>

```

```

        <input type="text" id="author2" name="author2" class="span8">
        <input type="text" id="author3" name="author3" class="span8">

        </div>
    </div>
    <div class="control-group">
        <label class="control-label" for="Publisher"><b>Publisher</b></label>
        <div class="controls">
            <input type="text" id="publisher" name="publisher"
placeholder="Publisher" class="span8" required>
        </div>
    </div>
    <div class="control-group">
        <label class="control-label" for="Year"><b>Year</b></label>
        <div class="controls">
            <input type="text" id="year" name="year" placeholder="Year"
class="span8" required>
        </div>
    </div>
    <div class="control-group">
        <label class="control-label" for="Availability"><b>Number of
Copies</b></label>
        <div class="controls">
            <input type="text" id="availability" name="availability"
placeholder="Number of Copies" class="span8" required>
        </div>
    </div>
    <div class="control-group">
        <div class="controls">
            <button type="submit" name="submit" class="btn">Add Book</button>
        </div>
    </div>
</form>
</div>
</div>
</div><!--/.content-->
</div>
</div>
</div>
<!--/.container-->

</div>

<div class="footer">
    <div class="container">
        <b class="copyright">&copy; Developed By Tahir Raza Shaikh </b>All rights reserved.
    </div>

```



```
</div>

<!--/.wrapper-->
<script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
<script src="scripts/jquery-ui-1.10.1.custom.min.js" type="text/javascript"></script>
<script src="bootstrap/js/bootstrap.min.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.resize.js" type="text/javascript"></script>
<script src="scripts/datatables/jquery.dataTables.js" type="text/javascript"></script>
<script src="scripts/common.js" type="text/javascript"></script>

<?php
if(isset($_POST['submit']))
{
    $title=$_POST['title'];
    $author1=$_POST['author1'];
    $author2=$_POST['author2'];
    $author3=$_POST['author3'];
    $publisher=$_POST['publisher'];
    $year=$_POST['year'];
    $availability=$_POST['availability'];

    $sql1="insert into LMS.book (Title,Publisher,Year,Availability) values
    ('$title','publisher','$year','$availability')";

    if($conn->query($sql1) === TRUE){
        $sql2="select max(BookId) as x from LMS.book";
        $result=$conn->query($sql2);
        $row=$result->fetch_assoc();
        $x=$row['x'];
        $sql3="insert into LMS.author values ('$x','$author1')";
        $result=$conn->query($sql3);
        if(!empty($author2))
        { $sql4="insert into LMS.author values ('$x','$author2')";
          $result=$conn->query($sql4);}
        if(!empty($author3))
        { $sql5="insert into LMS.author values ('$x','$author3')";
          $result=$conn->query($sql5);}

        echo "<script type='text/javascript'>alert('Success')</script>";
    }
    else
    { //echo $conn->error;
      echo "<script type='text/javascript'>alert('Error')</script>";
    }

}
?>
```


```

</body>
</html>

<?php }
else {
    echo "<script type='text/javascript'>alert('Access Denied!!!')</script>";
} ?>

```

File Name:-request.php



Code:

```

<?php
require('dbconn.php');
?>

<?php
if ($_SESSION['RollNo']) {
    ?>

<!DOCTYPE html>
<html lang="en">

```

```

<head>
  <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Raza Library</title>
  <link type="text/css" href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
  <link type="text/css" href="bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">
  <link type="text/css" href="css/theme.css" rel="stylesheet">
  <link type="text/css" href="images/icons/css/font-awesome.css" rel="stylesheet">
  <link type="text/css"
href='http://fonts.googleapis.com/css?family=Open+Sans:400italic,600italic,400,600'
rel='stylesheet'>
</head>
<body>
  <div class="navbar navbar-fixed-top">
    <div class="navbar-inner">
      <div class="container">
        <a class="btn btn-navbar" data-toggle="collapse" data-target=".navbar-inverse-collapse">
          <i class="icon-reorder shaded"></i></a><a class="brand" href="index.php">Admin
Portal </a>
        <div class="nav-collapse collapse navbar-inverse-collapse">
          <ul class="nav pull-right">
            <li class="nav-user dropdown"><a href="#" class="dropdown-toggle" data-
toggle="dropdown">
              
              <b class="caret"></b></a>
              <ul class="dropdown-menu">
                <li><a href="index.php">Your Profile</a></li>
                <!--li><a href="#">Edit Profile</a></li>
                <li><a href="#">Account Settings</a></li-->
                <li class="divider"></li>
                <li><a href="logout.php">Logout</a></li>
              </ul>
            </li>
          </ul>
        </div>
      <!-- /.nav-collapse -->
    </div>
  </div>
  <!-- /navbar-inner -->
</div>
<!-- /navbar -->
<div class="wrapper">
  <div class="container">
    <div class="row">
      <div class="span3">
        <div class="sidebar">
          <ul class="widget widget-menu unstyled">
            <li class="active"><a href="index.php"><i class="menu-icon icon-home"></i>Home

```

```

                </a></li>
                <li><a href="message.php"><i class="menu-icon icon-inbox"></i>Messages</a>
                </li>
                <li><a href="student.php"><i class="menu-icon icon-user"></i>Manage Students
</a>
                </li>
                <li><a href="book.php"><i class="menu-icon icon-book"></i>All Books </a></li>
                <li><a href="addbook.php"><i class="menu-icon icon-edit"></i>Add Books </a></li>
                <li><a href="requests.php"><i class="menu-icon icon-tasks"></i>Issue/Return
Requests </a></li>
                <li><a href="recommendations.php"><i class="menu-icon icon-list"></i>Book
Recommendations </a></li>
                <li><a href="current.php"><i class="menu-icon icon-list"></i>Currently Issued
Books </a></li>
            </ul>
            <ul class="widget widget-menu unstyled">
                <li><a href="logout.php"><i class="menu-icon icon-signout"></i>Logout </a></li>
            </ul>
        </div>
        <!--/.sidebar-->
    </div>
    <br>
    <br>
    <br>
    <div class="span3">
        <center>
            <a href="issue_requests.php" class="btn btn-info" ></img><p>Issue Requests</p></a>
        </center>
    </div>
    <div class="span3">
        <center>
            <a href="renew_requests.php" class="btn btn-info"></img><p>Renew Request</p></a>
        </center>
    </div>
    <div class="span3">
        <center>
            <a href="return_requests.php" class="btn btn-info"></img><p>Return Requests</p></a>
        </center>
    </div>
    <!--/.span3-->
    <!--/.span9-->
</div>
</div>
<!--/.container-->
</div>

```

```

<div class="footer">
    <div class="container">
        <b class="copyright">&copy; Developed By Tahir Raza Shaikh </b>All rights reserved.
    </div>
</div>

<!--/.wrapper-->
<script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
<script src="scripts/jquery-ui-1.10.1.custom.min.js" type="text/javascript"></script>
<script src="bootstrap/js/bootstrap.min.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.resize.js" type="text/javascript"></script>
<script src="scripts/datatables/jquery.dataTables.js" type="text/javascript"></script>
<script src="scripts/common.js" type="text/javascript"></script>


</body>

</html>

<?php }
else {
    echo "<script type='text/javascript'>alert('Access Denied!!!')</script>";
} ?>

```

File Name:-issue_request.php



Code:issue_request.php

```

<?php
require('dbconn.php');
?>

<?php
if ($_SESSION['RollNo']) {
    ?>

<!DOCTYPE html>
<html lang="en">

    <head>
        <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <title>Raza Library</title>
        <link type="text/css" href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
        <link type="text/css" href="bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">
        <link type="text/css" href="css/theme.css" rel="stylesheet">
        <link type="text/css" href="images/icons/css/font-awesome.css" rel="stylesheet">
        <link type="text/css"
href='http://fonts.googleapis.com/css?family=Open+Sans:400italic,600italic,400,600'
rel='stylesheet'>
    </head>
    <body>
        <div class="navbar navbar-fixed-top">
            <div class="navbar-inner">
                <div class="container">
                    <a class="btn btn-navbar" data-toggle="collapse" data-target=".navbar-inverse-collapse">
                        <i class="icon-reorder shaded"></i></a><a class="brand" href="index.php">Admin
Portal </a>
                    <div class="nav-collapse collapse navbar-inverse-collapse">
                        <ul class="nav pull-right">
                            <li class="nav-user dropdown"><a href="#" class="dropdown-toggle" data-
toggle="dropdown">
                                
                                <b class="caret"></b></a>
                                <ul class="dropdown-menu">
                                    <li><a href="index.php">Your Profile</a></li>
                                    <li><a href="#">Edit Profile</a></li>
                                    <li><a href="#">Account Settings</a></li>
                                    <li class="divider"></li>
                                    <li><a href="logout.php">Logout</a></li>
                                </ul>
                            </li>
                        </ul>
                    </div>
                </div>
            </div>
        </div>
    </body>
</html>

```

```

        </div>
        <!-- /.nav-collapse -->
    </div>
</div>
<!-- /navbar-inner -->
</div>
<!-- /navbar -->
<div class="wrapper">
    <div class="container">
        <div class="row">
            <div class="span3">
                <div class="sidebar">
                    <ul class="widget widget-menu unstyled">
                        <li class="active"><a href="index.php"><i class="menu-icon icon-home"></i>Home
                        </a></li>
                        <li><a href="message.php"><i class="menu-icon icon-inbox"></i>Messages</a>
                        </li>
                        <li><a href="student.php"><i class="menu-icon icon-user"></i>Manage Students
</a>
                        </li>
                        <li><a href="book.php"><i class="menu-icon icon-book"></i>All Books </a></li>
                        <li><a href="addbook.php"><i class="menu-icon icon-edit"></i>Add Books </a></li>
                        <li><a href="requests.php"><i class="menu-icon icon-tasks"></i>Issue/Return
Requests </a></li>
                        <li><a href="recommendations.php"><i class="menu-icon icon-list"></i>Book
Recommendations </a></li>
                        <li><a href="current.php"><i class="menu-icon icon-list"></i>Currently Issued
Books </a></li>
                    </ul>
                    <ul class="widget widget-menu unstyled">
                        <li><a href="logout.php"><i class="menu-icon icon-signout"></i>Logout </a></li>
                    </ul>
                </div>
                <!--/.sidebar-->
            </div>
            <div class="span9">
                <center>
                    <a href="issue_requests.php" class="btn btn-info">Issue Requests</a>
                    <a href="renew_requests.php" class="btn btn-info">Renew Request</a>
                    <a href="return_requests.php" class="btn btn-info">Return Requests</a>
                </center>
                <h1><i>Issue Requests</i></h1>
                <table class="table" id = "tables">
                    <thead>
                        <tr>
                            <th>Roll Number</th>
                            <th>Book Id</th>
                            <th>Book Name</th>

```

```

                <th>Availability</th>
                <th></th>
            </tr>
        </thead>
        <tbody>
            <?php
                $sql="select * from LMS.record,LMS.book where Date_of_Issue is NULL and
record.BookId=book.BookId order by Time";
                $result=$conn->query($sql);
                while($row=$result->fetch_assoc())
                {
                    $bookid=$row['BookId'];
                    $rollno=$row['RollNo'];
                    $name=$row['Title'];
                    $avail=$row['Availability'];

                ?>

                <tr>
                    <td><?php echo strtoupper($rollno) ?></td>
                    <td><?php echo $bookid ?></td>
                    <td><b><?php echo $name ?></b></td>
                    <td><?php echo $avail ?></td>
                    <td><center>
                        <?php
                            if($avail > 0)
                            {echo "<a href=\"accept.php?id1=\".$bookid."&id2=\".$rollno.\"\" class=\"btn
btn-success\">Accept</a>";}
                        ?>
                        <a href="reject.php?id1=<?php echo $bookid ?>&id2=<?php echo $rollno ?>"
class="btn btn-danger">Reject</a>
                    </center></td>
                </tr>
            <?php } ?>
        </tbody>
    </table>
</div>
<!--/.span3-->
<!--/.span9-->
</div>
</div>
<!--/.container-->
</div>
<div class="footer">
    <div class="container">
        <b class="copyright">&copy; Developed By Tahir Raza Shaikh </b>All rights reserved.
    </div>
</div>

```



```

<!--/.wrapper-->
<script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
<script src="scripts/jquery-ui-1.10.1.custom.min.js" type="text/javascript"></script>
<script src="bootstrap/js/bootstrap.min.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.resize.js" type="text/javascript"></script>
<script src="scripts/datatables/jquery.dataTables.js" type="text/javascript"></script>
<script src="scripts/common.js" type="text/javascript"></script>

</body>

</html>

<?php }
else {
    echo "<script type='text/javascript'>alert('Access Denied!!!')</script>";
} ?>

```

Code:accept.php

```

<?php
require('dbconn.php');

$bookid=$_GET['id1'];
$rollno=$_GET['id2'];

$sql="select Category from LMS.user where RollNo='$rollno'";
$result=$conn->query($sql);
$row=$result->fetch_assoc();

$category=$row['Category'];

if($category == 'GEN' || $category == 'OBC' )
{
    $sql1="update LMS.record set Date_of_Issue=curdate(),Due_Date=date_add(curdate(),interval 5
    day),Renewals_left=1 where BookId='$bookid' and RollNo='$rollno'";

    if($conn->query($sql1) === TRUE)
    {
        $sql3="update LMS.book set Availability=Availability-1 where BookId='$bookid'";
        $result=$conn->query($sql3);
        $sql5="insert into LMS.message (RollNo,Msg,Date,Time) values ('$rollno','Your request for issue of
        BookId: $bookid has been accepted',curdate(),curtime())";
        $result=$conn->query($sql5);
    }
}

```

```
echo "<script type='text/javascript'>alert('Success')</script>";
header( "Refresh:0.01; url=issue_requests.php", true, 303);
}
else
{
    echo "<script type='text/javascript'>alert('Error')</script>";
    header( "Refresh:1; url=issue_requests.php", true, 303);
}
}
else
{$sql2="update LMS.record set Date_of_Issue=curdate(),Due_Date=date_add(curdate(),interval 60
day),Renewals_left=1 where BookId='$bookid' and RollNo='$rollno'";

if($conn->query($sql2) === TRUE)
{$sql4="update LMS.book set Availability=Availability-1 where BookId='$bookid'";
$result=$conn->query($sql4);
$sql6="insert into LMS.message (RollNo,Msg,Date,Time) values ('$rollno','Your request for issue of
BookId: $bookid has been accepted',curdate(),curtime())";
$result=$conn->query($sql6);
echo "<script type='text/javascript'>alert('Success')</script>";
header( "Refresh:1; url=issue_requests.php", true, 303);
}
else
{
    echo "<script type='text/javascript'>alert('Error')</script>";
    header( "Refresh:1; url=issue_requests.php", true, 303);
}
}
}

?>
```

Code:reject.php

```
<?php
require('dbconn.php');

$bookid=$_GET['id1'];

$rollno=$_GET['id2'];


$sql="delete from LMS.record where RollNo='$rollno' and BookId='$bookid'";
```

```

if($conn->query($sql) === TRUE)
{
    $sql1="insert into LMS.message (RollNo,Msg,Date,Time) values ('$rollno','Your request for
issue of BookId: $bookid has been rejected',curdate(),curtime())";
    $result=$conn->query($sql1);
    echo "<script type='text/javascript'>alert('Success')</script>";
    header( "Refresh:0.01; url=issue_requests.php", true, 303);
}
else
{
    echo "<script type='text/javascript'>alert('Error')</script>";
    header( "Refresh:0.01; url=issue_requests.php", true, 303);}

```

File Name:admin/renew_request.php



Code:

```

<?php
require('dbconn.php');
?>

<?php
if ($_SESSION['RollNo']) {
    ?>

<!DOCTYPE html>
<html lang="en">

```

```

<head>
  <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Raza Library</title>
  <link type="text/css" href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
  <link type="text/css" href="bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">
  <link type="text/css" href="css/theme.css" rel="stylesheet">
  <link type="text/css" href="images/icons/css/font-awesome.css" rel="stylesheet">
  <link type="text/css"
href='http://fonts.googleapis.com/css?family=Open+Sans:400italic,600italic,400,600'
rel='stylesheet'>
</head>
<body>
  <div class="navbar navbar-fixed-top">
    <div class="navbar-inner">
      <div class="container">
        <a class="btn btn-navbar" data-toggle="collapse" data-target=".navbar-inverse-collapse">
          <i class="icon-reorder shaded"></i></a><a class="brand" href="index.php">Admin
Portal </a>
        <div class="nav-collapse collapse navbar-inverse-collapse">
          <ul class="nav pull-right">
            <li class="nav-user dropdown"><a href="#" class="dropdown-toggle" data-
toggle="dropdown">
              
              <b class="caret"></b></a>
              <ul class="dropdown-menu">
                <li><a href="index.php">Your Profile</a></li>
                <!--li><a href="#">Edit Profile</a></li>
                <li><a href="#">Account Settings</a></li-->
                <li class="divider"></li>
                <li><a href="logout.php">Logout</a></li>
              </ul>
            </li>
          </ul>
        </div>
      <!-- /.nav-collapse -->
    </div>
  </div>
  <!-- /navbar-inner -->
</div>
<!-- /navbar -->
<div class="wrapper">
  <div class="container">
    <div class="row">
      <div class="span3">
        <div class="sidebar">
          <ul class="widget widget-menu unstyled">

```

```

        <li class="active"><a href="index.php"><i class="menu-icon icon-home"></i>Home
        </a></li>
        <li><a href="message.php"><i class="menu-icon icon-inbox"></i>Messages</a>
        </li>
        <li><a href="student.php"><i class="menu-icon icon-user"></i>Manage Students
</a>
        </li>
        <li><a href="book.php"><i class="menu-icon icon-book"></i>All Books </a></li>
        <li><a href="addbook.php"><i class="menu-icon icon-edit"></i>Add Books </a></li>
        <li><a href="requests.php"><i class="menu-icon icon-tasks"></i>Issue/Return
Requests </a></li>
        <li><a href="recommendations.php"><i class="menu-icon icon-list"></i>Book
Recommendations </a></li>
        <li><a href="current.php"><i class="menu-icon icon-list"></i>Currently Issued
Books </a></li>
    </ul>
    <ul class="widget widget-menu unstyled">
        <li><a href="logout.php"><i class="menu-icon icon-signout"></i>Logout </a></li>
    </ul>
</div>
<!--/.sidebar-->
</div>
<div class="span9">
    <center>
        <a href="issue_requests.php" class="btn btn-info">Issue Requests</a>
        <a href="renew_requests.php" class="btn btn-info">Renew Request</a>
        <a href="return_requests.php" class="btn btn-info">Return Requests</a>
    </center>
    <h1><i>Renew Requests</i></h1>
    <table class="table" id = "tables">
        <thead>
            <tr>
                <th>Roll Number</th>
                <th>Book Id</th>
                <th>Book Name</th>
                <th>Renewals Left</th>
                <th></th>
            </tr>
        </thead>
        <tbody>
            <?php
                $sql="select * from LMS.record,LMS.book,LMS.renew where
renew.BookId=book.BookId and renew.RollNo=record.RollNo and renew.BookId=record.BookId";
                $result=$conn->query($sql);
                while($row=$result->fetch_assoc())
                {
                    $bookid=$row['BookId'];
                    $rollno=$row['RollNo'];

```

```

        $name=$row['Title'];
        $renewals=$row['Renewals_left'];

        ?>
        <tr>
            <td><?php echo strtoupper($rollno) ?></td>
            <td><?php echo $bookid ?></td>
            <td><b><?php echo $name ?></b></td>
            <td><?php echo $renewals ?></td>
            <td><center>
                <?php
                if($renewals > 0)
                {echo "<a href='\"acceptrenewal.php?id1=\".$bookid.\"&id2=\".$rollno.\"\"
class='\"btn btn-success\">Accept</a>";}
                ?>
                <!--a href="rejectrenewal.php?id1=<?php echo $bookid; ?>&id2=<?php echo
$rollno; ?>" class="btn btn-danger">Reject</a-->
            </center></td>
        </tr>
    </tbody>
</table>
</div>
<!--/.span3-->
<!--/.span9-->
</div>
</div>
<!--/.container-->
</div>
<div class="footer">
    <div class="container">
        <b class="copyright">&copy; Developed By Tahir Raza Shaikh </b>All rights reserved.
    </div>
</div>

<!--/.wrapper-->
<script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
<script src="scripts/jquery-ui-1.10.1.custom.min.js" type="text/javascript"></script>
<script src="bootstrap/js/bootstrap.min.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.resize.js" type="text/javascript"></script>
<script src="scripts/datatables/jquery.dataTables.js" type="text/javascript"></script>
<script src="scripts/common.js" type="text/javascript"></script>

</body>
</html>

```

```
<?php }
else {
    echo "<script type='text/javascript'>alert('Access Denied!!!')</script>";
} ?>
```

Code:renew_accept.php

```
<?php
require('dbconn.php');

$bookid=$_GET['id1'];
$rollno=$_GET['id2'];

$sql="select Category from LMS.user where RollNo='$rollno'";
$result=$conn->query($sql);
$row=$result->fetch_assoc();

$category=$row['Category'];

if($category == 'GEN' || $category == 'OBC' )
{$sql1="update LMS.record set Due_Date=date_add(Due_Date,interval 60 day),Renewals_left=0
where BookId='$bookid' and RollNo='$rollno'";

if($conn->query($sql1) === TRUE)
{$sql3="delete from LMS.renew where BookId='$bookid' and RollNo='$rollno'";
$result=$conn->query($sql3);

$sql5="insert into LMS.message (RollNo,Msg,Date,Time) values ('$rollno','Your request for renewal of
BookId: $bookid has been accepted',curdate(),curtime())";
$result=$conn->query($sql5);
echo "<script type='text/javascript'>alert('Success')</script>";
header( "Refresh:0.01; url=renew_requests.php", true, 303);
}
else
{
    echo "<script type='text/javascript'>alert('Error')</script>";
    header( "Refresh:0.01; url=renew_requests.php", true, 303);
}
}
}
else
```


```

{$sql2="update LMS.record set Due_Date=date_add(Due_Date,interval 180 day),Renewals_left=0
where BookId='$bookid' and RollNo='$rollno'";

if($conn->query($sql2) === TRUE)
{$sql4="delete from LMS.renew where BookId='$bookid' and RollNo='$rollno'";
$result=$conn->query($sql4);
$sql6="insert into LMS.message (RollNo,Msg,Date,Time) values ('$rollno','Your request for renewal of
BookId: $bookid has been accepted',curdate(),curtime())";
$result=$conn->query($sql6);
echo "<script type='text/javascript'>alert('Success')</script>";
header( "Refresh:0.01; url=renew_requests.php", true, 303);
}
else
{
    echo "<script type='text/javascript'>alert('Error')</script>";
    header( "Refresh:0.01; url=renew_requests.php", true, 303);
}
}
?>

```

File Name:admin/return_request.php



Code:

```
<?php
```



```

require('dbconn.php');
?>

<?php
if ($_SESSION['RollNo']) {
    ?>

<!DOCTYPE html>
<html lang="en">

    <head>
        <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <title>Raza Library</title>
        <link type="text/css" href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
        <link type="text/css" href="bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">
        <link type="text/css" href="css/theme.css" rel="stylesheet">
        <link type="text/css" href="images/icons/css/font-awesome.css" rel="stylesheet">
        <link type="text/css"
href='http://fonts.googleapis.com/css?family=Open+Sans:400italic,600italic,400,600'
rel='stylesheet'>
    </head>
    <body>
        <div class="navbar navbar-fixed-top">
            <div class="navbar-inner">
                <div class="container">
                    <a class="btn btn-navbar" data-toggle="collapse" data-target=".navbar-inverse-collapse">
                        <i class="icon-reorder shaded"></i></a><a class="brand" href="index.php">Admin
Portal</a>
                    <div class="nav-collapse collapse navbar-inverse-collapse">
                        <ul class="nav pull-right">
                            <li class="nav-user dropdown"><a href="#" class="dropdown-toggle" data-
toggle="dropdown">
                                
                                <b class="caret"></b></a>
                                <ul class="dropdown-menu">
                                    <li><a href="index.php">Your Profile</a></li>
                                    <!--li><a href="#">Edit Profile</a></li>
                                    <li><a href="#">Account Settings</a></li-->
                                    <li class="divider"></li>
                                    <li><a href="logout.php">Logout</a></li>
                                </ul>
                            </li>
                        </ul>
                    </div>
                <!-- /.nav-collapse -->
            </div>
        </div>

```

```

        <!-- /navbar-inner -->
    </div>
    <!-- /navbar -->
    <div class="wrapper">
        <div class="container">
            <div class="row">
                <div class="span3">
                    <div class="sidebar">
                        <ul class="widget widget-menu unstyled">
                            <li class="active"><a href="index.php"><i class="menu-icon icon-home"></i>Home
                                </a></li>
                            <li><a href="message.php"><i class="menu-icon icon-inbox"></i>Messages</a>
                                </li>
                            <li><a href="student.php"><i class="menu-icon icon-user"></i>Manage Students
                                </a>
                                </li>
                            <li><a href="book.php"><i class="menu-icon icon-book"></i>All Books </a></li>
                            <li><a href="addbook.php"><i class="menu-icon icon-edit"></i>Add Books </a></li>
                            <li><a href="requests.php"><i class="menu-icon icon-tasks"></i>Issue/Return
                                Requests </a></li>
                            <li><a href="recommendations.php"><i class="menu-icon icon-list"></i>Book
                                Recommendations </a></li>
                            <li><a href="current.php"><i class="menu-icon icon-list"></i>Currently Issued
                                Books </a></li>
                        </ul>
                        <ul class="widget widget-menu unstyled">
                            <li><a href="logout.php"><i class="menu-icon icon-signout"></i>Logout </a></li>
                        </ul>
                    </div>
                    <!--/.sidebar-->
                </div>
                <div class="span9">
                    <center>
                        <a href="issue_requests.php" class="btn btn-info">Issue Requests</a>
                        <a href="renew_requests.php" class="btn btn-info">Renew Request</a>
                        <a href="return_requests.php" class="btn btn-info">Return Requests</a>
                    </center>
                    <h1><i>Return Requests</i></h1>
                    <table class="table" id = "tables">
                        <thead>
                            <tr>
                                <th>Roll Number</th>
                                <th>Book Id</th>
                                <th>Book Name</th>
                                <th>Dues</th>
                                <th></th>
                            </tr>
                        </thead>

```

```

        <tbody>
        <?php
        $sql="select return.BookId,return.RollNo,Title,datediff(curdate(),Due_Date) as x from
LMS.return,LMS.book,LMS.record where return.BookId=book.BookId and
return.BookId=record.BookId and return.RollNo=record.RollNo";
        $result=$conn->query($sql);
        while($row=$result->fetch_assoc())
        {
            $bookid=$row['BookId'];
            $rollno=$row['RollNo'];
            $name=$row['Title'];
            $dues=$row['x'];

?>
        <tr>
        <td><?php echo strtoupper($rollno) ?></td>
        <td><?php echo $bookid ?></td>
        <td><b><?php echo $name ?></b></td>
        <td><?php
        if($dues > 0)
            echo $dues;
        else
            echo 0; ?></td>
        <td><center>

            <a href="acceptreturn.php?id1=<?php echo $bookid; ?>&id2=<?php echo
$rollno; ?>&id3=<?php echo $dues ?>" class="btn btn-success">Accept</a>

            <!--a href="rejectreturn.php?id1=<?php echo $bookid; ?>&id2=<?php echo
$rollno; ?>" class="btn btn-danger">Reject</a-->
        </center></td>
        </tr>
        <?php } ?>
        </tbody>
        </table>
    </div>
    <!--/.span3-->
    <!--/.span9-->
</div>
</div>
<!--/.container-->
</div>
<div class="footer">
    <div class="container">
        <b class="copyright">&copy; Developed By Tahir Raza Shaikh </b>All rights reserved.
    </div>

```

```

</div>

<!--/.wrapper-->
<script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
<script src="scripts/jquery-ui-1.10.1.custom.min.js" type="text/javascript"></script>
<script src="bootstrap/js/bootstrap.min.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.resize.js" type="text/javascript"></script>
<script src="scripts/datatables/jquery.dataTables.js" type="text/javascript"></script>
<script src="scripts/common.js" type="text/javascript"></script>

</body>

</html>

<?php }
else {
    echo "<script type='text/javascript'>alert('Access Denied!!!')</script>";
} ?>

```

Code:admin/acceptreturn.php

```

<?php
require('dbconn.php');

$bookid=$_GET['id1'];
$rollno=$_GET['id2'];
$dues=$_GET['id3'];

$sql="select Category from LMS.user where RollNo='$rollno'";
$result=$conn->query($sql);
$row=$result->fetch_assoc();

$category=$row['Category'];

$sql1="update LMS.record set Date_of_Return=curdate(),Dues='$dues' where BookId='$bookid' and RollNo='$rollno'";

if($conn->query($sql1) === TRUE)
{
    $sql3="update LMS.book set Availability=Availability+1 where BookId='$bookid'";
    $result=$conn->query($sql3);
    $sql4="delete from LMS.return where BookId='$bookid' and RollNo='$rollno'";
}

```

File Name:admin/recommendations.php



69

```

<!DOCTYPE html>
<html lang="en">

  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Raza Library</title>
    <link type="text/css" href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
    <link type="text/css" href="bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">
    <link type="text/css" href="css/theme.css" rel="stylesheet">
    <link type="text/css" href="images/icons/css/font-awesome.css" rel="stylesheet">
    <link type="text/css"
href='http://fonts.googleapis.com/css?family=Open+Sans:400italic,600italic,400,600'
rel='stylesheet'>
  </head>
  <body>
    <div class="navbar navbar-fixed-top">
      <div class="navbar-inner">
        <div class="container">
          <a class="btn btn-navbar" data-toggle="collapse" data-target=".navbar-inverse-collapse">
            <i class="icon-reorder shaded"></i></a><a class="brand" href="index.php">Admin
Portal </a>
          <div class="nav-collapse collapse navbar-inverse-collapse">
            <ul class="nav pull-right">
              <li class="nav-user dropdown"><a href="#" class="dropdown-toggle" data-
toggle="dropdown">
                
                <b class="caret"></b></a>
                <ul class="dropdown-menu">
                  <li><a href="index.php">Your Profile</a></li>
                  <!--li><a href="#">Edit Profile</a></li>
                  <li><a href="#">Account Settings</a></li-->
                  <li class="divider"></li>
                  <li><a href="logout.php">Logout</a></li>
                </ul>
              </li>
            </ul>
          </div>
        </div>
      <!-- /.nav-collapse -->
    </div>
  </div>
  <!-- /navbar-inner -->
</div>
<div class="wrapper">
  <div class="container">
    <div class="row">

```

```

<div class="span3">
  <div class="sidebar">
    <ul class="widget widget-menu unstyled">
      <li class="active"><a href="index.php"><i class="menu-icon icon-home"></i>Home
      </a></li>
      <li><a href="message.php"><i class="menu-icon icon-inbox"></i>Messages</a>
      </li>
      <li><a href="student.php"><i class="menu-icon icon-user"></i>Manage Students
    </a>

    </li>
    <li><a href="book.php"><i class="menu-icon icon-book"></i>All Books </a></li>
    <li><a href="addbook.php"><i class="menu-icon icon-edit"></i>Add Books </a></li>
    <li><a href="requests.php"><i class="menu-icon icon-tasks"></i>Issue/Return
Requests </a></li>
    <li><a href="recommendations.php"><i class="menu-icon icon-list"></i>Book
Recommendations </a></li>
    <li><a href="current.php"><i class="menu-icon icon-list"></i>Currently Issued
Books </a></li>
    </ul>
    <ul class="widget widget-menu unstyled">
      <li><a href="logout.php"><i class="menu-icon icon-signout"></i>Logout </a></li>
    </ul>
  </div>
<!--/.sidebar-->
</div>
<!--/.span3-->

<div class="span9">
  <table class="table" id = "tables">
    <thead>
      <tr>
        <th>Book Name</th>
        <th>Description</th>
        <th>Recommended By</th>
      </tr>
    </thead>
    <tbody>
      <?php
$sql="select * from LMS.recommendations";
$result=$conn->query($sql);
while($row=$result->fetch_assoc())
{
  $bookname=$row['Book_Name'];
  $description=$row['Description'];
  $rollno=$row['RollNo'];
  ?>
  <tr>
    <td><?php echo $bookname ?></td>

```

```

                <td><?php echo $description?></td>
                <td><b><?php echo strtoupper($rollno)?></b></td>

            </tr>
        <?php } ?>
    </tbody>
</table>

    <center>
        <a href="addbook.php" class="btn btn-success">Add a Book</a></center>
    </div>
    <!--/.span9-->
</div>
</div>
<!--/.container-->
</div>
<div class="footer">
    <div class="container">
        <b class="copyright">&copy; Devloped By Tahir Raza Shaikh </b>All rights reserved.
    </div>
</div>

    <!--/.wrapper-->
    <script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
    <script src="scripts/jquery-ui-1.10.1.custom.min.js" type="text/javascript"></script>
    <script src="bootstrap/js/bootstrap.min.js" type="text/javascript"></script>
    <script src="scripts/flot/jquery.flot.js" type="text/javascript"></script>
    <script src="scripts/flot/jquery.flot.resize.js" type="text/javascript"></script>
    <script src="scripts/datatables/jquery.dataTables.js" type="text/javascript"></script>
    <script src="scripts/common.js" type="text/javascript"></script>


</body>

</html>

<?php }
else {
    echo "<script type='text/javascript'>alert('Access Denied!!!')</script>";
} ?>

```


File Name: admin/current.php



Code:

```
<?php
require('dbconn.php');
?>

<?php
if ($_SESSION['RollNo']) {
    ?>

<!DOCTYPE html>
<html lang="en">

    <head>
        <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <title>Raza Library</title>
        <link type="text/css" href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
        <link type="text/css" href="bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">
        <link type="text/css" href="css/theme.css" rel="stylesheet">
        <link type="text/css" href="images/icons/css/font-awesome.css" rel="stylesheet">
        <link type="text/css"
href='http://fonts.googleapis.com/css?family=Open+Sans:400italic,600italic,400,600'
rel='stylesheet'>
```

```

</head>
<body>
  <div class="navbar navbar-fixed-top">
    <div class="navbar-inner">
      <div class="container">
        <a class="btn btn-navbar" data-toggle="collapse" data-target=".navbar-inverse-collapse">
          <i class="icon-reorder shaded"></i></a><a class="brand" href="index.php">Admin
Portal</a>
        <div class="nav-collapse collapse navbar-inverse-collapse">
          <ul class="nav pull-right">
            <li class="nav-user dropdown"><a href="#" class="dropdown-toggle" data-
toggle="dropdown">
              
              <b class="caret"></b></a>
              <ul class="dropdown-menu">
                <li><a href="index.php">Your Profile</a></li>
                <!--li><a href="#">Edit Profile</a></li>
                <li><a href="#">Account Settings</a></li-->
                <li class="divider"></li>
                <li><a href="logout.php">Logout</a></li>
              </ul>
            </li>
          </ul>
        </div>
      <!-- /.nav-collapse -->
    </div>
  </div>
  <!-- /navbar-inner -->
</div>
<div class="wrapper">
  <div class="container">
    <div class="row">
      <div class="span3">
        <div class="sidebar">
          <ul class="widget widget-menu unstyled">
            <li class="active"><a href="index.php"><i class="menu-icon icon-home"></i>Home
</a></li>
            <li><a href="message.php"><i class="menu-icon icon-inbox"></i>Messages</a>
</li>
            <li><a href="student.php"><i class="menu-icon icon-user"></i>Manage Students
</li>
            <li><a href="book.php"><i class="menu-icon icon-book"></i>All Books </a></li>
            <li><a href="addbook.php"><i class="menu-icon icon-edit"></i>Add Books </a></li>
            <li><a href="requests.php"><i class="menu-icon icon-tasks"></i>Issue/Return
Requests </a></li>

```

```

                <li><a href="recommendations.php"><i class="menu-icon icon-list"></i>Book
Recommendations </a></li>
                <li><a href="current.php"><i class="menu-icon icon-list"></i>Currently Issued
Books </a></li>
            </ul>
            <ul class="widget widget-menu unstyled">
                <li><a href="logout.php"><i class="menu-icon icon-signout"></i>Logout </a></li>
            </ul>
        </div>
        <!--/.sidebar-->
    </div>
    <!--/.span3-->

    <div class="span9">
        <form class="form-horizontal row-fluid" action="current.php" method="post">
            <div class="control-group">
                <label class="control-label" for="Search"><b>Search:</b></label>
                <div class="controls">
                    <input type="text" id="title" name="title" placeholder="Enter Roll No of
Student/Book Name/Book Id." class="span8" required>
                    <button type="submit" name="submit" class="btn">Search</button>
                </div>
            </div>
        </form>
        <br>
        <?php
        if(isset($_POST['submit']))
        {
            $s=$_POST['title'];
            $sql="select
record.BookId,RollNo,Title,Due_Date,Date_of_Issue,datediff(curdate(),Due_Date) as x from
LMS.record,LMS.book where (Date_of_Issue is NOT NULL and Date_of_Return is NULL and
book.Bookid = record.BookId) and (RollNo='$s' or record.BookId='$s' or Title like '%$s%')";
        }
        else
            $sql="select
record.BookId,RollNo,Title,Due_Date,Date_of_Issue,datediff(curdate(),Due_Date) as x from
LMS.record,LMS.book where Date_of_Issue is NOT NULL and Date_of_Return is NULL and
book.Bookid = record.BookId";
        $result=$conn->query($sql);
        $rowcount=mysqli_num_rows($result);

        if(!$rowcount)
            echo "<br><center><h2><b><i>No Results</i></b></h2></center>";
        else
        {

        ?>

```

```

<table class="table" id = "tables">
    <thead>
        <tr>
            <th>Roll No</th>
            <th>Book id</th>
            <th>Book name</th>
            <th>Issue Date</th>
            <th>Due date</th>
            <th>Dues</th>
        </tr>
    </thead>
    <tbody>

    <?php

    // $result=$conn->query($sql);
    while($row=$result->fetch_assoc())
    {
        $rollno=$row['RollNo'];
        $bookid=$row['BookId'];
        $name=$row['Title'];
        $issuedate=$row['Date_of_Issue'];
        $duedate=$row['Due_Date'];
        $dues=$row['x'];

        ?>

        <tr>
            <td><?php echo strtoupper($rollno) ?></td>
            <td><?php echo $bookid ?></td>
            <td><?php echo $name ?></td>
            <td><?php echo $issuedate ?></td>
            <td><?php echo $duedate ?></td>
            <td><?php if($dues > 0)
                echo "<font color='red'>".$dues."</font>";
            else
                echo "<font color='green'>0</font>";
            ?>
        </tr>
    <?php }} ?>
    </tbody>
</table>
</div>

<!--/.span9-->
</div>

```

```

        </div>
        <!--/.container-->
    </div>
<div class="footer">
    <div class="container">
        <b class="copyright">&copy; Developed By Tahir Raza Shaikh </b>All rights reserved.
    </div>
</div>

<!--/.wrapper-->
<script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
<script src="scripts/jquery-ui-1.10.1.custom.min.js" type="text/javascript"></script>
<script src="bootstrap/js/bootstrap.min.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.resize.js" type="text/javascript"></script>
<script src="scripts/datatables/jquery.dataTables.js" type="text/javascript"></script>
<script src="scripts/common.js" type="text/javascript"></script>

</body>

</html>

<?php }
else {
    echo "<script type='text/javascript'>alert('Access Denied!!!')</script>";
} ?>

```

Code:admin/logout.php

```


<?php

session_start();
session_destroy();
header("location:../index.php");
exit;
?>


```

Student Side

File Name:index.php



File Name:student/index.php



Code:

```

<?php
require('dbconn.php');
?>

<!DOCTYPE html>
<html lang="en">

  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Raza Library</title>
    <link type="text/css" href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
    <link type="text/css" href="bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">
    <link type="text/css" href="css/theme.css" rel="stylesheet">
    <link type="text/css" href="images/icons/css/font-awesome.css" rel="stylesheet">
    <link type="text/css"
href='http://fonts.googleapis.com/css?family=Open+Sans:400italic,600italic,400,600'
rel='stylesheet'>
  </head>
  <body>
    <div class="navbar navbar-fixed-top">
      <div class="navbar-inner">
        <div class="container">
          <a class="btn btn-navbar" data-toggle="collapse" data-target=".navbar-inverse-collapse">
            <i class="icon-reorder shaded"></i></a><a class="brand" href="index.php">Student
Portal</a>
          <div class="nav-collapse collapse navbar-inverse-collapse">
            <ul class="nav pull-right">
              <li class="nav-user dropdown"><a href="#" class="dropdown-toggle" data-
toggle="dropdown">
                
                <b class="caret"></b></a>
                <ul class="dropdown-menu">
                  <li><a href="index.php">Your Profile</a></li>
                  <!--li><a href="#">Edit Profile</a></li>
                  <li><a href="#">Account Settings</a></li-->
                  <li class="divider"></li>
                  <li><a href="logout.php">Logout</a></li>
                </ul>
              </li>
            </ul>
          </div>
        </div>
      </div>
    </div>
  </body>
</html>

```

```

    </div>
    <!-- /navbar-inner -->
</div>
<!-- /navbar -->
<div class="wrapper">
    <div class="container">
        <div class="row">
            <div class="span3">
                <div class="sidebar">
                    <ul class="widget widget-menu unstyled">
                        <li class="active"><a href="index.php"><i class="menu-icon icon-home"></i>Home
                        </a></li>
                        <li><a href="message.php"><i class="menu-icon icon-inbox"></i>Messages</a>
                        </li>
                        <li><a href="book.php"><i class="menu-icon icon-book"></i>All Books </a></li>
                        <li><a href="history.php"><i class="menu-icon icon-tasks"></i>Previously Borrowed
Books </a></li>
                        <li><a href="recommendations.php"><i class="menu-icon icon-
list"></i>Recommend Books </a></li>
                        <li><a href="current.php"><i class="menu-icon icon-list"></i>Currently Issued
Books </a></li>
                    </ul>
                    <ul class="widget widget-menu unstyled">
                        <li><a href="logout.php"><i class="menu-icon icon-signout"></i>Logout </a></li>
                    </ul>
                </div>
                <!--/.sidebar-->
            </div>
            <!--/.span3-->
            <div class="span9">
                <center>
                    <div class="card" style="width: 50%;">
                        <div class="card-body">

                            <?php
                                $rollno = $_SESSION['RollNo'];
                                $sql="select * from LMS.user where RollNo='$rollno'";
                                $result=$conn->query($sql);
                                $row=$result->fetch_assoc();

                                $name=$row['Name'];
                                $category=$row['Category'];
                                $email=$row['EmailId'];
                                $mobno=$row['MobNo'];
                                ?>

                                <i>
                                    <h1 class="card-title"><center><?php echo $name
?></center></h1>

```



```

        <br>
        <p><b>Email ID: </b><?php echo $email ?></p>
        <br>
        <p><b>Roll No: </B><?php echo $rollno ?></p>
        <br>
        <p><b>Category: </b><?php echo $category ?></p>
        <br>
        <p><b>Mobile number: </b><?php echo $mobno ?></p>
        </b>

    </i>

    </div>
</div>
<br>
<a href="edit_student_details.php" class="btn btn-primary">Edit Details</a>
</center>

</div>

    <!--/.span9-->
</div>
</div>
<!--/.container-->
</div>
<div class="footer">
    <div class="container">
        <b class="copyright">&copy; Developed By Tahir Raza Shaikh </b>All rights reserved.
    </div>
</div>


<!--/.wrapper-->
<script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
<script src="scripts/jquery-ui-1.10.1.custom.min.js" type="text/javascript"></script>
<script src="bootstrap/js/bootstrap.min.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.resize.js" type="text/javascript"></script>
<script src="scripts/datatables/jquery.dataTables.js" type="text/javascript"></script>
<script src="scripts/common.js" type="text/javascript"></script>

</body>

</html>

```

File Name: student/edit_student_details.php



Code:

```
<?php
ob_start();
require('dbconn.php');
?>

<!DOCTYPE html>
<html lang="en">

    <head>
        <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <title>Raza Library</title>
        <link type="text/css" href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
        <link type="text/css" href="bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">
        <link type="text/css" href="css/theme.css" rel="stylesheet">
        <link type="text/css" href="images/icons/css/font-awesome.css" rel="stylesheet">
        <link type="text/css"
href='http://fonts.googleapis.com/css?family=Open+Sans:400italic,600italic,400,600'
rel='stylesheet'>
    </head>
    <body>
```

```

<div class="navbar navbar-fixed-top">
  <div class="navbar-inner">
    <div class="container">
      <a class="btn btn-navbar" data-toggle="collapse" data-target=".navbar-inverse-collapse">
        <i class="icon-reorder shaded"></i></a><a class="brand" href="index.php">Student
Portal </a>
      <div class="nav-collapse collapse navbar-inverse-collapse">
        <ul class="nav pull-right">
          <li class="nav-user dropdown"><a href="#" class="dropdown-toggle" data-
toggle="dropdown">
            
            <b class="caret"></b></a>
            <ul class="dropdown-menu">
              <li><a href="index.php">Your Profile</a></li>
              <!--li><a href="#">Edit Profile</a></li>
              <li><a href="#">Account Settings</a></li-->
              <li class="divider"></li>
              <li><a href="logout.php">Logout</a></li>
            </ul>
          </li>
        </ul>
      </div>
    </div>
  </div>
<!-- /.nav-collapse -->
</div>
<!-- /navbar-inner -->
</div>
<!-- /navbar -->
<div class="wrapper">
  <div class="container">
    <div class="row">
      <div class="span3">
        <div class="sidebar">
          <ul class="widget widget-menu unstyled">
            <li class="active"><a href="index.php"><i class="menu-icon icon-home"></i>Home
</a></li>
            <li><a href="message.php"><i class="menu-icon icon-inbox"></i>Messages</a>
</li>
            <li><a href="book.php"><i class="menu-icon icon-book"></i>All Books </a></li>
            <li><a href="history.php"><i class="menu-icon icon-tasks"></i>Previously Borrowed
Books </a></li>
            <li><a href="recommendations.php"><i class="menu-icon icon-
list"></i>Recommend Books </a></li>
            <li><a href="current.php"><i class="menu-icon icon-list"></i>Currently Issued
Books </a></li>
          </ul>
          <ul class="widget widget-menu unstyled">
            <li><a href="logout.php"><i class="menu-icon icon-signout"></i>Logout </a></li>

```

```

        </ul>
    </div>
    <!--/.sidebar-->
</div>
<!--/.span3-->
<div class="span9">
    <div class="module">
        <div class="module-head">
            <h3>Update Details</h3>
        </div>
        <div class="module-body">

            <?php
                $rollno = $_SESSION['RollNo'];
                $sql="select * from LMS.user where RollNo='$rollno'";
                $result=$conn->query($sql);
                $row=$result->fetch_assoc();

                $name=$row['Name'];
                $category=$row['Category'];
                $email=$row['EmailId'];
                $mobno=$row['MobNo'];
                $pswd=$row['Password'];
                ?>

                <form class="form-horizontal row-fluid"
action="edit_student_details.php?id=<?php echo $rollno ?>" method="post">

                    <div class="control-group">
                        <label class="control-label" for="Name"><b>Name:</b></label>
                        <div class="controls">
                            <input type="text" id="Name" name="Name" value= "<?php echo $name?>"
class="span8" required>
                        </div>
                    </div>

                    <div class="control-group">
                        <label class="control-label" for="Category"><b>Category:</b></label>
                        <div class="controls">
                            <select name = "Category" tabindex="1" value="SC" data-
placeholder="Select Category" class="span6">
                                <option value="<?php echo $category?>"><?php echo $category ?>
</option>

                                <option value="GEN">GEN</option>
                                <option value="OBC">OBC</option>
                                <option value="SC">SC</option>
                                <option value="ST">ST</option>

```

```

        </select>
    </div>
</div>

<div class="control-group">
    <label class="control-label" for="EmailId"><b>Email Id:</b></label>
    <div class="controls">
        <input type="text" id="EmailId" name="EmailId" value= "<?php echo
$email?>" class="span8" required>
    </div>
</div>

<div class="control-group">
    <label class="control-label" for="MobNo"><b>Mobile Number:</b></label>
    <div class="controls">
        <input type="text" id="MobNo" name="MobNo" value= "<?php echo
$mobno?>" class="span8" required>
    </div>
</div>

<div class="control-group">
    <label class="control-label" for="Password"><b>New Password:</b></label>
    <div class="controls">
        <input type="password" id="Password" name="Password" value= "<?php
echo $pswd?>" class="span8" required>
    </div>
</div>

<div class="control-group">
    <div class="controls">
        <button type="submit" name="submit" class="btn-
primary"><center>Update Details</center></button>
    </div>
</div>

</form>

</div>
</div>
</div>

<!--/.span9-->
</div>
</div>
<!--/.container-->
</div>
<div class="footer">

```

```
<div class="container">
    <b class="copyright">&copy; Developed By Tahir Raza Shaikh </b>All rights reserved.
</div>
</div>

<!--/.wrapper-->
<script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
<script src="scripts/jquery-ui-1.10.1.custom.min.js" type="text/javascript"></script>
<script src="bootstrap/js/bootstrap.min.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.resize.js" type="text/javascript"></script>
<script src="scripts/datatables/jquery.dataTables.js" type="text/javascript"></script>
<script src="scripts/common.js" type="text/javascript"></script>

<?php
if(isset($_POST['submit']))
{
    $rollno = $_GET['id'];
    $name=$_POST['Name'];
    $category=$_POST['Category'];
    $email=$_POST['EmailId'];
    $mobno=$_POST['MobNo'];
    $pswd=$_POST['Password'];


    $sql1="update LMS.user set Name='$name', Category='$category', EmailId='$email',
    MobNo='$mobno', Password='$pswd' where RollNo='$rollno'";

    if($conn->query($sql1) === TRUE){
        echo "<script type='text/javascript'>alert('Success')</script>";
        header( "Refresh:0.01; url=index.php", true, 303);
    }
    else
    {
        //echo $conn->error;
        echo "<script type='text/javascript'>alert('Error')</script>";
    }
}
?>

</body>

</html>
```

File Name: student/message.php



Code:

```
<?php
require('dbconn.php');
?>

<?php
if ($_SESSION['RollNo']) {
    ?>

<!DOCTYPE html>
<html lang="en">

    <head>
        <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <title>Raza Library</title>
        <link type="text/css" href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
        <link type="text/css" href="bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">
        <link type="text/css" href="css/theme.css" rel="stylesheet">
        <link type="text/css" href="images/icons/css/font-awesome.css" rel="stylesheet">
        <link type="text/css"
href='http://fonts.googleapis.com/css?family=Open+Sans:400italic,600italic,400,600'
rel='stylesheet'>
```

```

</head>
<body>
  <div class="navbar navbar-fixed-top">
    <div class="navbar-inner">
      <div class="container">
        <a class="btn btn-navbar" data-toggle="collapse" data-target=".navbar-inverse-collapse">
          <i class="icon-reorder shaded"></i></a><a class="brand" href="index.php">Student
Portal</a>
        <div class="nav-collapse collapse navbar-inverse-collapse">
          <ul class="nav pull-right">
            <li class="nav-user dropdown"><a href="#" class="dropdown-toggle" data-
toggle="dropdown">
              
              <b class="caret"></b></a>
              <ul class="dropdown-menu">
                <li><a href="index.php">Your Profile</a></li>
                <!--li><a href="#">Edit Profile</a></li>
                <li><a href="#">Account Settings</a></li-->
                <li class="divider"></li>
                <li><a href="logout.php">Logout</a></li>
              </ul>
            </li>
          </ul>
        </div>
      <!-- /.nav-collapse -->
    </div>
  </div>
  <!-- /navbar-inner -->
</div>
<div class="wrapper">
  <div class="container">
    <div class="row">
      <div class="span3">
        <div class="sidebar">
          <ul class="widget widget-menu unstyled">
            <li class="active"><a href="index.php"><i class="menu-icon icon-home"></i>Home
</a></li>
            <li><a href="message.php"><i class="menu-icon icon-inbox"></i>Messages</a>
</li>
            <li><a href="book.php"><i class="menu-icon icon-book"></i>All Books </a></li>
            <li><a href="history.php"><i class="menu-icon icon-tasks"></i>Previously Borrowed
Books </a></li>
            <li><a href="recommendations.php"><i class="menu-icon icon-
list"></i>Recommend Books </a></li>
            <li><a href="current.php"><i class="menu-icon icon-list"></i>Currently Issued
Books </a></li>
          </ul>

```



```

        <ul class="widget widget-menu unstyled">
            <li><a href="logout.php"><i class="menu-icon icon-signout"></i>Logout </a></li>
        </ul>
    </div>
<!--/.sidebar-->
</div>
<div class="span9">
    <table class="table" id = "tables">
        <thead>
            <tr>
                <th>Message</th>
                <th>Date</th>
                <th>Time</th>
            </tr>
        </thead>
        <tbody>
            <?php
                $rollno=$_SESSION['RollNo'];
                $sql="select * from LMS.message where RollNo='$rollno' order by Date DESC,Time
DESC";
                $result=$conn->query($sql);
                while($row=$result->fetch_assoc())
                {
                    $msg=$row['Msg'];
                    $date=$row['Date'];
                    $time=$row['Time'];

                    ?>
                    <tr>
                        <td><?php echo $msg ?></td>
                        <td><?php echo $date ?></td>
                        <td><?php echo $time ?></td>
                    </tr>
                    <?php } ?>
                </tbody>
            </table>
        </div>
    <!--/.span3-->

    <!--/.span9-->
</div>
</div>
<!--/.container-->
</div>
<div class="footer">
    <div class="container">
        <b class="copyright">&copy; Developed By Tahir Raza Shaikh </b>All rights reserved.

```

```

    </div>
</div>

<!--/.wrapper-->
<script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
<script src="scripts/jquery-ui-1.10.1.custom.min.js" type="text/javascript"></script>
<script src="bootstrap/js/bootstrap.min.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.resize.js" type="text/javascript"></script>
<script src="scripts/datatables/jquery.dataTables.js" type="text/javascript"></script>
<script src="scripts/common.js" type="text/javascript"></script>

</body>

</html>

<?php }
else {
    echo "<script type='text/javascript'>alert('Access Denied!!!')</script>";
} ?>

```

File Name: student/book.php

The screenshot shows a web browser displaying the 'Student Portal' of 'Raza Library'. The page has a sidebar with navigation links: Home, Messages, All Books, Previously Borrowed Books, Recommend Books, Currently Issued Books, and Logout. The main content area features a search bar and a table of available books. The table has columns for Book Id, Book name, Availability, and buttons for Details and Issue. The books listed are:

Book Id	Book name	Availability	Details	Issue
1	ASP.NET	AVAILABLE	Details	Issue
2	Computer Network an Introduction	AVAILABLE	Details	Issue
3	Unix&Shell Programming	AVAILABLE	Details	Issue
9	Statistical methods	AVAILABLE	Details	Issue
8	Concepts of operating system	AVAILABLE	Details	Issue
7	Communication Skills	AVAILABLE	Details	Issue
6	Elon musk	AVAILABLE	Details	Issue
5	IELTS academic 2014	AVAILABLE	Details	Issue
4	Ansi c	AVAILABLE	Details	Issue
10	OOPS with Data structure	AVAILABLE	Details	Issue

Code:

```

<?php
require('dbconn.php');
?>

<?php
if ($_SESSION['RollNo']) {
    ?>

<!DOCTYPE html>
<html lang="en">

    <head>
        <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <title>Raza Library</title>
        <link type="text/css" href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
        <link type="text/css" href="bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">
        <link type="text/css" href="css/theme.css" rel="stylesheet">
        <link type="text/css" href="images/icons/css/font-awesome.css" rel="stylesheet">
        <link type="text/css"
href='http://fonts.googleapis.com/css?family=Open+Sans:400italic,600italic,400,600'
rel='stylesheet'>
    </head>
    <body>
        <div class="navbar navbar-fixed-top">
            <div class="navbar-inner">
                <div class="container">
                    <a class="btn btn-navbar" data-toggle="collapse" data-target=".navbar-inverse-collapse">
                        <i class="icon-reorder shaded"></i></a><a class="brand" href="index.php">Student
Portal </a>
                    <div class="nav-collapse collapse navbar-inverse-collapse">
                        <ul class="nav pull-right">
                            <li class="nav-user dropdown"><a href="#" class="dropdown-toggle" data-
toggle="dropdown">
                                
                                <b class="caret"></b></a>
                                <ul class="dropdown-menu">
                                    <li><a href="index.php">Your Profile</a></li>
                                    <!--li><a href="#">Edit Profile</a></li>
                                    <li><a href="#">Account Settings</a></li-->
                                    <li class="divider"></li>
                                    <li><a href="logout.php">Logout</a></li>
                                </ul>
                            </li>
                        </ul>
                    </div>
                </div>
            </div>
        </div>
    </body>
</html>

```

```

        </div>
        <!-- /.nav-collapse -->
    </div>
</div>
<!-- /navbar-inner -->
</div>
<!-- /navbar -->
<div class="wrapper">
    <div class="container">
        <div class="row">
            <div class="span3">
                <div class="sidebar">
                    <ul class="widget widget-menu unstyled">
                        <li class="active"><a href="index.php"><i class="menu-icon icon-home"></i>Home
                        </a></li>
                        <li><a href="message.php"><i class="menu-icon icon-inbox"></i>Messages</a>
                        </li>
                        <li><a href="book.php"><i class="menu-icon icon-book"></i>All Books </a></li>
                        <li><a href="history.php"><i class="menu-icon icon-tasks"></i>Previously Borrowed
Books </a></li>
                        <li><a href="recommendations.php"><i class="menu-icon icon-
list"></i>Recommend Books </a></li>
                        <li><a href="current.php"><i class="menu-icon icon-list"></i>Currently Issued
Books </a></li>
                    </ul>
                    <ul class="widget widget-menu unstyled">
                        <li><a href="logout.php"><i class="menu-icon icon-signout"></i>Logout </a></li>
                    </ul>
                </div>
                <!--/.sidebar-->
            </div>
            <!--/.span3-->
            <div class="span9">
                <form class="form-horizontal row-fluid" action="book.php" method="post">
                    <div class="control-group">
                        <label class="control-label" for="Search"><b>Search:</b></label>
                        <div class="controls">
                            <input type="text" id="title" name="title" placeholder="Enter Name/ID of
Book" class="span8" required>
                            <button type="submit" name="submit" class="btn">Search</button>
                        </div>
                    </div>
                </form>
                <br>
                <?php
                if(isset($_POST['submit']))
                {
                    $s=$_POST['title'];
                    $sql="select * from LMS.book where BookId='$s' or Title like '%$s%'";

```

```

    }
    else
        $sql="select * from LMS.book order by Availability DESC";

    $result=$conn->query($sql);
    $rowcount=mysqli_num_rows($result);

    if(!$rowcount)
        echo "<br><center><h2><b><i>No Results</i></b></h2></center>";
    else
    {

        ?>
<table class="table" id = "tables">
    <thead>
        <tr>
            <th>Book id</th>
            <th>Book name</th>
            <th>Availability</th>
            <th></th>
        </tr>
    </thead>
    <tbody>
        <?php

//$result=$conn->query($sql);
while($row=$result->fetch_assoc())
{
    $bookid=$row['BookId'];
    $name=$row['Title'];
    $avail=$row['Availability'];
    ?>
    <tr>
        <td><?php echo $bookid ?></td>
        <td><?php echo $name ?></td>
        <td><b><?php
            if($avail > 0)
                echo "<font color='green'>AVAILABLE</font>";
            else
                echo "<font color='red'>NOT AVAILABLE</font>";

            ?>

        </b></td>
        <td><center><a href="bookdetails.php?id=<?php echo $bookid; ?>" class="btn
btn-primary">Details</a>
        <?php

```

```

                if($avail > 0)
                    echo "<a href=\"issue_request.php?id=\".$bookid.\"\" class=\"btn btn-
success\">Issue</a>";
                ?>
            </center></td>
        </tr>
    <?php } } ?>
</tbody>
</table>
</div>
<!--/.span3-->
<!--/.span9-->

<!--/.span3-->
<!--/.span9-->
</div>
<!--/.span9-->
</div>
</div>
<!--/.container-->
<div class="footer">
    <div class="container">
        <b class="copyright">&copy; Developed By Tahir Raza Shaikh </b>All rights reserved.
    </div>
</div>


<!--/.wrapper-->
<script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
<script src="scripts/jquery-ui-1.10.1.custom.min.js" type="text/javascript"></script>
<script src="bootstrap/js/bootstrap.min.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.resize.js" type="text/javascript"></script>
<script src="scripts/datatables/jquery.dataTables.js" type="text/javascript"></script>
<script src="scripts/common.js" type="text/javascript"></script>

</body>

</html>

<?php }
else {
    echo "<script type='text/javascript'>alert('Access Denied!!!')</script>";
} ?>

```

File Name: student/bookdetails.php**Code:**

```
<?php
require('dbconn.php');
?>

<?php
if ($_SESSION['RollNo']) {
    ?>

<!DOCTYPE html>
<html lang="en">

    <head>
        <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <title>Raza Library</title>
        <link type="text/css" href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
        <link type="text/css" href="bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">
        <link type="text/css" href="css/theme.css" rel="stylesheet">
        <link type="text/css" href="images/icons/css/font-awesome.css" rel="stylesheet">
        <link type="text/css"
href='http://fonts.googleapis.com/css?family=Open+Sans:400italic,600italic,400,600'
rel='stylesheet'>
```

```

</head>
<body>
  <div class="navbar navbar-fixed-top">
    <div class="navbar-inner">
      <div class="container">
        <a class="btn btn-navbar" data-toggle="collapse" data-target=".navbar-inverse-collapse">
          <i class="icon-reorder shaded"></i></a><a class="brand" href="index.php">Student
Portal </a>
        <div class="nav-collapse collapse navbar-inverse-collapse">
          <ul class="nav pull-right">
            <li class="nav-user dropdown"><a href="#" class="dropdown-toggle" data-
toggle="dropdown">
              
              <b class="caret"></b></a>
              <ul class="dropdown-menu">
                <li><a href="index.php">Your Profile</a></li>
                <!--li><a href="#">Edit Profile</a></li>
                <li><a href="#">Account Settings</a></li-->
                <li class="divider"></li>
                <li><a href="logout.php">Logout</a></li>
              </ul>
            </li>
          </ul>
        </div>
      <!-- /.nav-collapse -->
    </div>
  </div>
  <!-- /navbar-inner -->
</div>
<div class="wrapper">
  <div class="container">
    <div class="row">
      <div class="span3">
        <div class="sidebar">
          <ul class="widget widget-menu unstyled">
            <li class="active"><a href="index.php"><i class="menu-icon icon-home"></i>Home
</a></li>
            <li><a href="message.php"><i class="menu-icon icon-inbox"></i>Messages</a>
</li>
            <li><a href="book.php"><i class="menu-icon icon-book"></i>All Books </a></li>
            <li><a href="history.php"><i class="menu-icon icon-tasks"></i>Previously Borrowed
Books </a></li>
            <li><a href="recommendations.php"><i class="menu-icon icon-
list"></i>Recommend Books </a></li>
            <li><a href="current.php"><i class="menu-icon icon-list"></i>Currently Issued
Books </a></li>
          </ul>

```



```

        <ul class="widget widget-menu unstyled">
            <li><a href="logout.php"><i class="menu-icon icon-signout"></i>Logout </a></li>
        </ul>
    </div>
<!--/.sidebar-->
</div>
<!--/.span3-->

<div class="span9">
    <div class="content">

        <div class="module">
            <div class="module-head">
                <h3>Book Details</h3>
            </div>
            <div class="module-body">
                <?php
                    $x=$_GET['id'];
                    $sql="select * from LMS.book where BookId='$x'";
                    $result=$conn->query($sql);
                    $row=$result->fetch_assoc();

                    $bookid=$row['BookId'];
                    $name=$row['Title'];
                    $publisher=$row['Publisher'];
                    $year=$row['Year'];
                    $avail=$row['Availability'];
                    echo "<b>Book ID:</b> ".$bookid."<br><br>";
                    echo "<b>Title:</b> ".$name."<br><br>";
                    $sql1="select * from LMS.author where BookId='$bookid'";
                    $result=$conn->query($sql1);

                    echo "<b>Author:</b> ";
                    while($row1=$result->fetch_assoc())
                    {
                        echo $row1['Author']."&nbsp;";
                    }
                    echo "<br><br>";
                    echo "<b>Publisher:</b> ".$publisher."<br><br>";
                    echo "<b>Year:</b> ".$year."<br><br>";
                    echo "<b>Availability:</b> ".$avail."<br><br>";

                ?>

                <a href="book.php" class="btn btn-primary">Go Back</a>
            
```

```

        </div>
    </div>
    </div>
<!--/.span3-->
<!--/.span9-->

    <!--/.span3-->
    <!--/.span9-->
</div>

    <!--/.span9-->
</div>
    <!--/.span9-->
</div>
</div>
<!--/.container-->
<div class="footer">
    <div class="container">
        <b class="copyright">&copy; Devloped By Tahir Raza Shaikh </b>All rights reserved.
    </div>
</div>

    <!--/.wrapper-->
<script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
<script src="scripts/jquery-ui-1.10.1.custom.min.js" type="text/javascript"></script>
<script src="bootstrap/js/bootstrap.min.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.resize.js" type="text/javascript"></script>
<script src="scripts/datatables/jquery.dataTables.js" type="text/javascript"></script>
<script src="scripts/common.js" type="text/javascript"></script>

</body>

</html>

<?php }
else {
    echo "<script type='text/javascript'>alert('Access Denied!!!')</script>";
} ?>

```

Code:student/issue_request.php

```
<?php
require('dbconn.php');

$id=$_GET['id'];

$roll=$_SESSION['RollNo'];

$sql="insert into LMS.record (RollNo,BookId,Time) values ('$roll','$id', curtime())";

if($conn->query($sql) === TRUE)
{
    echo "<script type='text/javascript'>alert('Request Sent to Admin.')
```

Code:student/findbook.php

```
<?php
require('dbconn.php');
?>

<?php
if ($_SESSION['RollNo']) {
    ?>

<!DOCTYPE html>
<html lang="en">

    <head>
        <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <title>Raza Library</title>
```

```

<link type="text/css" href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
<link type="text/css" href="bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">
<link type="text/css" href="css/theme.css" rel="stylesheet">
<link type="text/css" href="images/icons/css/font-awesome.css" rel="stylesheet">
<link type="text/css"
href='http://fonts.googleapis.com/css?family=Open+Sans:400italic,600italic,400,600'
rel='stylesheet'>
</head>
<body>
<div class="navbar navbar-fixed-top">
<div class="navbar-inner">
<div class="container">
<a class="btn btn-navbar" data-toggle="collapse" data-target=".navbar-inverse-collapse">
<i class="icon-reorder shaded"></i></a><a class="brand" href="index.php">Student
Portal</a>
<div class="nav-collapse collapse navbar-inverse-collapse">
<ul class="nav pull-right">
<li class="nav-user dropdown"><a href="#" class="dropdown-toggle" data-
toggle="dropdown">

<b class="caret"></b></a>
<ul class="dropdown-menu">
<li><a href="index.php">Your Profile</a></li>
<!--li><a href="#">Edit Profile</a></li>
<li><a href="#">Account Settings</a></li-->
<li class="divider"></li>
<li><a href="logout.php">Logout</a></li>
</ul>
</li>
</ul>
</div>
<!-- /.nav-collapse -->
</div>
</div>
<!-- /navbar-inner -->
</div>
<!-- /navbar -->
<div class="wrapper">
<div class="container">
<div class="row">
<div class="span3">
<div class="sidebar">
<ul class="widget widget-menu unstyled">
<li class="active"><a href="index.php"><i class="menu-icon icon-home"></i>Home
</a></li>
<li><a href="message.php"><i class="menu-icon icon-inbox"></i>Messages</a>
</li>
<li><a href="book.php"><i class="menu-icon icon-book"></i>All Books </a></li>

```

```

                <li><a href="history.php"><i class="menu-icon icon-tasks"></i>Previously Borrowed
Books </a></li>
                <li><a href="recommendations.php"><i class="menu-icon icon-
list"></i>Recommend Books </a></li>
                <li><a href="current.php"><i class="menu-icon icon-list"></i>Currently Issued
Books </a></li>
            </ul>
            <ul class="widget widget-menu unstyled">
                <li><a href="logout.php"><i class="menu-icon icon-signout"></i>Logout </a></li>
            </ul>
        </div>
        <!--/.sidebar-->
    </div>
    <!--/.span3-->

    <div class="span9">

        <div class="content">
            <div class="btn-controls">
                <div class="btn-box-row row-fluid">
                    <a href="findbook.php" class="btn-box big span4"><i class="icon-
search"></i><b>Find Book</b>
                    </a>
                </div>
            </div>
            <!--/.module-->
        </div>

        <!--/.content-->
    </div>

    <!--/.span9-->
</div>
</div>
<!--/.container-->
</div>
<div class="footer">
    <div class="container">
        <b class="copyright">&copy; Developed By Tahir Raza Shaikh </b>All rights reserved.
    </div>
</div>

<!--/.wrapper-->
<script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
<script src="scripts/jquery-ui-1.10.1.custom.min.js" type="text/javascript"></script>
<script src="bootstrap/js/bootstrap.min.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.resize.js" type="text/javascript"></script>

```


```
<script src="scripts/datatables/jquery.dataTables.js" type="text/javascript"></script>
<script src="scripts/common.js" type="text/javascript"></script>

</body>

</html>

<?php }
else {
    echo "<script type='text/javascript'>alert('Access Denied!!!')</script>";
} ?>
```

File Name: student/history.php



Code:

```
<?php
require('dbconn.php');
?>

<?php
if ($_SESSION['RollNo']) {
    ?>
```

```

<!DOCTYPE html>
<html lang="en">

  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Raza Library</title>
    <link type="text/css" href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
    <link type="text/css" href="bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">
    <link type="text/css" href="css/theme.css" rel="stylesheet">
    <link type="text/css" href="images/icons/css/font-awesome.css" rel="stylesheet">
    <link type="text/css"
href='http://fonts.googleapis.com/css?family=Open+Sans:400italic,600italic,400,600'
rel='stylesheet'>
  </head>
  <body>
    <div class="navbar navbar-fixed-top">
      <div class="navbar-inner">
        <div class="container">
          <a class="btn btn-navbar" data-toggle="collapse" data-target=".navbar-inverse-collapse">
            <i class="icon-reorder shaded"></i></a><a class="brand" href="index.php">Student
Portal</a>
          <div class="nav-collapse collapse navbar-inverse-collapse">
            <ul class="nav pull-right">
              <li class="nav-user dropdown"><a href="#" class="dropdown-toggle" data-
toggle="dropdown">
                
                <b class="caret"></b></a>
                <ul class="dropdown-menu">
                  <li><a href="index.php">Your Profile</a></li>
                  <!--li><a href="#">Edit Profile</a></li>
                  <li><a href="#">Account Settings</a></li-->
                  <li class="divider"></li>
                  <li><a href="logout.php">Logout</a></li>
                </ul>
              </li>
            </ul>
          </div>
        </div>
      </div>
    </div>
  </div>
  <!-- /navbar-inner -->
</div>
<div class="wrapper">
  <div class="container">
    <div class="row">
      <div class="span3">

```

```

<div class="sidebar">
  <ul class="widget widget-menu unstyled">
    <li class="active"><a href="index.php"><i class="menu-icon icon-home"></i>Home
    </a></li>
    <li><a href="message.php"><i class="menu-icon icon-inbox"></i>Messages</a>
    </li>
    <li><a href="book.php"><i class="menu-icon icon-book"></i>All Books </a></li>
    <li><a href="history.php"><i class="menu-icon icon-tasks"></i>Previously Borrowed
Books </a></li>
    <li><a href="recommendations.php"><i class="menu-icon icon-
list"></i>Recommend Books </a></li>
    <li><a href="current.php"><i class="menu-icon icon-list"></i>Currently Issued
Books </a></li>
  </ul>
  <ul class="widget widget-menu unstyled">
    <li><a href="logout.php"><i class="menu-icon icon-signout"></i>Logout </a></li>
  </ul>
</div>
<!--/.sidebar-->
</div>
<!--/.span3-->

<div class="span9">
  <form class="form-horizontal row-fluid" action="history.php" method="post">
    <div class="control-group">
      <label class="control-label" for="Search"><b>Search:</b></label>
      <div class="controls">
        <input type="text" id="title" name="title" placeholder="Enter Book
Name/Book Id." class="span8" required>
        <button type="submit" name="submit" class="btn">Search</button>
      </div>
    </div>
  </form>
  <br>
  <?php
  $rollno = $_SESSION['RollNo'];
  if(isset($_POST['submit']))
  {$s=$_POST['title'];
    $sql="select * from LMS.record,LMS.book where RollNo = '$rollno' and
Date_of_Issue is NOT NULL and Date_of_Return is NOT NULL and book.Bookid = record.BookId and
(record.BookId='$s' or Title like '%$s%')";

    }
  else
    $sql="select * from LMS.record,LMS.book where RollNo = '$rollno' and
Date_of_Issue is NOT NULL and Date_of_Return is NOT NULL and book.Bookid = record.BookId";

  $result=$conn->query($sql);

```



```

        $rowcount=mysqli_num_rows($result);

        if(!$rowcount)
            echo "<br><center><h2><b><i>No Results</i></b></h2></center>";
        else
        {

            ?>
            <table class="table" id = "tables">
                <thead>
                    <tr>
                        <th>Book id</th>
                        <th>Book name</th>
                        <th>Issue Date</th>
                        <th>Return Date</th>
                    </tr>
                </thead>
                <tbody>

                <?php

                    while($row=$result->fetch_assoc())
                    {
                        $bookid=$row['BookId'];
                        $name=$row['Title'];
                        $issuedate=$row['Date_of_Issue'];
                        $returndate=$row['Date_of_Return'];
                        ?>

                        <tr>
                            <td><?php echo $bookid ?></td>
                            <td><?php echo $name ?></td>
                            <td><?php echo $issuedate ?></td>
                            <td><?php echo $returndate ?></td>
                        </tr>
                    <?php }} ?>
                </tbody>
            </table>

        </div>
        <!--/.span9-->
    </div>
</div>
<!--/.container-->
</div>
<div class="footer">
    <div class="container">
        <b class="copyright">&copy; Developed By Tahir Raza Shaikh </b>All rights reserved.

```

```

</div>
</div>

<!--/.wrapper-->
<script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
<script src="scripts/jquery-ui-1.10.1.custom.min.js" type="text/javascript"></script>
<script src="bootstrap/js/bootstrap.min.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.resize.js" type="text/javascript"></script>
<script src="scripts/datatables/jquery.dataTables.js" type="text/javascript"></script>
<script src="scripts/common.js" type="text/javascript"></script>


</body>

</html>

<?php }
else {
    echo "<script type='text/javascript'>alert('Access Denied!!!')</script>";
} ?>

```

File Name:student/recommendations.php



Code:

```

<?php
require('dbconn.php');
?>

<?php
if ($_SESSION['RollNo']) {
    ?>

<!DOCTYPE html>
<html lang="en">

    <head>
        <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <title>Raza Library</title>
        <link type="text/css" href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
        <link type="text/css" href="bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">
        <link type="text/css" href="css/theme.css" rel="stylesheet">
        <link type="text/css" href="images/icons/css/font-awesome.css" rel="stylesheet">
        <link type="text/css"
href='http://fonts.googleapis.com/css?family=Open+Sans:400italic,600italic,400,600'
rel='stylesheet'>
    </head>
    <body>
        <div class="navbar navbar-fixed-top">
            <div class="navbar-inner">
                <div class="container">
                    <a class="btn btn-navbar" data-toggle="collapse" data-target=".navbar-inverse-collapse">
                        <i class="icon-reorder shaded"></i></a><a class="brand" href="index.php">Student
Portal</a>
                    <div class="nav-collapse collapse navbar-inverse-collapse">
                        <ul class="nav pull-right">
                            <li class="nav-user dropdown"><a href="#" class="dropdown-toggle" data-
toggle="dropdown">
                                
                                <b class="caret"></b></a>
                                <ul class="dropdown-menu">
                                    <li><a href="index.php">Your Profile</a></li>
                                    <!--li><a href="#">Edit Profile</a></li>
                                    <li><a href="#">Account Settings</a></li-->
                                    <li class="divider"></li>
                                    <li><a href="logout.php">Logout</a></li>
                                </ul>
                            </li>
                        </ul>
                    </div>
                </div>
            </div>
        </div>
    </body>

```

```

        </div>
        <!-- /.nav-collapse -->
    </div>
</div>
<!-- /navbar-inner -->
</div>
<!-- /navbar -->
<div class="wrapper">
    <div class="container">
        <div class="row">
            <div class="span3">
                <div class="sidebar">
                    <ul class="widget widget-menu unstyled">
                        <li class="active"><a href="index.php"><i class="menu-icon icon-home"></i>Home
                        </a></li>
                        <li><a href="message.php"><i class="menu-icon icon-inbox"></i>Messages</a>
                        </li>
                        <li><a href="book.php"><i class="menu-icon icon-book"></i>All Books </a></li>
                        <li><a href="history.php"><i class="menu-icon icon-tasks"></i>Previously Borrowed
Books </a></li>
                        <li><a href="recommendations.php"><i class="menu-icon icon-
list"></i>Recommend Books </a></li>
                        <li><a href="current.php"><i class="menu-icon icon-list"></i>Currently Issued
Books </a></li>
                    </ul>
                    <ul class="widget widget-menu unstyled">
                        <li><a href="logout.php"><i class="menu-icon icon-signout"></i>Logout </a></li>
                    </ul>
                </div>
                <!--/.sidebar-->
            </div>
            <!--/.span3-->

            <div class="span9">
                <div class="content">

                    <div class="module">
                        <div class="module-head">
                            <h3>Reccomend a Book</h3>
                        </div>
                        <div class="module-body">

                            <br >

                            <form class="form-horizontal row-fluid" action="recommendations.php"
method="post">
                                <div class="control-group">

```

```

        <label class="control-label" for="Title"><b>Book Title</b></label>
        <div class="controls">
            <input type="text" id="title" name="title" placeholder="Title"
class="span8" required>
        </div>
    </div>

    <div class="control-group">
        <label class="control-label" for="Description"><b>Description</b></label>
        <div class="controls">
            <input type="text" id="Description" name="Description"
placeholder="Description" class="span8" required>
        </div>
    </div>

    <div class="control-group">
        <div class="controls">
            <button type="submit" name="submit" class="btn">Submit
Recommendation</button>
        </div>
    </div>
</form>
</div>
</div>

</div><!--/.content-->
</div>

<!--/.span9-->
</div>
</div>
<!--/.container-->
</div>
<div class="footer">
    <div class="container">
        <b class="copyright">&copy; Developed By Tahir Raza Shaikh </b>All rights reserved.
    </div>
</div>

<!--/.wrapper-->
<script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
<script src="scripts/jquery-ui-1.10.1.custom.min.js" type="text/javascript"></script>
<script src="bootstrap/js/bootstrap.min.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.resize.js" type="text/javascript"></script>
<script src="scripts/datatables/jquery.dataTables.js" type="text/javascript"></script>

```

```
<script src="scripts/common.js" type="text/javascript"></script>

<?php
if(isset($_POST['submit']))
{
    $title=$_POST['title'];
    $Description=$_POST['Description'];
    $rollno=$_SESSION['RollNo'];

    $sql1="insert into LMS.recommendations (Book_Name,Description,RollNo) values
    ('$title','$Description','$rollno')";

    if($conn->query($sql1) === TRUE){


        echo "<script type='text/javascript'>alert('Success')</script>";
    }
    else
    {
        //echo $conn->error;
        echo "<script type='text/javascript'>alert('Error')</script>";
    }
}
?>

</body>

</html>

<?php }
else {
    echo "<script type='text/javascript'>alert('Access Denied!!!')</script>";
} ?>
```

File Name: student/current.php



Code:

```
<?php
require('dbconn.php');
?>

<?php
if ($_SESSION['RollNo']) {
    ?>

<!DOCTYPE html>
<html lang="en">

    <head>
        <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <title>Raza Library</title>
        <link type="text/css" href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
        <link type="text/css" href="bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">
        <link type="text/css" href="css/theme.css" rel="stylesheet">
        <link type="text/css" href="images/icons/css/font-awesome.css" rel="stylesheet">
        <link type="text/css"
href='http://fonts.googleapis.com/css?family=Open+Sans:400italic,600italic,400,600'
rel='stylesheet'>
```

```

</head>
<body>
  <div class="navbar navbar-fixed-top">
    <div class="navbar-inner">
      <div class="container">
        <a class="btn btn-navbar" data-toggle="collapse" data-target=".navbar-inverse-collapse">
          <i class="icon-reorder shaded"></i></a><a class="brand" href="index.php">Student
Portal </a>
        <div class="nav-collapse collapse navbar-inverse-collapse">
          <ul class="nav pull-right">
            <li class="nav-user dropdown"><a href="#" class="dropdown-toggle" data-
toggle="dropdown">
              
              <b class="caret"></b></a>
              <ul class="dropdown-menu">
                <li><a href="index.php">Your Profile</a></li>
                <!--li><a href="#">Edit Profile</a></li>
                <li><a href="#">Account Settings</a></li-->
                <li class="divider"></li>
                <li><a href="logout.php">Logout</a></li>
              </ul>
            </li>
          </ul>
        </div>
      <!-- /.nav-collapse -->
    </div>
  </div>
  <!-- /navbar-inner -->
</div>
<div class="wrapper">
  <div class="container">
    <div class="row">
      <div class="span3">
        <div class="sidebar">
          <ul class="widget widget-menu unstyled">
            <li class="active"><a href="index.php"><i class="menu-icon icon-home"></i>Home
</a></li>
            <li><a href="message.php"><i class="menu-icon icon-inbox"></i>Messages</a>
</li>
            <li><a href="book.php"><i class="menu-icon icon-book"></i>All Books </a></li>
            <li><a href="history.php"><i class="menu-icon icon-tasks"></i>Previously Borrowed
Books </a></li>
            <li><a href="recommendations.php"><i class="menu-icon icon-
list"></i>Recommend Books </a></li>
            <li><a href="current.php"><i class="menu-icon icon-list"></i>Currently Issued
Books </a></li>
          </ul>

```



```

        <ul class="widget widget-menu unstyled">
            <li><a href="logout.php"><i class="menu-icon icon-signout"></i>Logout </a></li>
        </ul>
    </div>
<!--/.sidebar-->
</div>
<!--/.span3-->
<div class="span9">
    <form class="form-horizontal row-fluid" action="current.php" method="post">
        <div class="control-group">
            <label class="control-label" for="Search"><b>Search:</b></label>
            <div class="controls">
                <input type="text" id="title" name="title" placeholder="Enter Book
Name/Book Id." class="span8" required>
                <button type="submit" name="submit" class="btn">Search</button>
            </div>
        </div>
    </form>
    <br>
    <?php
    $rollno = $_SESSION['RollNo'];
    if(isset($_POST['submit']))
    {
        $s=$_POST['title'];
        $sql="select * from LMS.record,LMS.book where RollNo = '$rollno' and
Date_of_Issue is NOT NULL and Date_of_Return is NULL and book.Bookid = record.Bookid and
(record.Bookid='$s' or Title like '%$s%')";

        }
    else
        $sql="select * from LMS.record,LMS.book where RollNo = '$rollno' and
Date_of_Issue is NOT NULL and Date_of_Return is NULL and book.Bookid = record.Bookid";

    $result=$conn->query($sql);
    $rowcount=mysqli_num_rows($result);

    if(!$rowcount)
        echo "<br><center><h2><b><i>No Results</i></b></h2></center>";
    else
    {

        ?>
        <table class="table" id = "tables">
            <thead>
                <tr>
                    <th>Book id</th>
                    <th>Book name</th>
                    <th>Issue Date</th>

```

```

                <th>Due date</th>
                <th></th>
            </tr>
        </thead>
        <tbody>

        <?php

        // $result=$conn->query($sql);
        while($row=$result->fetch_assoc())
        {
            $bookid=$row['BookId'];
            $name=$row['Title'];
            $issuedate=$row['Date_of_Issue'];
            $duedate=$row['Due_Date'];
            $renewals=$row['Renewals_left'];

            ?>

            <tr>
                <td><?php echo $bookid ?></td>
                <td><?php echo $name ?></td>
                <td><?php echo $issuedate ?></td>
                <td><?php echo $duedate ?></td>
                <td><center>
                    <?php
                    if($renewals)
                        echo "<a href=\"renew_request.php?id=".$bookid.\" \" class=\"btn btn-
success\">Renew</a>";
                    ?>
                    <a href="return_request.php?id=<?php echo $bookid; ?>" class="btn btn-
primary">Return</a>
                </center></td>
            </tr>
        <?php }} ?>
        </tbody>
    </table>
</div>
<!--/.span9-->
</div>
</div>
<!--/.container-->
</div>
<div class="footer">
    <div class="container">
        <b class="copyright">&copy; Developed By Tahir Raza Shaikh </b>All rights reserved.
    </div>

```

```
</div>

<!--/.wrapper-->
<script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
<script src="scripts/jquery-ui-1.10.1.custom.min.js" type="text/javascript"></script>
<script src="bootstrap/js/bootstrap.min.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.js" type="text/javascript"></script>
<script src="scripts/flot/jquery.flot.resize.js" type="text/javascript"></script>
<script src="scripts/datatables/jquery.dataTables.js" type="text/javascript"></script>
<script src="scripts/common.js" type="text/javascript"></script>

</body>

</html>

<?php }
else {
    echo "<script type='text/javascript'>alert('Access Denied!!!')</script>";
} ?>
```

Code:student/renew_request.php

```
<?php
require('dbconn.php');

$id=$_GET['id'];

$roll=$_SESSION['RollNo'];

$sql="insert into LMS.renew (RollNo,BookId) values ('$roll','$id')";

if($conn->query($sql) === TRUE)
{
    echo "<script type='text/javascript'>alert('Request Sent to Admin.')</script>";
    header( "Refresh:0.01; url=current.php", true, 303);
}
else
{
    echo "<script type='text/javascript'>alert('Request Already Sent.')</script>";
    header( "Refresh:0.01; url=current.php", true, 303);
}

?>
```

Code:student/return_request.php

```
<?php
require('dbconn.php');

$id=$_GET['id'];

$roll=$_SESSION['RollNo'];

$sql="insert into LMS.return (RollNo,BookId) values ('$roll','$id')";

if($conn->query($sql) === TRUE)
{
    echo "<script type='text/javascript'>alert('Request Sent to Admin.')</script>";
    header( "Refresh:0.01; url=current.php", true, 303);
}
else
{
    echo "<script type='text/javascript'>alert('Request Already Sent.')</script>";
    header( "Refresh:0.01; url=current.php", true, 303);
}
?>
```

Code:student/logout.php

```
<?php


session_start();
session_destroy();
header("location:../index.php");
exit;
?>
```


Code:db_conn.php

```
<?php
session_start();
$dbservername = "localhost";
$dbusername = "root";
$dbpassword = "";
$dbname = "";
```

```
// Create connection
$conn = mysqli_connect($dbservername, $dbusername, $dbpassword,$dbname);
// Check connection
if (!$conn) {
    echo "Connected unsuccessfully";
    die("Connection failed: " . mysqli_connect_error());
}
?>
```

File Name:term.php







Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```

<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Terms and Service</title>
<link rel="stylesheet" href="./index.css">
</head>
<body>
  <header class="main-header dark-theme">

    <ul class="header-options">

      <li class="title"> Raza Library </li>
      <li class="option"> <a href="index.php"> Home </a></li>
      <li class="option"> <a href="https://forms.gle/R3F3rEuqLTg8nmRN8">Contact Us </a> </li>

    </ul>

  </header>

  <header class="header-mobile dark-theme">
    <h3 class="title-mobile"> Raza Library</h3>
  </header>

  <section id="terms-of-service">
    <div class="card" style="height: 2800px;">
      <h1 class="primary-heading">Terms of Service</h1>
      <p class="paragraph">
        1) In consideration of your use of the Raza Library, you represent that you <span
class="bold">are</span> of legal age to form a binding contract and are <span
class="bold">not</span> a person barred from receiving services under the laws of the Indian
Constitution or other applicable jurisdiction. You also agree to: <br> <br>
        • provide true, accurate, current and complete information about yourself as
prompted by Raza Library registration form and; <br> <br>
        • maintain and promptly update the Registration Data to keep it true, accurate,
current and complete. If you provide any information that is untrue, inaccurate, not current or
incomplete, or Raza Library has reasonable grounds to suspect that such information is untrue,
inaccurate, not current or incomplete, Raza Library has the right to suspend or terminate your
account and refuse any and all current or future use of the Raza Library.
        <br><br><br>
        2) Any kind of abusing, harassment using Raza Library is <span class="bold">strictly
prohibited</span>. If anyone is found conducting such acts, they will be <span
class="bold">banned</span> from the Raza Library and legal action will be taken against them.
        <br><br><br>
        3) Raza Library provides <span class="bold">ONE</span> One UserName to each person.
Trying to generate fakes UserName is strictly <span class="bold">prohibited</span> and this act will
result in <span class="bold">banning</span> of the person.
        <br><br><br>
        4) beCoditive API is <span class="bold">copyrighted</span> and if any acts of <span
class="bold">plagiarism</span> are discovered, legal action will be taken against the offender.
        <br><br><br>

```


5) Flooding Raza Library with false requests and false complains is **strictly prohibited**

6) Registration Data and certain other information about you **is** subject to our Privacy Policy.

7) You expressly **understand** and **agree** that Raza Library and its subsidiaries, affiliates, officers, employees, agents, partners and licensors shall not be liable to you for any direct, indirect, incidental, special, consequential or exemplary damages, including, but not limited to, damages for loss of profits, goodwill, use, data or other intangible losses (even if beCoditive has been advised of the possibility of such damages), resulting from the use or the inability to use Raza Library.

8) You **agree** that beCoditive may **terminate** your access to beCoditive API for violations of the TOS and/or requests by authorized law enforcement or other government agencies.

9) You acknowledge that Raza Library may establish general practices and limits concerning use of Raza Library, including without limitation the maximum number of days that email messages, message board postings or other uploaded Content will be retained by Raza Library. You further acknowledge that Raza Library reserves the right to modify these general practices and limits from time to time. Raza Library reserves the right at any time and from time to time to modify or discontinue, temporarily or permanently, Raza Library with or without notice. You agree that Raza Library shall not be liable to you or to any third party for any modification, suspension or discontinuance of Raza Library.

Library Rules And Regulation:

-You will get the book for 5 days.

-if library permises,you can renew the book for 60 days.

-If the book is not returned within 5 days,there will be penalty according to book penalty rules.

-Raza Library can accept or reject your requests.

Renew Rules:

-If you want renew the book for 60 days yo have to pay some deposite according to the book.

-If Book price is under Rs.100 you have to deposite 10% of price.

-If Book Price is above Rs.100 you have to deposite 25% of price.

-If You don't return book within 60 days you have to pay penalty according to penalty rules.

Penalty Rules:

-If you fail to return the book within 5 days you have to pay penalty.

-If Book price is under Rs.100 you have to pay penlaty 20% of price.

-If Book price is above Rs.100 you have to pay penlaty 10% of price.

-If you are a renew person then you have to pay 50% of the book price as a penalty.


</p>

</div>

</section>

```
<footer>
  <p class="footer-heading">&copy; Developed By Tahir Raza Shaikh</p>
</footer>
</body>
</html>
```

File Name: contact Us



The screenshot shows a web browser window with a yellow header bar. The browser tabs include 'Raza Library', 'Contact Us', '(32) Owais Raza Qadri | Gha...', and 'Google Forms'. The address bar shows a Google Forms URL. The browser's bookmark bar contains links to Google Meet, WhatsApp, an email inbox, YouTube, Classroom, Gujarat University, Python Files, pandas.read_excel, Hire Freelancers, and Jump2Learn. The main content area features a header image of a bookshelf with books and a cat. Below the image is a form titled 'Contact Us' with the subtitle 'You can submit this form for contact to us'. The form includes a text field for an email address, currently showing 'tahirshaikhtahir409@gmail.com (not shared) Switch accounts', with a red asterisk and the word '*Required' below it. There are two more text input fields: 'Full Name *' and 'Contact No. *'. A small edit icon is visible in the bottom right corner of the form area.