



Steps for project initialization to the **system**

The three main platforms needed

1. **Github** : (GitHub is a web platform used by developers to store and manage their software code)
2. **Atlassian Jira** : (Jira is a project management and issue-tracking software developed by Atlassian)
3. **Discord** : (Discord is a free communication app that lets you talk using voice, video, and text.)




1. COLLECT **GITHUB** CREDENTIALS

1. Open the link first – [GITHUB](#)
2. login/signup to your account
3. click on **GREEN** button for new repo.
4. Give one good repository name .




5. Generate Github **TOKEN**

i. Go to: Settings --> Developer settings --> Personal access tokens




ii. Settings --> Choose: Fine-grained personal access to Click: Generate new token



- iii. Read the following steps and do as per steps
- Give the token a meaningful name.
 - Example: my-software-project-backend6.
 - Select the repository that your application needs to access.
 - Give only the permissions required by your backend.
 - Typical read-only permissions may include:

Repository permissions - Contents: Read - Issues: Read - Pull requests: Read - Metadata: Read



New fine-grained personal access token

Create a fine-grained, repository-scoped token suitable for personal API use and for using Git over

Token name *

my_it_project

my_it_project is available.

A unique name for this token. May be visible to resource owners or users with possession of the token.

Description

the first it project of my life

Resource owner

vjaydevkar

The token will only be able to make changes to resources owned by the selected resource owner. Tokens can always

Expiration

90 days (Nov 25, 2026)

The token will expire on the selected date.

Repository access

☐ Public repositories
Read-only access to public repositories.

☐ All repositories
This applies to all current and future repositories you own. Also includes public repositories (read-only).

☒ Only select repositories
Select at least one repository. Max 50 repositories. Also includes public repositories (read-only).

Select repositories 1

Selected 1 repository.

vjaydevkar/New_IT_project

Permissions

Choose the minimal permissions necessary for your needs. [Learn more about permissions.](#)

Repositories 4 Account 0

Contents
Repository contents, commits, branches, downloads, releases, and merges. [Learn more.](#)

Access: Read-only

Issues
Issues and related comments, assignees, labels, and milestones. [Learn more.](#)

Access: Read-only

Metadata Required
Search repositories, list collaborators, and access repository metadata. [Learn more.](#)

Access: Read-only

Pull requests
Pull requests and related comments, assignees, labels, milestones, and merges. [Learn more.](#)

Access: Read-only

Generate token **Cancel**

This token will be ready for use immediately.



iv. Finally the token is created successfully.

2. COLLECT **JIRA** CREDENTIALS

1. Open the link first – [JIRA](#)
2. login/signup to your Atlassian account
3. create one **JIRA** new site.
 - i. Create a Jira site if you do not already have one.
 - ii. Your site may look like: <https://yourname.atlassian.net>
 - iii. Put this into:
JIRA_BASE_URL=https://yourname.atlassian.net


4. Create a Jira project


- i. Open Jira.
- ii. Go to: Projects -> Create project
- iii. Select an appropriate project template.
- iv. Enter your project name.
- v. Jira will assign/create a project key.



5. Create a Jira API token

- i. Open your Atlassian account security settings.
- ii. Find API tokens.
- iii. Create a new API token.
- iv. Give it a meaningful label.





⑤

Create an API token

Give your token a name that describes what it does and select an expiration date.

Required fields are marked with an asterisk *

Name *

my_project

For example: APItoken1_updated_daily_report

Expires on *

12/1/2026

For your security, tokens can last no longer than a year.

By creating an API token, you agree to the [Atlassian Developer Terms](#) and acknowledge the [Privacy Policy](#).



⑥

Copy your API token

Copy your API token and save it somewhere safe. You can't recover the API token after you're done with this step.


API token



Done





6. Add your Jira email

- i. Use the email address associated with the Atlassian account that owns/has access to the Jira project
.Example: JIRA_EMAIL=your-email@gmail.com



3. COLLECT **DISCORD** CREDENTIALS


1. Open the link first – [DISCORD](#)
2. login/signup to your Discord account
3. click on **add server** and do as shown




4. Create a Discord application

- i. Click on the [link](#)
- ii. Click on New Application
- iii. give a name of application and click on create
- iv. Provide the general information

1



2



3

General Information

What should we call your creation? What amazing things does it do? What icon should represent it?

App Icon



Dimensions: 1024x1024
Aspect Ratio: 1:1
File Types: PNG, GIF, JPG, WEBP
Max Size: 10MB

Name

my_project_bot

Description (maximum 400 characters)
Your description will appear in the About Me section of your bot's profile.

so the bot is for my discord channel which helos us to communicate to the company empl

Tags (maximum 5)
Add up to 5 tags to describe the content and functionality of your application.



our application does help to employees

Application ID
1542275662896318595

Copy


- Create the Discord bot token

1. Inside your Discord application, open: Bot
2. Create/add the bot.
3. Generate/reset the bot token if required.
4. Copy the bot token. It will look similar to: MTxxxxxxx.Gxxxx.xxxxxxxx
5. Put it into: `DISCORD_BOT_TOKEN=MTxxxxxxx.Gxxxx.xxxxxxxx`




5. Invite the bot to your server


- i. Open the Discord Developer Portal. – [DISCORD DEVELOPER](#)
- ii. Open your application.
- iii. Go to the installation/OAuth2 settings.




- iv. Open that URL into new tab.



- v. Select your server that already created and click on blue button




- vi. The message should look like this



6. GET DISCORD SERVER ID

- i. Open Discord. Go to: User Settings -> Advanced -> Enable: Developer Mode



- ii. Go to your Discord server. --> Right-click the server name/icon. --> Select: Copy Server ID




You will receive a
number similar to:
123456789012345678

- iii. This is your GUILD ID Put it into: `DISCORD_GUILD_ID=123456789012345678`

7. GET DISCORD CHANNEL ID

- i. Copy the channel ID :
- ii. 1. Open your Discord server.
- iii. 2. Find the channel that the backend should use.
- iv. 3. Right-click the channel.
- v. 4. Select: Copy Channel ID



- i. You will receive a number similar to: 123456789012345679
- ii. Put it into: `DISCORD_CHANNEL_ID= 123456789012345679`

