Table-1 (bugresistance)

| StudentID | | Name | CGPA | City | Department | PassingYear |
|-----------|---|---------|------|-------------|------------|-------------|
| 1 | | Sadia | 3.48 | Chittagong | CSE | 2023-05-10 |
| 2 |) | Ripa | 3.98 | Chittagong | CSE | 2023-04-20 |
| 3 | } | Zerin | 3.45 | Narayanganj | EEE | 2023-06-14 |
| 4 | ļ | Tahmina | 3.85 | Chittagong | EEE | 2023-04-14 |
| 5 |) | Richi | 3.68 | Noakhali | CSE | 2022-05-10 |
| 6 | ò | Akhi | 3.85 | Feni | EEE | 2023-07-10 |

Table-2: (bugresistance_teacher)

| TeacherID | Name | City | Salary |
|-----------|--------|------------|--------|
| 1 | Ziaur | Barishal | 15000 |
| 9 | Richi | Noakhali | 25000 |
| 10 | Akhi | Feni | 15000 |
| 11 | Ripa | Chittagong | 35000 |
| 12 | Nayeem | Dhaka | 50000 |
| 13 | Sadia | Chittagong | 15000 |

Inner Joint Query

- 1 select bugresistance.StudentID, bugresistance_teacher.Name, bugresistance.City
- 2 from bugresistance
- 3 inner join bugresistance_teacher
- 4 on bugresistance.Name = bugresistance_teacher.Name

Output

+ Options

| StudentID | Name | City |
|-----------|-------|------------|
| 5 | Richi | Noakhali |
| 6 | Akhi | Feni |
| 2 | Ripa | Chittagong |
| 1 | Sadia | Chittagong |

Left Joint Query

```
select bugresistance.StudentID, bugresistance_teacher.Name, bugresistance.CGPA
from bugresistance
left join bugresistance_teacher
```

4 on bugresistance.Name = bugresistance_teacher.Name

Output:

| StudentID | Name | CGPA |
|-----------|-------|------|
| 5 | Richi | 3.68 |
| 6 | Akhi | 3.85 |
| 2 | Ripa | 3.98 |
| 1 | Sadia | 3.48 |
| 3 | NULL | 3.45 |
| 4 | NULL | 3.85 |

Right Joint Query:

```
1 select bugresistance.StudentID, bugresistance_teacher.Name, bugresistance_teacher.Salary
2 from bugresistance
3 right join bugresistance_teacher
```

4 on bugresistance.Name = bugresistance_teacher.Name

Output:

| StudentID | Name | Salary | |
|-----------|--------|--------|--|
| 1 | Sadia | 15000 | |
| 2 | Ripa | 35000 | |
| 5 | Richi | 25000 | |
| 6 | Akhi | 15000 | |
| NULL | Ziaur | 15000 | |
| NULL | Nayeem | 50000 | |

Full Outer Joint Query:

- 1 select bugresistance.StudentID, bugresistance_teacher.Name, bugresistance_teacher.City, bugresistance.Department, bugresistance.CGPA
- 2 from bugresistance
- 3 left join bugresistance_teacher
- 4 on bugresistance.Name = bugresistance_teacher.Name
- 5 union
- 6 select bugresistance.StudentID, bugresistance_teacher.Name, bugresistance_teacher.City, bugresistance.Department, bugresistance.CGPA
- 7 from bugresistance
- 8 right join bugresistance_teacher
- 9 on bugresistance.Name = bugresistance_teacher.Name

Output:

| StudentID | Name | City | Department | CGPA |
|-----------|--------|------------|------------|------|
| 5 | Richi | Noakhali | CSE | 3.68 |
| 6 | Akhi | Feni | EEE | 3.85 |
| 2 | Ripa | Chittagong | CSE | 3.98 |
| 1 | Sadia | Chittagong | CSE | 3.48 |
| 3 | NULL | NULL | EEE | 3.45 |
| 4 | NULL | NULL | EEE | 3.85 |
| NULL | Ziaur | Barishal | NULL | NULL |
| NULL | Nayeem | Dhaka | NULL | NULL |