

SQL Queries for RentZ Project

Feature: User Registration & Login (Member 3)

- Q1. INSERT INTO users (id, name, age, nid, phone, email, address, family_members, role, password_hash)
- Q2. SELECT id, password_hash FROM users WHERE email = 'alice@example.com';
- Q3. UPDATE users SET address = '456 Elm St' WHERE id = 'u001';
- Q4. DELETE FROM users WHERE id = 'u001';

Feature: Building CRUD (Member 3)

- Q1. INSERT INTO buildings (id, address) VALUES ('b10', '123 Main St');
- Q2. SELECT * FROM buildings;
- Q3. UPDATE buildings SET address = '789 Oak Ave' WHERE id = 'b10';
- Q4. DELETE FROM buildings WHERE id = 'b10';

Feature: Flat Listing & Search (Member 1)

- Q1. SELECT * FROM flats WHERE status = 'Available';
- Q2. SELECT * FROM flats WHERE rent BETWEEN 5000 AND 10000 AND rooms = 2;
- Q3. SELECT * FROM flats WHERE CONCAT(sqft, ' ', rooms, ' rooms') LIKE '%2%';

Feature: Flat Management & To-Let Posts (Member 1)

- Q1. INSERT INTO flats (id, building_id, owner_id, sqft, rooms, rent, status) VALUES ('f100', 'b10', 'o200',
- Q2. UPDATE flats SET status = 'Rented' WHERE id = 'f100';
- Q3. DELETE FROM flats WHERE id = 'f100';
- Q4. INSERT INTO tolets (id, flat_id, owner_id, date, status, description) VALUES ('t50', 'f101', 'o200', CUR

Feature: Rental Request & Approval (Member 2)

- Q1. INSERT INTO rentals (id, flat_id, customer_id, start_date, status) VALUES ('r500', 'f100', 'c300', CUR
- Q2. UPDATE rentals SET status = 'Approved', end_date = CURRENT_DATE + INTERVAL '12 months' W
- Q3. UPDATE flats SET status = 'Rented' WHERE id = (SELECT flat_id FROM rentals WHERE id = 'r500')

Feature: Payment & Late Tracking (Member 2)

- Q1. INSERT INTO payments (id, rental_id, transaction_id, date, amount, approve_status) VALUES ('p750',
- Q2. UPDATE payments SET approve_status = 'Approved' WHERE id = 'p750';
- Q3. SELECT r.customer_id, u.name FROM rentals r JOIN users u ON u.id = r.customer_id LEFT JOIN pay

Feature: Auto-Eviction & Auto To-Let (Member 3)

- Q1. SELECT id, flat_id FROM rentals WHERE end_date < CURRENT_DATE - INTERVAL '3 months' AM
- Q2. UPDATE rentals SET status = 'Terminated' WHERE end_date < CURRENT_DATE - INTERVAL '3 m
- Q3. UPDATE flats SET status = 'Available' WHERE id IN (SELECT flat_id FROM rentals WHERE status =

Feature: Dashboard & Reporting (Member 1)

- Q1. SELECT DATE_TRUNC('month', p.date) AS month, SUM(p.amount) AS total_income FROM payment
- Q2. SELECT COUNT(*) AS total_flats, owner_id FROM flats GROUP BY owner_id;

Feature: Complaint / Memo System (Member 2)

Q1. INSERT INTO memos (id, customer_id, owner_id, payment_id, date, content, status) VALUES ('m900'

Q2. UPDATE memos SET status = 'Resolved' WHERE id = 'm900';

Q3. SELECT * FROM memos WHERE owner_id = 'o200' AND status = 'Open';

Feature: Rules & Agreement (Member 3)

Q1. SELECT content FROM rules WHERE id = 1;