



< Previous



Next >

Quiz 3

[Bookmark this page](#)

Multiple Choice

2.0/2.0 points (graded)

What does a message mean?

☒ Message arrows in sequence diagrams represent all communications between one object and another.

☐ Messages pass from the object that sent it to the one that received it only from left to right.

☐ An identifier is enclosed in a rectangle with a dashed line beneath it.

☐ All of the above.



Submit

You have used 1 of 1 attempt

[Show Answer](#)

Multiple Choice

2.0/2.0 points (graded)

In sequence diagram, A return or reply message is described by?

☐ A straight solid line.

☐ Alternative frame

☐ Loops

☒ A dashed line.



Submit

You have used 1 of 1 attempt

[Show Answer](#)

Multiple Choice

2.0/2.0 points (graded)

Suppose in a Sequence Diagram there is an "ATM booth" object and a customer as an actor. The customer inserted his card into the ATM machine and the ATM machine communicates with the "Bank server" object to check whether your card is valid or not. If your card is OK, the ATM requests you to enter your PIN. Here "Request Pin" is -

☒ A message.

☐ A response message.

☐ Object destruction.

☐ A self-message.



Submit

You have used 1 of 1 attempt

[Show Answer](#)

Checkboxes

2.4899999999999998/3.0 points (graded)

Librarians can create new library accounts in a library management system. To achieve this, the librarian asks the system to create a new library account. Afterward, the librarian selects the library account user type. Using the Credentials Database, he adds the user's details and has them checked. Upon completing these steps, a new library account is created. Once the user creates an account, a summary of his/her information will be emailed to him/her. In a sequence diagram, what can the appropriate objects be in this scenario?

☐ admin:Librarian ✓

☒ libraryManagementSystem *

☒ userCredentialsDB *

☐ sendEmail()

☐ trackUser()

☒ emailSystem *



Submit

You have used 1 of 1 attempt

[Show Answer](#)

Answers are displayed within the problem

Multiple Choice

2.0/2.0 points (graded)

DFD can be decomposed into different levels. Leveling means -

- ☐ Splitting DFD into different levels
- ☐ Make the structure uniform for each level
- ☒ Expanding a process into one with more sub-processes giving more detail
- ☐ Summarizing a DFD to specify only the essentials



Submit

You have used 1 of 1 attempt

Show Answer

Multiple Choice

0.0/2.0 points (graded)

Which statement given below is not true for a DFD diagram?

- ☒ Process name should be small and precise.
- ☐ One process can represent multiple activity ✓
- ☐ Processes should have at least one input and one output dataflow
- ☐ No use of "and" in the process name



Submit

You have used 1 of 1 attempt


Show Answer

Answers are displayed within the problem

Multiple Choice

0.0/2.0 points (graded)

Which statement is stated as Error for the following DFD?



- ☐ there is no output data flow from the process ✓
- ☒ there are three data flow inputs to the process
- ☐ there is no external entity
- ☐ there is no data store



Submit

You have used 1 of 1 attempt

Show Answer

Answers are displayed within the problem

Multiple Choice

2.0/2.0 points (graded)

When a process is decomposed from level 1 to level 2, what we need to focus on -

- ☐ data flows entering it are replaced
- ☐ all data stores used by it are replaced
- ☒ all data flows entering it must also enter the levelled DFD
- ☐ all external entities used by it are replaced



Submit

You have used 1 of 1 attempt

Show Answer

Multiple Choice

2.0/2.0 points (graded)

If you see the expression "[if weepy]" along a line in a state diagram, it would represent the following:

☐ Textual description

☐ Message

☒ Guard condition

☐ Event

Submit

You have used 1 of 1 attempt

Show Answer

Multiple Choice

0.0/2.0 points (graded)

Which of the following is true?

☐ In a transition, the state changes from one to another. ✓

☐ Events are notable occurrences occurring at a given moment. Events have a duration. ✓

☐ It is not uncommon for transitions to be spontaneous, but they can't be triggered by some event.

☒ All of the mentioned

Submit

You have used 1 of 1 attempt

Show Answer

Answers are displayed within the problem

Multiple Choice

2.0/2.0 points (graded)

When does the transition to state D take place?

☒ Once the final state in B is reached, the guard condition $a > 5$ is evaluated. At that moment, only if $a > 5$ is true does the transition occur to D.

☐ Once all activities within A have been completed and the guard condition $a > 5$ is triggered.

☐ As soon as the guard condition $a > 5$ is evaluated to true.

☐ None of the above

Submit

You have used 1 of 1 attempt

Show Answer

Previous

Next

© All Rights Reserved

[About Us](#)
[BracU Home](#)
[USIS](#)
[Course Catalog](#)

Copyright - 2020