

Request Packet :

- 1. Frame Header:** The frame header contains general information about the captured packet at the physical/data link layer. It records things like the frame number, when it arrived, and the total size of the packet as it appeared on the network.

300.44.330260 403.468.69.400 443.364.553.553 1070 565.657.141664.10704.4			0000 40 ed 00 37 f9 54 a8 93 4a ad 7a 8f 08 00 45 00 @-7-T- J-z-E-
▼ Frame 399: Packet, 628 bytes on wire (5024 bits), 628 bytes captured (5024 bits) on interface \Device\NPF_{B3B74838-6F24-4ED4-BC8B-CCC8BC7BF77B}			0010 02 66 c4 c3 40 00 00 06 5d d3 c0 a8 44 6d 92 be f-@- J--Dm-
Section number: 1			0020 3a 27 f1 d7 00 50 eb 50 2e 21 b7 dc 99 e9 50 18 >'-P-P- l---P-
> Interface id: 0 (\Device\NPF_{B3B74838-6F24-4ED4-BC8B-CCC8BC7BF77B})			0030 00 ff f5 92 00 00 47 45 54 20 2f 20 48 54 50 00 -----GE T / HTTP
Encapsulation type: Ethernet (1)			0040 2f 31 2e 31 0d 0a 48 6f 73 74 3a 20 68 74 7a 70 /1.1--Ho st: http
Arrival Time: Nov 15, 2025 19:33:03.944263000 Bangladesh Standard Time			0050 66 6f 72 65 76 65 72 2e 63 6f 6d 0d 0a 43 6f 6e forever. com-Con
UTC Arrival Time: Nov 15, 2025 13:33:03.944263000 UTC			0060 6e 65 63 74 69 6f 6e 3a 20 6b 65 65 70 2d 61 6c nection: keep-al
Epoch Arrival Time: 176321583.944263000			0070 69 70 65 0d 0a 43 61 63 68 65 2d 43 6f 6e 74 72 ive-Cac he-Contr
[Time shift for this packet: 0.000000000 seconds]			0080 6f 6c 3a 20 6d 61 78 2d 61 67 65 3d 30 0d 0a 55 ol: max-age=0-U
[Time delta from previous captured frame: 541.000 microseconds]			0090 70 67 72 61 64 65 2d 49 6e 73 65 63 75 72 65 2d pgrade-I nsecure-
[Time delta from previous displayed frame: 1.906210000 seconds]			00a0 52 65 71 75 65 73 74 73 3a 20 31 0d 0a 55 73 65 Requests : 1-Use
[Time since reference or first frame: 46.327028000 seconds]			00b0 72 2d 41 67 65 6a 74 3a 20 4d 6f 7a 69 6c 61 r-Agent: Mozilla
Frame Number: 399			00c0 2f 35 2e 30 20 28 57 69 6e 64 6f 77 73 20 4e 54 /5.0 (Wi ndows NT
Frame Length: 628 bytes (5024 bits)			00d0 20 31 30 2e 30 3b 20 57 69 6e 36 3a 3b 20 78 36 10.0; W in64; x6
Capture Length: 628 bytes (5024 bits)			00e0 34 29 20 41 70 70 6c 65 57 65 62 4b 69 74 2f 35 4) Apple WebKit/5
[Frame is marked: False]			00f0 33 37 2e 33 36 20 28 4b 48 54 4d 4c 2c 20 6c 69 37.36 (K HTML, 11
[Frame is ignored: False]			0100 6b 65 20 47 65 63 6b 6f 29 20 43 68 72 6f 6d 65 ke Gecko) Chrome
[Protocols in frame: eth:ethertype:ip:tcp:http]			0110 2f 31 34 32 2e 30 2e 30 2e 30 20 53 61 66 61 72 /142.0.0 .0 Safar
[Coloring Rule Name: HTTP]			0120 69 2f 35 33 37 2e 33 36 0d 0a 41 63 63 65 70 74 i/537.36 --Accept
> Ethernet II, Src: ChongqingFug_ad:7a:8f (a8:93:4a:ad:7a:8f), Dst: TPLink_37:f9:54 (40:ed:00:37:f9:54)			0130 3a 20 74 65 78 74 2f 68 74 6d 6c 2c 61 70 70 6c : text/h tml,appli
> Internet Protocol Version 4, Src: 192.168.68.109, Dst: 146.190.62.39			0140 69 63 61 74 69 6f 6e 2f 78 68 74 6d 6c 2b 78 6d ication/ xhtmlxm
> Transmission Control Protocol, Src Port: 61911, Dst Port: 80, Seq: 1, Ack: 1, Len: 574			0150 6c 2c 61 70 70 6c 69 63 61 74 69 6f 6e 2f 78 6d l,q=0.9, image/av
> Hypertext Transfer Protocol			0160 6c 3b 71 3d 30 2e 39 2c 69 6d 61 67 65 2f 61 76 if,image /webp,in
			0170 69 66 2c 69 6d 61 67 65 2f 77 65 62 70 2c 69 6d age/apng ,*/;q=0
			0180 61 67 65 2f 61 70 6e 67 2c 2a 2f 2a 3b 71 3d 30 .8,appli cation/s
			0190 2e 38 2c 61 70 70 6c 69 63 61 74 69 6f 6e 2f 73 igned-ex change;v
			01a0 69 67 6e 65 64 2d 65 78 63 68 61 6e 67 65 3b 76 =b3;q=0. 7- Refer
			01b0 3d 62 33 3b 71 3d 30 2e 37 0d 0a 52 65 66 65 72 er: http s://www.
			01c0 65 72 3a 20 68 74 7a 70 73 3a 2f 2f 77 77 72 2e er: http s://www.
			01d0 67 6f 6f 67 6c 65 2e 63 6f 6d 2f 0d 0a 41 63 63 google.c om/ Acc
			01e0 65 70 74 2d 45 6e 63 6f 64 69 6e 67 3a 20 67 7a ept-Enco ding: gz
			01f0 69 70 2c 20 64 65 66 6c 61 74 65 0d 0a 41 63 63 ip, defl ate-Acc
			0200 65 70 74 2d 4c 61 6e 67 75 61 67 65 3a 20 65 6e ept-Lang uage: en
			0210 2d 55 53 2c 65 6e 3b 71 3d 30 2e 39 0d 0a 49 66 -US,en;q=0.9- If
			0220 2d 4e 6f 6e 65 2d 4d 61 74 63 68 3a 20 57 2f 22 -None-Ma tch: W/"
			0230 36 34 31 62 31 36 62 38 2d 31 34 30 3a 22 0d 0a 641b16b8 -1404"-
			0240 49 66 2d 4d 6f 64 69 66 69 65 64 2d 53 69 6e 63 If-Modif ied-Sinc
			0250 65 3a 20 57 65 64 2c 20 32 32 20 4d 61 72 20 32 e: Wed, 22 Mar 2
			0260 30 32 33 20 31 34 3a 35 34 3a 34 38 20 47 4d 54 023 14:5 4:48 GMT
			0270 0d 0a 0d 0a -----

- 2. Ethernet II Header:** In the Ethernet II header we see the source and destination MAC addresses, which identify the two devices talking on the local network. There is also an EtherType field that indicates the next protocol carried in the payload (in this case, IPv4). This header is responsible for making sure the packet is moved correctly across the local LAN segment.

> Frame 399: Packet, 628 bytes on wire (5024 bits), 628 bytes captured (5024 bits) on interface \Device\NPF_{B3B74838-6F24-4ED4-BC8B-CCC8BC7BF77B}			0000 40 ed 00 37 f9 54 a8 93 4a ad 7a 8f 08 00 45 00 @-7-T- J-z-E-
▼ Ethernet II, Src: ChongqingFug_ad:7a:8f (a8:93:4a:ad:7a:8f), Dst: TPLink_37:f9:54 (40:ed:00:37:f9:54)			0010 02 66 c4 c3 40 00 00 06 5d d3 c0 a8 44 6d 92 be f-@- J--Dm-
Destination: TPLink_37:f9:54 (40:ed:00:37:f9:54)			0020 3a 27 f1 d7 00 50 eb 50 2e 21 b7 dc 99 e9 50 18 >'-P-P- l---P-
... ..0. = LG bit: Globally unique address (factory default)			0030 00 ff f5 92 00 00 47 45 54 20 2f 20 48 54 50 00 -----GE T / HTTP
... ..0. = IG bit: Individual address (unicast)			0040 2f 31 2e 31 0d 0a 48 6f 73 74 3a 20 68 74 7a 70 /1.1--Ho st: http
▼ Source: ChongqingFug_ad:7a:8f (a8:93:4a:ad:7a:8f)			0050 66 6f 72 65 76 65 72 2e 63 6f 6d 0d 0a 43 6f 6e forever. com-Con
... ..0. = LG bit: Globally unique address (factory default)			0060 6e 65 63 74 69 6f 6e 3a 20 6b 65 65 70 2d 61 6c nection: keep-al
... ..0. = IG bit: Individual address (unicast)			0070 69 70 65 0d 0a 43 61 63 68 65 2d 43 6f 6e 74 72 ive-Cac he-Contr
Type: IPv4 (0x0800)			0080 6f 6c 3a 20 6d 61 78 2d 61 67 65 3d 30 0d 0a 55 ol: max-age=0-U
[Stream index: 2]			0090 70 67 72 61 64 65 2d 49 6e 73 65 63 75 72 65 2d pgrade-I nsecure-
> Internet Protocol Version 4, Src: 192.168.68.109, Dst: 146.190.62.39			00a0 52 65 71 75 65 73 74 73 3a 20 31 0d 0a 55 73 65 Requests : 1-Use
> Transmission Control Protocol, Src Port: 61911, Dst Port: 80, Seq: 1, Ack: 1, Len: 574			00b0 72 2d 41 67 65 6a 74 3a 20 4d 6f 7a 69 6c 6c 61 r-Agent: Mozilla
> Hypertext Transfer Protocol			00c0 2f 35 2e 30 20 28 57 69 6e 64 6f 77 73 20 4e 54 /5.0 (Wi ndows NT
			00d0 20 31 30 2e 30 3b 20 57 69 6e 36 3a 3b 20 78 36 10.0; W in64; x6
			00e0 34 29 20 41 70 70 6c 65 57 65 62 4b 69 74 2f 35 4) Apple WebKit/5
			00f0 33 37 2e 33 36 20 28 4b 48 54 4d 4c 2c 20 6c 69 37.36 (K HTML, 11
			0100 6b 65 20 47 65 63 6b 6f 29 20 43 68 72 6f 6d 65 ke Gecko) Chrome
			0110 2f 31 34 32 2e 30 2e 30 2e 30 20 53 61 66 61 72 /142.0.0 .0 Safar
			0120 69 2f 35 33 37 2e 33 36 0d 0a 41 63 63 65 70 74 i/537.36 --Accept
			0130 3a 20 74 65 78 74 2f 68 74 6d 6c 2c 61 70 70 6c : text/h tml,appli
			0140 69 63 61 74 69 6f 6e 2f 78 68 74 6d 6c 2b 78 6d ication/ xhtmlxm
			0150 6c 2c 61 70 70 6c 69 63 61 74 69 6f 6e 2f 78 6d l,q=0.9, image/av
			0160 6c 3b 71 3d 30 2e 39 2c 69 6d 61 67 65 2f 61 76 if,image /webp,in
			0170 69 66 2c 69 6d 61 67 65 2f 77 65 62 70 2c 69 6d age/apng ,*/;q=0
			0180 61 67 65 2f 61 70 6e 67 2c 2a 2f 2a 3b 71 3d 30 .8,appli cation/s
			0190 2e 38 2c 61 70 70 6c 69 63 61 74 69 6f 6e 2f 73 igned-ex change;v
			01a0 69 67 6e 65 64 2d 65 78 63 68 61 6e 67 65 3b 76 =b3;q=0. 7- Refer
			01b0 3d 62 33 3b 71 3d 30 2e 37 0d 0a 52 65 66 65 72 er: http s://www.
			01c0 65 72 3a 20 68 74 7a 70 73 3a 2f 2f 77 77 72 2e er: http s://www.
			01d0 67 6f 6f 67 6c 65 2e 63 6f 6d 2f 0d 0a 41 63 63 google.c om/ Acc
			01e0 65 70 74 2d 45 6e 63 6f 64 69 6e 67 3a 20 67 7a ept-Enco ding: gz
			01f0 69 70 2c 20 64 65 66 6c 61 74 65 0d 0a 41 63 63 ip, defl ate-Acc
			0200 65 70 74 2d 4c 61 6e 67 75 61 67 65 3a 20 65 6e ept-Lang uage: en
			0210 2d 55 53 2c 65 6e 3b 71 3d 30 2e 39 0d 0a 49 66 -US,en;q=0.9- If
			0220 2d 4e 6f 6e 65 2d 4d 61 74 63 68 3a 20 57 2f 22 -None-Ma tch: W/"
			0230 36 34 31 62 31 36 62 38 2d 31 34 30 3a 22 0d 0a 641b16b8 -1404"-
			0240 49 66 2d 4d 6f 64 69 66 69 65 64 2d 53 69 6e 63 If-Modif ied-Sinc
			0250 65 3a 20 57 65 64 2c 20 32 32 20 4d 61 72 20 32 e: Wed, 22 Mar 2
			0260 30 32 33 20 31 34 3a 35 34 3a 34 38 20 47 4d 54 023 14:5 4:48 GMT
			0270 0d 0a 0d 0a -----

3. IP Header: The IP header (Internet Protocol) holds the source and destination IP addresses so the packet can be forwarded between different networks. It also includes fields such as the IP version, total packet length, and the TTL (Time To Live) value, which stops packets from staying in the network forever. The Protocol field specifies which transport-layer protocol is used on top of IP (here it is TCP).

> Frame 399: Packet, 628 bytes on wire (5024 bits), 628 bytes captured (5024 bits) on interface \Device\NPF_{B3B74838-6F24-4ED4-BC8B-C60000} (0.0.0.0) [Ethernet II] Src: ChongqingFug_ad:7a:8f (a8:93:4a:ad:7a:8f), Dst: TPLink_37:f9:54 (40:ed:00:37:f9:54)			0000 40 ed 00 37 f9 54 a8 93 4a ad 7a 8f 08 00 45 00 @:7.T...J.z...E		
Ethernet II, Src: ChongqingFug_ad:7a:8f (a8:93:4a:ad:7a:8f), Dst: TPLink_37:f9:54 (40:ed:00:37:f9:54)			0010 02 66 c4 c3 40 00 00 06 5d d3 c0 a8 44 6d 92 be f: @...J...Dm-		
Internet Protocol Version 4, Src: 192.168.68.109, Dst: 146.190.62.39			0020 3e 27 f1 d7 00 50 eb 50 2e 21 b7 dc 99 e9 50 18 >:...P.P.I...P-		
... 0101 ... = Version: 4			0030 00 ff f5 92 00 00 47 45 54 20 2f 20 48 54 50 00 -----GE T / HTTP		
... 0101 ... = Header Length: 20 bytes (5)			0040 2f 31 2e 31 0d 0a 48 6f 73 74 3a 20 68 74 74 70 /1.1..Ho st: http		
... 0101 ... = Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)			0050 66 6f 72 65 76 65 72 2e 63 6f 6d 0d 0a 43 6f 6e forever..com-Con		
... 0000 00... = Differentiated Services Codepoint: Default (0)			0060 6e 65 63 74 69 6f 6e 3a 20 6b 65 65 70 2d 61 6c nection: keep-al		
... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)			0070 69 76 65 0d 0a 43 61 63 68 65 2d 43 6f 6e 74 72 ive-Cac he-Contr		
Total Length: 614			0080 6f 6c 3a 20 6d 61 78 2d 61 67 65 3d 30 0d 0a 55 ol: max- age=0-U		
Identification: 0xc4c3 (50371)			0090 70 67 72 61 64 65 2d 49 6e 73 65 63 75 72 65 2d pgrade-I nsecure-		
... 010. = Flags: 0x2, Don't fragment			00a0 52 65 71 75 65 73 74 73 3a 20 31 0d 0a 55 73 65 Requests : 1-Use		
... 0... = Reserved bit: Not set			00b0 72 2d 41 67 65 6e 74 3a 20 4d 6f 7a 69 6c 6c 61 r-Agent: Mozilla		
... 1... = Don't fragment: Set			00c0 2f 35 2e 30 20 28 57 69 6e 64 6f 77 73 20 4e 54 /5.0 (Wi ndows NT		
... 0. = More fragments: Not set			00d0 34 29 20 41 70 70 6c 65 57 65 62 4b 69 74 2f 35 4) Apple WebKit/5		
... 0 0000 0000 0000 = Fragment Offset: 0			00e0 33 37 2e 33 36 20 28 4b 48 54 4d 4c 2c 20 6c 69 37.36 (K HTML, li		
Time to Live: 128			00f0 6b 65 20 47 65 63 6b 6f 29 20 43 68 72 6f 6d 65 ke Gecko) Chrome		
Protocol: TCP (6)			0100 2f 31 34 32 2e 30 2e 30 2e 30 20 53 61 66 61 72 /142.0.0 .0 Safari		
Header Checksum: 0x5dd3 [validation disabled]			0110 69 2f 35 33 37 2e 33 36 0d 0a 41 63 65 70 74 i/537.36 --Accept		
[Header checksum status: Unverified]			0120 3a 20 74 65 78 74 2f 68 74 6d 6c 2c 61 70 70 6c t;text/h tml,appl		
Source Address: 192.168.68.109			0130 69 63 61 74 69 6f 6e 2f 78 68 74 6d 6c 2b 78 6d ication/ xhtml+xm		
Destination Address: 146.190.62.39			0140 6c 2c 61 70 70 6c 69 63 61 74 69 6f 6e 2f 78 6d l,applic ation/xm		
[Stream index: 22]			0150 6c 3b 71 3d 30 2e 39 2c 69 6d 61 67 65 2f 61 76 l;q=0.9, image/av		
> Transmission Control Protocol, Src Port: 61911, Dst Port: 80, Seq: 1, Ack: 1, Len: 574			0160 69 66 2c 69 6d 61 67 65 2f 77 65 62 70 2c 69 6d if,image /webp,im		
> Hypertext Transfer Protocol			0170 61 67 65 2f 61 70 6e 67 2c 2a 2f 2a 3b 71 3d 30 age/apng ,*/;q=0		
			0180 2e 38 2c 61 70 70 6c 69 63 61 74 69 6f 6e 2f 73 .8,appli cation/s		
			0190 69 67 6e 65 64 2d 65 78 63 68 61 6e 67 65 3b 76 ign-ed-ex change/v		
			01a0 3d 62 33 3b 71 3d 30 2e 37 0d 0a 52 65 66 65 72 ->b3;q=0. 7- Refer		
			01b0 65 72 3a 20 68 74 74 70 73 3a 2f 2f 77 77 72 2e er: http s://www.		
			01c0 67 6f 6f 67 6c 65 2e 63 6f 6d 2f 0d 0a 41 63 63 ept-Enco ding: gz		
			01d0 65 70 74 2d 45 6e 63 6f 64 69 6e 67 3a 20 67 7a ip, defl ate-Acc		
			01e0 69 70 2c 20 64 65 66 6c 61 74 65 0d 0a 41 63 63 ept-Lang uage: en		
			01f0 65 70 74 2d 4c 61 6e 67 75 61 67 65 3a 20 65 6e -US,en;q =0.9- If		
			0200 2d 55 53 2c 65 6e 3b 71 3d 30 2e 39 0d 0a 49 66 ept-Modif ied-Sinc		
			0210 2d 4e 6f 6e 65 2d 4d 61 74 63 68 3a 20 57 2f 22 -None-Ma tch: W/"		
			0220 36 34 31 62 31 36 62 38 2d 31 34 30 34 22 0d 0a 641b1eb8 -1404"-		
			0230 49 66 2d 4d 6f 64 69 66 69 65 64 2d 53 69 6e 63 If-Modif ied-Sinc		
			0240 65 3a 20 57 65 64 2c 20 32 32 20 4d 61 72 20 32 e: Wed, 22 Mar 2		
			0250 30 32 33 20 31 34 3a 35 34 3a 34 38 20 47 4d 54 023 14:5 4:48 GMT		
			0260 0d 0a 0d 0a		
			0270		

4. TCP Header: The TCP (Transmission Control Protocol) header handles reliable communication between the client and server. It carries the source and destination port numbers to identify which applications are talking, as well as the sequence and acknowledgement numbers that keep the data in order. Control flags like SYN and ACK are used to set up and manage the connection, and the TCP checksum helps detect errors in the segment.

> Frame 399: Packet, 628 bytes on wire (5024 bits), 628 bytes captured (5024 bits) on interface \Device\NPF_{B3B74838-6F24-4ED4-BC8B-C60000} (0.0.0.0) [Ethernet II] Src: ChongqingFug_ad:7a:8f (a8:93:4a:ad:7a:8f), Dst: TPLink_37:f9:54 (40:ed:00:37:f9:54)			0000 40 ed 00 37 f9 54 a8 93 4a ad 7a 8f 08 00 45 00 @:7.T...J.z...E		
Internet Protocol Version 4, Src: 192.168.68.109, Dst: 146.190.62.39			0010 02 66 c4 c3 40 00 00 06 5d d3 c0 a8 44 6d 92 be f: @...J...Dm-		
Hypertext Transfer Protocol			0020 3e 27 f1 d7 00 50 eb 50 2e 21 b7 dc 99 e9 50 18 >:...P.P.I...P-		
Source Port: 61911			0030 00 ff f5 92 00 00 47 45 54 20 2f 20 48 54 50 00 -----GE T / HTTP		
Destination Port: 80			0040 2f 31 2e 31 0d 0a 48 6f 73 74 3a 20 68 74 74 70 /1.1..Ho st: http		
[Stream index: 18]			0050 66 6f 72 65 76 65 72 2e 63 6f 6d 0d 0a 43 6f 6e forever..com-Con		
[Stream Packet Number: 4]			0060 6e 65 63 74 69 6f 6e 3a 20 6b 65 65 70 2d 61 6c nection: keep-al		
[Conversation completeness: Complete, WITH_DATA (31)]			0070 69 76 65 0d 0a 43 61 63 68 65 2d 43 6f 6e 74 72 ive-Cac he-Contr		
[TCP Segment Len: 574]			0080 6f 6c 3a 20 6d 61 78 2d 61 67 65 3d 30 0d 0a 55 ol: max- age=0-U		
Sequence Number: 1 (relative sequence number)			0090 70 67 72 61 64 65 2d 49 6e 73 65 63 75 72 65 2d pgrade-I nsecure-		
Sequence Number (raw): 3947980449			00a0 52 65 71 75 65 73 74 73 3a 20 31 0d 0a 55 73 65 Requests : 1-Use		
[Next Sequence Number: 575 (relative sequence number)]			00b0 72 2d 41 67 65 6e 74 3a 20 4d 6f 7a 69 6c 6c 61 r-Agent: Mozilla		
Acknowledgment Number: 1 (relative ack number)			00c0 2f 35 2e 30 20 28 57 69 6e 64 6f 77 73 20 4e 54 /5.0 (Wi ndows NT		
Acknowledgment number (raw): 3084687849			00d0 34 29 20 41 70 70 6c 65 57 65 62 4b 69 74 2f 35 4) Apple WebKit/5		
0101 = Header Length: 20 bytes (5)			00e0 33 37 2e 33 36 20 28 4b 48 54 4d 4c 2c 20 6c 69 37.36 (K HTML, li		
... 0101 ... = Flags: 0x018 (PSH, ACK)			00f0 6b 65 20 47 65 63 6b 6f 29 20 43 68 72 6f 6d 65 ke Gecko) Chrome		
Window: 255			0100 2f 31 34 32 2e 30 2e 30 2e 30 20 53 61 66 61 72 /142.0.0 .0 Safari		
[Calculated window size: 65280]			0110 69 2f 35 33 37 2e 33 36 0d 0a 41 63 65 70 74 i/537.36 --Accept		
[Window size scaling factor: 256]			0120 3a 20 74 65 78 74 2f 68 74 6d 6c 2c 61 70 70 6c t;text/h tml,appl		
Checksum: 0xf592 [unverified]			0130 69 63 61 74 69 6f 6e 2f 78 68 74 6d 6c 2b 78 6d ication/ xhtml+xm		
[Checksum Status: Unverified]			0140 6c 2c 61 70 70 6c 69 63 61 74 69 6f 6e 2f 78 6d l,applic ation/xm		
Urgent Pointer: 0			0150 6c 3b 71 3d 30 2e 39 2c 69 6d 61 67 65 2f 61 76 l;q=0.9, image/av		
[Timestamps]			0160 69 66 2c 69 6d 61 67 65 2f 77 65 62 70 2c 69 6d if,image /webp,im		
[SEQ/ACK analysis]			0170 61 67 65 2f 61 70 6e 67 2c 2a 2f 2a 3b 71 3d 30 age/apng ,*/;q=0		
[Client Contiguous Streams: 1]			0180 2e 38 2c 61 70 70 6c 69 63 61 74 69 6f 6e 2f 73 .8,appli cation/s		
[Server Contiguous Streams: 1]			0190 69 67 6e 65 64 2d 65 78 63 68 61 6e 67 65 3b 76 ign-ed-ex change/v		
TCP payload (574 bytes)			01a0 3d 62 33 3b 71 3d 30 2e 37 0d 0a 52 65 66 65 72 ->b3;q=0. 7- Refer		
> Hypertext Transfer Protocol			01b0 65 72 3a 20 68 74 74 70 73 3a 2f 2f 77 77 72 2e er: http s://www.		
			01c0 67 6f 6f 67 6c 65 2e 63 6f 6d 2f 0d 0a 41 63 63 ept-Enco ding: gz		
			01d0 65 70 74 2d 45 6e 63 6f 64 69 6e 67 3a 20 67 7a ip, defl ate-Acc		
			01e0 69 70 2c 20 64 65 66 6c 61 74 65 0d 0a 41 63 63 ept-Lang uage: en		
			01f0 65 70 74 2d 4c 61 6e 67 75 61 67 65 3a 20 65 6e -US,en;q =0.9- If		
			0200 2d 55 53 2c 65 6e 3b 71 3d 30 2e 39 0d 0a 49 66 ept-Modif ied-Sinc		
			0210 2d 4e 6f 6e 65 2d 4d 61 74 63 68 3a 20 57 2f 22 -None-Ma tch: W/"		
			0220 36 34 31 62 31 36 62 38 2d 31 34 30 34 22 0d 0a 641b1eb8 -1404"-		
			0230 49 66 2d 4d 6f 64 69 66 69 65 64 2d 53 69 6e 63 If-Modif ied-Sinc		
			0240 65 3a 20 57 65 64 2c 20 32 32 20 4d 61 72 20 32 e: Wed, 22 Mar 2		
			0250 30 32 33 20 31 34 3a 35 34 3a 34 38 20 47 4d 54 023 14:5 4:48 GMT		
			0260 0d 0a 0d 0a		
			0270		

5. HTTP Header: The HTTP header includes the actual web request sent by the browser to the web server. It starts with the request line (for example, a GET method and the requested path), followed by various header fields such as Host, User-Agent, and Accept. These fields tell the server which site is being requested, what kind of client is making the request, and what data formats the client can handle, so the server knows how to respond properly.

```
> Frame 399: Packet, 628 bytes on wire (5024 bits), 628 bytes captured (5024 bits) on interface \Device\NPF_{B3B74838-6F24-4ED4-BCB8-CC}
> Ethernet II, Src: ChongqingFug_ad:7a:8f (a8:93:4a:ad:7a:8f), Dst: TPLink_37:f9:54 (40:ed:00:37:f9:54)
> Internet Protocol Version 4, Src: 192.168.68.109, Dst: 146.190.62.39
> Transmission Control Protocol, Src Port: 61911, Dst Port: 80, Seq: 1, Ack: 1, Len: 574
< Hypertext Transfer Protocol
  < GET / HTTP/1.1\r\n
    Host: httpforever.com\r\n
    Connection: keep-alive\r\n
    Cache-Control: max-age=0\r\n
    Upgrade-Insecure-Requests: 1\r\n
    User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36\r\n
    Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7\r\n
    Referer: https://www.google.com/\r\n
    Accept-Encoding: gzip, deflate\r\n
    If-None-Match: W/"641b16b8-1404"\r\n
    If-Modified-Since: Wed, 22 Mar 2023 14:54:48 GMT\r\n
    \r\n
    [Response in frame: 407]
    [Full request URI: http://httpforever.com/]

0000  40 ed 00 37 f9 54 a8 93 4a ad 7a 8f 08 00 45 00  @-7T...Jz...E
0010  02 66 c4 c3 40 00 00 06 5d d3 c0 a8 44 6d 92 be  f: @...J...Dm-
0020  3e 27 f1 d7 00 50 eb 50 2e 21 b7 dc 99 e9 50 18  >...P.P.l...P
0030  00 ff f5 92 00 00 47 45 54 20 2f 20 48 54 50  ....GET / HTTP
0040  2f 31 2e 31 0d 0a 48 6f 73 74 3a 20 68 74 74 70  /1.1-Host: http
0050  66 6f 72 65 76 65 72 2e 63 6f 6d 0d 0a 43 6f 6e  forever.com-Con
0060  6e 65 63 74 69 6f 6e 3a 20 6b 65 65 70 2d 61 6c  nection: keep-al
0070  69 76 65 0d 0a 43 61 63 68 65 2d 43 6f 6e 74 72  ive-Cache-Contr
0080  6f 6e 3a 20 6d 61 78 2d 61 67 65 3d 30 0d 0a 55  ol: max-age=0-U
0090  70 67 72 61 64 65 2d 49 6e 73 65 63 75 72 65 2d  pgrade-Insecure-
00a0  52 65 71 75 65 73 74 73 3a 20 31 0d 0a 55 73 65  Requests: 1-Use
00b0  72 2d 41 67 65 6e 74 3a 20 4d 6f 7a 69 6e 6c 61  r-Agent: Mozilla
00c0  2f 35 2a 30 20 28 57 69 6e 64 6f 77 73 20 4e 54  /5.0 (Windows NT
00d0  20 31 30 2e 30 3b 20 57 69 6e 36 3a 3b 20 78 36  10.0; Win64; x6
00e0  34 29 20 41 70 70 6c 65 57 65 62 4b 69 74 2f 35  4) AppleWebKit/5
00f0  33 27 2e 33 36 20 28 4b 48 54 4d 4c 2c 20 6c 69  37.36 (KHTML, li
0100  60 65 20 47 65 63 6b 6f 29 20 43 68 72 6f 6d 65  ke Gecko ) Chrome
0110  2f 31 34 32 2e 30 2e 30 2e 30 20 53 61 66 61 72  /142.0.0.0 Safar
0120  69 2f 35 33 37 2e 33 36 0d 0a 41 63 63 65 70 74  i/537.36 --Accept
0130  3a 20 74 65 78 74 2f 68 74 6d 6c 2c 61 70 70 6c  : text/html,appli
0140  69 63 61 74 69 6f 6e 2f 70 68 74 6d 6c 2b 78 6d  ication/ html+sm
0150  6c 2e 61 70 70 6c 69 63 61 74 69 6f 6e 2f 78 6d  l,application/xm
0160  6c 3b 71 3d 30 2e 39 2c 69 6d 61 67 65 2f 61 76  l;q=0.9, image/av
0170  69 66 2c 69 6d 61 67 65 2f 77 65 62 70 2c 69 6d  if,image/webp,in
0180  61 67 65 2f 61 70 6e 67 2c 2a 2f 2a 3b 71 3d 30  age/apng,*/*;q=0
0190  2e 38 2c 61 70 70 6c 69 63 61 74 69 6f 6e 2f 73  .8,application/s
01a0  69 67 6e 65 64 2d 65 78 63 68 61 6e 67 65 3b 76  igned-exchange;v
01b0  3d 62 33 3b 71 3d 30 2e 3f 0d 0a 52 65 66 65 72  =b3;q=0.7-Refer
01c0  65 72 3a 20 68 74 74 70 73 3a 2f 2f 77 77 77 2e  er: http://www.
01d0  67 6f 6f 67 6c 65 2e 63 6f 6d 2f 0d 0a 41 63 63  google.com/-Acc
01e0  65 70 74 2d 45 6e 63 6f 64 69 6e 67 3a 20 67 7a  ept-Encoding: gz
01f0  69 70 2c 20 64 65 66 6c 61 74 65 0d 0a 41 63 63  ip, deflate-Acc
0200  65 70 74 2d 4c 61 6e 67 75 61 67 65 3a 20 65 6e  ept-Language: en
0210  2d 55 53 2c 65 6e 3b 71 3d 30 2e 39 0d 0a 49 66  -US,en;q=0.9-If
0220  2d 4e 6f 6e 65 2d 4d 61 74 63 68 3a 20 57 2f 22  -None-Match: W/"
0230  36 34 31 62 31 36 62 38 2d 31 34 30 3a 22 0d 0a  641b16b8 -1404"-
0240  49 66 2d 4d 6f 64 69 66 69 65 64 2d 53 69 6e 63  If-Modified-Sinc
0250  65 3a 20 57 65 64 2c 20 32 32 20 4d 61 72 20 32  e: Wed, 22 Mar 2
0260  30 32 33 20 31 34 3a 35 3a 3a 3a 38 20 47 4d 54  023 14:5 4:48 GMT
0270  0d 0a 0d 0a  ....
```

Response Packet:

1. Frame Header: For the response packet, the frame header again describes the physical/data link layer details of the returned frame. It notes the frame number, the captured packet length, and the time at which the response was seen by Wireshark.

 Hypertext Transfer Protocol: Protocol
 Packets: 15400 · Displayed: 12 (0.1%)
Profile: Default

2. Ethernet II Header: In the response, the Ethernet II header now shows the server's MAC address as the source and the client's MAC address as the destination. As before, this header makes sure the frame is delivered to the correct machine on the local network, and its EtherType value again indicates that an IPv4 packet is being carried.

 Hypertext Transfer Protocol: Protocol
 Packets: 15854 · Displayed: 12 (0.1%)
Profile: Default

3. IP Header: Here, the IP header lists the server's IP address as the source and the client's IP address as the destination. It is responsible for guiding the packet from the server back to the client over intermediate networks. Like in the request, it holds values such as the total length, TTL, and the transport protocol (TCP), which together allow proper routing and delivery across the internet.

```

Frame 407: Packet, 819 bytes on wire (6552 bits), 81 bytes captured (6552 bits) on interface Device\NPF_{83074838-6F24-4E24-8C8B-1C}
  Ethernet II, Src: TPLink_ff:42:df:5c (62:8b:ff:42:df), Dst: ChongqingFug_ad:7a:8f (a8:93:4a:ad:7a:8f)
  Internet Protocol Version 4, Src: 146.190.62.39, Dst: 192.168.68.109
    0100 .... = Version: 4
      .... 0101 = Header Length: 20 bytes (5)
    ✓ Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
      0000 00.. = Differentiated Services Codepoint: Default (0)
      .... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
      Total length: 805
      Identification: 0x2fae (12206)
    ✓ 010. .... = Flags: 0x20, Don't fragment
      010. .... = Reserved bit: Not set
      ..1. .... = Don't fragment: Set
      ..0. .... = More fragments: Not set
      ..0 0000 0000.. = Fragment Offset: 0
      Time to Live: 50
      Protocol: TCP (6)
      Header Checksum: 0xa02a [validation disabled]
      [Header checksum status: Unverified]
      Source Address: 146.190.62.39
      Destination Address: 192.168.68.109
      [Stream index: 22]
  } Transmission Control Protocol, Src Port: 80, Dst Port: 61911, Seq: 1, Ack: 575, Len: 765
  } Hypertext Transfer Protocol

```

4. TCP Header: In the TCP header of the response, the server's port number appears as the source port, while the client's port is the destination. The header again includes sequence and acknowledgement numbers so that data is delivered reliably and in the right order. TCP flags such as ACK are set to manage the ongoing session, and the checksum ensures that corrupted segments can be detected.

Frame 407: Packet, 819 bytes on wire (6552 bits), 8 bytes captured (6552 bits) on interface Device\WFP_ (83074838-6f24-4d24-BC8B-CC)

Ethernet II, Src: TPLink_Ff:42:df:42:df, Dst: ChongqingWu_d7a:8f (a8:93:4a:ad:7a:8f)

Internet Protocol Version 4, Src: 146.190.62.39, Dst: 192.168.68.109

Transmission Control Protocol, Src Port: 80, Dst Port: 80, Seq: 1, Ack: 575, Len: 765

Source Port: 80

Destination Port: 61911

[Stream index: 18]

[Stream Packet Number: 6]

[Conversation completeness: Complete, WITH_DATA (31)]

[TCP Segment Len: 765]

Sequence Number: 1 (relative sequence number)

Sequence Number (raw): 3084687849

[Next Sequence Number: 766 (relative sequence number)]

Acknowledgment Number: 575 (relative ack number)

Acknowledgment Number (raw): 3947901023

0101 = Header Length: 20 bytes (5)

Flags: 0x018 (PSH, ACK)

Window: 501

[Calculated window size: 64128]

[Window size scaling factor: 128]

Checksum: 0xd423 [Unverified]

[Checksum Status: Unverified]

Urgent Pointer: 0

[Timestamps]

[SEQ/ACK analysis]

[Client Contiguous Streams: 1]

[Server Contiguous Streams: 1]

TCP payload (765 bytes)

Hypertext Transfer Protocol

0000

ae 93 4a ad 7a 8f 5c 82

8b ff 42 d2 08 00 45 00

...

2 1 b - 8 - E

0001

03 25 2f ae 40 00 00 00

40 2a 92 be 3e 27 c0 00

...

%/ (2 8* - 0 - 2)

0002

44 6d 00 50 1e 07 b7 d3

99 09 ae 50 30 5f 50 18

...

Dm P... .. P0.P

0003

01 f5 4d 23 00 00 00 00

54 50 2f 31 3e 31 03 33

...

HM TP/1.1 3

0004

30 34 20 4e 6f 74 20 4d

6f 6d 69 66 69 65 6d 00

...

0d Not M odified

0005

0a 53 65 72 76 65 72 3a

20 6e 67 69 6e 78 2f 31

...

Server: nginx/1

0006

2e 31 38 2e 30 20 28 55

62 75 6e 74 75 29 0d 0a

...

18.0 (U buntu)...

0007

44 61 74 65 3a 20 53 61

74 2e 20 31 35 20 4e 6f

...

Date: Sa t, 15 No

0008

76 20 32 30 32 35 20 31

33 3a 3 33 3a 30 35 20

...

9 2025 13:10:1

0009

4d 44 5a 0d 0a 61 71 73

2d 4d 6f 64 64 66 69 6f

...

GMT: Las t-Modif

0010

65 64 3a 20 57 65 64 2c

20 32 32 20 4d 61 72 20

...

ed: Wed, 22 Mar

0011

30 32 32 30 31 34 3a 35

34 3a 34 3a 38 20 47 4d

...

2023 14: 54:48 GM

0012

5d 0d 0a 43 6f 6e 65 63

74 69 6f 6e 3a 20 6b

...

T-Connction: K

0013

65 65 70 2d 61 6c 69 6e

0d 0a 49 54 61 67 3a

...

ep 69 76 14: 54:48 GM

0014

20 22 36 31 62 31 62 31

62 38 2d 31 34 30 2d 31

...

641b1b-EE 1404

0015

0d 0a 52 65 66 65 72 72

65 72 2d 50 6f 6c 69 63

...

-Referr er-Polic

0016

79 3a 20 73 74 72 69 63

74 2d 6f 72 69 6f 69 6e

...

ry: stric t-Origi

0017

2d 77 68 65 6e 2d 63 62

6f 73 74 2d 6f 67 67 67

...

63 72 6f 67 67 67

0018

69 6e 0d 0a 58 2d 43 6f

6e 74 65 6e 74 2d 54 79

...

in- X-Cont nent-Ty

0019

65 2e 2d 4f 70 74 69 6f

6e 73 3a 20 6e 6f 73 6e

...

pe: X-Cont nent-Ty

0020

69 66 6e 0d 0a 46 65 61

74 72 62 65 2d 50 6f 6e

...

iff: Fae ture-Pol

0021

69 63 79 3a 20 61 63 63

65 6e 65 72 6f 6d 65 74

...

icy: accre dited

0022

65 72 28 27 6e 6f 65 2b

73 3a 20 63 61 6d 65 72

...

er 'none'; camer

0023

61 20 27 6e 6f 6e 65 27

73 3a 20 65 6f 6c 6f 63

...

a 'none'; geoloc

0024

74 74 69 6f 6e 20 2b 6e

6f 6e 65 27 3b 20 6f 79

...

ation 'n one'; gy

0025

72 6f 73 63 6f 70 65 20

27 6e 6f 6e 65 27 6f 6e

...

rospect: 'none'

0026

6d 61 67 6e 65 74 6f 6d

74 65 74 65 72 20 27 6e

...

magnetom eter 'no

0027

6e 65 27 3b 20 6d 69 63

72 6f 70 68 6f 6e 65 20

...

ne'; mic rophone

0028

27 6e 6f 6e 65 27 3b 20

70 61 69 6d 65 65 74 20

...

'none'; payment

0029

27 6e 6f 6e 65 27 3b 20

75 73 62 6d 27 6e 6f 6e

...

'none'; user name

0030

65 27 0d 0a 43 6f 6e 74

65 6e 74 2d 53 63 65 70

...

e' Cont ent-Secu

0031

72 69 74 79 2d 60 6f 6c

69 63 79 3a 20 64 65 6e

...

rity-Pol icy: def

0032

61 75 6c 74 2d 73 72 63

20 73 73 65 6c 6e 27 3b

...

ault-src 'self';

0033

20 73 63 72 69 70 74 2d

73 72 63 20 63 6e 6e 6a

...

script- src: cdn

0034

73 2e 63 6c 6f 75 64 66

6c 61 72 65 2e 63 6f 6d

...

s.cloudflare-lare.com

0035

73 73 65 6c 6e 27 20

72 72 65 70 6f 72 74 2d

...

'self' report-sha256';

0036

74 68 61 32 35 3e 27 3b

20 73 74 79 6c 65 2d 2b

...

style-rc cdnjs.cloudflare.com

0037

72 63 63 64 6e 6a 73 6e

63 6c 6f 75 64 66 6c

...

are.com 27 73 73 65 6c 6e 27 20 66

0038

61 72 65 2e 63 6f 6d 20

73 73 65 6c 6e 27 20 66

...

onts.goo gleapis.

0039

</

5. HTTP Header: The HTTP header in the response starts with a status line that indicates the server's reply to the request (for example, HTTP/1.1 200 OK). After that, various response headers appear, which may specify the content type, information about the server, caching rules, and other metadata. These headers tell the browser how to handle, display, or possibly store the content that follows in the HTTP message body.

> Frame 407: Packet, 819 bytes on wire (6552 bits), 819 bytes captured (6552 bits) on interface \Device\NPF_{B3B74838-6F24-4ED4-BC88-CC} (Ethernet II, Src: TPLink_ff:42:df:5c:62:8b:ff:42:df), Dst: ChongqingFug_ad:7a:8f (a8:93:4a:ad:7a:8f)	0000	a8 93 4a ad 7a 8f 5c 62 8b ff 42 df 08 00 45 00	...
	0010	03 25 2f ae 40 00 32 06 40 2a 92 be 3e 27 c0 a8	...
> Internet Protocol Version 4, Src: 146.190.62.39, Dst: 192.168.68.109	0020	44 6d 00 50 f1 d7 b7 dc 99 e9 eb 50 30 5f 50 18	...
> Transmission Control Protocol, Src Port: 80, Dst Port: 61911, Seq: 1, Ack: 575, Len: 765	0030	01 f5 4d 23 00 00 48 54 54 50 2f 31 2e 31 20 33	...
> Hypertext Transfer Protocol	0040	30 34 20 4e 6f 74 20 4d 6f 64 69 66 69 65 64 0d	...
> HTTP/1.1 304 Not Modified\r\n	0050	0a 53 65 72 76 65 72 3a 20 6e 67 69 6e 78 2f 31	...
Server: nginx/1.18.0 (Ubuntu)\r\n	0060	2e 31 38 2e 30 20 28 55 62 75 6e 74 75 29 0d 0a	...
Date: Sat, 15 Nov 2025 13:33:05 GMT\r\n	0070	44 61 74 65 3a 20 53 61 74 2c 20 31 35 20 4e 6f	...
Last-Modified: Wed, 22 Mar 2023 14:54:48 GMT\r\n	0080	76 20 32 30 32 35 20 31 33 3a 33 33 3a 30 35 20	...
Connection: keep-alive\r\n	0090	47 4d 54 0d 0a 4c 61 73 74 2d 4d 6f 64 69 66 69	...
ETag: "641b16b8-1404"\r\n	00a0	65 64 3a 20 57 65 64 2c 20 32 32 20 4d 61 72 20	...
Referrer-Policy: strict-origin-when-cross-origin\r\n	00b0	32 30 32 33 20 31 34 3a 35 34 3a 34 38 20 47 4d	...
X-Content-Type-Options: nosniff\r\n	00c0	54 0d 0a 43 6f 6e 6e 65 63 74 69 6f 6e 3a 20 6b	...
Feature-Policy: accelerometer 'none'; camera 'none'; geolocation 'none'; gyroscope 'none'; magnetometer 'none'; microphone 'none';	00d0	65 65 70 2d 61 6c 69 76 65 0d 0a 45 54 61 67 3a	...
[...] Content-Security-Policy: default-src 'self'; script-src cdnjs.cloudflare.com 'self' 'report-sha256'; style-src cdnjs.cloudflare.com	00e0	20 22 36 34 31 62 31 36 62 38 2d 31 34 30 34 22	...
\r\n	00f0	0d 0a 52 65 66 65 72 72 65 72 2d 50 6f 6c 69 63	...
[Request in frame: 399]	0100	79 3a 20 73 74 72 69 63 74 2d 6f 72 69 67 69 6e	...
[Time since request: 237.171000 milliseconds]	0110	2d 77 68 65 6e 2d 63 72 6f 73 73 2d 6f 72 69 6f	...
[Request URI: /]	0120	69 6e 0d 0a 58 2d 43 6f 6e 74 65 6e 74 2d 54 79	...
[Full request URI: http://httpforever.com/]	0130	70 65 2d 4f 70 74 69 6f 6e 73 3a 20 6e 6f 73 6e	...
	0140	69 66 66 0d 0a 46 65 61 74 75 72 65 2d 50 6f 6c	...
	0150	69 63 79 3a 20 61 63 63 65 6c 65 72 6f 6d 65 74	...
	0160	65 72 20 27 6e 6f 6e 65 27 3b 20 63 61 6d 65 72	...
	0170	61 20 27 6e 6f 6e 65 27 3b 20 67 65 6f 6c 6f 63	...
	0180	61 74 69 6f 6e 20 27 6e 6f 6e 65 27 3b 20 67 79	...
	0190	72 6f 73 63 6f 70 65 20 27 6e 6f 6e 65 27 3b 20	...
	01a0	6d 61 67 6e 65 74 6f 6d 65 74 65 72 20 27 6e 6f	...
	01b0	6e 65 27 3b 20 6d 69 63 72 6f 70 68 6f 6e 65 20	...
	01c0	27 6e 6f 6e 65 27 3b 20 70 61 79 6d 65 6e 74 20	...
	01d0	27 6e 6f 6e 65 27 3b 20 75 73 62 20 27 6e 6f 6e	...
	01e0	65 27 0d 0a 43 6f 6e 74 65 6e 74 2d 53 65 63 75	...
	01f0	72 69 74 79 2d 50 6f 6c 69 63 79 3a 20 64 65 66	...
	0200	61 75 6c 74 2d 73 72 63 20 27 73 65 6c 66 27 3b	...
	0210	20 73 63 72 69 70 74 2d 73 72 63 20 63 64 6e 6a	...
	0220	73 2e 63 6c 6f 75 64 66 6c 61 72 65 2e 63 6f 6d	...
	0230	20 27 73 65 6c 66 27 20 27 72 65 70 6f 72 74 2d	...
	0240	73 68 61 32 35 36 27 3b 20 73 74 79 6c 65 2d 73	...
	0250	72 63 20 63 64 6e 6a 73 2e 63 6c 6f 75 64 66 6c	...
	0260	61 72 65 2e 63 6f 6d 20 27 73 65 6c 66 27 20 66	...
	0270	6f 6e 74 73 2e 67 6f 6f 6f 6c 65 61 70 69 73 2e	...
	0280	63 6f 6d 20 27 75 6e 73 61 66 65 2d 69 6e 6c 69	...
	0290	6e 65 27 3b 20 66 6f 6e 74 2d 73 72 63 20 66 6f	...
	02a0	6e 74 73 2e 67 6f 6f 6f 6c 65 61 70 69 73 2e 63	...
	02b0	6f 6d 20 66 6f 6e 74 73 2e 67 73 74 61 74 69 63	...