

POLYP DETECTION MEDICAL REPORT

Analysis Date: June 03, 2026

VIDEO INFORMATION


Video ID:	16963978-a8e4-4769-a5de-b7585c7323a5
Total Frames:	483
Frame Rate:	25.0 fps (assumed)
Duration:	19.3 seconds

DETECTION SUMMARY

Detection Method	Count	Status
YOLO Detections	19	✓
RT-DETR Detections	122	✓
MedSAM2 Detections	130	✓
Consensus (3-Model Agreement)	1	✓
Risk Classification	Count	Percentage
HIGH RISK	0	0.0%
MEDIUM RISK	1	100.0%
LOW RISK	0	0.0%
TOTAL ANALYZED	1	100.0%

DETAILED POLYP ANALYSIS

POLYP #1 — FLAT_POLYP [MEDIUM_RISK] (Tracked across 19 frames)



Feature	Value	Interpretation
Frame Index	25	Frame 25 of 483
Detection Method	Detector Consensus (MedSAM2 Unavailable)	Detector Consensus (MedSAM2 Unavailable) (MedSAM2 unavailable for this video)
POLYP TYPE	FLAT_POLYP	Type confidence: 74.3%
Redness Score	0.132	Color-based vascularization
Relative Radius	21.8%	Polyp size as % of frame diagonal
Texture Score	0.034	Surface morphology
Vessel Visibility	0.244	Vascularization indicator
Risk Tier	MEDIUM RISK	Validated by ESGE 2017 / NICE classification
Clinical Classification	HIGH_RISK	Final symbolic reasoning bucket
Expert Prediction	HIGH_RISK	Decision Tree output

Clinical Class	NORMAL_MUC OSA	Normal mucosal pattern — no polyp morphology identified
Detection Confidence	57.5%	YOLO / RT-DETR / track confidence

Type Assessment: Flat mucosal lesion — chromoendoscopy or NBI assessment recommended.

Low-confidence MODERATE RISK detection - Clinical review recommended

CLINICAL IMPRESSION

Summary:

A total of 1 polyps were detected and analyzed using multi-model consensus and AI-based risk stratification.

Risk Distribution:

- HIGH RISK polyps: 0 (0.0%)
- MEDIUM RISK polyps: 1 (100.0%)
- LOW RISK polyps: 0 (0.0%)

Recommendation:

The presence of MEDIUM RISK polyps warrants clinical review and correlation with endoscopic findings.

Technical Details:

- Detection: Multi-model consensus (YOLO, RT-DETR, MedSAM2)
- Features: 444-dimensional vectors (384 SSL + 60 biomarkers)
- Classification: Cluster-specific Decision Tree experts
- Confidence: Based on deep learning + medical heuristics

Disclaimer: This report is generated by an AI-assisted research system for academic and research purposes only. All clinical recommendations are derived from published ESGE 2017, NICE CG118/CG131, and BSG 2019 colonoscopy guidelines. This output does not constitute medical advice and must not be used as the sole basis for clinical decisions. All findings must be reviewed and confirmed by a qualified gastroenterologist or endoscopist.