

POLYP DETECTION MEDICAL REPORT

Analysis Date: June 04, 2026

VIDEO INFORMATION


Video ID:	5e79ea18-19b8-4f8e-bc30-e89b5154dd68
Total Frames:	2058
Frame Rate:	25.0 fps (assumed)
Duration:	82.3 seconds

DETECTION SUMMARY

Detection Method	Count	Status
YOLO Detections	27	✓
RT-DETR Detections	91	✓
MedSAM2 Detections	105	✓
Consensus (3-Model Agreement)	1	✓
Risk Classification	Count	Percentage
HIGH RISK	0	0.0%
MEDIUM RISK	0	0.0%
LOW RISK	0	0.0%
TOTAL ANALYZED	1	100.0%

DETAILED POLYP ANALYSIS

POLYP #1 — SERRATED_POLYP [MEDIUM_RISK] (Tracked across 45 frames)



Feature	Value	Interpretation
Frame Index	603	Frame 603 of 2058
Detection Method	Detector Consensus (MedSAM2 Unavailable)	Detector Consensus (MedSAM2 Unavailable) (MedSAM2 unavailable for this video)
POLYP TYPE	SERRATED_POLYP	Type confidence: 71.3%
Redness Score	0.094	Color-based vascularization
Relative Radius	36.8%	Polyp size as % of frame diagonal
Texture Score	0.082	Surface morphology
Vessel Visibility	0.174	Vascularization indicator
Risk Tier	MEDIUM RISK	Validated by ESGE 2017 / NICE classification

Clinical Classification	HIGH_RISK	Final symbolic reasoning bucket
Expert Prediction	HIGH_RISK	Decision Tree output
Clinical Class	NORMAL_MUC OSA	Normal mucosal pattern — no polyp morphology identified
Detection Confidence	64.4%	YOLO / RT-DETR / track confidence

Type Assessment: Serrated lesion — consider serrated polyposis syndrome. Complete resection required.

Low-confidence MODERATE RISK detection - Clinical review recommended

CLINICAL IMPRESSION

Summary:

A total of 1 polyps were detected and analyzed using multi-model consensus and AI-based risk stratification.

Risk Distribution:

- HIGH RISK polyps: 0 (0.0%)
- MEDIUM RISK polyps: 0 (0.0%)
- LOW RISK polyps: 0 (0.0%)

Recommendation:

All detected polyps are classified as LOW RISK. Standard surveillance protocol is recommended.

Technical Details:

- Detection: Multi-model consensus (YOLO, RT-DETR, MedSAM2)
- Features: 444-dimensional vectors (384 SSL + 60 biomarkers)
- Classification: Cluster-specific Decision Tree experts
- Confidence: Based on deep learning + medical heuristics

Disclaimer: This report is generated by an AI-assisted research system for academic and research purposes only. All clinical recommendations are derived from published ESGE 2017, NICE CG118/CG131, and BSG 2019 colonoscopy guidelines. This output does not constitute medical advice and must not be used as the sole basis for clinical decisions. All findings must be reviewed and confirmed by a qualified gastroenterologist or endoscopist.