

POLYP DETECTION MEDICAL REPORT

Analysis Date: June 04, 2026

VIDEO INFORMATION


Video ID:	67e7ae14-0595-466e-aa7b-9d8a06c59e12
Total Frames:	959
Frame Rate:	25.0 fps (assumed)
Duration:	38.4 seconds

DETECTION SUMMARY

Detection Method	Count	Status
YOLO Detections	26	✓
RT-DETR Detections	330	✓
MedSAM2 Detections	324	✓
Consensus (3-Model Agreement)	3	✓
Risk Classification	Count	Percentage
HIGH RISK	0	0.0%
MEDIUM RISK	0	0.0%
LOW RISK	0	0.0%
TOTAL ANALYZED	3	100.0%

DETAILED POLYP ANALYSIS

POLYP #1 — LIFTED_POLYP [LOW_RISK] (Tracked across 50 frames)




Feature	Value	Interpretation
Frame Index	528	Frame 528 of 959
Detection Method	Detector Consensus (MedSAM2 Unavailable)	Detector Consensus (MedSAM2 Unavailable) (MedSAM2 Unavailable for this video)
POLYP TYPE	LIFTED_POLYP	Type confidence: 63.2%
Redness Score	0.081	Color-based vascularization
Relative Radius	31.3%	Polyp size as % of frame diagonal
Texture Score	0.030	Surface morphology
Vessel Visibility	0.001	Vascularization indicator
Risk Tier	LOW RISK	Validated by ESGE 2017 / NICE classification
Clinical Classification	HIGH_RISK	Final symbolic reasoning bucket
Expert Prediction	HIGH_RISK	Decision Tree output
Clinical Class	NORMAL_MUCOSA	Normal mucosal pattern — no polyp morphology identified

Detection Confidence	60.4%	YOLO / RT-DETR / track confidence
----------------------	-------	-----------------------------------

Type Assessment: Lifted lesion post-injection — submucosal plane confirmed. Resection feasible.

Low-confidence LOW RISK detection - Follow standard protocol

POLYP #2 — LIFTED_POLYP [LOW_RISK] (Tracked across 27 frames)




Feature	Value	Interpretation
Frame Index	924	Frame 924 of 959
Detection Method	Detector Consensus (YOLO / RT-DETR)	Model Agreement (MedSAM2 unavailable for this video)
POLYP TYPE	LIFTED_POLYP	Type confidence: 57.9%
Redness Score	0.078	Color-based vascularization
Relative Radius	8.3%	Polyp size as % of frame diagonal
Texture Score	0.037	Surface morphology

Vessel Visibility	0.000	Vascularization indicator
Risk Tier	LOW RISK	Validated by ESGE 2017 / NICE classification
Clinical Classification	HIGH_RISK	Final symbolic reasoning bucket
Expert Prediction	HIGH_RISK	Decision Tree output
Clinical Class	NORMAL_MUC OSA	Normal mucosal pattern — no polyp morphology identified
Detection Confidence	83.1%	YOLO / RT-DETR / track confidence

Type Assessment: Lifted lesion post-injection — submucosal plane confirmed. Resection feasible.

Low-confidence LOW RISK detection - Follow standard protocol

POLYP #3 — FLAT_POLYP [MEDIUM_RISK] (Tracked across 24 frames)



Feature	Value	Interpretation
Frame Index	896	Frame 896 of 959
Detection Method	Detector Consensus (MedSAM2 Unavailable)	MedSAM2 Unavailable (MedSAM2 unavailable for this video)
POLYP TYPE	FLAT_POLYP	Type confidence: 71.3%
Redness Score	0.136	Color-based vascularization

Relative Radius	7.1%	Polyp size as % of frame diagonal
Texture Score	0.082	Surface morphology
Vessel Visibility	0.088	Vascularization indicator
Risk Tier	MEDIUM RISK	Validated by ESGE 2017 / NICE classification
Clinical Classification	HIGH_RISK	Final symbolic reasoning bucket
Expert Prediction	HIGH_RISK	Decision Tree output
Clinical Class	NORMAL_MUC OSA	Normal mucosal pattern — no polyp morphology identified
Detection Confidence	73.3%	YOLO / RT-DETR / track confidence

Type Assessment: Flat mucosal lesion — chromoendoscopy or NBI assessment recommended.

Low-confidence MODERATE RISK detection - Clinical review recommended

CLINICAL IMPRESSION

Summary:

A total of 3 polyps were detected and analyzed using multi-model consensus and AI-based risk stratification.

Risk Distribution:

- HIGH RISK polyps: 0 (0.0%)
- MEDIUM RISK polyps: 0 (0.0%)
- LOW RISK polyps: 0 (0.0%)

Recommendation:

All detected polyps are classified as LOW RISK. Standard surveillance protocol is recommended.

Technical Details:

- Detection: Multi-model consensus (YOLO, RT-DETR, MedSAM2)
- Features: 444-dimensional vectors (384 SSL + 60 biomarkers)
- Classification: Cluster-specific Decision Tree experts
- Confidence: Based on deep learning + medical heuristics

Disclaimer: This report is generated by an AI-assisted research system for academic and research purposes only. All clinical recommendations are derived from published ESGE 2017, NICE CG118/CG131, and BSG 2019 colonoscopy guidelines. This output does not constitute medical advice and must not be used as the sole basis for clinical decisions. All findings must be reviewed and confirmed by a qualified gastroenterologist or endoscopist.