

POLYP DETECTION MEDICAL REPORT

Analysis Date: June 04, 2026

VIDEO INFORMATION


Video ID:	6aa30b9a-8061-4328-9677-5d1509b19ad2
Total Frames:	559
Frame Rate:	25.0 fps (assumed)
Duration:	22.4 seconds

DETECTION SUMMARY

Detection Method	Count	Status
YOLO Detections	267	✓
RT-DETR Detections	174	✓
MedSAM2 Detections	368	✓
Consensus (3-Model Agreement)	3	✓
Risk Classification	Count	Percentage
HIGH RISK	1	33.3%
MEDIUM RISK	0	0.0%
LOW RISK	0	0.0%
TOTAL ANALYZED	3	100.0%

DETAILED POLYP ANALYSIS

POLYP #1 — BLEEDING_POLYP [HIGH_RISK] (Tracked across 89 frames)



Feature	Value	Interpretation
Frame Index	62	Frame 62 of 559
Detection Method	Detector Consensus (MedSAM2 Unavailable)	MedSAM2 Unavailable (MedSAM2 unavailable for this video)
POLYP TYPE	BLEEDING_POLYP	Type confidence: 92.0%
Redness Score	0.260	Color-based vascularization
Relative Radius	21.7%	Polyp size as % of frame diagonal
Texture Score	1.000	Surface morphology
Vessel Visibility	0.972	Vascularization indicator
Risk Tier	HIGH RISK	Validated by ESGE 2017 / NICE classification

Clinical Classification	LOW_RISK	Final symbolic reasoning bucket
Expert Prediction	LOW_RISK	Decision Tree output
Clinical Class	MALIGNANT_PO LYP	High suspicion for malignancy — biopsy and urgent resection recommended
Detection Confidence	73.3%	YOLO / RT-DETR / track confidence

Type Assessment: Active hemorrhagic lesion — elevated vascularity with redness signal. Immediate clinical review required.

Low-confidence HIGH RISK detection - Further evaluation recommended

POLYP #2 — BLEEDING_POLYP [HIGH_RISK] (Tracked across 89 frames)



Feature	Value	Interpretation
Frame Index	62	Frame 62 of 559
Detection Method	Detector Consensus (YOLO / RT-DETR / MedSAM2)	Model Agreement (MedSAM2 unavailable for this video)
POLYP TYPE	BLEEDING_PO LYP	Type confidence: 92.0%
Redness Score	0.260	Color-based vascularization
Relative Radius	21.7%	Polyp size as % of frame diagonal
Texture Score	1.000	Surface morphology
Vessel Visibility	0.972	Vascularization indicator

Risk Tier	HIGH RISK	Validated by ESGE 2017 / NICE classification
Clinical Classification	LOW_RISK	Final symbolic reasoning bucket
Expert Prediction	LOW_RISK	Decision Tree output
Clinical Class	MALIGNANT_PO LYP	High suspicion for malignancy — biopsy and urgent resection recommended
Detection Confidence	69.8%	YOLO / RT-DETR / track confidence

Type Assessment: Active hemorrhagic lesion — elevated vascularity with redness signal. Immediate clinical review required.

Low-confidence HIGH RISK detection - Further evaluation recommended

POLYP #3 — BLEEDING_POLYP [HIGH_RISK] (Tracked across 89 frames)



Feature	Value	Interpretation
Frame Index	62	Frame 62 of 559
Detection Method	Detector Consensus (MedSAM2 Unavailable)	MedSAM2 Unavailable (MedSAM2 unavailable for this video)
POLYP TYPE	BLEEDING_PO LYP	Type confidence: 92.0%
Redness Score	0.260	Color-based vascularization
Relative Radius	21.7%	Polyp size as % of frame diagonal

Texture Score	1.000	Surface morphology
Vessel Visibility	0.972	Vascularization indicator
Risk Tier	HIGH RISK	Validated by ESGE 2017 / NICE classification
Clinical Classification	LOW_RISK	Final symbolic reasoning bucket
Expert Prediction	LOW_RISK	Decision Tree output
Clinical Class	MALIGNANT_P OLYP	High suspicion for malignancy — biopsy and urgent resection recommended
Detection Confidence	78.1%	YOLO / RT-DETR / track confidence

Type Assessment: Active hemorrhagic lesion — elevated vascularity with redness signal. Immediate clinical review required.

Low-confidence HIGH RISK detection - Further evaluation recommended

CLINICAL IMPRESSION

Summary:

A total of 3 polyps were detected and analyzed using multi-model consensus and AI-based risk stratification.

Risk Distribution:

- HIGH RISK polyps: 1 (33.3%)
- MEDIUM RISK polyps: 0 (0.0%)
- LOW RISK polyps: 0 (0.0%)

Recommendation:

The presence of HIGH RISK polyps warrants close clinical attention. Consider endoscopic resection or follow-up surveillance depending on clinical context.

Technical Details:

- Detection: Multi-model consensus (YOLO, RT-DETR, MedSAM2)
- Features: 444-dimensional vectors (384 SSL + 60 biomarkers)
- Classification: Cluster-specific Decision Tree experts
- Confidence: Based on deep learning + medical heuristics

Disclaimer: This report is generated by an AI-assisted research system for academic and research purposes only. All clinical recommendations are derived from published ESGE 2017, NICE CG118/CG131, and BSG 2019 colonoscopy guidelines. This output does not constitute medical advice and must not be used as the sole basis for clinical decisions. All findings must be reviewed and confirmed by a qualified gastroenterologist or endoscopist.