

POLYP DETECTION MEDICAL REPORT

Analysis Date: June 04, 2026

VIDEO INFORMATION

Video ID:	7fcd9657-025e-4213-95b3-276a38ea7fa5
Total Frames:	48
Frame Rate:	25.0 fps (assumed)
Duration:	1.9 seconds

DETECTION SUMMARY

Detection Method	Count	Status
YOLO Detections	0	✓
RT-DETR Detections	0	✓
MedSAM2 Detections	0	✓
Consensus (3-Model Agreement)	0	✓
Risk Classification	Count	Percentage
HIGH RISK	0	0.0%
MEDIUM RISK	0	0.0%
LOW RISK	0	0.0%
TOTAL ANALYZED	0	0.0%

DETAILED POLYP ANALYSIS

NO POLYP DETECTED

No polyp was identified in this video by the multi-model consensus (YOLO + RT-DETR + MedSAM2). The mucosa appears within normal limits based on visual feature analysis. Standard surveillance protocol applies.

CLINICAL IMPRESSION

Summary:

No polyps were detected or analyzed after the current consensus and stability filters.

Risk Distribution:

- HIGH RISK polyps: 0 (0.0%)
- MEDIUM RISK polyps: 0 (0.0%)
- LOW RISK polyps: 0 (0.0%)

Recommendation:

No stable canonical polyp crop survived the current report filters. Review detector overlap, temporal thresholds, and source video quality if this is unexpected.

Technical Details:

- Detection: Multi-model consensus (YOLO, RT-DETR, MedSAM2)
- Features: 444-dimensional vectors (384 SSL + 60 biomarkers)
- Classification: Cluster-specific Decision Tree experts
- Confidence: Based on deep learning + medical heuristics

Disclaimer: *This report is generated by an AI-assisted research system for academic and research purposes only. All clinical recommendations are derived from published ESGE 2017, NICE CG118/CG131, and BSG 2019 colonoscopy guidelines. This output does not constitute medical advice and must not be used as the sole basis for clinical decisions. All findings must be reviewed and confirmed by a qualified gastroenterologist or endoscopist.*