

POLYP DETECTION MEDICAL REPORT

Analysis Date: June 04, 2026

VIDEO INFORMATION


Video ID:	93c9b2f1-3dd7-4d13-81e0-3f83f2a7fcf9
Total Frames:	1823
Frame Rate:	25.0 fps (assumed)
Duration:	72.9 seconds

DETECTION SUMMARY

Detection Method	Count	Status
YOLO Detections	265	✓
RT-DETR Detections	1658	✓
MedSAM2 Detections	1664	✓
Consensus (3-Model Agreement)	2	✓
Risk Classification	Count	Percentage
HIGH RISK	0	0.0%
MEDIUM RISK	1	50.0%
LOW RISK	1	50.0%
TOTAL ANALYZED	2	100.0%

DETAILED POLYP ANALYSIS

POLYP #1 — FLAT_POLYP [MEDIUM_RISK] (Tracked across 25 frames)




Feature	Value	Interpretation
Frame Index	1227	Frame 1227 of 1823
Detection Method	Detector Consensus (MedSAM2 Unavailable)	MedSAM2 Unavailable (MedSAM2 unavailable for this video)
POLYP TYPE	FLAT_POLYP	Type confidence: 78.3%
Redness Score	0.137	Color-based vascularization
Relative Radius	33.7%	Polyp size as % of frame diagonal
Texture Score	0.065	Surface morphology
Vessel Visibility	0.053	Vascularization indicator
Risk Tier	MEDIUM RISK	Validated by ESGE 2017 / NICE classification
Clinical Classification	LOW_RISK	Final symbolic reasoning bucket
Expert Prediction	LOW_RISK	Decision Tree output

Clinical Class	NORMAL_MUC OSA	Normal mucosal pattern — no polyp morphology identified
Detection Confidence	76.1%	YOLO / RT-DETR / track confidence

Type Assessment: Flat mucosal lesion — chromoendoscopy or NBI assessment recommended.

Low-confidence MODERATE RISK detection - Clinical review recommended

POLYP #2 — ADENOMATOUS_POLYP [LOW_RISK] (Tracked across 65 frames)



Feature	Value	Interpretation
Frame Index	943	Frame 943 of 1823
Detection Method	Detector Consensus (MedSAM2 / RT-DETR)	Model Agreement (MedSAM2 unavailable for this video)
POLYP TYPE	ADENOMATOUS_POLYP	Type confidence: 92.0%
Redness Score	0.258	Color-based vascularization
Relative Radius	10.5%	Polyp size as % of frame diagonal
Texture Score	0.019	Surface morphology

Vessel Visibility	0.565	Vascularization indicator
Risk Tier	LOW RISK	Validated by ESGE 2017 / NICE classification
Clinical Classification	HIGH_RISK	Final symbolic reasoning bucket
Expert Prediction	HIGH_RISK	Decision Tree output
Clinical Class	ADENOMATOUS_POLYP	Polypoid lesion — discrete mucosal protrusion identified
Detection Confidence	85.2%	YOLO / RT-DETR / track confidence

Type Assessment: Polypoid lesion — discrete mucosal protrusion identified. Endoscopic resection recommended.

Low-confidence LOW RISK detection - Follow standard protocol

CLINICAL IMPRESSION

Summary:

A total of 2 polyps were detected and analyzed using multi-model consensus and AI-based risk stratification.

Risk Distribution:

- HIGH RISK polyps: 0 (0.0%)
- MEDIUM RISK polyps: 1 (50.0%)
- LOW RISK polyps: 1 (50.0%)

Recommendation:

The presence of MEDIUM RISK polyps warrants clinical review and correlation with endoscopic findings.

Technical Details:

- Detection: Multi-model consensus (YOLO, RT-DETR, MedSAM2)
- Features: 444-dimensional vectors (384 SSL + 60 biomarkers)
- Classification: Cluster-specific Decision Tree experts
- Confidence: Based on deep learning + medical heuristics

Disclaimer: This report is generated by an AI-assisted research system for academic and research purposes only. All clinical recommendations are derived from published ESGE 2017, NICE CG118/CG131, and BSG 2019 colonoscopy guidelines. This output does not constitute medical advice and must not be used as the sole basis for clinical decisions. All findings must be reviewed and confirmed by a qualified gastroenterologist or endoscopist.