

POLYP DETECTION MEDICAL REPORT

Analysis Date: June 04, 2026

VIDEO INFORMATION


Video ID:	b2bf57d2-e9c9-45a7-856b-fd45574b0f94
Total Frames:	2100
Frame Rate:	25.0 fps (assumed)
Duration:	84.0 seconds

DETECTION SUMMARY

Detection Method	Count	Status
YOLO Detections	672	✓
RT-DETR Detections	1373	✓
MedSAM2 Detections	1289	✓
Consensus (3-Model Agreement)	1	✓
Risk Classification	Count	Percentage
HIGH RISK	0	0.0%
MEDIUM RISK	0	0.0%
LOW RISK	0	0.0%
TOTAL ANALYZED	1	100.0%

DETAILED POLYP ANALYSIS

POLYP #1 — NORMAL_MUCOSA [BASELINE] (Tracked across 28 frames)



Feature	Value	Interpretation
Frame Index	14	Frame 14 of 2100
Detection Method	Detector Consensus (MedSAM2 / RT-DETR)	Model Agreement (MedSAM2 unavailable for this video)
POLYP TYPE	NORMAL_MUCOSA	Type confidence: 68.0%
Redness Score	0.144	Color-based vascularization
Relative Radius	6.6%	Polyp size as % of frame diagonal
Texture Score	0.010	Surface morphology
Vessel Visibility	0.033	Vascularization indicator
Risk Tier	BASELINE	Validated by ESGE 2017 / NICE classification
Clinical Classification	HIGH_RISK	Final symbolic reasoning bucket
Expert Prediction	HIGH_RISK	Decision Tree output
Clinical Class	NORMAL_MUCOSA	Normal mucosal pattern — no polyp morphology identified
Detection Confidence	83.0%	YOLO / RT-DETR / track confidence

Type Assessment: Normal mucosal pattern — no polyp morphology identified.

Insufficient evidence for a stable risk prediction - Further evaluation recommended

CLINICAL IMPRESSION

Summary:

A total of 1 polyps were detected and analyzed using multi-model consensus and AI-based risk stratification.

Risk Distribution:

- HIGH RISK polyps: 0 (0.0%)
- MEDIUM RISK polyps: 0 (0.0%)
- LOW RISK polyps: 0 (0.0%)

Recommendation:

All detected polyps are classified as LOW RISK. Standard surveillance protocol is recommended.

Technical Details:

- Detection: Multi-model consensus (YOLO, RT-DETR, MedSAM2)
- Features: 444-dimensional vectors (384 SSL + 60 biomarkers)
- Classification: Cluster-specific Decision Tree experts
- Confidence: Based on deep learning + medical heuristics

Disclaimer: This report is generated by an AI-assisted research system for academic and research purposes only. All clinical recommendations are derived from published ESGE 2017, NICE CG118/CG131, and BSG 2019 colonoscopy guidelines. This output does not constitute medical advice and must not be used as the sole basis for clinical decisions. All findings must be reviewed and confirmed by a qualified gastroenterologist or endoscopist.