# FootballIQ_Engine API 1.0.0 OAS 3.1

/openapi.json

Football performance and analytics API

Authorize

## Authentication

POST /auth/register Register

Create a new user account. Passwords are stored as bcrypt hashes - never plain text.

Parameters

Cancel

| Name | Description |
| --- | --- |
| **username** * required<br>string<br>(query) | doctest |
| **email** * required<br>string<br>(query) | dec@test.com |
| **password** * required<br>string<br>(query) | doc123 |

Execute | Clear

## Responses

### Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8000/auth/register?username=doctest&email=dec%40test.com&pa
  -H 'accept: application/json' \
  -d ''
```

### Request URL

```
http://127.0.0.1:8000/auth/register?
username=doctest&email=dec%40test.com&password=doc123
```

### Server response

| Code | Details |
|---|---|
| 201 | |

**Response body**

```
{
  "id": 5,
  "username": "doctest",
  "email": "dec@test.com"
}
```

Download

**Response headers**

```
content-length: 52
content-type: application/json
date: Tue,17 Mar 2026 23:12:16 GMT
server: uvicorn
```

### Responses

| Code | Description | Links |
|---|---|---|
| 201 | Successful Response | *No links* |

Media type

application/json

Controls Accept header.

**Example Value** | Schema

```
"string"
```

422 Validation Error *No links*

Media type

application/json

**Example Value** | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

**POST** `/auth/token` Login

Login with username and password. Returns a JWT Bearer token to use in future requests. OAuth2PasswordRequestForm expects form data (not JSON) with fields: username and password.

**Parameters** Cancel Reset

No parameters

**Request body** required application/x-www-form-urlencoded

grant_type

grant_type

☑ Send empty value

**username** * required

`string`

doctest

**password** * required
string

doc123

scope
string

scope

☑ Send empty value

client_id

client_id

☑ Send empty value

client_secret

client_secret

☑ Send empty value

Execute | Clear

## Responses

### Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8000/auth/token' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/x-www-form-urlencoded' \
  -d 'grant_type=&username=doctest&password=doc123&scope=&client_id=&client
```

### Request URL

```
http://127.0.0.1:8000/auth/token
```

### Server response

| Code | Details |
|---|---|
| 200 | Response body |


```
{
  "access_token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJkb2N0ZXN0IiwiZXhwIjoxNzczNzkxMDQ2fQ.JDuQQ6e-SDxNOlCswo-o9sy9z_ZxKVnDVi2G_GhNEM4",
  "token_type": "bearer"
}
```


Download

**Response headers**

```
content-length: 168
content-type: application/json
date: Tue,17 Mar 2026 23:14:04 GMT
server: uvicorn
```

**Responses**

| Code | Description | Links |
|---|---|---|
| 200 | Successful Response<br>Media type<br>application/json<br>Controls Accept header.<br>**Example Value** \| Schema<br>`"string"` | *No links* |
| 422 | Validation Error<br>Media type<br>application/json<br>**Example Value** \| Schema<br>`{ "detail": [ { "loc": [ "string", 0 ], "msg": "string", "type": "string" } ] }` | *No links* |

# Teams

**GET** `/teams/` List Teams

Get a list of teams.

- Use skip and limit for pagination e.g. skip=20&limit=20 gets page 2
- Use country to filter e.g. country=England

## Parameters

Cancel

| Name | Description |
| --- | --- |
| skip<br>integer<br>(query) | How many records to skip - used for pagination<br>0 |
| limit<br>integer<br>(query) | Maximum number of teams to return<br>30 |
| country<br>(query) | Filter by country name<br>country |

Execute Clear

## Responses

### Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/teams/?skip=0&limit=30' \
  -H 'accept: application/json'
```

### Request URL

```
http://127.0.0.1:8000/teams/?skip=0&limit=30
```

### Server response

| Code | Details |
| --- | --- |
| 200 | Response body |

```
    "stadium": null,
```

```
    "stadium_capacity": null,
    "manager": null,
    "id": 11,
    "external_id": 8203
  },
  {
    "name": "Club Brugge KV",
    "short_name": "CLB",
    "country": null,
    "founded": null,
    "stadium": null,
    "stadium_capacity": null,
    "manager": null,
    "id": 12,
    "external_id": 8342
  },
  {
    "name": "KSV Roeselare",
    "short_name": "ROS",
    "country": null,
    "founded": null,
    "stadium": null,
    "stadium_capacity": null,
    "manager": null
```


Download

**Response headers**

```
content-length: 4662
content-type: application/json
date: Tue,17 Mar 2026 23:14:53 GMT
server: uvicorn
```

**Responses**

| Code | Description | Links |
|---|---|---|
| 200 | Successful Response | *No links* |

Media type

**application/json**

Controls Accept header.

**Example Value** | Schema


```
[
  {
    "name": "string",
    "short_name": "string",
    "country": "string",
    "founded": 0,
    "stadium": "string",
    "stadium_capacity": 0,
    "manager": "string",
    "id": 0,
    "external_id": 0
  }
```

```
]
```

422 Validation Error *No links*

Media type

**application/json**

**Example Value** | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

**POST** `/teams/` Create Team

Create a new team. Requires authentication - send Bearer token in Authorization header.

**Parameters** Cancel Reset

No parameters

**Request body** required **application/json**

```
{"name": "Doc FC", "country": "England"}
```

Execute Clear

## Responses

### Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8000/teams/' \
  -H 'accept: application/json' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJhZG
  -H 'Content-Type: application/json' \
  -d '{"name": "Doc FC", "country": "England"}'
```

### Request URL

```
http://127.0.0.1:8000/teams/
```

### Server response

| Code | Details |
|---|---|
| 201 | Response body |

```
{
  "name": "Doc FC",
  "short_name": null,
  "country": "England",
  "founded": null,
  "stadium": null,
  "stadium_capacity": null,
```

```
  "manager": null,
  "id": 301,
  "external_id": null
}
```

Download

**Response headers**

```
content-length: 152
content-type: application/json
date: Tue,17 Mar 2026 23:16:18 GMT
server: uvicorn
```

**Responses**

| Code | Description | Links |
|---|---|---|
| 201 | Successful Response | *No links* |

Media type

application/json

Controls Accept header.

**Example Value** | Schema

```
{
  "name": "string",
  "short_name": "string",
  "country": "string",
  "founded": 0,
  "stadium": "string",
  "stadium_capacity": 0,
  "manager": "string",
  "id": 0,
  "external_id": 0
}
```

| | | |
|---|---|---|
| 422 | Validation Error | *No links* |

Media type

application/json

**Example Value** | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
```

```
}
```

## GET /teams/{team_id} Get Team

Get a single team by its ID.

### Parameters

Try it out

| Name | Description |
|---|---|
| team_id * required<br>integer<br>(path) | team_id |

### Responses

| Code | Description | Links |
|---|---|---|
| 200 | Successful Response<br><br>Media type<br>application/json<br>Controls Accept header.<br><br>Example Value \| Schema | No links |
| 422 | Validation Error | No links |

```
{
  "name": "string",
  "short_name": "string",
  "country": "string",
  "founded": 0,
  "stadium": "string",
  "stadium_capacity": 0,
  "manager": "string",
  "id": 0,
  "external_id": 0
}
```

Media type

application/json

**Example Value** | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

**PATCH** `/teams/{team_id}` Update Team

Partially update a team. Only send the fields you want to change. Requires authentication.

**Parameters** Cancel Reset

| Name | Description |
| --- | --- |
| **team_id** * required<br>`integer`<br>*(path)* | 301 |

**Request body** required application/json

```
{"manager": "Pep Guardiola"}
```

Execute Clear

## Responses

### Curl

```
curl -X 'PATCH' \
  'http://127.0.0.1:8000/teams/301' \
  -H 'accept: application/json' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJhZG
  -H 'Content-Type: application/json' \
  -d '{"manager": "Pep Guardiola"}'
```

### Request URL

```
http://127.0.0.1:8000/teams/301
```

### Server response

| Code | Details |
|---|---|
| 200 | Response body |

```
{
  "name": "Doc FC",
  "short_name": null,
  "country": "England",
  "founded": null,
  "stadium": null,
  "stadium_capacity": null,
```

```
  "manager": "Pep Guardiola",
  "id": 301,
  "external_id": null
}
```

Download

**Response headers**

```
content-length: 163
content-type: application/json
date: Tue,17 Mar 2026 23:17:25 GMT
server: uvicorn
```

**Responses**

| Code | Description | Links |
|---|---|---|
| 200 | Successful Response | *No links* |

Media type

application/json

Controls Accept header.

**Example Value** | Schema

```
{
  "name": "string",
  "short_name": "string",
  "country": "string",
  "founded": 0,
  "stadium": "string",
  "stadium_capacity": 0,
  "manager": "string",
  "id": 0,
  "external_id": 0
}
```

| | | |
|---|---|---|
| 422 | Validation Error | *No links* |

Media type

application/json

**Example Value** | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
```

```
}
```

DELETE /teams/{team_id} Delete Team

## Players

GET /players/ List Players

Parameters

Cancel

| Name | Description |
| --- | --- |
| skip<br>integer<br>(query) | 0 |
| limit<br>integer<br>(query) | 20 |
| team_id<br>(query) | Filter by team ID<br>team_id |
| position<br>(query) | Filter by position e.g. GK, DEF, MID, FWD<br>position |

Execute Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/players/?skip=0&limit=20' \
  -H 'accept: application/json'
```

Request URL

```
http://127.0.0.1:8000/players/?skip=0&limit=20
```

**Server response**

| Code | Details |
|---|---|
| 200 | |

**Response body**


```
[
  {
    "name": "Aaron Appindangoye",
    "team_id": 229,
    "position": null,
    "nationality": null,
    "age": 24,
    "shirt_number": null,
    "market_value_eur": null,
    "id": 1,
    "external_id": 505942
  },
  {
    "name": "Aaron Cresswell",
    "team_id": 31,
    "position": null,
    "nationality": null,
    "age": 27,
    "shirt_number": null,
    "market_value_eur": null,
    "id": 2,
    "external_id": 155782
  },
  {
    "name": "Aaron Doran"
```


Download

**Response headers**

```
content-length: 3097
content-type: application/json
date: Tue,17 Mar 2026 23:17:48 GMT
server: uvicorn
```

**Responses**

| Code | Description | Links |
|---|---|---|
| 200 | Successful Response | *No links* |

Media type

application/json

Controls Accept header.

**Example Value** | Schema


```
[
  {
```

```
    "name": "string",
    "team_id": 0,
    "position": "string",
    "nationality": "string",
    "age": 0,
    "shirt_number": 0,
    "market_value_eur": 0,
    "id": 0,
    "external_id": 0
  }
]
```


422 Validation Error *No links*

Media type

application/json

**Example Value** | Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```


**POST** `/players/` Create Player

**Parameters** Cancel Reset

No parameters

**Request body** required application/json

```
{
  "name": "DOCDOC",
  "team_id": 1,
  "position": "null",
  "nationality": "null",
  "age": 25,
  "shirt_number": 11,
  "market_value_eur": 0
}
```

Execute | Clear

## Responses

### Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8000/players/' \
  -H 'accept: application/json' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJhZG
  -H 'Content-Type: application/json' \
  -d '{
  "name": "DOCDOC",
  "team_id": 1,
  "position": "null",
  "nationality": "null",
  "age": 25,
  "shirt_number": 11,
  "market_value_eur": 0
}'
```

### Request URL

```
http://127.0.0.1:8000/players/
```

### Server response

| Code | Details |
|---|---|
| 201 | |

**Response body**

```
{
  "name": "DOCDOC",
  "team_id": 1,
  "position": "null",
  "nationality": "null",
  "age": 25,
  "shirt_number": 11,
  "market_value_eur": 0,
  "id": 11061,
  "external_id": null
}
```

Download

**Response headers**

```
content-length: 148
content-type: application/json
date: Tue,17 Mar 2026 23:18:41 GMT
server: uvicorn
```

**Responses**

| Code | Description | Links |
|---|---|---|
| 201 | Successful Response | *No links* |

Media type

application/json

Controls Accept header.

**Example Value** | Schema

```
{
  "name": "string",
  "team_id": 0,
  "position": "string",
  "nationality": "string",
  "age": 0,
  "shirt_number": 0,
  "market_value_eur": 0,
  "id": 0,
  "external_id": 0
}
```

| | | |
|---|---|---|
| 422 | Validation Error | *No links* |

Media type

application/json

**Example Value** | Schema

```
{
  "detail": [
    {
```

```
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```


GET /players/{player_id} Get Player

Parameters

Cancel

| Name | Description |
| --- | --- |
| player_id * required<br>integer<br>(path) | 11061 |

Execute Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/players/11061' \
  -H 'accept: application/json'
```

Request URL

```
http://127.0.0.1:8000/players/11061
```

Server response

| Code | Details |
| --- | --- |
| 200 | Response body |


```
{
  "name": "DOCDOC",
  "team_id": 1,
```

```
  "position": "null",
  "nationality": "null",
  "age": 25,
  "shirt_number": 11,
  "market_value_eur": 0,
  "id": 11061,
  "external_id": null
}
```


Download

**Response headers**

```
content-length: 148
content-type: application/json
date: Tue,17 Mar 2026 23:19:24 GMT
server: uvicorn
```

**Responses**

| Code | Description | Links |
|---|---|---|
| 200 | Successful Response | *No links* |

Media type

**application/json**

Controls Accept header.

**Example Value** | Schema


```
{
  "name": "string",
  "team_id": 0,
  "position": "string",
  "nationality": "string",
  "age": 0,
  "shirt_number": 0,
  "market_value_eur": 0,
  "id": 0,
  "external_id": 0
}
```


| | | |
|---|---|---|
| 422 | Validation Error | *No links* |

Media type

**application/json**

**Example Value** | Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
```

```
      "msg": "string",
      "type": "string"
    }
  ]
}
```

**PATCH** `/players/{player_id}` Update Player

**Parameters** Cancel Reset

| Name | Description |
|---|---|
| **player_id** * required<br>integer<br>*(path)* | 11061 |

**Request body** required application/json

```
{
  "age": 28
}
```

Execute Clear

**Responses**

**Curl**

```
curl -X 'PATCH' \
  'http://127.0.0.1:8000/players/11061' \
  -H 'accept: application/json' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJhZG
  -H 'Content-Type: application/json' \
  -d '{

  "age": 28

}'
```

**Request URL**

```
http://127.0.0.1:8000/players/11061
```

**Server response**

| Code | Details |
|---|---|
| 200 | **Response body** |

```
{
  "name": "DOCDOC",
  "team_id": 1,
  "position": "null",
  "nationality": "null",
  "age": 28,
  "shirt_number": 11,
  "market_value_eur": 0,
  "id": 11061,
  "external_id": null
}
```

Download

**Response headers**

```
content-length: 148
content-type: application/json
date: Tue,17 Mar 2026 23:20:35 GMT
server: uvicorn
```

**Responses**

| Code | Description | Links |
|---|---|---|
| 200 | Successful Response | *No links* |

Media type

application/json

Controls Accept header.

**Example Value** | Schema

```
{
  "name": "string",
  "team_id": 0,
  "position": "string",
  "nationality": "string",
  "age": 0,
  "shirt_number": 0,
  "market_value_eur": 0,
  "id": 0,
  "external_id": 0
}
```

422 Validation Error *No links*

Media type

application/json

**Example Value** | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

DELETE `/players/{player_id}` Delete Player

# Matches

GET `/matches/` List Matches

**Parameters** Cancel

| Name | Description |
| --- | --- |
| skip<br>`integer`<br>*(query)* | 0 |

limit
integer
(query)

20

season
(query)

Filter by season e.g. 2008/2009

season

competition
(query)

Filter by competition name

competition

status
(query)

Filter by status: SCHEDULED, FINISHED

status

Execute Clear

## Responses

### Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/matches/?skip=0&limit=20' \
  -H 'accept: application/json'
```

### Request URL

```
http://127.0.0.1:8000/matches/?skip=0&limit=20
```

### Server response

| Code | Details |
|---|---|
| 200 | Response body |


```
[
  {
    "home_team_id": 1,
    "away_team_id": 2,
    "match_date": "2008-08-17",
    "competition": "Belgium Jupiler League",
    "season": "2008/2009",
    "matchday": 1,
    "home_goals": 1,
    "away_goals": 1,
    "status": "FINISHED",
```

```
    "id": 1,
    "home_team_name": null,
    "away_team_name": null
  },
  {
    "home_team_id": 3,
    "away_team_id": 4,
    "match_date": "2008-08-16",
    "competition": "Belgium Jupiler League",
    "season": "2008/2009",
    "matchday": 1,
    "home_goals": 0,
    "away_goals": 0,
```


Download

**Response headers**

```
content-length: 4762
content-type: application/json
date: Tue,17 Mar 2026 23:20:45 GMT
server: uvicorn
```

**Responses**

| Code | Description | Links |
|---|---|---|
| 200 | Successful Response | *No links* |

Media type

application/json

Controls `Accept` header.

**Example Value** | Schema


```
[
  {
    "home_team_id": 0,
    "away_team_id": 0,
    "match_date": "2026-03-17",
    "competition": "string",
    "season": "string",
    "matchday": 0,
    "home_goals": 0,
    "away_goals": 0,
    "status": "SCHEDULED",
    "id": 0,
    "home_team_name": "string",
    "away_team_name": "string"
  }
]
```


| | | |
|---|---|---|
| 422 | Validation Error | *No links* |

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

POST /matches/ Create Match

Parameters

Cancel Reset

No parameters

Request body required

application/json

```
{
  "home_team_id": 30,
  "away_team_id": 1,
  "home_goals": 3,
  "away_goals": 1,
  "season": "2008/2009",
  "competition": "Premier League",
  "match_date": "2024-03-15",
  "status": "FINISHED"
}
```

Execute Clear

## Responses

### Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8000/matches/' \
  -H 'accept: application/json' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJhZG
  -H 'Content-Type: application/json' \
  -d '{
  "home_team_id": 30,
  "away_team_id": 1,
  "home_goals": 3,
  "away_goals": 1,
  "season": "2008/2009",
  "competition": "Premier League",
  "match_date": "2024-03-15",
  "status": "FINISHED"
}'
```

### Request URL

```
http://127.0.0.1:8000/matches/
```

### Server response

| Code | Details |
|---|---|
| 201 | |

#### Response body

```
{
  "home_team_id": 30,
  "away_team_id": 1,
  "match_date": "2024-03-15",
  "competition": "Premier League",
  "season": "2008/2009",
  "matchday": null,
  "home_goals": 3,
  "away_goals": 1,
  "status": "FINISHED",
  "id": 25980,
  "home_team_name": null,
  "away_team_name": null
}
```

Download

#### Response headers

```
content-length: 235
content-type: application/json
date: Tue,17 Mar 2026 23:23:55 GMT
server: uvicorn
```

### Responses

| Code | Description | Links |
|---|---|---|
| 201 | Successful Response | *No links* |

Media type

application/json

Controls Accept header.

**Example Value** | Schema

```
{
  "home_team_id": 0,
  "away_team_id": 0,
  "match_date": "2026-03-17",
  "competition": "string",
  "season": "string",
  "matchday": 0,
  "home_goals": 0,
  "away_goals": 0,
  "status": "SCHEDULED",
  "id": 0,
  "home_team_name": "string",
  "away_team_name": "string"
}
```

| | | |
|---|---|---|
| 422 | Validation Error | *No links* |

Media type

application/json

**Example Value** | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

GET /matches/{match_id} Get Match

**Parameters**

Cancel

| Name | Description |
| --- | --- |
| **match_id** * required<br>`integer`<br>*(path)* | 30 |

Execute | Clear

## Responses

### Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/matches/30' \
  -H 'accept: application/json'
```

### Request URL

```
http://127.0.0.1:8000/matches/30
```

### Server response

| Code | Details |
| --- | --- |
| 200 | |

**Response body**


```
{
  "home_team_id": 3,
  "away_team_id": 2,
  "match_date": "2008-11-15",
  "competition": "Belgium Jupiler League",
  "season": "2008/2009",
  "matchday": 12,
  "home_goals": 2,
  "away_goals": 2,
  "status": "FINISHED",
  "id": 30,
  "home_team_name": null,
  "away_team_name": null
}
```


Download

**Response headers**

```
content-length: 237
content-type: application/json
date: Tue,17 Mar 2026 23:24:08 GMT
server: uvicorn
```

### Responses

| Code | Description | Links |
|---|---|---|
| 200 | Successful Response | *No links* |

Media type

application/json

Controls `Accept` header.

**Example Value** | Schema

```
{
  "home_team_id": 0,
  "away_team_id": 0,
  "match_date": "2026-03-17",
  "competition": "string",
  "season": "string",
  "matchday": 0,
  "home_goals": 0,
  "away_goals": 0,
  "status": "SCHEDULED",
  "id": 0,
  "home_team_name": "string",
  "away_team_name": "string"
}
```

| | | |
|---|---|---|
| 422 | Validation Error | *No links* |

Media type

application/json

**Example Value** | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

**PATCH** `/matches/{match_id}` Update Match

**Parameters**

Cancel Reset

| Name | Description |
| --- | --- |
| **match_id** * required<br>integer<br>*(path)* | 30 |

**Request body** required

application/json

```
{
  "match_date": "2026-03-19"

}
```

Execute | Clear

## Responses

Curl

```
curl -X 'PATCH' \
  'http://127.0.0.1:8000/matches/30' \
  -H 'accept: application/json' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJhZG
  -H 'Content-Type: application/json' \
  -d '{
  "match_date": "2026-03-19"

}'
```

Request URL

```
http://127.0.0.1:8000/matches/30
```

**Server response**

| Code | Details |
|---|---|
| 200 | |

**Response body**


```
{
  "home_team_id": 3,
  "away_team_id": 2,
  "match_date": "2026-03-19",
  "competition": "Belgium Jupiler League",
  "season": "2008/2009",
  "matchday": 12,
  "home_goals": 2,
  "away_goals": 2,
  "status": "FINISHED",
  "id": 30,
  "home_team_name": null,
  "away_team_name": null
}
```


Download

**Response headers**

```
content-length: 237
content-type: application/json
date: Tue,17 Mar 2026 23:26:13 GMT
server: uvicorn
```

**Responses**

| Code | Description | Links |
|---|---|---|
| 200 | Successful Response | *No links* |

Media type

application/json

Controls Accept header.

**Example Value** | Schema


```
{
  "home_team_id": 0,
  "away_team_id": 0,
  "match_date": "2026-03-17",
  "competition": "string",
  "season": "string",
  "matchday": 0,
  "home_goals": 0,
  "away_goals": 0,
  "status": "SCHEDULED",
  "id": 0,
  "home_team_name": "string",
  "away_team_name": "string"
}
```

422 Validation Error *No links*

Media type

application/json

**Example Value** | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

DELETE `/matches/{match_id}` Delete Match

## Analytics

GET `/analytics/form/{team_id}` Team Form

Get a team's recent form — last N results with points and goal difference. ge=1, le=20 means FastAPI will reject values outside 1-20 automatically.

**Parameters** Cancel

| Name | Description |
| --- | --- |
| **team_id** * required<br>`integer`<br>*(path)* | 30 |
| n<br>`integer`<br>*(query)*<br>*maximum: 20*<br>*minimum: 1* | Number of recent matches to include<br>5 |

Execute | Clear

## Responses

### Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/analytics/form/30?n=5' \
  -H 'accept: application/json'
```

### Request URL

```
http://127.0.0.1:8000/analytics/form/30?n=5
```

### Server response

| Code | Details |
|---|---|
| 200 | |

Response body


```
{
  "team_id": 30,
  "team_name": "Liverpool",
  "matches_played": 5,
  "form_string": "WDDWL",
  "points": 8,
  "wins": 2,
  "draws": 2,
  "losses": 1,
  "goals_for": 8,
  "goals_against": 6,
  "goal_difference": 2,
  "recent_matches": [
    {
      "match_id": 25980,
      "date": "2024-03-15",
      "opponent": "KRC Genk",
      "home_or_away": "H",
      "score": "3-1",
      "result": "W",
      "competition": "Premier League",
      "season": "2008/2009"
    },
    {
      "match_id": 4708
```


Download

Response headers

```
content-length: 1028
content-type: application/json
```

```
date: Tue,17 Mar 2026 23:26:45 GMT
server: uvicorn
```

**Responses**

| Code | Description | Links |
|---|---|---|
| 200 | Successful Response<br>Media type<br>application/json<br>Controls Accept header.<br>**Example Value** \| Schema | *No links* |
| 422 | Validation Error<br>Media type<br>application/json<br>**Example Value** \| Schema | *No links* |

```
"string"
```

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

**GET** `/analytics/leaderboard` Leaderboard

Get the full league table for a competition and season. The ... means this parameter is REQUIRED (no default value).

**Parameters** Cancel

| Name | Description |
| --- | --- |
| **competition** * required<br>string<br>*(query)* | Competition name e.g. 'Premier League'<br>Premier League |
| **season** * required<br>string<br>*(query)* | Season e.g. '2008/2009'<br>2008/2009 |

Execute | Clear

## Responses

### Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/analytics/leaderboard?competition=Premier%20League&sea
  -H 'accept: application/json'
```

### Request URL

```
http://127.0.0.1:8000/analytics/leaderboard?
competition=Premier%20League&season=2008%2F2009
```

### Server response

| Code | Details |
| --- | --- |
| 200 | Response body |


```
{
  "competition": "Premier League",
  "season": "2008/2009",
  "table": [
    {
      "team_id": 25,
      "team_name": "Manchester United",
      "played": 38,
      "wins": 28,
      "draws": 6,
      "losses": 4,
      "goals_for": 68,
      "goals_against": 24,
      "goal_difference": 44,
      "points": 90,
      "position": 1
```

```
    },
    {
      "team_id": 30,
      "team_name": "Liverpool",
      "played": 39,
      "wins": 26,
      "draws": 11,
      "losses": 2,
```


Download

**Response headers**

```
content-length: 5588
content-type: application/json
date: Tue,17 Mar 2026 23:27:10 GMT
server: uvicorn
```

**Responses**

| Code | Description | Links |
|---|---|---|
| 200 | Successful Response | *No links* |

Media type

application/json

Controls Accept header.

**Example Value** | Schema

```
"string"
```

| | | |
|---|---|---|
| 422 | Validation Error | *No links* |

Media type

application/json

**Example Value** | Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

GET /analytics/head-to-head Head To Head

Get the full head-to-head record between two teams.

## Parameters

Cancel

| Name | Description |
| --- | --- |
| team1_id * required<br>integer<br>(query) | First team ID<br>1 |
| team2_id * required<br>integer<br>(query) | Second team ID<br>30 |

Execute Clear

## Responses

### Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/analytics/head-to-head?team1_id=1&team2_id=30' \
  -H 'accept: application/json'
```

### Request URL

```
http://127.0.0.1:8000/analytics/head-to-head?team1_id=1&team2_id=30
```

### Server response

| Code | Details |
| --- | --- |
| 200 | Response body |

```
{
  "team1": "KRC Genk",
  "team2": "Liverpool",
  "total_matches": 1,
  "KRC Genk_wins": 0,
```

```
  "Liverpool_wins": 1,
  "draws": 0,
  "KRC Genk_goals": 1,
  "Liverpool_goals": 3,
  "matches": [
    {
      "date": "2024-03-15",
      "home_team": "Liverpool",
      "away_team": "KRC Genk",
      "score": "3-1",
      "winner": "Liverpool",
      "competition": "Premier League",
      "season": "2008/2009"
    }
  ]
}
```


Download

**Response headers**

```
content-length: 312
content-type: application/json
date: Tue,17 Mar 2026 23:27:20 GMT
server: uvicorn
```

**Responses**

| Code | Description | Links |
|---|---|---|
| 200 | Successful Response | *No links* |

Media type

**application/json**

Controls Accept header.

**Example Value** | Schema

```
"string"
```

| | | |
|---|---|---|
| 422 | Validation Error | *No links* |

Media type

**application/json**

**Example Value** | Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
```

```
      "msg": "string",
      "type": "string"
    }
  ]
}
```

**POST** `/analytics/train-model` Train

Train the ML prediction model on all historical match data. Admin only - this is computationally expensive.

**Parameters** Try it out

No parameters

**Responses**

| Code | Description | Links |
|---|---|---|
| 200 | Successful Response<br>Media type<br>application/json<br>Controls Accept header.<br>**Example Value** \| Schema<br>`"string"` | *No links* |

**GET** `/analytics/predict` Predict

Predict match outcome using Random Forest ML model. Returns win/draw/loss probabilities for both teams. If model hasn't been trained yet, returns statistical priors.

## Parameters

Cancel

| Name | Description |
| --- | --- |
| **home_team_id** * required<br>integer<br>*(query)* | Home team ID<br>1 |
| **away_team_id** * required<br>integer<br>*(query)* | Away team ID<br>30 |

Execute Clear

## Responses

### Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/analytics/predict?home_team_id=1&away_team_id=30' \
  -H 'accept: application/json'
```

### Request URL

```
http://127.0.0.1:8000/analytics/predict?home_team_id=1&away_team_id=30
```

### Server response

| Code | Details |
| --- | --- |
| 200 | Response body |


```
{
  "home_team": "KRC Genk",
  "away_team": "Liverpool",
  "prediction_source": "random_forest_model",
  "probabilities": {
    "home_win": 0.61,
    "draw": 0.17,
    "away_win": 0.22
  },
  "predicted_outcome": "Home Win",
  "home_team_form": {
    "points_per_game": 2,
    "goal_diff_rate": 0.9,
```

```
    "win_rate": 0.6
  },
  "away_team_form": {
    "points_per_game": 1.9,
    "goal_diff_rate": 1,
    "win_rate": 0.5
  }
}
```


Download

**Response headers**

```
content-length: 337
content-type: application/json
date: Tue,17 Mar 2026 23:27:34 GMT
server: uvicorn
```

**Responses**

| Code | Description | Links |
|---|---|---|
| 200 | Successful Response | *No links* |

Media type

application/json

Controls Accept header.

**Example Value** | Schema


```
"string"
```


| | | |
|---|---|---|
| 422 | Validation Error | *No links* |

Media type

application/json

**Example Value** | Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

## GET /analytics/dna/{team_id} Team Dna

Get a team's DNA Fingerprint - their unique playing identity.

Computes 6 dimensions from full match history:

- attack_intensity: How aggressively they score
- defensive_solidity: Clean sheets and goals conceded
- consistency: How predictable their results are
- comeback_ability: Resilience when conceding
- home_fortress: Home vs away performance gap
- big_game_performance: Results vs strong opponents

Returns a style tag (Entertainers, Fortress, Machine, Warriors etc) and an overall rating out of 100.

### Parameters

Cancel

| Name | Description |
| --- | --- |
| team_id * required<br>integer<br>(path) | 30 |

Execute Clear

### Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/analytics/dna/30' \
  -H 'accept: application/json'
```

Request URL

```
http://127.0.0.1:8000/analytics/dna/30
```

Server response

| Code | Details |
| --- | --- |
| 200 | Response body |

```
{
  "team_id": 30,
  "team_name": "Liverpool",
  "overall_rating": 48.1,
  "style": "Warriors",
  "weakness": "Leaky Defence",
  "dna": {
    "attack_intensity": 0.584,
    "defensive_solidity": 0.502,
    "consistency": 0.068,
    "comeback_ability": 0.592,
    "home_fortress": 0.584,
    "big_game_performance": 0.559
  },
  "summary": {
    "total_matches": 305,
    "avg_goals_scored": 1.75,
    "avg_goals_conceded": 1.11,
    "clean_sheet_rate": 0.37,
    "avg_home_points": 1.99,
    "avg_away_points": 1.48
  }
}
```


Download

**Response headers**

```
content-length: 414
content-type: application/json
date: Tue,17 Mar 2026 23:27:46 GMT
server: uvicorn
```

**Responses**

| Code | Description | Links |
|---|---|---|
| 200 | Successful Response | *No links* |

Media type

application/json

Controls `Accept` header.

**Example Value** | Schema

```
"string"
```

| | | |
|---|---|---|
| 422 | Validation Error | *No links* |

Media type

application/json

**Example Value** | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

## default

**GET** `/graphql` Handle Http Get

**Parameters** Try it out

No parameters

**Responses**

| Code | Description | Links |
|---|---|---|
| 200 | The GraphiQL integrated development environment.<br>Media type<br>application/json<br>Controls `Accept` header.<br>**Example Value** \| Schema<br>`"string"` | *No links* |
| 404 | Not found if GraphiQL or query via GET are not enabled.<br>**Example Value** \|<br>`"string"` | *No links* |

POST /graphql Handle Http Post

Parameters

Try it out

No parameters

Responses

| Code | Description | Links |
| --- | --- | --- |
| 200 | Successful Response<br>Media type<br>application/json<br>Controls Accept header.<br>Example Value \| Schema<br>"string" | *No links* |

GET / Root

Parameters

Try it out

No parameters

Responses

| Code | Description | Links |
| --- | --- | --- |

200 Successful Response *No links*

Media type

**application/json**

Controls `Accept` header.

**Example Value** | Schema

```
"string"
```

## Schemas

**Body_login_auth_token_post** > Expand all `object`

**HTTPValidationError** > Expand all `object`

**MatchCreate** > Expand all `object`

**MatchOut** > Expand all `object`

**MatchUpdate** > Expand all `object`

**PlayerCreate** > Expand all `object`

**PlayerOut** > Expand all `object`

**PlayerUpdate** > Expand all `object`

**TeamCreate** > Expand all `object`

**TeamOut** > Expand all object

**TeamUpdate** > Expand all object

**ValidationError** > Expand all object