Campylobacteriosis

Symptoms:

- Mild fever, muscle aches, and headache for a day or two before intestinal symptoms begin.
- Diarrhea (with or without blood)
- Severe abdominal cramps
- Severity varies from mild fever to dehydration; can be fatal in the very young or old.
- Relapse occurs in about 10% of cases.

Cancer

Warning Signals:

- Changes in the size, color, or shape of a wart or a mole
- A sore that does not heal
- Persistent cough, hoarseness, or sore throat
- A lump or thickening in the breast or elsewhere
- Unusual bleeding or discharge
- Chronic indigestion or difficulty in swallowing
- Any change in bowel or bladder habits

Candidiasis

Symptoms:

- **Vaginal:** Severe vaginal itching, a discharge that looks like cottage cheese (with a sweet or bread-like odor), redness, swelling, and painful intercourse.
- **Oral (Thrush):** Whitish, curd-like patches on the tongue, inside of the cheeks, or the palate.
- **Deep Organ:** Symptoms vary by organ; can affect the esophagus, heart, blood, liver, kidneys, etc.

Canker Sores

Symptoms:

- Initial tingling or mildly painful itching sensation.
- Appearance of a small red swelling that turns into a whitish, round sore with a red border.
- Pain, especially if touched repeatedly.
- Usually located on the inside of the lips, cheeks, soft palate, or tongue.

Carbohydrate Intolerance

Symptoms:

- Mild bloating to severe diarrhea.
- For lactase deficiency: gas, cramping, bloating, a "gurgly" feeling in the abdomen, and flatulence.
- In growing children: diarrhea and failure to gain weight.
- Symptoms appear 30 minutes to 2 hours after eating the offending food.

Carbon Monoxide Poisoning

Symptoms (in order of increasing severity):

- Headache
- Shortness of breath
- Dizziness
- Fatigue
- Mental confusion and difficulty thinking
- Loss of fine hand-eye coordination
- Nausea and vomiting
- Rapid heart rate
- Hallucinations
- Inability to execute voluntary movements accurately
- Collapse
- Lowered body temperature (hypothermia)
- Coma
- Convulsions
- Seriously low blood pressure
- Cardiac and respiratory failure
- Death

Cardiac Tamponade

Symptoms:

- Shortness of breath
- A feeling of tightness in the chest
- Increased blood pressure in the large veins in the neck (jugular veins)
- Weight gain and fluid retention

- In cases of trauma: faint heartbeats, decreased arterial blood pressure, and increased venous blood pressure.

Carpal Tunnel Syndrome

Symptoms:

- Numbness, burning, tingling, and a prickly pin-like sensation over the palm surface of the hand, thumb, forefinger, middle finger, and half of the ring finger.
- Shooting pain from the wrist up the arm or down into the hand and fingers.
- Muscle weakness, making it difficult to open jars or hold objects.
- Eventually, the muscles of the hand (especially the thumb) may atrophy.
- Untreated, it can lead to permanent weakness, loss of sensation, or paralysis.

Cat-scratch Disease

Symptoms:

- A small blister (possibly with pus) at the site of the scratch or bite, appearing 3-10 days after injury.
- Swollen lymph nodes near the site of injury within two weeks.
- Fever, fatigue, or headaches.
- Parinaud's oculoglandular syndrome: a small sore on the inner eyelid, conjunctivitis, and swollen lymph nodes in front of the ear.

Cataract

Symptoms:

- Gradual, painless onset of blurry, filmy, or fuzzy vision
- Poor central vision
- Frequent changes in eyeglass prescription
- Changes in color vision
- Increased glare from lights
- "Second sight" (improved near vision, but decreased distance vision)
- Poor vision in sunlight
- A milky whiteness in the pupil as the cataract progresses.

Catatonia

Symptoms:

- **Catatonic Stupor:** Reduced or zero motor activity, immobility, waxy flexibility (maintaining bizarre postures), mutism, negativism, refusal of food/liquids.

- **Catatonic Excitement:** Extreme hyperactivity, purposeless activity, violence towards oneself or others.
- **Common:** echopraxia (imitating gestures), echolalia (repeating words), facial grimaces, animal-like noises.

Celiac Disease

Symptoms:

- **Gastrointestinal:** Diarrhea, fatty/greasy/foul-smelling stools, excessive gas, distended abdomen, weight loss, generalized weakness.
- **Other:** Irritability, depression, anemia (iron deficiency), easy bruising (vitamin K deficiency), osteoporosis, bone pain/deformities (osteomalacia), defects in tooth enamel, muscle cramps, fatigue, delayed growth, tingling/numbness in legs, pale mouth sores, missed menstrual periods.
- **Skin:** Dermatitis herpetiformis (a distinctive, painful skin rash).

Cellulitis

Symptoms:

- Redness, warmth, pain, and swelling.
- A red patch that gets larger rapidly.
- A thick red line progressing towards the heart (lymphangitis).
- Fever, chills, tiredness, muscle aches, general ill feeling.
- Nausea, vomiting, stiff joints, hair loss at the infection site.
- **Orbital Cellulitis:** Eye pain, redness, swelling, warmth, tenderness, bulging eye, difficulty moving the eye, temporary vision loss, pus drainage, chills, fever, headaches, vomiting.

Chancroid

Symptoms:

- A small, red papule (bump) appears 3-7 days (up to one month) after exposure.
- Within a day, the papule becomes a painful ulcer that bleeds easily, drains grey or yellowish pus, and has sharply defined, ragged edges.
- Swollen, painful lymph nodes in the groin (bubo), which may burst through the skin, releasing thick pus and forming another ulcer.

Charcot's Joints

Symptoms:

- Swelling and stiffness in a joint without the expected pain, or with less pain than would be expected.

- As the condition progresses, the joint can become very painful due to fluid build-up and bony growths.

Charcot Marie Tooth Disease

Symptoms:

- Weakness and loss of sensation mainly in the feet and hands.
- Problems with the feet: high arches, tripping while walking, sprained ankles, muscle loss in feet and calves leading to "foot drop."
- Cramps in the legs, especially after exercise.
- Cold legs.
- Eventually, hands and fingers affected: difficulty with fine movements (buttons, zippers).
- Tremor in the upper limbs.
- Loss of sensation: numbness, inability to feel hot or cold.

Chickenpox

Symptoms:

- Mild fever and slight feeling of unwellness.
- Small red spots appear on the scalp, neck, or upper trunk.
- Within 12-24 hours, spots become itchy, fluid-filled bumps (vesicles).
- Blisters continue to appear in crops for the next 2-5 days.
- Blisters form scabs and fall off.
- Itchiness can be extreme.
- Possible headache, abdominal pain, or fever.

Cholangitis

Symptoms:

- Abdominal pain
- Fever
- Jaundice (yellow discoloration of skin and eyes)
- Some patients only have chills and fever with minimal abdominal symptoms.

Cholecystitis

Symptoms:

- Severe pain in the region of the gallbladder and liver. Pain may be crampy, episodic, or constant, often radiating to the right upper back and shoulder.
- Deep breathing increases the pain, making breathing shallow.

- Fever
- Nausea and vomiting
- Jaundice (if the duct leaving the liver is also obstructed, may take days to appear).
- With bacterial infection: higher fever and shaking chills.

Cholera

Symptoms:

- Watery diarrhea and vomiting.
- Signs of severe dehydration: intense thirst, little or no urine output, dry skin and mouth, absence of tears, glassy or sunken eyes, muscle cramps, weakness, rapid heart rate.
- In infants: a sunken soft spot on the head.

Cholestasis

Symptoms:

- **Both types:** Jaundice (yellow skin), dark urine, pale stools, itching (may be severe).
- **Chronic Cholestasis:** Skin discoloration, scars from scratching, bone pain, yellowish fat deposits beneath the skin (xanthoma) or around the eyes (xanthelasma).
- **Advanced:** Feeling ill, tired easily, nausea, loss of appetite, vomiting, fever.

Chondromalacia Patellae

Symptoms:

- Pain around the kneecap.
- A grinding sensation when extending the leg.
- Pain may radiate to the back of the knee.
- Pain is intermittent and brought on by squatting, kneeling, going up or down stairs, or repeated bending of the joint.

Choriocarcinoma

Symptoms:

- **In the uterus:** Bleeding.
- **In the ovary:** Subtle signs like widening of the waistline or pain.
- **In the testes:** Small, painless lumps.
- **Spread to other organs:** Bleeding at the site (e.g., stroke if spread to the brain).

Chronic Fatigue Syndrome

Symptoms:

- Debilitating fatigue lasting six months or longer.

- Muscle pain (myalgia)
- Joint pain (arthralgia)
- Sore throat
- Headache
- Fever and chills
- Tender lymph nodes
- Trouble concentrating and memory loss
- Sleep disturbances (too much or not enough).
- Post-exertional malaise ("payback" – exhaustion lasting days after exertion).
- May experience neurally mediated hypotension (lightheadedness, fainting after standing/exercising).

Chronic Granulomatous Disease

Symptoms:

- Frequent, recurrent infections of the skin, lungs (pneumonia), mouth (gingivitis), nose, intestines, and lymph nodes.
- Recurrent liver abscesses and bone infections (osteomyelitis).
- Symptoms usually appear by age two.

Chronic Kidney Failure

Symptoms:

- Frequent urination at night
- High blood pressure
- Anemia
- Bad breath or a bad taste in mouth (ammonia-like)
- Bone and joint problems
- Edema (puffiness/swelling around eyes, arms, hands, feet)
- Foamy or bloody urine
- Headaches
- Increased fatigue
- Itching
- Lower back pain
- Nausea, loss of appetite, vomiting

Chronic Obstructive Lung Disease (COPD)

Symptoms:

- **Chronic Bronchitis:** Persistent cough, mucus production (sputum). Later, shortness of breath.
- **Emphysema:** Shortness of breath on exertion (predominant early symptom). Coughing is minor with little sputum. As it progresses, shortness of breath occurs with less exertion or even at rest.

Cirrhosis

Symptoms (Compensated):

- Often none, detected during a routine physical.
  Symptoms (Decompensated):
- Loss of functioning liver cells and swelling.
- Enlarged liver
- Red palms
- Constipation, diarrhea, dull abdominal pain, fatigue, indigestion, loss of appetite, nausea, vomiting, weakness, weight loss.
- Enlarged spleen
- Fluid in abdomen (ascites) and legs (edema)
- Spider-like blood vessels on chest/shoulders
- Bruising easily
- Men: loss of chest hair, breast growth, testicle shrinkage.
- Women: menstrual irregularities.
- Dry skin, intense itching, jaundice, dark urine, black/bloody stools.
- Persistent high blood pressure (portal hypertension).
- **Additional:** anemia, bleeding gums, decreased sex drive, fever, fluid in lungs, hallucinations, lethargy, lightheadedness, muscle weakness, musty breath, neuritis, slurred speech, tremors.

Cleft Lip and Palate

Symptoms:

- An elongated opening in the upper lip, ranging from a small notch to an opening extending into the base of the nostril.
- An opening into the roof of the mouth, which may be covered with normal lining.
- Feeding difficulties (inability to achieve complete suction).
- Speech difficulties.
- Ear infections.

- Misaligned teeth.

Clenched Fist Injury

Symptoms:

- Pain in the affected part of the hand.
- Some stiffness of the injured finger with limitation of movement.
- If infection sets in: swelling, redness, discharge of pus (suppuration), warmth around the wound, fever.

Clubfoot

Symptoms:

- One or both feet are twisted into an abnormal position at birth.
- Variations: foot turns inward (talipes varus), outward (talipes valgus), points downward (talipes equinus), or points upward (talipes calcaneus).
- In adults (uncorrected): only part of the foot (outer edge, heel, or toes) touches the ground; walking is difficult or impossible.

Cluster Headache

Symptoms:

- Excruciating one-sided head pain centered behind an eye or near the temple. Pain may radiate to the mouth and teeth.
- Eye tearing, nasal congestion followed by runny nose, pupil contraction, facial drooping or flushing on the same side as the pain.

Coagulation Disorders

Symptoms:

- **Hemophilia A/B:** Numerous large, deep bruises; pain and swelling of joints (internal bleeding); prolonged bleeding after injury or surgery.
- **Disseminated Intravascular Coagulation (DIC):** Minute spots of hemorrhage on the skin, purple patches (hematomas), bleeding from IV sites, vomiting, seizures, coma, shortness of breath, shock, severe pain.
- **Thrombocytopenia:** Sudden onset of small spots of hemorrhage on skin, bleeding into mucous membranes (nosebleeds), blood in vomit or stools, heavy menstrual flow, fatigue, weakness.
- **Von Willebrand's Disease:** Easy bruising, bleeding that stops and starts in small cuts, abnormal bleeding after surgery, heavy menstrual bleeding, nosebleeds, blood in stool.
- **Hypoprothrombinemia:** Easy bruising, profuse nosebleeds, postpartum hemorrhage, heavy menstrual bleeding, postsurgical hemorrhage.

Coccidioidomycosis

Symptoms:

- **Acute:** Fever (up to 104°F/39.5°C), dry cough, chest pains, joint/muscle aches, headache, weight loss. A painful red rash or lumps on the lower legs may appear about two weeks after the fever starts.
- **Chronic:** Difficulty breathing, fever, chest pain, and other signs of pneumonia (after a long latent period).
- **Disseminated:** Fever, joint pain, loss of appetite, weight loss, night sweats, skin lesions, difficulty breathing. Meningitis (inflammation of brain/spinal cord coverings) occurs in 30-50% of patients.

Colic

Symptoms:

- Persistent, unexplained crying in a healthy baby (2 weeks to 5 months old).
- Crying episodes occur frequently but intermittently, usually in the late afternoon or evening.
- Babies may be fussy or cry so hard their faces turn red, then pale.
- Swollen, hard-looking belly that may make a rumbling sound.
- Baby may grow rigid, clench fists, curl toes, and draw legs toward the body.
- A burp or bowel movement may end an attack.

Colon Cancer

Symptoms:

- A change in bowel habit
- Blood in the stool (may be occult/invisible)
- Bloating, persistent abdominal distention
- Constipation
- A feeling of fullness even after a bowel movement
- Narrowing of the stool ("ribbon stools")
- Persistent, chronic fatigue
- Abdominal discomfort
- Unexplained weight loss
- Nausea and vomiting (rare)

Color Blindness

Symptoms:

- The inability to clearly distinguish different colors of the spectrum.

- In severe forms, individuals may not see colors at all (see only shades of gray) and may have poor visual acuity and extreme sensitivity to light (photophobia).

Coma

Symptoms:

- Extreme unresponsiveness.
- No voluntary movement or behavior.
- No response to painful stimuli.
- Loss of normal reflexes.
- Partially successful CPR may result in brain damage.

Common Cold

Symptoms:

- Tickle in the throat, runny nose, sneezing.
- Initial discharge from the nose is clear and thin, later changing to thick yellow or greenish discharge.
- Coughing, nasal congestion, headache, muscle ache, chills, sore throat, hoarseness, watery eyes, tiredness, lack of appetite.
- Young children may develop a low fever (up to 102°F/38.9°C).

Common Variable Immunodeficiency

Symptoms:

- Recurring infections that tend to be chronic rather than acute.
- Diarrhea and malabsorption, leading to malnourishment.
- Associated with autoimmune disorders (e.g., rheumatoid arthritis, lupus) and cancers (lymphomas, leukemias).

Complement Deficiencies

Symptoms:

- Frequent infections (pneumonia, meningitis).
- Autoimmune diseases (systemic lupus erythematosus).
- Hereditary angioedema: swelling (edema) of skin, mucous membranes, and sometimes internal organs.
- Leukocyte adhesion deficiency syndrome: recurrent infections of skin, mucous membranes, GI tract, and absence of pus formation.
- Paroxysmal nocturnal hemoglobinuria (PNH): episodes of red blood cell destruction and blood in the urine, worse at night.

Concussion

Symptoms:

- Headache
- Disorientation (as to time, date, or place)
- Confusion
- Dizziness
- Vacant stare or confused expression
- Incoherent or incomprehensible speech
- Incoordination or weakness
- Amnesia for events immediately preceding the blow
- Nausea or vomiting
- Double vision
- Ringing in the ears
- May or may not involve loss of consciousness.
  Post-concussion Syndrome (days/weeks later):
- Headache
- Poor attention and concentration
- Memory difficulties
- Anxiety
- Depression
- Sleep disturbances
- Light and noise intolerance

Conduct Disorder

Symptoms:

- Aggressive behavior, violence towards people and animals
- Destruction of property
- Lying, stealing
- Truancy, running away from home
- Early use of drugs, alcohol, and sex
- Irritability, temper tantrums, low self-esteem
- Specific criteria (3 of 15 in past 12 months, one in past 6 months): bullies, threatens, intimidates others; picks fights; uses a dangerous weapon; physically cruel to

people/animals; steals while confronting a victim; forces someone into sexual activity; deliberately sets fires; deliberately destroys property; breaks into someone's house/car; frequently lies; steals without confronting a victim; stays out at night (breaks curfew before age 13); runs away from home overnight at least twice; often truant from school (beginning before age 13).

Congenital Adrenal Hyperplasia

Symptoms:

- **Females:** Enlarged clitoris at birth; as they grow: deepening voice, facial hair, failure to menstruate or abnormal periods.
- **Males:** Normal genitals at birth; premature sexual development (penis enlarges, pubic hair, voice deepens, muscularity) as early as 2-3 years old.
- **Both:** Tall as children, short as adults.
- **Salt-wasting form (severe):** Vomiting, dehydration, electrolyte changes, cardiac arrhythmia shortly after birth.
- **Mild form (late childhood/early adulthood):** Premature pubic hair, irregular menstrual periods, unwanted body hair, severe acne.

Congenital Amputation

Symptoms:

- Absence of a fetal limb or fetal part at birth.
- Complete absence of a limb beyond a certain point (transverse deficiency/amelia).
- Missing a specific part of a limb (longitudinal deficiency).
- Missing a mid-portion of a limb (phocomelia).

Congenital Bladder Anomalies

Symptoms:

- **Exstrophy:** Bladder is open to the outside and turned inside-out, visible at birth protruding from the lower abdomen.
- **Congenital Diverticulum:** Often no direct symptoms, but may cause urinary reflux leading to infection and possible kidney damage.

Congenital Brain Defects

Symptoms:

- **Anencephaly:** Absence of most of the brain. Most babies are stillborn or die within first month.
- **Encephalocele:** Protrusion of part of the brain through a skull defect.
- **Spina Bifida (with Chiari II malformation):** Impaired swallowing/gag reflex, loss of breathing reflex, facial paralysis, nystagmus, impaired balance/gait.

- **Dandy-Walker:** Symptoms of hydrocephalus (fluid buildup), lack of muscle tone ("floppiness"), seizures, spasticity, deafness, irritability, visual impairment, deterioration of consciousness, paralysis.
- **Holoprosencephaly:** Severe facial and cranial deformities (cleft lip/palate, fused eye sockets, cyclopia), limb and internal organ deformities. Most are stillborn or die soon after birth.
- **Lissencephaly:** Lack of muscle tone, seizures, developmental delay, spasticity, cerebral palsy.
- **Hydranencephaly:** Irritability, spasticity, seizures, temperature oscillations.

Congenital Hip Dysplasia

Symptoms:

- Shortening of the leg.
- Limited ability to abduct the leg.
- A distinct clicking sound with motion when tested (Ortolani test).
- In older babies: lack of range of motion in one or both hips; one leg looks shorter.
- If untreated: a characteristic limp or waddling gait.

Congenital Lobar Emphysema

Symptoms:

- Shortness of breath
- Wheezing
- Lips and fingernail beds that have a bluish tinge (cyanosis)

Congenital Ureter Anomalies

Symptoms:

- Practically the only symptom is urinary tract infection (UTI).
- **Cystitis (bladder infection):** Cloudy, burning, frequent urine.
- **Upper tract infection (more serious):** High fevers, back pain, severe generalized discomfort, possibly leading to kidney failure or septicemia.
- In rare cases: urine dribbling from an ectopic ureter bypassing the bladder.

Congestive Cardiomyopathy

Symptoms:

- Early: Fatigue and shortness of breath on exertion. Sudden cardiac death is not uncommon.
- Advanced: Chest or abdominal pains, extreme tiredness, dizziness, swelling of the legs and ankles.

Conjunctivitis

Symptoms:

- **Viral:** Mild to severe discomfort, redness, swelling of eyelids, watery/yellow/green discharge. Symptoms last several days to two weeks.
- **Bacterial:** Pus-like discharge, crusty eyelids after awakening, redness, swelling. May be accompanied by photophobia, watery mucous discharge, tender lymph nodes near the ear.
- **Allergic:** Itching, redness, mucous discharge.
- **Other:** Symptoms vary depending on cause (wind, smoke, dust, contact lenses, sun lamps, etc.).

Constipation

Symptoms:

- Bloating, headache, swollen abdomen.
- Passing rock-like feces.
- Straining, bleeding, or pain during bowel movements.
- In babies: straining, crying, drawing legs toward the abdomen, arching the back when having a bowel movement.

Contact Dermatitis

Symptoms:

- Redness, itching, crusting, swelling, blistering, oozing, dryness, scaliness, thickening of the skin, and a feeling of warmth at the site of contact.
- In extreme cases: severe blistering and open sores.

Corneal Abrasion

Symptoms:

- Feeling of a foreign body in the eye.
- Pain, sensitivity to light (photophobia), and tearing.

Corneal Transplantation

Symptoms of Rejection:

- Persistent discomfort
- Sensitivity to light
- Redness
- A change in vision

Corneal Ulcers

Symptoms:

- Severe pain (cornea is intensely sensitive).
- Impaired or completely absent vision if centrally located.
- Tearing.
- Red eye.
- Pain when looking at bright lights (photophobia).

Corns and Calluses

Symptoms:

- **Corn:** A small, painful, raised bump. Hard corns have a thick core; soft corns are inflamed patches with a smooth center; seed corns are circles of stiff skin around a cholesterol plug.
- **Callus:** A rough, thickened patch of skin. Usually larger than a corn and generally not painful unless pressure is applied.

Coronary Artery Disease

Symptoms:

- **Angina (chest pain):** The main symptom. Can include chest heaviness, tightness, pain, a burning sensation, squeezing, or pressure behind the breastbone or in the arms, neck, or jaws.
- Shortness of breath.
- Many people have no symptoms before having a heart attack (63% of women and 48% of men who died suddenly had no previous symptoms).

Croup

Symptoms:

- A harsh, barking cough.
- Preceded by 1-3 days of symptoms resembling a slight cold (runny nose, hoarseness, low fever).
- Stridor (a raspy or high-pitched noise when inhaling), indicating a narrowed airway.

Cryptococcosis

Symptoms:

- Early stage: dry cough (respiratory infection symptoms).
- Cryptococcal meningitis: Fever, headache (most common), nausea, vomiting, weight loss, fatigue, blurred vision, stiff neck, aversion to light, seizures.
- Skin: Painless rashes and lesions that mimic other skin diseases.

- May spread to kidneys, bone marrow, heart, adrenal glands, lymph nodes, urinary tract, blood, and skin.

Cutaneous Larva Migrans

Symptoms:

- A red elevation of the skin (papule) appears within hours after larvae penetrate the skin (feet, hands, buttocks).
- Between a few days and a few months later, larvae migrate beneath the skin, leaving extremely itchy red lines that may be accompanied by blisters.
- If larvae travel through the lungs: anemia, cough, and pneumonia.

Cutaneous T-cell Lymphoma

Symptoms:

- Itchy red patches or plaques on the skin (most universal symptom).
- Mushroom-shaped skin tumors over time.
- Swelling of lymph nodes (if disease spreads).
- Disorders of lungs, upper digestive tract, central nervous system, or liver (if spread to viscera).

Cyclic Vomiting Syndrome

Symptoms:

- Recurring periods of vomiting in an otherwise normal child.
- Abdominal pain is a frequent feature.
- Can lead to dehydration, chemical imbalances, tearing and burning, and bleeding of the esophagus.

Cystic Fibrosis

Symptoms:

- **Gastrointestinal:** Meconium ileus (blocked intestine at birth), gas, abdominal swelling, bulky/oily/foul-smelling feces, ravenous hunger, underweight, short stature, anemia, bloating, appetite loss, diabetes, gall stones, liver problems, prolapsed rectum.
- **Respiratory:** Pansinusitis (sinus swelling), nasal polyps, frequent cough, frequent infections (bronchitis, bronchiolitis, pneumonia), barrel-shaped chest (emphysema), digital clubbing.
- **Sweat glands:** Excessively salty sweat.
- **Fertility:** Men are 98% sterile; women are usually fertile.

Cystinuria

Symptoms:

- Pain in the lower back or abdomen (when stones block the kidney or ureter).
- Nausea and vomiting.
- Frequent need to urinate.
- Blood in the urine.
- Urinary tract infections or kidney failure (if urinary tract is blocked).

Cystitis

Symptoms:

- **General:** Dysuria (painful urination), urgency (sudden strong desire to urinate), increased frequency of urination.
- **Pyelonephritis (if infection spreads to upper tract):** Fever, pain in lower back or flanks, nausea, vomiting, shaking chills.
- **Hemorrhagic cystitis:** Large quantities of blood in the urine.

Cytomegalovirus Infection

Symptoms:

- **Healthy person:** Often no symptoms. If symptoms occur: mononucleosis-like (swollen glands, liver, spleen; fever; increased white blood cells; headache; fatigue; sore throat).
- **Weakened immune system:** More serious illness (pneumonia, hepatitis, encephalitis, esophagitis, colitis, retinitis).
- **Congenital infection:** Prematurity, lung problems, enlarged liver/spleen, jaundice, anemia, low birth weight, small head size, inflammation of the retina, hearing impairments, mental retardation.

Dacryocystitis

Symptoms:

- **Acute:** Pain, redness, tearing, and swelling at the inner corner of the eye by the nose.
- **Chronic:** The eye area may be swollen, watery or teary. When pressure is applied, there may be a discharge of pus or mucus through the punctum.

Deep Vein Thrombosis

Symptoms:

- Swelling and tenderness of the calf or thigh.
- Possibly warmth.
- Only 23-50% of patients experience symptoms; often "silent."

Dehydration

Symptoms:

- Cracked lips, dry or sticky mouth, lethargy, sunken eyes.
- Crying without shedding tears.
- Infrequent urination.
- Skin less elastic than normal (slow to return to position after being pinched).
- Confusion, constipation, discomfort, drowsiness, fever, thirst.
- Pale, cold skin; dry mucous membranes; rapid pulse; rapid breathing.
- **Hypovolemic shock (severe):** pale, cool, clammy skin; rapid heartbeat; shallow breathing; very low blood pressure; blotchy skin at knees/elbows; anxiety, restlessness; thirst; brain/organ damage at 107°F (41.7°C).

Delirium

Symptoms:

- Decreased awareness of the environment.
- Confusion or disorientation (especially of time).
- Memory impairment (especially of recent events).
- Hallucinations.
- Illusions and misinterpreted stimuli.
- Increased or decreased activity level.
- Mood disturbance (anxiety, euphoria, or depression).
- Language or speech impairment.

Dementia

Symptoms:

- Memory losses (forgetting valuables, appointments, routes, eventually names/faces of family).
- Impaired abstraction and planning (losing ability to perform familiar tasks).
- Language and comprehension disturbances (difficulty understanding or forming sentences).
- Poor judgment (inappropriate behavior, ignoring hygiene).
- Impaired orientation ability (unable to identify time or location).
- Decreased attention, increased restlessness, wandering.
- Personality changes, psychosis (delusions, paranoia, hallucinations), sleep disturbances.

Dengue Fever

Symptoms:

- Sudden onset of high fever, chills, headache, eye pain, red eyes, enlarged lymph nodes, red flush to the face, lower back pain, extreme weakness, severe leg/joint aches.
- After 2-3 days, fever drops and patient sweats heavily.
- After about a day, temperature increases again (less than first time).
- A rash of small red bumps appears on arms, legs, chest, abdomen, back (rarely affects face). Palms and soles become swollen and bright red.
- **Dengue Hemorrhagic Fever/Shock Syndrome (more severe):** Fever, headache, cough, small purplish spots (petechiae), large bruised areas, severe abdominal pain, vomiting "coffee grounds" (blood in stomach), shock.

Depressive Disorders

Symptoms:

- **Major Depressive Episode (at least 2 weeks, 5+ symptoms):**
    - Depressed mood or loss of interest/pleasure.
    - Significant change in weight.
    - Insomnia or hypersomnia.
    - Psychomotor agitation or retardation.
    - Fatigue or loss of energy.
    - Feelings of worthlessness or inappropriate guilt.
    - Diminished ability to think or concentrate, indecisiveness.
    - Recurrent thoughts of death or suicide, suicide attempts.
    - In children: irritability.
- **Dysthymic Disorder (at least 2 years, 2+ symptoms):**
    - Underlying feeling of depression.
    - Under or overeating.
    - Insomnia or hypersomnia.
    - Low energy or fatigue.
    - Low self-esteem.
    - Poor concentration or trouble making decisions.
    - Feelings of hopelessness.

Dermatitis

Symptoms:

- **Contact:** Itchy pink or red rash, red swollen blistered skin that may seep, usually within 48 hours of contact.

- **Stasis:** Scaly, greasy-looking skin on lower legs and around ankles.
- **Nummular:** Circular, sometimes itchy patches on hands, arms, legs, buttocks (flares and periods of inactivity).
- **Atopic:** Itching, scaling, swelling, sometimes blistering. In infants: redness, oozing, crusting on face, inside elbows, behind knees.
- **Seborrheic:** Greasy scales and yellowish crusts on scalp, eyelids, face, external ears, underarms, breasts, groin. In infants: "cradle cap."

DES Exposure

Symptoms:

- **Cervix/vagina:** Cervical hood, cockscomb cervix, adenosis (glandular cells outside the cervix).
- **Fallopian tubes:** Abnormalities leading to infertility.
- **Uterus:** T-shaped uterus, making it harder to get pregnant, higher risk of premature labor/birth.
- **Cancer:** Clear cell adenocarcinoma of the vagina and cervix (rare, but risk highest before age 30).

Deviated Septum

Symptoms:

- Impeded flow of air and mucus through one nostril.
- Difficulty breathing through one or both nostrils.
- May contribute to snoring, sleep apnea, and other breathing disorders.
- Can lead to sinusitis (infection).

Diabetes Insipidus

Symptoms:

- Extreme thirst (especially craving cold water).
- Production of tremendous quantities of urine (up to 10+ liters per day).
- If water intake can't keep up with urine loss: weakness, fatigue, fever, low blood pressure, increased heart rate, dizziness, confusion. If untreated, can lead to unconsciousness and death.

Diabetes Mellitus

Symptoms:

- Feeling tired and sick.
- Frequent urination.
- Excessive thirst.

- Excessive hunger.
- Weight loss.
- **Ketoacidosis (Type I):** Abdominal pain, vomiting, rapid breathing, extreme lethargy, drowsiness, sweet breath odor.
- **Type II:** May be asymptomatic; can present with heart disease, chronic infections, blurred vision, numbness in feet/legs, slow-healing wounds, genital itching.

Diabetic Foot Infections

Symptoms:

- Open sores or ulcers on the foot, often over the ball of the foot, bottom of the big toe, or sides of the foot.
- Blisters, corns, or callouses that bleed beneath the skin.
- Infections can destroy skin, tissue, and bone, or spread throughout the body, causing fever and weakness.

Diabetic Ketoacidosis

Symptoms:

- High blood sugar levels
- Frequent urination (polyuria) and thirst
- Fatigue and lethargy
- Nausea, vomiting
- Abdominal pain
- Fruity odor to breath
- Rapid, deep breathing
- Muscle stiffness or aching
- Coma

Diabetic Neuropathy

Symptoms:

- **Diffuse Peripheral Neuropathy:** Numbness, tingling, burning, insensitivity to pain, extreme sensitivity to touch, needle-like jabs of pain, loss of balance/coordination.
- **Diffuse Autonomic Neuropathy:** Impaired urination/sexual function, bladder infections, stomach disorders (gastric stasis: nausea, vomiting, bloating), dizziness, lightheadedness, fainting, loss of appetite.
- **Focal Neuropathy:** Pain in the front of a thigh, severe pain in lower back, pain in chest/stomach, ache behind an eye, double vision, paralysis on one side of the face.

Diaper Rash

Symptoms:

- **Friction Rash:** Flat, red rash, more pronounced around the edges of the diaper (waist and leg bands).
- **Intertrigo:** Reddened areas that may ooze, found in skin folds.
- **Seborrheic:** Scaly, greasy appearance, worse in skin folds.
- **Candidal (Yeast):** Raised, very red rash with distinct borders and satellite lesions around the edges.
- **Impetigo:** Blisters that ooze and crust.

Diarrhea

Symptoms:

- Increased stool weight (over 300g/day).
- Fever, nausea, vomiting, abdominal pain (may or may not be present).
- Up to 20 or more bowel movements per day.
- Blood or pus in the stool.
- Stool may be difficult to flush (float) or contain undigested food.
- Dehydration, malnutrition, weight loss (major effects).

Diffuse Esophageal Spasm

Symptoms:

- Difficulty swallowing (dysphagia).
- Pain that feels like a heart attack, involving the chest, jaw, and arms.

DiGeorge Syndrome

Symptoms:

- Heart defects (often severe).
- Abnormal facial features: low-set ears, wide-set eyes, small jaw, short groove in the upper lip.
- Underdeveloped or absent thymus and parathyroid glands.
- Defective immune system.
- Abnormally low level of calcium in the blood (hypocalcemia), leading to seizures.
- Mental retardation and other developmental difficulties.

Dilatation and Curettage (D & C)

Symptoms of Infection after Procedure:

- Fever

- Heavy bleeding
- Severe cramps
- Foul-smelling vaginal discharge

Diphtheria

Symptoms:

- **Nasal:** Watery or bloody discharge; a small visible membrane in the nasal passages.
- **Pharyngeal:** Mild sore throat, fever (101-102°F/38.3-38.9°C), rapid pulse, general body weakness; formation of the characteristic gray throat membrane.
- **Laryngeal:** Higher fever (103-104°F/39.4-40°C), severe cough, difficulty breathing, loss of voice; "bull neck" (severe swelling).
- **Skin:** Ulcerated area that is slow to heal and may be numb or insensitive; a membrane may form over the wound.

Discoid Lupus Erythematosus

Symptoms:

- Circular, raised, reddish rash (5-10 mm in diameter) with a scaly, lighter center and darker outer ring. Surface may be "warty."
- Lesions appear on face, ears, neck, scalp, chest, back, arms.
- Healed lesions leave thickened, scarred areas of skin.
- Severe scalp lesions can cause hair loss (alopecia).
- Extreme sensitivity to the sun.

Dislocations and Subluxations

Symptoms:

- Loss of function to the involved limb.
- Sudden onset of pain.
- Significant swelling and point tenderness (pain when pressure is applied).
- The joint may be locked in an abnormal position.

Dissociative Disorders

Symptoms:

- **Amnesia:** Gaps in memory for long periods or for traumatic events.
- **Depersonalization:** Feeling that one's body is unreal, changing, or dissolving; feeling like watching a movie of oneself.
- **Derealization:** The external environment is perceived as unreal (walls/objects changing shape/size/color).

- **Identity Disturbances:** Confusion about identity, assuming new identities, acting differently, answering to a different name.

Diverticulosis and Diverticulitis

Symptoms:

- **Diverticulosis:** Usually none. Some may have constipation, cramping, bloating. Bleeding can occur (may be severe, often stops on its own).
- **Diverticulitis:** Pain (especially in the lower left side of the abdomen), fever. Abdominal muscles may spasm. About 25% have some rectal bleeding. Can lead to abscesses, perforation, peritonitis, fistulas, or obstruction.

Dizziness

Symptoms:

- **Syncope:** Dimmed vision, loss of coordination, confusion, lightheadedness, sweating, brief loss of consciousness (fainting).
- **Vertigo:** Sensation of spinning or turning, nausea, vomiting, ringing in the ears, headache, fatigue, trouble walking or keeping balance.
- **Nonsyncope Nonvertigo:** Feeling of being off balance that becomes worse with movement or detail-intense tasks.

Down Syndrome

Symptoms:

- **Physical features:** Flat face, small head, flat nose bridge, small low-set nose, small mouth (tongue appears large), upward slanting eyes, epicanthal folds (extra skin at inner corner of eyes), rounded cheeks, small misshapen ears, small wide hands, simian crease (deep crease across palm), malformed fifth finger, wide space between big and second toes, unusual creases on soles, overly-flexible joints, short stature.
- **Associated conditions:** Heart defects (30-50%), gastrointestinal tract malformations (5-7%), increased risk of infections, kidney disorders, thyroid disease, hearing loss, vision impairment, leukemia, Alzheimer's disease later in life.
- **Development:** Slow to sit up, crawl, walk, talk; mild-to-moderate mental retardation.

Drug Overdose

Symptoms (by drug type):

- **Acetaminophen:** Loss of appetite, tiredness, nausea, vomiting, paleness, sweating; then abdominal pain, liver swelling, jaundice, kidney failure, bleeding disorders, encephalopathy.
- **Anticholinergics:** Dry, flushed skin/mucous membranes; dilated pupils; inability to urinate; mental disturbances; seizures, abnormal heart rhythms, high blood pressure, coma.

- **Antidepressants:** Irregular heart rate, vomiting, low blood pressure, confusion, seizures; anticholinergic symptoms.
- **Cholinergic drugs:** Nausea, diarrhea, increased secretions (sweat, tears, saliva, urine), fatigue, muscle weakness, convulsions, respiratory/heart failure.
- **Cocaine/Crack:** Seizures, high blood pressure, increased heart rate, paranoia, behavioral changes, risk of heart attack/stroke.
- **Depressants:** Sleepiness, slowed/slurred speech, difficulty walking/standing, blurred vision, impaired thinking, disorientation, mood changes; slowed breathing, low blood pressure, stupor, coma, shock, death.
- **Digoxin:** Irregular heart beats, nausea, confusion, loss of appetite, blurred vision.
- **Narcotics/Opiates:** Sedation, low blood pressure, slowed heart rate, slowed breathing, pinpoint pupils (may be counteracted by other drugs), risk of respiratory arrest.
- **Salicylates:** GI irritation, fever, vomiting (possibly with blood), metabolic acidosis, respiratory alkalosis, rapid heart beat, fast breathing, confusion, hallucinations, tiredness, ringing in ears, increased bleeding, acute renal failure, coma, heart failure.

Duodenal Obstruction

Symptoms:

- Vomiting (constant symptom), preceded by indigestion and nausea.
- In infants (hypertrophic pyloric stenosis): vomiting feedings, weight loss, restlessness, irritability.

Dysfunctional Uterine Bleeding

Symptoms:

- **DUB:** Irregular, abnormal uterine bleeding not caused by tumor, infection, or pregnancy.
- **Menorrhagia:** Abnormally long, heavy periods (lasting >7 days, blood loss >3 oz/88.7 ml), passing blood clots.
- **Metrorrhagia:** Bleeding between menstrual periods (heavy and irregular).
- **Polymenorrhea:** Periods occurring more often than every 21 days (ovulation usually does not occur).

Dyslexia

Symptoms:

- Problems identifying single words.
- Problems understanding sounds in words, sound order, or rhymes.
- Spelling problems.
- Transposing letters in words.
- Poor handwriting.

- Reading comprehension difficulties.
- Delayed spoken language.
- Confusion with directions or right/left handedness.
- Confusion with opposites (up/down, early/late).
- Difficulties with mathematics.

Dysmenorrhea

Symptoms:

- Dull, throbbing cramping in the lower abdomen (may radiate to lower back and thighs).
- Nausea, vomiting, diarrhea, irritability, sweating, or dizziness.
- Cramps usually last 2-3 days at the beginning of each menstrual period.

Dyspepsia

Symptoms:

- Painful, difficult, or disturbed digestion.
- Nausea, vomiting, heartburn, bloating, stomach discomfort.
- May be associated with other conditions (peptic ulcer, gallbladder disease).

Ear Wax Impaction (Cerumen Impaction)

Symptoms:

- Partial loss of hearing.
- Itching, tinnitus (ringing in the ears), a sensation of fullness in the ear, and pain.

Ectopic Pregnancy

Symptoms:

- **Early:** Fatigue, nausea, missed period, breast tenderness, low back pain, mild cramping on one side of the pelvis, abnormal vaginal bleeding (usually spotting).
- **Later (as embryo grows):** Stabbing pain in the pelvis or abdomen. If the tube ruptures: shoulder pain (from blood irritating diaphragm), lightheadedness, fainting.

Edema

Symptoms:

- Weight gain, puffy eyelids, swelling of the legs.
- Elevated pulse rate and blood pressure.
- Fullness of hand and neck veins.
- **Pitting edema:** Swelling in tissue under skin of lower legs/feet that leaves a noticeable indentation when pressed.

- **Pulmonary edema (left-sided heart failure):** Rapid, shallow respirations, shortness of breath, cough.

Edwards' Syndrome (Trisomy 18)

Symptoms:

- Weakness, fragile appearance, underweight.
- Unusually small head, prominent back of the head.
- Malformed, low-set ears.
- Small mouth and jaw.
- Cleft lip or palate.
- Clenched fists with overlapping index finger.
- Clubfeet, webbed or fused toes.
- Lung and diaphragm abnormalities, heart defects, malformed kidneys, urogenital abnormalities.
- Severe mental retardation.

Ehlers-Danlos Syndrome

Symptoms:

- **Classical Type:** Smooth, velvety skin that bruises easily; extensive scarring (knees, elbows, forehead, chin); hyperextensible joints (tendency towards dislocation); delayed motor milestones in infants; hernias; sprains.
- **Hypermobility Type:** Excessively loose joints (large and small), chronic limb/joint pain, osteoarthritis in adults.
- **Vascular Type (most severe):** Thin, translucent skin (veins visible); arterial/intestinal/uterine fragility/rupture; extensive bruising; characteristic facial features (large eyes, thin pinched nose, thin lips, slim body); loose small joints; collapsed lungs; premature aging of skin.
- **Kyphoscoliosis Type:** General joint looseness, poor muscle tone at birth, delayed motor development, abnormal curvature of the spine (scoliosis) that worsens with age.
- **Arthrochalasia Type:** Dislocation of the hip joint at birth, unusually loose joints leading to recurrent dislocations, highly stretchable skin, bruising easily.
- **Dermatosparaxis Type:** Extremely fragile skin that bruises easily, soft skin that may sag (aged appearance), hernias.

Ehrlichiosis

Symptoms:

- Fever, tiredness, headache, muscle aches, chills, loss of appetite, confusion, nausea, vomiting.

- A rash may occur.
- Symptoms occur 7-21 days following a tick bite.

Electric Shock Injuries

Symptoms:

- Effects range from barely noticeable tingling to instant death.
- Damage to any part of the body is possible.
- Neurological problems (may be immediate or develop over up to 3 years).
- Respiratory and cardiovascular system damage (may cause instant death).
- Cataracts, kidney failure, destruction of muscle tissue.
- Possible falls or being hit by debris.
- Violent muscle spasms that can break and dislocate bones.

Electrolyte Disorders

Symptoms:

- **Hypernatremia (High Na):** Thirst, orthostatic hypotension, dry mouth/mucous membranes, dark concentrated urine, loss of skin elasticity, tachycardia, irritability, fatigue, lethargy, labored breathing, muscle twitching, seizures.
- **Hyponatremia (Low Na):** Nausea, abdominal cramping, vomiting, headache, edema, muscle weakness/tremor, paralysis, disorientation, slowed breathing, seizures, coma.
- **Hyperkalemia (High K):** Weakness, nausea, abdominal pain, arrhythmia, diarrhea, muscle pain.
- **Hypokalemia (Low K):** Weakness, paralysis, increased urination, arrhythmia, orthostatic hypotension, muscle pain, tetany.
- **Hypercalcemia (High Ca):** Fatigue, constipation, depression, confusion, muscle pain, nausea/vomiting, dehydration, increased urination, arrhythmia.
- **Hypocalcemia (Low Ca):** Muscle cramps/spasms, tetany/convulsions, mood changes (depression, irritability), dry skin, brittle nails, facial twitching.
- **Hypermagnesemia (High Mg):** Lethargy, hypotension, decreased heart/respiratory rate, muscle weakness, diminished tendon reflexes.
- **Hypomagnesemia (Low Mg):** Leg/foot cramps, weight loss, vomiting, muscle spasms/twitching/tremors, seizures, muscle weakness, arrhythmia.
- **Hyperchloremia (High Cl):** Weakness, headache, nausea, cardiac arrest.
- **Hypochloremia (Low Cl):** Mental confusion, slowed breathing, paralysis, muscle tension/spasm.
- **Hyperphosphatemia (High PO4):** Tingling in hands/fingers, muscle spasms/cramps, convulsions, cardiac arrest.

- **Hypophosphatemia (Low PO4):** Muscle weakness, weight loss, bone deformities (osteomalacia).

Embolism

Symptoms:

- **Pulmonary Embolism:** Labored breathing (sometimes with chest pain), rapid pulse, cough (may produce sputum), low-grade fever, fluid build-up in lungs. Less common: coughing up blood, leg swelling, bluish skin, fainting, swollen neck veins.
- **Arterial Embolism:** Severe pain in the area of the embolism, pale/bluish cool skin, numbness, tingling, muscular weakness or paralysis.

Emphysema

Symptoms:

- Shortness of breath (initially with exertion, then with less or no exertion).
- Chronic mild cough (may produce large amounts of dark, thick sputum – "smoker's cough").
- Weight loss.
- Enlarged "barrel" chest.
- Skipped breaths, difficulty sleeping, morning headaches, increased difficulty breathing while lying down, chronic fatigue, swelling of feet/ankles/legs.
- Increased risk of pneumonia.

Encephalitis

Symptoms:

- Headache, fever, lethargy (sleepiness, decreased alertness, fatigue), malaise, nausea, vomiting, visual disturbances, tremor, decreased consciousness (drowsiness to unconsciousness), stiff neck, seizures.
- Symptoms may progress from mild to severe within several days or hours.

Endocarditis

Symptoms:

- Mild fever (rarely above 102°F/38.9°C).
- Chills, weakness, cough, trouble breathing, headaches, aching joints, loss of appetite.
- **Emboli symptoms:**
    - Osler's nodes (small, reddish, painful bumps on inside of fingers/toes).
    - Petechiae (tiny purple/red spots on skin).
    - Splinter hemorrhages under fingernails/toenails.
    - Coughing or shortness of breath (if emboli lodge in lungs).

    - Mini-stroke symptoms (numbness, weakness, paralysis, vision loss, double vision).
    - Blood in urine, enlarged/tender spleen.

Endometrial Cancer

Symptoms:

- Unusual vaginal spotting, bleeding, or discharge.
- **Perimenopausal:** Bleeding between periods (intermenstrual bleeding), heavy bleeding lasting >7 days, short menstrual cycles (<21 days).
- **Postmenopausal:** Any vaginal bleeding or abnormal discharge.
- Pain in the pelvic region and a lump (mass) occur late in the disease.

Endometriosis

Symptoms:

- Menstrual pain (lower abdomen starting a day or two before period, continuing through end; lower back aches; pain during urination/bowel movement during periods).
- Painful sexual intercourse.
- Abnormal bleeding (heavy periods, irregular bleeding, spotting).
- Infertility.

Enlarged Prostate (BPH)

Symptoms:

- Trouble starting the urine stream.
- Frequent urination, especially at night (nocturia).
- Urgent need to urinate.
- Dribbling after urination.
- Weak and sometimes split stream.
- General aching or pain in the perineum (area between scrotum and anus).
- Blood in urine (if straining hard).
- Acute urinary retention (complete blockage, severe discomfort).
- Burning during urination and fever (if infection develops).

Enterobacterial Infections

Symptoms:

- **Watery Diarrhea (ETEC, EPEC, some Salmonella, some Shigella):** Located in small intestine, caused by toxins, no inflammation, usually no antibiotics needed.

- **Bloody Diarrhea/Dysentery (EHEC, EIEC, some Salmonella, some Shigella, Yersinia):** Located in colon, tissue destruction, inflammation, antibiotics usually required.
- **Necrotizing Enterocolitis (NEC) in newborns:** Bacterial or viral invasion of damaged intestinal tissues, leading to death (necrosis) or gangrene of the bowel.

Enterobiasis (Pinworm)

Symptoms:

- Itching around the anus (intensifies at night when female worms lay eggs).
- Disrupted sleep and irritability.
- Itching may spread to the vagina (vaginitis).
- Bleeding and bruising around the anus from scratching; secondary bacterial infections.

Enterovirus Infections

Symptoms (by syndrome):

- **Summer Grippe:** Flu-like symptoms (fever, headache, weakness) lasting 3-4 days, often with upper respiratory symptoms, nausea, vomiting.
- **Generalized disease of newborn:** Fever, irritability, decreased responsiveness or excessive sleepiness. May lead to myocarditis, low blood pressure, hepatitis, meningitis.
- **Aseptic Meningitis/Encephalitis:** Headache, fever, avoidance of light, eye pain, drowsiness, sore throat, cough, muscle pain, rash. Can lead to Guillian-Barré syndrome.
- **Pleurodynia (Bornholm's disease):** Acute episodes of pain in chest and abdominal muscles (breathing muscles), lasting about 30 minutes.
- **Myocarditis/Pericarditis:** Upper respiratory infection with cough, shortness of breath, fever; chest pain, cardiac rhythm irregularities, heart failure.
- **Exanthems (Rashes):** Summer and fall rashes in children, often resembling measles.
- **Hand-foot-and-mouth disease:** Sore throat (involving tongue), followed by a rash on hands (and sometimes feet) that forms small blisters leading to ulcers.
- **Herpangina:** Acute onset of fever and severe sore throat, with multiple ulcers in the throat.
- **Acute hemorrhagic conjunctivitis:** Eye pain, blurred vision, aversion to light, discharge from the eye; headache and fever in 20% of patients.

Enzyme Therapy

Side Effects (temporary):

- Heartburn, nausea, vomiting, diarrhea, bloating, gas, acne.
- Increase in bowel movements (considered positive).

Eosinophilic Pneumonia

Symptoms:

- Coughing, wheezing, shortness of breath (ranging from mild to severe, potentially life-threatening).

Epididymitis

Symptoms:

- Sudden redness and swelling of the scrotum.
- Hard and sore testicle; other testicle may feel tender.
- Chills and fever.
- Acute urethritis (inflammation of the urethra).
- Enlarged lymph nodes in the groin.
- Scrotal pain that intensifies throughout the day, possibly severe enough to impair walking.

Epiglottitis

Symptoms:

- Sudden fever.
- Severe throat and neck pain.
- Stridor (loud, harsh, high-pitched sound with each breath).
- Muffled, strained voice.
- Difficulty swallowing, drooling.
- Patient often leans forward and juts out jaw, struggling for breath.

Episiotomy

Symptoms of Complications:

- Infection.
- Increased pain.
- Prolonged healing time.
- Increased discomfort once sexual intercourse is resumed.
- Incision may be deeper or longer than necessary.
- Increased bleeding.

Epstein-Barr Virus Test

Abnormal Results:

- Indicate current or recent infection (or past infection) based on the pattern of antibodies to EA, VCA, and EBNA.

Erysipelas

Symptoms:

- Bright-red, butterfly-shaped rash across the bridge of the nose and the cheeks.
- Rash is hot to the touch, painful, shiny, swollen, with clearly defined, raised edges.
- Rash spreads rapidly.
- Swelling of the eyelids (possibly severe enough to swell shut).
- Fever, chills, loss of energy, nausea, vomiting, swollen/tender lymph nodes.
- In severe cases: abscesses under skin, bacteremia, sepsis.

Erythema Multiforme

Symptoms:

- Large, symmetrical red blotches appear all over the skin in a circular pattern.
- On mucous membranes (mouth, digestive tract, vagina): begins as blisters and progresses to ulcers.
- More advanced form (Stevens-Johnson syndrome) can be severe and fatal.

Erythema Nodosum

Symptoms:

- Painful red nodules appearing mostly on the shins (occasionally arms and face).
- Bruising often accompanies the nodule formation.

Erythroblastosis Fetalis

Symptoms:

- Anemia (destruction of red blood cells).
- Enlarged liver and spleen.
- Excessive bleeding (due to lack of clotting factors).
- Jaundice (yellowish tone of eyes and skin, from hyperbilirubinemia).
- Kernicterus (bilirubin deposited in the brain, causing permanent damage).
- High levels of insulin and low blood sugar.
- Hydrops fetalis (accumulation of fluids, giving a swollen appearance, impairing breathing).

Escherichia coli

Symptoms:

- **O157:H7:** Watery diarrhea, rapidly progressing to bloody diarrhea (mostly blood). Nausea, vomiting, low-grade fever. Abdominal tenderness. Complications: Hemolytic-

Uremic Syndrome (HUS)/Thrombocytopenic Purpura (TTP) - kidney failure, hemolytic anemia, thrombocytopenia; neurological symptoms (seizures, paralysis, coma). May also cause colitis, appendicitis, perforation of large bowel, gangrene in the colon.

- **Non-O157 (VTEC):** Diarrhea (various).
- **Enterotoxigenic:** Enteritis in infants.
- **Enteroinvasive:** Gastroenteritis in infants, symptoms similar to shigellae infection.

Esophageal Atresia

Symptoms:

- Excessive drooling (mucus and saliva back up into mouth/nasal area).
- Immediate regurgitation when fed.
- Choking and coughing (from breathing in backed-up fluid).
- Aspiration pneumonia (infection from inhaling digestive contents).

Esophageal Cancer

Symptoms:

- Dysphagia (trouble swallowing or feeling of food stuck in throat/chest). Patients may switch to soft foods or a liquid diet.
- A sensation of burning or slight mid-chest pressure.
- Painful swallowing (with large tumor obstructing the esophagus).
- Regurgitation of food, weight loss, physical wasting, malnutrition.

Esophageal Pouches (Diverticula)

Symptoms:

- **Neck pouches (Zenker's):** Bad breath (halitosis), regurgitation of swallowed food and saliva. Some patients can push on their neck to make old food appear in their mouths.
- **Pouches near stomach:** Swallowing problems (achalasia or dysphagia).
- **Mid-esophageal pouches:** Usually no symptoms.
- In serious cases: inability to swallow, esophageal rupture.

Esophagogastroduodenoscopy (EGD)

Abnormal Results:

- Inflammation, ulcers, tumors, early cancer, areas of narrowing (strictures), foreign objects, bleeding.

Exercise

Symptoms of Problems:

- Dizziness, nausea, excessive shortness of breath, chest pain (should stop activity and inform physician).
- Exercise burnout (if program not varied, no rest).
- Muscle, joint, and cardiac disorders in people with preexisting/underlying illnesses.

Exophthalmos

Symptoms:

- Bulging of the eyes (forward displacement).
- Reduced eye movement, double vision, crossed eyes (strabismus).
- Swelling of the clear membrane (conjunctiva).
- If eyelids cannot close: corneal damage.

Eye and Orbit Ultrasounds

Abnormal Results:

- Detect evidence of underlying conditions (tumors, internal infection, foreign bodies, glaucoma, cataracts, retinitis, detached retina, impaired blood circulation, effects of trauma, etc.).

Eye Examination

Abnormal Results:

- **External/Slit lamp:** Head tilt; drooping eyelids (ptosis); eye turns; red eyes (injection); abnormal eye movement; size/shape/color of iris; cloudy cornea, anterior chamber, or lens (cataract); narrow anterior chamber (glaucoma risk).
- **Ophthalmoscopic:** Swollen optic nerve; abnormal blood vessels; changes in retina or macular area (e.g., tears, detachments).
- **Visual Acuity:** Refractive errors (myopia, hyperopia, presbyopia, astigmatism).
- **Visual Fields:** Defects indicating damage to retina, optic nerve, or neurological visual pathway.

Eyelid Disorders

Symptoms:

- **Stye:** Pain and inflammation in one or more localized regions near the eyelid margin.
- **Chalazion:** Inflammation and swelling in the form of a round lump in the lid that may be painful.
- **Blepharitis:** Itching, burning, feeling of something in the eye, inflammation, scales or matted/hard crusts surrounding the eyelashes.
- **Entropion:** Excessive tearing, redness, discomfort (eyelashes rub against eye).
- **Ectropion:** Excessive tearing, hardening of the eyelid conjunctiva.

- **Eyelid Edema:** Swelling, itching, redness, or pain.

Fainting (Syncope)

Symptoms:

- Sweating or becoming pale.
- Feeling nauseated or dizzy.
- Blurred vision.
- Racing heartbeat.
- During fainting: pupils may dilate, heart rate slows, there may be abnormal movements (muscle tightening, arching back).
- After fainting: nervousness, headache, nausea, dizziness, pallor, sweating.

Familial Mediterranean Fever

Symptoms:

- Fever (100-104°F/38-40°C), sometimes with chills.
- Abdominal pain (mild to severe, diffuse or localized; may mimic appendicitis).
- Chest pain (pleuritis or pericarditis).
- Joint pain (usually one joint at a time: hip, knee, ankle). Can become chronic arthritis.
- Muscle pain (myalgia), especially in the evening or after exertion.
- Skin rash (erysipelas-like erythema) on front of lower leg or top of foot (red, warm, swollen area).
- Amyloidosis (deposition of protein SAA in tissues, potentially leading to kidney failure).

Familial Polyposis

Symptoms:

- Many individuals develop polyps without symptoms.
- Gastrointestinal problems: diarrhea, constipation, abdominal cramps, blood in the stool, weight loss.
- Nonmalignant tumors (desmoid tumors).
- Bone and dental abnormalities.
- "Spot" on the retina of the eye (CHRPE).

Fanconi's Syndrome

Symptoms:

- Excessive urine production and urination (polyuria).
- Excessive thirst (polydipsia).

- Dehydration, constipation, anorexia nervosa, vomiting.
- Elevated levels of glucose, phosphate, calcium, uric acid, amino acids, and protein in the urine.
- Elevated chloride, decreased phosphate and calcium in the blood.
- Excessively acidic blood.
- **Bone diseases:** Rickets (in children) with bone deformities, failure to grow, difficulty walking; Osteomalacia (in adults) with severe bone pain and spontaneous fractures.
- Muscle weakness, occasional paralysis.

Fasciotomy

Abnormal Results:

- The arch may drop slightly after endoscopic plantar fasciotomy.

Fatigue

Symptoms:

- Profound lack of energy, feelings of muscle weakness, slowed movements or central nervous system reactions.
- Mental exhaustion: lack of mental clarity (fuzziness), difficulty concentrating, memory loss.

Fatty Liver

Symptoms:

- Often no symptoms.
- Pain under the rib cage on the right side of the body.
- Swelling of the abdomen.
- Jaundice, fever.
- In pregnancy-related: nausea, vomiting, loss of appetite, abdominal pain.

Fecal Incontinence

Symptoms:

- Inability to control the passage of gas or stools (feces) through the anus.
- Ranges from slight occasional soiling of underwear to considerable loss of bowel control.
- Urgency (uncontrollable powerful urge to defecate).

Female Genital Mutilation

Symptoms of Complications:

- Immediate: hemorrhage (excessive bleeding), severe pain, infection (abscesses, tetanus, gangrene). Death possible.
- Long-term: scarring, interference with urine/menstrual drainage, chronic urinary tract infections, pelvic/back pain, infertility, painful intercourse, childbirth complications.

Female Sexual Arousal Disorder

Symptoms:

- No desire for sex.
- Inability to attain or maintain arousal and lubrication during intercourse.
- Inability to reach orgasm.
- Pain during sex or orgasm.

Fetal Alcohol Syndrome

Symptoms:

- Short stature, low birthweight, poor weight gain, microcephaly.
- Characteristic facial features: small eye openings, epicanthal folds, small/short nose, low/flat nasal bridge, smooth or poorly developed philtrum, thin upper lip, small chin.
- Other birth defects: cleft palate, congenital heart defects, strabismus, hearing loss, spine/joint defects.
- Feeding difficulties, irregular sleep-wake cycles, decreased/increased muscle tone, seizures, tremors in newborns.
- Developmental delays, poor attention span, hyperactivity, poor motor skills, slow language development.
- Learning disabilities, mental retardation.
- Memory problems, poor judgment, difficulties with daily living/abstract reasoning, poor social skills.

Fever

Symptoms:

- Chills (caused by movement of blood to the body's core, leaving surface cold).
- Sweating (when fever breaks).
- Fever can be accompanied by symptoms of the underlying cause (e.g., headache, stiff neck, etc.).

Fifth Disease

Symptoms:

- **Initial (flu-like):** Headache, body ache, sore throat, mild fever (101°F/38.3°C), chills. (Contagious at this stage).

- **Rash:** Bright red "slapped cheek" rash develops suddenly. Rash may be flat or raised, itchy or not. Spreads to arms, legs, trunk in a lace-like or net-like appearance; can involve palms/soles. (Not contagious once rash appears). Rash lasts about 10-11 days, may fade and reappear.
- **Adults:** Swollen and painful joints (especially hands and feet), sore throat, headache, muscle/joint pain, abdominal pain, diarrhea, vomiting.

Filariasis

Symptoms:

- **Lymphatic (Bancroftian/Malayan):** Chills, headache, fever (3 months to 1 year after bite). Swelling, redness, pain in arms, legs, or scrotum. Abscesses may appear. Advanced: elephantiasis (gross enlargement of legs and/or genitals with thickened, coarse skin).
- **Subcutaneous (Conjunctival):** Larvae migrate to the eye; can be seen moving beneath the skin or white part of the eye (conjunctiva). Untreated can cause blindness (onchocerciasis).

Fingertip Injuries

Symptoms:

- Amputation: profuse bleeding, tissue loss.
- Pulp injuries: puncture wounds.
- Subungal hematoma: purplish-black discoloration under the nail.
- Fractures: pain, swelling, restriction of movement.
- Tendon injuries: loss of ability to straighten or bend the finger.

Fish and Shellfish Poisoning

Symptoms:

- **Ciguatera:** Abdominal cramps, nausea, vomiting, watery diarrhea (1-6 hours). Numbness/tingling around lips, tongue, mouth; itching; dry mouth; metallic taste; blurry vision; temporary blindness; slow pulse; reversal of hot/cold sensations; breathing difficulties; low blood pressure.
- **Scombroid:** Flushing of the face, sweating, burning feeling in mouth/throat, vomiting, diarrhea, headaches. Sunburn-like rash, hives, metallic/peppery taste. Severe: rapid pulse, blurred vision, difficulty breathing. Onset 10 minutes to hours.
- **Paralytic Shellfish Poisoning:** Headache, floating feeling, dizziness, lack of coordination, tingling of mouth/arms/legs, muscle weakness (difficulty swallowing/speaking), nausea, vomiting, diarrhea, difficulty breathing (paralysis of breathing muscle). Onset within minutes.

Flesh-eating Disease (Necrotizing Fasciitis)

Symptoms:

- Initially: red, swollen, extremely painful, hot area.
- Over hours/days: skin becomes blue-gray, fluid-filled blisters form. As nerves are destroyed, the area becomes numb.
- Shock, dangerously low blood pressure, multiple organ failure, death.

Fluke Infections

Symptoms:

- **Fascioliasis (Liver Fluke):** Abdominal pain, headache, loss of appetite, anemia, vomiting. Hives, muscle pains, jaundice. Chronic: blockage of bile ducts, migration of flukes.
- **Opisthorchiasis/Clonorchiasis:** Acute: tiredness, low-grade fever, joint pains, swollen liver, abdominal pain, skin rash. Chronic: loss of appetite, fatigue, low-grade fever, diarrhea, enlarged/sore liver.
- **Paragonimiasis (Lung Fluke):** Coughing up fluke eggs, blood, inflamed tissue (after 6 weeks). Chest pain, fever, rust-colored or bloody sputum. Can lead to lung abscess, pneumonia, bronchitis. Brain infection: seizures, encephalitis. Also diarrhea, abdominal pain, skin lumps containing adult flukes.

Folic Acid Deficiency Anemia

Symptoms:

- Fatigue (often the first sign).
- Anorexia nervosa.
- Pale skin.
- Paranoia.
- Rapid heart beat.
- Sore, inflamed tongue.
- Weakness, weight loss.

Folliculitis

Symptoms:

- Small, yellowish-white blister-like lumps (pustules) surrounded by narrow red rings. Hair may grow through or alongside.
- Pustules may ooze blood-stained pus.
- Can cause boils and, rarely, serious skin infections.

Food Poisoning

Symptoms (by bacteria):

- **Salmonella:** Abdominal pain, diarrhea, vomiting, fever (8-72 hours after eating). Lasts 1-5 days.
- **Staphylococcus aureus:** Vomiting, severe abdominal cramps without fever (1-6 hours after eating). Lasts 3-6 hours.
- **E. coli O157:H7:** Severe abdominal cramps, watery diarrhea (becomes bloody within 24 hours), little or no fever, rarely vomiting (1-3 days after eating). Lasts 1-8 days.
- **Campylobacter jejuni:** Fever, abdominal pain, nausea, headache, muscle pain, diarrhea (watery, sticky, may contain blood) (2-5 days after eating). Lasts 7-10 days.
- **Shigella:** Watery diarrhea, nausea, vomiting, abdominal cramps, chills, fever (36-72 hours after eating). Severe cramps can progress to dysentery. Neurological symptoms in 40% of children (seizures, confusion, headache, lethargy, stiff neck).
- **Clostridium botulinum:** Weakness, dizziness, double vision, difficulty speaking/swallowing. Paralysis moves down the body, leading to respiratory failure and death (18-36 hours after eating).
- **Infant Botulism:** Constipation, poor feeding, lethargy, weakness, drooling, distinctive wailing cry, loss of head control, paralysis.

Foreign Objects

Symptoms:

- **Eyes:** Minor irritation, redness, swelling, bleeding from surface blood vessels, sensitivity to light, sudden vision problems.
- **Ears:** Pain, hearing loss, a sense of something stuck in the ear.
- **Nose:** A smelly, bloody discharge from one nostril.
- **Airways/Stomach:** Difficulty swallowing, spitting up saliva, symptoms mimicking asthma or recurring pneumonia.
- **Rectum:** Sudden sharp pain during elimination. Other symptoms vary based on object size, location, duration, and infection.

Fractures

Symptoms:

- Pain that increases with attempted movement or use of the area.
- Swelling at the involved site.
- Skin in the area may be pale.
- Obvious deformity.
- In severe cases: loss of pulse below the fracture site (in extremities), numbness, tingling, or paralysis below the fracture.
- Open/compound fracture: bleeding or bruising.

- Lower limbs/pelvis fracture: pain, resistance to movement, difficulty with weight bearing.

Fragile X Syndrome

Symptoms:

- Developmental delay.
- Mental impairment (males: moderate; females: mild).
- Behavioral problems: attention deficit, hyperactivity, poor eye contact, delayed/disordered speech, emotional instability, unusual hand mannerisms (flapping/biting).
- Physical traits (appear later in childhood): long/narrow face, prominent jaw, large ears, enlarged testes (males).
- Frequent ear and sinus infections.
- Nearsightedness, lazy eye.
- Loose joints, joint dislocations, spine curvature, flat feet, mitral valve prolapse.
- In infants: trouble sucking, digestive disorders (gagging, vomiting).
- Seizures in a small percentage.

Friedreich's Ataxia

Symptoms:

- Gait incoordination (first symptom: grazing doorways, tripping).
- Unsteadiness when standing still, deterioration of position sense.
- Foot deformities, walking up off heels.
- Muscle spasms and cramps (especially at night).
- Ataxia in arms (within several years), decreased hand-eye coordination.
- Speech and swallowing difficulties.
- Diabetes mellitus.
- Nystagmus (eye tremor), loss of visual acuity, hearing loss.
- Scoliosis.
- Heartbeat abnormalities, shortness of breath after exertion, swelling in lower limbs, cold feet.

Frostbite and Frostnip

Symptoms:

- **Frostnip:** Skin turns pale, numbness or tingling.
- **Frostbite:** Affected part feels cold and numb, then clumsy. Skin turns white or yellowish.

- During rewarming: severe pain, intense throbbing pain (2-3 days later, can last days/weeks).
- Edema (swelling) as skin thaws.
- Blisters (second-degree and higher).
- Third-degree: deep, blood-filled blisters; hard black eschar (scab) during the second week.
- Fourth-degree: extends to muscles, tendons, nerves, bones. Dead tissue may mummify and drop off.

Abdominal aortic aneurysm

Symptoms:

- Often none until rupture.
- Deep, constant pain in the abdomen, back, or side.
- Pulsating sensation in the abdomen.
- If rupture occurs: sudden, severe pain, low blood pressure, shock, and death.

Acoustic neuroma

Symptoms:

- Gradual hearing loss in one ear (most common).
- Ringing in the ear (tinnitus).
- Dizziness or loss of balance.
- Numbness or weakness of the face (if tumor enlarges).

Acromegaly

Symptoms:

- Enlarged hands and feet.
- Coarse, thickened facial features (protruding jaw, enlarged nose).
- Joint pain and limited mobility.
- Thickened, oily skin, excessive sweating.
- Deepening of voice.
- Enlarged organs (heart, liver, kidneys).
- Headaches and vision problems if pituitary tumor compresses nerves.

Acute lymphocytic leukemia (ALL)

Symptoms:

- Fatigue, weakness, pale skin (anemia).

- Frequent infections, fever.
- Easy bruising or bleeding (nosebleeds, bleeding gums).
- Bone or joint pain.
- Swollen lymph nodes (especially in neck, armpits, groin).
- Abdominal fullness or pain from enlarged liver or spleen.

Acute myeloid leukemia (AML)

Symptoms:

- Similar to ALL: fatigue, pallor, fever, infections, easy bleeding/bruising.
- Bone pain.
- Swollen gums.
- Skin rashes or lumps (leukemia cutis).
- Shortness of breath.

Addison's disease

Symptoms:

- Chronic fatigue, muscle weakness.
- Loss of appetite, weight loss.
- Low blood pressure (worsening when standing).
- Darkening of skin (hyperpigmentation) in scars, skin folds, gums.
- Salt craving.
- Nausea, vomiting, diarrhea.
- Abdominal pain.

Alopecia areata

Symptoms:

- Sudden, patchy hair loss on the scalp or elsewhere on the body.
- Smooth, round bald patches.
- Nail changes (pitting, ridges) in some cases.

Alzheimer's disease

Symptoms:

- Progressive memory loss (especially recent events).
- Difficulty with planning, problem solving, and familiar tasks.
- Confusion with time or place.

- Trouble understanding visual images and spatial relationships.
- New problems with words (speaking or writing).
- Misplacing things, poor judgment.
- Withdrawal from work or social activities.
- Personality and mood changes.

Anal fissure

Symptoms:

- Sharp, tearing pain during bowel movements.
- Bright red blood on stool or toilet paper.
- Itching or irritation around the anus.
- A visible crack or tear in the anal skin.

Anaphylaxis

Symptoms:

- Skin: hives, itching, flushing, swelling.
- Respiratory: wheezing, shortness of breath, throat tightness, stridor.
- Cardiovascular: rapid or weak pulse, low blood pressure, dizziness, fainting.
- Gastrointestinal: nausea, vomiting, diarrhea, abdominal cramping.
- Anxiety, feeling of impending doom.

Ankylosing spondylitis

Symptoms:

- Chronic back pain and stiffness (worse in morning, improves with activity).
- Pain in buttocks, hips, shoulders.
- Progressive loss of spinal mobility (fusion of vertebrae).
- Fatigue.
- Eye inflammation (uveitis): pain, redness, blurred vision.

Anthrax

Symptoms (cutaneous – most common):

- Small, raised sore that becomes a blister.
- Develops into a painless ulcer with a black center (eschar).
- Swelling of nearby lymph nodes.
- Fever, malaise.

Aortic dissection

Symptoms:

- Sudden, severe, tearing chest pain (often felt in back or abdomen).
- Pain may migrate as dissection extends.
- Shortness of breath, weakness, fainting.
- Difference in blood pressure between arms.
- Stroke-like symptoms if arteries to brain are involved.

Aplastic anemia

Symptoms:

- Fatigue, weakness, pallor.
- Frequent infections, fever.
- Easy bruising, bleeding (nosebleeds, bleeding gums).
- Shortness of breath.
- Rapid or irregular heart rate.
- Skin rash.

Appendicitis

Symptoms:

- Dull pain near the navel that shifts to the lower right abdomen, becoming sharp.
- Loss of appetite, nausea, vomiting.
- Fever.
- Abdominal swelling.
- Constipation or diarrhea.

Arrhythmias (general)

Symptoms:

- Palpitations (fluttering, pounding, or racing heartbeat).
- Slow heartbeat (bradycardia).
- Chest pain, discomfort.
- Shortness of breath.
- Dizziness, lightheadedness, fainting.

Arteriovenous malformation (AVM)

Symptoms:

- Often none until bleeding.
- Seizures.
- Headache.
- Weakness, numbness, or paralysis in part of the body.
- Vision loss.
- Difficulty speaking.

Asbestosis

Symptoms:

- Shortness of breath (initially with exertion, later at rest).
- Persistent dry cough.
- Chest tightness or pain.
- Clubbing of fingers.
- Fatigue, weight loss.

Aspergillosis

Symptoms (allergic bronchopulmonary):

- Wheezing, shortness of breath.
- Cough with brownish mucus plugs.
- Fever.
- (Invasive form): fever, chest pain, cough, hemoptysis, systemic infection.

Asthma

Symptoms:

- Wheezing.
- Shortness of breath.
- Chest tightness.
- Coughing (especially at night or early morning).
- Symptoms triggered by allergens, exercise, cold air.

Ataxia telangiectasia

Symptoms:

- Progressive loss of coordination (ataxia) beginning in early childhood.
- Dilated, visible blood vessels (telangiectasias) on eyes and skin.
- Frequent respiratory infections (due to immune deficiency).

- Delayed development of motor skills.
- Increased risk of cancer.

Atrial fibrillation

Symptoms:

- Palpitations (rapid, fluttering heartbeat).
- Shortness of breath.
- Weakness, fatigue.
- Dizziness, lightheadedness.
- Chest pain.

Attention deficit hyperactivity disorder (ADHD)

Symptoms:

- Inattention: difficulty sustaining focus, forgetfulness, easily distracted.
- Hyperactivity: fidgeting, restlessness, excessive talking, difficulty staying seated.
- Impulsivity: interrupting, acting without thinking.

Autism spectrum disorder

Symptoms:

- Impaired social interaction (difficulty with relationships, lack of eye contact).
- Delayed or absent language development.
- Repetitive behaviors (hand flapping, rocking).
- Resistance to change in routine.
- Unusual sensory interests (over- or under-sensitivity to sounds, textures).

Autoimmune hepatitis

Symptoms:

- Fatigue, malaise.
- Jaundice (yellowing of skin and eyes).
- Abdominal discomfort.
- Joint pain.
- Nausea, loss of appetite.
- Dark urine, pale stool.

Babesiosis

Symptoms:

- Fever, chills, sweats.
- Fatigue, malaise.
- Muscle aches, joint pain.
- Headache.
- Hemolytic anemia (dark urine, jaundice) in severe cases.

Bacterial vaginosis

Symptoms:

- Thin, grayish-white vaginal discharge.
- Fishy odor (especially after intercourse).
- Mild itching or burning.
- No pain or inflammation.

Barrett's esophagus

Symptoms:

- Often no specific symptoms; associated with chronic gastroesophageal reflux.
- Heartburn, regurgitation.
- Difficulty swallowing.
- Chest pain.

Behçet's disease

Symptoms:

- Recurrent mouth ulcers (painful).
- Genital ulcers.
- Eye inflammation (uveitis: redness, pain, blurred vision).
- Skin lesions (acne-like or red nodules).
- Joint swelling and pain.
- Blood vessel inflammation.

Bell's palsy

Symptoms:

- Sudden weakness or paralysis on one side of the face.
- Drooping eyelid and corner of mouth.
- Drooling, difficulty closing eye.
- Altered taste.

- Pain around the ear.
- Hypersensitivity to sound in affected ear.

Bladder cancer

Symptoms:

- Hematuria (blood in urine) – may be visible or microscopic.
- Frequent urination.
- Painful urination.
- Urgency.
- Pelvic pain.

Botulism (foodborne)

Symptoms:

- Double vision, blurred vision.
- Drooping eyelids.
- Slurred speech.
- Difficulty swallowing.
- Dry mouth.
- Muscle weakness progressing downward.
- Paralysis, respiratory failure.

Brain abscess

Symptoms:

- Headache (often severe).
- Fever, chills.
- Neurological deficits (weakness, sensory loss, speech problems) depending on location.
- Nausea, vomiting.
- Altered mental status (confusion, drowsiness).

Brain tumor

Symptoms:

- Headaches (often worse in morning).
- Seizures.
- Nausea, vomiting.

- Vision or hearing problems.
- Balance issues, difficulty walking.
- Personality or cognitive changes.
- Weakness or numbness in limbs.

Breast cancer

Symptoms:

- Lump or thickening in breast or underarm.
- Change in breast size, shape, or contour.
- Skin dimpling or puckering.
- Nipple retraction, discharge, or scaling.
- Redness, swelling, warmth.
- Pain (usually not early symptom).

Bronchiectasis

Symptoms:

- Chronic cough with large amounts of foul-smelling sputum.
- Shortness of breath.
- Wheezing.
- Hemoptysis (coughing up blood).
- Fatigue, weight loss.
- Recurrent respiratory infections.

Brucellosis

Symptoms:

- Intermittent fever (undulant).
- Sweating (profuse, with a characteristic odor).
- Muscle and joint pain.
- Fatigue, weakness.
- Headache.
- Back pain.
- Loss of appetite, weight loss.

Brugada syndrome

Symptoms:

- Syncope (fainting) often at night.
- Palpitations.
- Sudden cardiac death (often first manifestation).
- No symptoms in many cases.

Buerger's disease (thromboangiitis obliterans)

Symptoms:

- Pain in arms, legs, hands, feet (especially with exercise – claudication).
- Skin ulcers, sores.
- Raynaud's phenomenon (fingers/toes turn white/blue in cold).
- Inflammation of superficial veins (phlebitis).

Bulimia nervosa

Symptoms:

- Recurrent episodes of binge eating (eating large amounts in a discrete period with loss of control).
- Compensatory behaviors: self-induced vomiting, laxative abuse, fasting, excessive exercise.
- Preoccupation with body shape and weight.
- Dental erosion, swollen salivary glands.
- Electrolyte imbalances.

Bursitis

Symptoms:

- Joint pain (especially shoulder, hip, elbow, knee).
- Swelling, warmth, redness.
- Stiffness, limited range of motion.
- Pain worsens with movement or pressure.

Campylobacteriosis (already listed, but confirm)

Symptoms:

- Diarrhea (may be bloody), abdominal cramps, fever, nausea, vomiting.
- Usually self-limiting, 2–5 days.

Carbon monoxide poisoning (already listed)

Carcinoid syndrome

Symptoms:

- Flushing of the face and upper chest.
- Diarrhea.
- Wheezing, shortness of breath.
- Heart valve abnormalities (right-sided).
- Telangiectasias (spider veins).

Cardiac arrest

Symptoms:

- Sudden collapse.
- No pulse.
- No breathing.
- Unconsciousness.

Carotid artery stenosis

Symptoms:

- Often asymptomatic.
- Transient ischemic attacks (TIAs): temporary weakness, numbness, speech difficulty, vision loss.
- Stroke.

Carpal tunnel syndrome (already listed)

Cat scratch disease (already listed)

Cataract (already listed)

Celiac disease (already listed)

Cerebral aneurysm (already listed)

Cervical cancer (already listed)

Charcot-Marie-Tooth disease (already listed)

Chlamydia (genital)

Symptoms:

- Often asymptomatic.
- Women: abnormal vaginal discharge, bleeding between periods, painful urination, lower abdominal pain.
- Men: discharge from penis, painful urination, testicular pain.

Cholecystitis (already listed)

Cholera (already listed)

Chronic granulomatous disease (already listed)

Chronic kidney failure (already listed)

Chronic obstructive pulmonary disease (COPD) (already listed)

Cirrhosis (already listed)

Cleft lip/palate (already listed)

Clubfoot (already listed)

Cluster headache (already listed)

Coarctation of the aorta

Symptoms (infants):

- Shortness of breath, difficulty feeding, poor weight gain.
- Pale skin, irritability.
- Heavy sweating.
  Symptoms (older children/adults):
- High blood pressure in arms, low in legs.
- Headache, dizziness.
- Leg cramps with exercise.
- Heart murmur.

Cocaine abuse

Symptoms:

- Euphoria, increased energy.
- Dilated pupils, increased heart rate, blood pressure.
- Paranoia, agitation, psychosis.
- Nasal septum perforation (snorting).
- Chest pain, heart attack, stroke, seizures.

Coccidioidomycosis (already listed)

Cold agglutinin disease

Symptoms:

- Acrocyanosis (bluish discoloration of fingers, toes, ears, nose) upon cold exposure.
- Raynaud's phenomenon.
- Livedo reticularis (purple net-like rash).
- Hemolytic anemia (fatigue, pallor, jaundice).

Colitis (ulcerative)

Symptoms:

- Bloody diarrhea, often with mucus.
- Abdominal cramping and pain.
- Urgency to defecate.
- Tenesmus (feeling of incomplete evacuation).
- Fever, fatigue, weight loss.

Colon cancer (already listed)

Colorectal cancer (see Colon cancer; Rectal cancer)

Coma (already listed)

Common cold (already listed)

Complex regional pain syndrome (CRPS)

Symptoms:

- Severe, burning pain out of proportion to injury.
- Swelling, changes in skin color (red, blue, pale).
- Abnormal sweating, changes in skin temperature.
- Limited mobility, muscle wasting.

Concussion (already listed)

Congenital heart disease (general)

Symptoms:

- Cyanosis (bluish skin, lips, nails).
- Rapid breathing, shortness of breath.
- Poor feeding, failure to thrive.
- Heart murmur.
- Clubbing of fingers.

Conjunctivitis (already listed)

Constipation (already listed)

Contact dermatitis (already listed)

Conversion disorder

Symptoms:

- Unexplained neurological symptoms (weakness, paralysis, tremors, seizures, vision loss, speech problems).
- Symptoms are not under voluntary control and are not explained by medical disease.
- Often preceded by stress or trauma.

Cor pulmonale

Symptoms:

- Shortness of breath (exertional, later at rest).
- Fatigue, weakness.
- Edema (swelling) of ankles and feet.
- Distended neck veins.
- Chest discomfort.

Coronary artery disease (already listed)

Corticobasal degeneration

Symptoms:

- Progressive asymmetric rigidity.
- Limb apraxia (difficulty with skilled movements).
- Dystonia (sustained muscle contractions).
- Alien limb phenomenon.
- Cognitive impairment.

Costochondritis

Symptoms:

- Sharp, aching chest pain (usually left side) that worsens with deep breathing, coughing, or movement.
- Tenderness over the costochondral junctions (where ribs meet breastbone).
- No swelling (different from Tietze syndrome).

Creutzfeldt-Jakob disease (already listed)

Cri du chat syndrome (already listed)

Crohn's disease (already listed)

Croup (already listed)

Cushing's syndrome (already listed)

Cutaneous larva migrans (already listed)

Cutaneous T-cell lymphoma (already listed)

Cyclic vomiting syndrome (already listed)

Cyclosporiasis (already listed)

Cystic fibrosis (already listed)

Cystinuria (already listed)

Cystitis (already listed)

Dacryocystitis (already listed)

Deep vein thrombosis (already listed)

Dehydration (already listed)

Delirium (already listed)

Delusions (already listed)

Dementia (already listed)

Dengue fever (already listed)

Depressive disorders (already listed)

Dermatomyositis

Symptoms:

- Progressive muscle weakness (shoulders, hips, neck).
- Skin rash: heliotrope (purplish) rash on eyelids, Gottron's papules (red, scaly bumps over knuckles).
- Difficulty swallowing, dysphonia.
- Fatigue, weight loss.
- Calcinosis (calcium deposits under skin) in children.

Developmental dysplasia of the hip (see Congenital hip dysplasia)

Diabetes insipidus (already listed)

Diabetes mellitus (already listed)

Diabetic ketoacidosis (already listed)

Diabetic neuropathy (already listed)

Diaper rash (already listed)

Diarrhea (already listed)

Diffuse esophageal spasm (already listed)

DiGeorge syndrome (already listed)

Dilated cardiomyopathy (already listed)

Diphtheria (already listed)

Discoid lupus erythematosus (already listed)

Dissociative disorders (already listed)

Diverticulosis/diverticulitis (already listed)

Dizziness (already listed)

Down syndrome (already listed)

Duodenal ulcer

Symptoms:

- Burning epigastric pain (often 2–3 hours after meals, may awaken at night).
- Pain relieved by food or antacids.
- Nausea, bloating.
- Weight loss (sometimes gain).
- Bleeding (melena, hematemesis) with complications.

Dysfunctional uterine bleeding (already listed)

Dyslexia (already listed)

Dysmenorrhea (already listed)

Dyspepsia (already listed)

Dysthymic disorder (already listed)

Echinococcosis (already listed)

Echocardiography (not a disease, skip)

Eclampsia (see Preeclampsia and eclampsia)

Symptoms:

- Seizures in a pregnant woman with preeclampsia.
- Hypertension, proteinuria, edema.
- Headache, visual disturbances.

Ectopic pregnancy (already listed)

Eczema (see Dermatitis)

Edwards' syndrome (already listed)

Ehlers-Danlos syndrome (already listed)

Ehrlichiosis (already listed)

Electrical injury (already listed)

Electrolyte disorders (already listed)

Elephantiasis (already listed)

Embolism (already listed)

Emphysema (already listed)

Encephalitis (already listed)

Endocarditis (already listed)

Endometrial cancer (already listed)

Endometriosis (already listed)

Enlarged prostate (already listed)

Enterobiasis (already listed)

Enterovirus infections (already listed)

Epididymitis (already listed)

Epiglottitis (already listed)

Epilepsy (see Seizure disorder)

Erysipelas (already listed)

Erythema multiforme (already listed)

Erythema nodosum (already listed)

Erythroblastosis fetalis (already listed)

Escherichia coli infection (already listed)

Esophageal atresia (already listed)

Esophageal cancer (already listed)

Esophageal varices

Symptoms:

- Usually no symptoms until rupture.
- Hematemesis (vomiting blood) – can be massive.
- Melena (black, tarry stools).
- Signs of shock (tachycardia, hypotension) if bleeding.

Essential tremor

Symptoms:

- Rhythmic, involuntary shaking of hands (postural or kinetic).
- Head tremor (yes-yes or no-no).

- Voice tremor.
- Can affect legs, trunk.
- Worsens with stress, improves with alcohol.

Fabry disease

Symptoms:

- Episodic burning pain in hands and feet (acroparesthesia).
- Angiokeratomas (dark red, raised skin lesions).
- Corneal opacities (whorl-like).
- Progressive kidney failure, heart disease, strokes.
- Hypohidrosis (reduced sweating).

Factitious disorder (already listed)

Failure to thrive (already listed)

Fainting (already listed)

Familial adenomatous polyposis (already listed)

Familial Mediterranean fever (already listed)

Fanconi's syndrome (already listed)

Fasciitis (plantar)

Symptoms:

- Heel pain (sharp, stabbing, especially with first steps in morning).
- Pain worsens with prolonged standing or after exercise.
- Tenderness at the bottom of the heel.

Fasciotomy (surgical, not a disease)

Fasting (not a disease)

Fatigue (already listed)

Fatty liver (already listed)

Fecal incontinence (already listed)

Feldenkrais method (not a disease)

Female genital mutilation (already listed)

Female sexual arousal disorder (already listed)

Fetal alcohol syndrome (already listed)

Fever (already listed)

Fever of unknown origin (already listed)

Fibroadenoma (already listed)

Fibrocystic breast condition (already listed)

Fibromyalgia (already listed)

Fifth disease (already listed)

Filariasis (already listed)

Fingertip injuries (already listed)

Fish and shellfish poisoning (already listed)

Flesh-eating disease (already listed)

Fluke infections (already listed)

Folic acid deficiency anemia (already listed)

Folliculitis (already listed)

Food poisoning (already listed)

Foreign objects (already listed)

Fracture (already listed)

Fragile X syndrome (already listed)

Friedreich's ataxia (already listed)

Frostbite (already listed)

G6PD deficiency

Symptoms (hemolytic anemia):

- Dark urine (hemoglobinuria).
- Fatigue, pallor, shortness of breath.
- Jaundice (yellowing of skin, eyes).
- Back or abdominal pain.
- Triggered by infection, certain drugs, fava beans.

Galactosemia

Symptoms (infants):

- Jaundice, hepatomegaly.
- Poor feeding, vomiting.
- Failure to thrive.
- Cataracts.

- Intellectual disability if untreated.

Gallstones (cholelithiasis)

Symptoms:

- Sudden, intense pain in right upper abdomen (biliary colic), may radiate to right shoulder or back.
- Pain after fatty meals.
- Nausea, vomiting.
- Jaundice if stone obstructs common bile duct.

Ganglion cyst

Symptoms:

- Smooth, round lump on wrist, hand, foot.
- Usually painless.
- May cause discomfort, aching, or weakness if presses on nearby nerve.

Gangrene

Symptoms:

- **Dry gangrene:** skin dry, shriveled, dark (black or brown).
- **Wet gangrene:** swelling, blistering, foul discharge, fever, pain.
- **Gas gangrene:** severe pain, swelling, gas bubbles under skin, foul-smelling discharge, fever, shock.

Gardner syndrome

Symptoms:

- Multiple colorectal polyps (risk of colon cancer).
- Osteomas (benign bone tumors) of skull, mandible.
- Skin cysts, fibromas.
- Dental abnormalities (supernumerary teeth).
- Desmoid tumors.

Gastritis

Symptoms:

- Gnawing or burning pain in upper abdomen (may improve or worsen with eating).
- Nausea, vomiting.
- Feeling of fullness.
- Loss of appetite.

- Hematemesis, melena (if bleeding).

Gastroparesis

Symptoms:

- Nausea, vomiting (especially undigested food).
- Early satiety.
- Bloating, abdominal pain.
- Weight loss.
- Erratic blood sugar control (in diabetics).

Gastroesophageal reflux disease (GERD)

Symptoms:

- Heartburn (burning retrosternal pain, worse after meals, lying down).
- Regurgitation of acid or food.
- Dysphagia (difficulty swallowing).
- Chronic cough, hoarseness, sore throat.
- Chest pain (non-cardiac).

Gaucher disease

Symptoms:

- Hepatosplenomegaly (enlarged liver and spleen).
- Fatigue, anemia, thrombocytopenia (easy bruising, bleeding).
- Bone pain, fractures.
- Growth retardation (in children).
- Neurological involvement in some types.

Generalized anxiety disorder

Symptoms:

- Excessive, uncontrollable worry about many things.
- Restlessness, feeling on edge.
- Fatigue.
- Difficulty concentrating.
- Irritability.
- Muscle tension.
- Sleep disturbance.

Genetic counseling (not a disease)

Genital herpes

Symptoms:

- Painful vesicles (blisters) on genitals, buttocks, thighs.
- Ulcers, crusting.
- Itching, burning.
- Fever, headache, myalgia (primary infection).
- Recurrent outbreaks (usually less severe).

Genital warts (HPV)

Symptoms:

- Flesh-colored, cauliflower-like growths on genitals, perianal area.
- Usually painless; may be itchy, uncomfortable.
- Can be flat, raised, or pedunculated.

Geographic tongue

Symptoms:

- Smooth, red patches on tongue with raised, white borders.
- Patches change location over time.
- Usually asymptomatic; may cause burning or sensitivity.

Geriatric depression (see Depressive disorders)

Germ cell tumors

Symptoms:

- Variable depending on location (testicular, ovarian, extragonadal).
- Painless mass in testis or ovary.
- Abdominal mass or pain.
- Symptoms from metastases.

Gestational diabetes

Symptoms:

- Usually asymptomatic.
- Occasionally increased thirst, frequent urination, fatigue.
- Detected by routine screening.

Giant cell arteritis (temporal arteritis)

Symptoms:

- New-onset severe headache (temporal region).
- Scalp tenderness.
- Jaw claudication (pain while chewing).
- Vision loss (may be sudden).
- Fever, weight loss, malaise.
- Polymyalgia rheumatica (shoulder/hip pain) in many.

Giardiasis

Symptoms:

- Diarrhea (foul-smelling, greasy, floats).
- Abdominal cramps, bloating.
- Nausea, vomiting.
- Weight loss.
- Fatigue.

Gilbert syndrome

Symptoms:

- Mild, intermittent jaundice (yellowing of skin, eyes) often triggered by fasting, illness, stress.
- No other symptoms; benign condition.

Gingivitis

Symptoms:

- Red, swollen, tender gums.
- Bleeding gums when brushing or flossing.
- Bad breath.
- Receding gums (in advanced cases).

Glaucoma

Symptoms (open-angle):

- Gradual loss of peripheral vision (tunnel vision).
- Usually painless.
  Symptoms (angle-closure – emergency):
- Severe eye pain, headache.
- Nausea, vomiting.

- Blurred vision, halos around lights.
- Red eye.
- Fixed, mid-dilated pupil.

Glioblastoma

Symptoms:

- Persistent headache.
- Seizures.
- Nausea, vomiting.
- Progressive neurological deficits (weakness, sensory loss, aphasia).
- Cognitive decline, personality changes.

Glomerulonephritis

Symptoms:

- Hematuria (blood in urine – cola-colored).
- Proteinuria (foamy urine).
- Edema (swelling of face, hands, feet, abdomen).
- Hypertension.
- Fatigue, malaise.

Glossitis

Symptoms:

- Swollen, smooth, red tongue.
- Pain, burning.
- Difficulty speaking, chewing, swallowing.

Glucagonoma

Symptoms:

- Necrolytic migratory erythema (red, blistering rash on face, groin, lower extremities).
- Weight loss.
- Diabetes mellitus.
- Diarrhea.
- Deep vein thrombosis.

Goiter

Symptoms:

- Visible swelling at base of neck.
- Tightness in throat, cough, hoarseness.
- Difficulty swallowing, breathing (if large).

Gonorrhea

Symptoms:

- **Men:** purulent discharge from penis, painful urination.
- **Women:** often asymptomatic; may have increased vaginal discharge, painful urination, intermenstrual bleeding, pelvic pain.
- **Rectal:** discharge, pain, bleeding.
- **Pharyngeal:** sore throat.

Goodpasture syndrome

Symptoms:

- Hemoptysis (coughing up blood), dyspnea.
- Hematuria (blood in urine), proteinuria.
- Rapidly progressive glomerulonephritis (kidney failure).
- Fatigue, weakness.

Gout

Symptoms:

- Sudden, severe pain in a joint (often big toe).
- Redness, swelling, warmth.
- Affected joint is exquisitely tender.
- May be accompanied by fever.

Granuloma inguinale

Symptoms:

- Beefy red, painless ulcers (usually in genital area).
- Slow progression.
- No lymphadenopathy (unlike chancroid, syphilis).

Graves' disease

Symptoms:

- Hyperthyroidism: weight loss, heat intolerance, palpitations, anxiety, tremor.
- Goiter (diffuse enlargement).

- Ophthalmopathy: exophthalmos (bulging eyes), lid retraction, double vision.
- Pretibial myxedema (thick, red skin on shins).

Guillain-Barré syndrome

Symptoms:

- Progressive weakness (starts in legs, may ascend to arms, face, respiratory muscles).
- Paresthesias (tingling, numbness).
- Loss of reflexes.
- Autonomic dysfunction (heart rate, blood pressure instability).
- Respiratory failure in severe cases.

Hantavirus pulmonary syndrome

Symptoms:

- **Prodrome:** fever, myalgia, fatigue, headache, gastrointestinal symptoms.
- **Cardiopulmonary phase:** sudden onset of cough, shortness of breath, rapid progression to respiratory failure, hypotension.

Hashimoto's thyroiditis

Symptoms:

- Hypothyroidism: fatigue, weight gain, cold intolerance, constipation, dry skin, hair loss.
- Goiter (sometimes).
- Depression, cognitive slowing.

Hearing loss (conductive or sensorineural)

Symptoms:

- Difficulty hearing conversations.
- Asking others to repeat.
- Turning up volume.
- Tinnitus (ringing in ears).
- Social withdrawal.

Heart block

Symptoms:

- Dizziness, lightheadedness.
- Syncope (fainting).
- Fatigue.

- Shortness of breath.
- Chest pain.
- Slow heart rate (bradycardia).

Heart failure (congestive)

Symptoms:

- Shortness of breath (exertional, paroxysmal nocturnal dyspnea, orthopnea).
- Fatigue, weakness.
- Edema (swelling of legs, ankles).
- Rapid weight gain (fluid retention).
- Cough (may be pink, frothy).
- Distended neck veins.

Heat stroke

Symptoms:

- Core body temperature >40°C (104°F).
- Altered mental state (confusion, agitation, coma).
- Hot, dry skin (or may be sweating in exertional heat stroke).
- Tachycardia, hypotension.
- Seizures.

Heavy metal poisoning (lead, mercury, etc.)

Symptoms:

- Abdominal pain, nausea, vomiting.
- Fatigue, headache.
- Peripheral neuropathy (numbness, weakness).
- Cognitive impairment, memory loss.
- Behavioral changes.
- Anemia.
- Renal dysfunction.

Heel spur (see Plantar fasciitis)

Hemangioma

Symptoms:

- Red or purple raised birthmark.

- Appears shortly after birth, grows, then slowly involutes.
- Usually asymptomatic; may ulcerate, bleed, interfere with vision or breathing if large.

Hematoma (subdural)

Symptoms:

- Headache.
- Confusion, drowsiness.
- Nausea, vomiting.
- Seizures.
- Weakness on one side.
- Pupil changes.
- Loss of consciousness.

Hemochromatosis

Symptoms:

- Fatigue, weakness.
- Joint pain (especially knuckles, hips).
- Hepatomegaly, cirrhosis, liver cancer.
- Skin bronze or gray discoloration.
- Diabetes mellitus.
- Cardiac arrhythmias, heart failure.
- Hypogonadism.

Hemolytic anemia

Symptoms:

- Fatigue, pallor.
- Jaundice.
- Dark urine (hemoglobinuria).
- Splenomegaly.
- Tachycardia, dyspnea.
- Gallstones.

Hemophilia A and B

Symptoms:

- Easy bruising.

- Prolonged bleeding after injury, surgery, dental procedures.
- Spontaneous bleeding into joints (hemarthrosis) causing pain, swelling, deformity.
- Intracranial bleeding (life-threatening).

Hemorrhoids

Symptoms:

- Painless bright red bleeding (with bowel movements).
- Itching, irritation.
- Prolapse (external hemorrhoids).
- Pain (if thrombosed).

Hepatic encephalopathy

Symptoms:

- Confusion, disorientation.
- Sleep disturbances (insomnia, reversal of sleep-wake cycle).
- Lethargy, stupor, coma.
- Asterixis (flapping tremor).
- Fetor hepaticus (musty breath odor).

Hepatitis A

Symptoms:

- Fatigue, malaise.
- Nausea, vomiting, anorexia.
- Abdominal pain (right upper quadrant).
- Fever.
- Jaundice, dark urine, pale stool.
- Usually self-limited.

Hepatitis B

Symptoms:

- Similar to Hepatitis A but may be more severe.
- Joint pain, rash (serum sickness-like) in prodrome.
- Can become chronic, leading to cirrhosis, liver cancer.

Hepatitis C

Symptoms:

- Often asymptomatic initially.
- Fatigue, malaise.
- Jaundice (less common than A/B).
- Chronic infection leads to cirrhosis, liver failure, hepatocellular carcinoma.

Hepatitis D

Symptoms:

- Coinfection with Hepatitis B.
- More severe acute hepatitis.
- Increased risk of fulminant hepatitis and chronic liver disease.

Hepatitis E

Symptoms:

- Similar to Hepatitis A.
- Usually self-limited.
- High mortality in pregnant women.

Hepatocellular carcinoma

Symptoms:

- Right upper quadrant pain.
- Weight loss.
- Hepatomegaly (enlarged liver).
- Ascites.
- Jaundice.
- Worsening liver function in cirrhotic patient.

Hereditary angioedema

Symptoms:

- Recurrent episodes of non-pitting edema (swelling) of face, extremities, airway, gastrointestinal tract.
- Abdominal pain, vomiting (from intestinal wall edema).
- Laryngeal edema (life-threatening).
- No urticaria (different from allergic angioedema).

Hereditary hemorrhagic telangiectasia (Osler-Weber-Rendu)

Symptoms:

- Telangiectasias (small red spots) on lips, tongue, face, fingers.
- Recurrent nosebleeds.
- Arteriovenous malformations in lungs, liver, brain (may cause bleeding, stroke, high-output heart failure).

Hernia (inguinal, femoral, umbilical, hiatal)

Symptoms:

- Visible bulge (may reduce with lying down).
- Discomfort or pain (especially with lifting, coughing, straining).
- Incarcerated hernia: bulge becomes firm, painful, cannot reduce.
- Strangulated hernia: severe pain, nausea, vomiting, obstruction signs.

Herpangina (see Enterovirus infections)

Herpes simplex (oral, genital)

Symptoms:

- Tingling, burning prodrome.
- Painful vesicles that ulcerate, crust.
- Fever, lymphadenopathy (primary infection).
- Recurrences.

Herpes zoster (shingles)

Symptoms:

- Pain, burning, tingling (prodrome).
- Vesicular rash in dermatomal distribution (unilateral).
- Crusting, healing in 2–4 weeks.
- Postherpetic neuralgia (persistent pain after rash resolves).

Hiatal hernia

Symptoms:

- Heartburn, regurgitation.
- Dysphagia.
- Chest pain (may mimic angina).
- Belching, bloating.
- Often asymptomatic.

Hiccups (singultus)

Symptoms:

- Involuntary, repeated spasms of diaphragm.
- Sudden inspiration with glottic closure.
- Usually brief; persistent may indicate underlying disease.

Hip fracture

Symptoms:

- Severe pain in hip or groin.
- Inability to stand or walk.
- Shortened, externally rotated leg.
- Swelling, bruising.

Hirschsprung disease

Symptoms (newborn):

- Failure to pass meconium within 24–48 hours.
- Abdominal distension.
- Vomiting (bilious).
- Constipation.
- Enterocolitis (fever, diarrhea, sepsis) in infants.

Histoplasmosis

Symptoms:

- Often asymptomatic.
- Acute pulmonary: fever, cough, chest pain, flu-like symptoms.
- Chronic pulmonary: cough, weight loss, night sweats (mimics TB).
- Disseminated: fever, weight loss, hepatosplenomegaly, mucosal ulcers, adrenal insufficiency.

Hodgkin lymphoma

Symptoms:

- Painless lymphadenopathy (often cervical, supraclavicular).
- Fever (may be cyclical – Pel-Ebstein).
- Night sweats.
- Unexplained weight loss.
- Pruritus (itching).

- Fatigue.

Huntington disease

Symptoms:

- Chorea (involuntary, jerky movements).
- Progressive cognitive decline.
- Psychiatric disturbances (depression, apathy, irritability, psychosis).
- Dysarthria, dysphagia.
- Gait disturbance.

Hydrocephalus

Symptoms (infants):

- Rapid head growth.
- Bulging fontanelles.
- Vomiting, irritability.
- Sunsetting eyes (downward gaze).
  Symptoms (older):
- Headache, nausea, vomiting.
- Gait disturbance.
- Cognitive impairment.
- Urinary incontinence.

Hyperaldosteronism (primary)

Symptoms:

- Hypertension (often resistant).
- Hypokalemia (muscle weakness, fatigue, polyuria, polydipsia).
- Metabolic alkalosis.
- Often asymptomatic.

Hyperbaric oxygen therapy (not a disease)

Hypercalcemia

Symptoms:

- Fatigue, weakness.
- Nausea, vomiting, constipation.
- Polyuria, polydipsia.

- Bone pain.
- Confusion, lethargy, coma.
- Cardiac arrhythmias.

Hyperemesis gravidarum

Symptoms:

- Severe, persistent nausea and vomiting in pregnancy.
- Weight loss.
- Dehydration.
- Electrolyte imbalances.
- Ketosis.

Hyperglycemia

Symptoms:

- Polyuria, polydipsia.
- Blurred vision.
- Fatigue.
- Headache.
- Weight loss.
- If severe: altered mental status, ketoacidosis (in type 1).

Hyperhidrosis

Symptoms:

- Excessive sweating (palms, soles, axillae).
- Interferes with daily activities.
- May be primary (focal) or secondary (generalized).

Hyperlipoproteinemia (hyperlipidemia)

Symptoms:

- Usually asymptomatic.
- Xanthomas (lipid deposits under skin).
- Corneal arcus (gray ring around cornea).
- Premature atherosclerosis (angina, MI, stroke).

Hyperparathyroidism

Symptoms:

- Often asymptomatic.
- Nephrolithiasis (kidney stones).
- Bone pain, osteoporosis.
- Fatigue, weakness.
- Constipation.
- Polyuria, polydipsia.

Hypersensitivity pneumonitis

Symptoms (acute):

- Fever, chills, cough, dyspnea 4–6 hours after exposure to antigen.
- Malaise.
  Chronic: progressive dyspnea, cough, weight loss, clubbing.

Hypertension

Symptoms:

- Usually none ("silent killer").
- Severe hypertension: headache, visual disturbance, dyspnea, chest pain, confusion.
- Target organ damage: heart failure, stroke, kidney failure.

Hyperthyroidism

Symptoms:

- Weight loss (despite increased appetite).
- Heat intolerance, sweating.
- Palpitations, tachycardia.
- Nervousness, anxiety, tremor.
- Fatigue, muscle weakness.
- Goiter.
- Exophthalmos (in Graves' disease).

Hypertrophic cardiomyopathy

Symptoms:

- Dyspnea (especially with exertion).
- Chest pain.
- Palpitations.
- Syncope (especially after exercise).

- Sudden cardiac death (may be first symptom).

Hypoglycemia

Symptoms:

- Sweating, tremor, palpitations.
- Hunger, anxiety.
- Confusion, irritability.
- Blurred vision.
- Seizure, loss of consciousness (severe).

Hypoparathyroidism

Symptoms:

- Tetany (muscle cramps, spasms, paresthesias around mouth, fingers, toes).
- Chvostek sign (facial twitching).
- Trousseau sign (carpopedal spasm with BP cuff).
- Seizures.
- Cataracts.

Hypophosphatasia

Symptoms:

- Rickets-like bone deformities (infantile form).
- Premature loss of deciduous teeth.
- Bone pain, fractures.
- Muscle weakness.

Hypopituitarism

Symptoms:

- Fatigue, weakness.
- Weight loss, anorexia.
- Hypogonadism (loss of libido, menstrual irregularities, infertility).
- Growth hormone deficiency (short stature).
- ACTH deficiency: hypotension, hypoglycemia.
- TSH deficiency: hypothyroidism.

Hypoplastic left heart syndrome

Symptoms (newborn):

- Cyanosis (bluish skin).
- Rapid, difficult breathing.
- Poor feeding, lethargy.
- Weak pulses.
- Cardiovascular collapse as ductus closes.

Hypospadias

Symptoms:

- Urethral opening on ventral side of penis (not at tip).
- Downward curvature of penis (chordee).
- Abnormal spraying of urine.
- May have hooded foreskin.

Hypotension

Symptoms:

- Dizziness, lightheadedness (especially standing).
- Syncope (fainting).
- Blurred vision.
- Fatigue.
- Confusion.
- Shock (severe hypotension).

Hypothermia

Symptoms:

- Shivering (early).
- Confusion, slurred speech.
- Drowsiness, lethargy.
- Slow, shallow breathing.
- Weak pulse.
- Loss of consciousness, cardiac arrest.

Hypothyroidism

Symptoms:

- Fatigue, lethargy.
- Weight gain, cold intolerance.

- Constipation.
- Dry skin, hair loss.
- Bradycardia.
- Hoarseness, myxedema.
- Depression, cognitive slowing.

Hypoxia

Symptoms:

- Shortness of breath.
- Cyanosis.
- Tachycardia.
- Confusion, restlessness.
- Loss of consciousness.

Hysterectomy (surgical, not a disease)

Ichthyosis

Symptoms:

- Dry, scaly skin (resembles fish scales).
- May be mild to severe.
- Associated with other disorders (e.g., ichthyosis vulgaris).

Idiopathic pulmonary fibrosis

Symptoms:

- Progressive dyspnea (exertional, then at rest).
- Dry cough.
- Clubbing of fingers.
- Fatigue, weight loss.
- Fine crackles on auscultation.

Immune thrombocytopenic purpura (ITP)

Symptoms:

- Easy bruising (purpura).
- Petechiae (tiny red dots).
- Bleeding from gums, nose.
- Menorrhagia.

- Intracranial bleeding (rare).

Impetigo

Symptoms:

- Honey-colored crusted sores (usually around nose, mouth).
- Vesicles that rupture.
- Mild itching.
- Local lymphadenopathy.

Incontinence (urinary)

Symptoms:

- Involuntary leakage of urine.
- Stress incontinence: leakage with coughing, sneezing, laughing.
- Urge incontinence: sudden strong urge followed by leakage.
- Overflow incontinence: dribbling, constant leakage.

Indigestion (see Dyspepsia)

Infant respiratory distress syndrome (IRDS)

Symptoms:

- Tachypnea (rapid breathing).
- Grunting, nasal flaring.
- Retractions (chest wall pulling in).
- Cyanosis.
- Apnea.

Infective endocarditis (see Endocarditis)

Infertility

Symptoms:

- Failure to conceive after 12 months of unprotected intercourse.
- May have underlying symptoms of causative conditions (anovulation, endometriosis, etc.).

Inflammatory bowel disease (see Crohn's disease; Ulcerative colitis)

Influenza

Symptoms:

- Sudden onset of fever, chills.

- Cough, sore throat.
- Myalgia (muscle aches), headache.
- Fatigue, weakness.
- Nasal congestion.

Insect bites and stings

Symptoms:

- Local: pain, swelling, redness, itching.
- Allergic: hives, angioedema, wheezing, anaphylaxis.
- Systemic: fever, malaise, rarely serum sickness.

Insomnia

Symptoms:

- Difficulty falling asleep.
- Difficulty staying asleep.
- Waking too early.
- Daytime fatigue, irritability, cognitive impairment.

Intermittent explosive disorder

Symptoms:

- Recurrent, sudden episodes of impulsive, aggressive, violent behavior.
- Out of proportion to provocation.
- Feelings of relief, then remorse.

Interstitial cystitis

Symptoms:

- Urinary urgency, frequency.
- Pelvic pain.
- Pain with bladder filling, relieved by voiding.
- Dyspareunia (painful intercourse).

Intestinal obstruction

Symptoms:

- Abdominal pain (cramping, colicky).
- Nausea, vomiting.
- Constipation, inability to pass gas.

- Abdominal distension.

Intracerebral hemorrhage

Symptoms:

- Sudden severe headache ("thunderclap").
- Nausea, vomiting.
- Neurological deficits (weakness, numbness, aphasia).
- Altered consciousness.
- Seizures.

Intussusception

Symptoms (children):

- Sudden, episodic, severe abdominal pain.
- "Currant jelly" stool (blood and mucus).
- Vomiting.
- Lethargy.
- Sausage-shaped mass in abdomen.

Iron deficiency anemia

Symptoms:

- Fatigue, weakness.
- Pallor.
- Brittle nails, koilonychia (spoon nails).
- Headache.
- Pica (craving for ice, dirt).
- Shortness of breath.

Irritable bowel syndrome (IBS)

Symptoms:

- Abdominal pain (relieved by defecation).
- Altered bowel habits (diarrhea, constipation, or both).
- Bloating.
- Mucus in stool.
- Sensation of incomplete evacuation.

Ischemic stroke

Symptoms:

- Sudden numbness or weakness (face, arm, leg, especially one side).
- Sudden confusion, trouble speaking.
- Sudden trouble seeing.
- Sudden trouble walking, dizziness, loss of balance.
- Sudden severe headache with no known cause.

Japanese encephalitis

Symptoms:

- Mild: fever, headache.
- Severe: high fever, neck stiffness, seizures, altered consciousness, paralysis.
- High mortality, neurological sequelae.

Jaundice

Symptoms:

- Yellow discoloration of skin, sclerae.
- Dark urine.
- Pale stool.
- May have underlying symptoms (pruritus, abdominal pain).

Jaw fracture

Symptoms:

- Pain, swelling.
- Malocclusion (teeth don’t align).
- Difficulty opening mouth.
- Numbness of lower lip, chin.
- Bruising under tongue or floor of mouth.

Jet lag

Symptoms:

- Fatigue, daytime sleepiness.
- Insomnia.
- Difficulty concentrating.
- Headache.
- Gastrointestinal disturbances.

Joint dislocation (see Dislocations and subluxations)

Juvenile idiopathic arthritis

Symptoms:

- Joint swelling, pain, stiffness (worse in morning).
- Limping.
- Fever, rash (systemic onset).
- Eye inflammation (uveitis).

Kaposi sarcoma

Symptoms:

- Red, purple, or brown patches, plaques, nodules on skin, mucous membranes.
- May involve lymph nodes, internal organs.
- Associated with HHV-8 (often in HIV/AIDS).

Kawasaki disease

Symptoms:

- Fever >5 days.
- Bilateral conjunctival injection.
- Oral mucous membrane changes (strawberry tongue, cracked lips).
- Polymorphous rash.
- Cervical lymphadenopathy.
- Changes in extremities (edema, desquamation).
- Coronary artery aneurysms.

Keloid

Symptoms:

- Raised, firm scar extending beyond original wound borders.
- Itching, pain.
- May develop months after injury.

Keratitis

Symptoms:

- Eye pain.
- Redness.
- Blurred vision.

- Photophobia.
- Tearing.
- Foreign body sensation.

Kernicterus

Symptoms:

- Bilirubin-induced neurological dysfunction in newborns.
- Lethargy, poor feeding.
- Hypertonia, opisthotonos.
- High-pitched cry.
- Seizures.
- Long-term: choreoathetoid cerebral palsy, hearing loss.

Kidney cancer (renal cell carcinoma)

Symptoms:

- Hematuria (blood in urine).
- Flank pain.
- Palpable abdominal mass.
- Paraneoplastic syndromes (hypertension, fever, anemia, hypercalcemia).

Kidney stones (nephrolithiasis)

Symptoms:

- Severe, colicky flank pain (may radiate to groin).
- Hematuria.
- Nausea, vomiting.
- Dysuria, urgency (if stone in ureter).
- Fever (if infection).

Klinefelter syndrome (47,XXY)

Symptoms:

- Small, firm testes.
- Infertility.
- Gynecomastia.
- Tall stature, long limbs.
- Learning difficulties, language impairment.

- Increased risk of breast cancer, autoimmune disease.

Korsakoff syndrome

Symptoms:

- Severe anterograde amnesia (inability to form new memories).
- Confabulation.
- Often preceded by Wernicke encephalopathy (ataxia, confusion, ophthalmoplegia).

Labyrinthitis

Symptoms:

- Vertigo (spinning sensation).
- Nausea, vomiting.
- Hearing loss.
- Tinnitus.
- Nystagmus.
- Often preceded by viral illness.

Lactose intolerance

Symptoms:

- Bloating, abdominal cramps.
- Diarrhea.
- Flatulence.
- Nausea.
- Symptoms occur after consuming dairy products.

Laryngitis

Symptoms:

- Hoarseness, loss of voice.
- Sore throat.
- Dry cough.
- Fever (if infectious).

Lead poisoning

Symptoms:

- Abdominal pain, constipation.
- Fatigue, irritability.

- Developmental delay (children).
- Peripheral neuropathy (wrist drop).
- Seizures, coma (severe).
- Anemia.

Legionnaires' disease

Symptoms:

- High fever, chills.
- Cough (may be dry or productive).
- Dyspnea.
- Headache, myalgia.
- Confusion.
- Diarrhea.

Leprosy (Hansen disease)

Symptoms:

- Skin lesions (hypopigmented or erythematous, with loss of sensation).
- Thickened nerves.
- Muscle weakness, clawing of fingers.
- Nasal congestion, epistaxis.
- Eye involvement (corneal anesthesia).

Leptospirosis

Symptoms:

- Biphasic illness.
- First phase: fever, headache, myalgia (especially calf), conjunctival suffusion.
- Second phase (Weil's disease): jaundice, renal failure, hemorrhage, aseptic meningitis.

Leukemia (see Acute lymphocytic leukemia; Acute myeloid leukemia; Chronic lymphocytic leukemia; Chronic myeloid leukemia)

Lichen planus

Symptoms:

- Pruritic, flat-topped, violaceous papules on skin (often wrists, ankles).
- Oral lesions: white, lacy patches (Wickham striae).
- May involve nails, scalp.

Listeriosis

Symptoms:

- Flu-like symptoms (fever, myalgia) in pregnant women (can cause miscarriage, stillbirth).
- Meningitis (fever, headache, neck stiffness) in immunocompromised, elderly.
- Septicemia.

Liver abscess

Symptoms:

- Fever, chills.
- Right upper quadrant pain.
- Hepatomegaly.
- Jaundice (variable).
- Nausea, vomiting.

Liver cancer (see Hepatocellular carcinoma)

Lou Gehrig's disease (ALS)

Symptoms:

- Progressive muscle weakness (often starts in one limb).
- Muscle atrophy, fasciculations.
- Dysarthria, dysphagia.
- Spasticity, hyperreflexia.
- No sensory loss; cognition often preserved.

Lumbar spinal stenosis

Symptoms:

- Neurogenic claudication (pain, numbness in legs with standing, walking; relieved by sitting, bending forward).
- Lower back pain.
- Weakness, sensory loss in legs.
- In severe cases, bowel/bladder dysfunction.

Lyme disease

Symptoms:

- **Early localized:** Erythema migrans (bull's-eye rash), flu-like symptoms.
- **Early disseminated:** Multiple rashes, facial palsy, meningitis, heart block.

- **Late:** Arthritis (usually large joints), encephalopathy, peripheral neuropathy.

Lymphangitis

Symptoms:

- Red streak extending from wound toward lymph nodes.
- Tenderness, warmth.
- Fever, chills.
- Swollen, tender lymph nodes.

Lymphedema

Symptoms:

- Swelling of limb(s) (arm, leg).
- Feeling of heaviness, tightness.
- Pitting edema (early).
- Hardening, thickening of skin (later).
- Recurrent infections.

Lymphogranuloma venereum

Symptoms:

- Primary: small, painless genital ulcer (often unnoticed).
- Secondary: painful inguinal lymphadenopathy (bubo) with suppuration.
- Late: anogenital fistulas, strictures, elephantiasis.

Lymphoma (see Hodgkin lymphoma; Non-Hodgkin lymphoma)

Machado-Joseph disease (spinocerebellar ataxia type 3)

Symptoms:

- Ataxia (gait, limb, speech).
- Dystonia.
- Spasticity.
- Progressive external ophthalmoplegia.
- Parkinsonism.

Macular degeneration

Symptoms:

- Blurred or distorted central vision.
- Dark, empty areas in central vision.

- Difficulty reading, recognizing faces.
- Straight lines appear wavy (metamorphopsia).

Malaria

Symptoms:

- Paroxysms of chills, fever, sweating (cyclic every 48–72 hours depending on species).
- Headache, myalgia.
- Fatigue.
- Splenomegaly.
- Severe malaria: cerebral malaria, renal failure, severe anemia.

Malignant hyperthermia

Symptoms:

- Muscle rigidity (masseter spasm).
- Hyperthermia (rapid rise).
- Tachycardia, tachypnea.
- Acidosis.
- Rhabdomyolysis.
- Triggered by volatile anesthetics, succinylcholine.

Mallet finger

Symptoms:

- Inability to extend the tip of a finger (droop).
- Pain, swelling at the distal interphalangeal joint.
- May have avulsion fracture.

Mallory-Weiss syndrome

Symptoms:

- Hematemesis (vomiting blood) after repeated retching or vomiting.
- Epigastric pain.
- Melena (black stools).

Malnutrition

Symptoms:

- Weight loss, muscle wasting.
- Fatigue, weakness.

- Edema.
- Skin, hair changes.
- Impaired immune function.
- Delayed wound healing.

Maple syrup urine disease

Symptoms (newborn):

- Poor feeding, vomiting.
- Lethargy, seizures.
- Sweet-smelling urine (maple syrup or burnt sugar).
- Progressive neurological deterioration.

Marfan syndrome

Symptoms:

- Tall stature, long limbs, arachnodactyly.
- Pectus excavatum/carinatum.
- Scoliosis.
- Joint hypermobility.
- Lens dislocation (ectopia lentis).
- Aortic root dilation, mitral valve prolapse.

Mastitis

Symptoms:

- Breast pain, swelling, warmth.
- Redness, tenderness.
- Fever, chills.
- Often during lactation.

Mastocytosis

Symptoms:

- Urticaria pigmentosa (brownish macules, papules that urticate with rubbing).
- Flushing, pruritus.
- Abdominal pain, diarrhea.
- Anaphylaxis.
- Bone pain.

Measles (rubeola)

Symptoms:

- Prodrome: fever, cough, coryza, conjunctivitis.
- Koplik spots (white spots on buccal mucosa).
- Erythematous maculopapular rash (starts on face, spreads downward).
- Complications: otitis media, pneumonia, encephalitis.

Meckel diverticulum

Symptoms:

- Often asymptomatic.
- Painless rectal bleeding (bright red or melena).
- Intestinal obstruction (intussusception, volvulus).
- Diverticulitis (right lower quadrant pain, fever).

Meconium aspiration syndrome

Symptoms:

- Respiratory distress (tachypnea, grunting, retractions) in newborn.
- Cyanosis.
- Barrel-shaped chest.
- Meconium-stained amniotic fluid.

Ménière's disease

Symptoms:

- Recurrent vertigo (lasting minutes to hours).
- Fluctuating hearing loss (often low-frequency).
- Tinnitus.
- Aural fullness.
- Nausea, vomiting.

Meningioma

Symptoms:

- Headache.
- Seizures.
- Focal neurological deficits (depending on location: vision loss, weakness, personality changes).

- Often slow-growing.

Meningitis

Symptoms:

- Fever.
- Severe headache.
- Neck stiffness.
- Photophobia.
- Nausea, vomiting.
- Altered mental status.
- Kernig, Brudzinski signs.

Menopause

Symptoms:

- Irregular menstrual periods, eventually cessation.
- Hot flashes, night sweats.
- Vaginal dryness.
- Sleep disturbances.
- Mood changes.
- Osteoporosis.

Mesothelioma

Symptoms:

- Dyspnea.
- Chest pain.
- Pleural effusion.
- Weight loss.
- History of asbestos exposure.

Metabolic syndrome

Symptoms:

- Abdominal obesity.
- Hypertension.
- Hyperglycemia.
- Dyslipidemia (high triglycerides, low HDL).

- Increased risk of cardiovascular disease, diabetes.

Metatarsalgia

Symptoms:

- Pain in the ball of the foot.
- Sharp, aching, burning sensation.
- Worsens with standing, walking.
- May have numbness in toes.

Migraine

Symptoms:

- Moderate to severe pulsating headache (often unilateral).
- Nausea, vomiting.
- Photophobia, phonophobia.
- May have aura (visual, sensory, speech symptoms) preceding or accompanying.
- Lasts hours to days.

Mitochondrial myopathies

Symptoms:

- Progressive muscle weakness (ptosis, external ophthalmoplegia, proximal limb weakness).
- Exercise intolerance.
- Fatigue.
- May have hearing loss, diabetes, cardiomyopathy, neurological deficits.

Mitral valve prolapse

Symptoms:

- Often asymptomatic.
- Palpitations.
- Chest pain (non-anginal).
- Fatigue.
- Mid-systolic click, late systolic murmur.

Mixed connective tissue disease

Symptoms:

- Overlap of SLE, scleroderma, polymyositis.

- Raynaud's phenomenon.
- Swollen hands.
- Arthritis.
- Myositis.
- Pulmonary hypertension.

Molluscum contagiosum

Symptoms:

- Small, flesh-colored, dome-shaped papules with central dimple (umbilication).
- Usually painless.
- Can be multiple, often in children, sexually active adults.
- May resolve spontaneously.

Mononucleosis (infectious)

Symptoms:

- Fatigue, malaise.
- Fever.
- Pharyngitis (often exudative).
- Lymphadenopathy (posterior cervical).
- Splenomegaly.
- Atypical lymphocytes.

Motion sickness

Symptoms:

- Nausea, vomiting.
- Dizziness.
- Sweating.
- Pallor.
- Hypersalivation.

Moyamoya disease

Symptoms:

- Recurrent transient ischemic attacks (TIAs) or strokes.
- Headaches.
- Seizures.

- Cognitive decline.
- Involuntary movements.

Mucopolysaccharidoses

Symptoms:

- Coarse facial features.
- Hepatosplenomegaly.
- Skeletal abnormalities (dysostosis multiplex).
- Developmental delay, intellectual disability.
- Corneal clouding.
- Cardiomyopathy.

Multiple myeloma

Symptoms:

- Bone pain (especially back, ribs).
- Anemia.
- Fatigue.
- Hypercalcemia.
- Renal failure.
- Recurrent infections.
- Pathologic fractures.

Multiple sclerosis

Symptoms:

- Relapsing-remitting or progressive neurological deficits.
- Optic neuritis (vision loss, pain with eye movement).
- Sensory disturbances (numbness, tingling).
- Motor weakness, spasticity.
- Ataxia, tremor.
- Bladder, bowel dysfunction.
- Fatigue.

Mumps

Symptoms:

- Parotitis (swollen, painful salivary glands).

- Fever.
- Headache.
- Orchitis (testicular swelling) in post-pubertal males.
- Aseptic meningitis.

Muscular dystrophy (Duchenne)

Symptoms:

- Progressive proximal muscle weakness (pelvic girdle first).
- Gowers sign.
- Calf pseudohypertrophy.
- Cardiomyopathy.
- Respiratory failure.

Myasthenia gravis

Symptoms:

- Fluctuating weakness (worse with fatigue, better with rest).
- Ptosis (drooping eyelids).
- Diplopia (double vision).
- Dysphagia, dysarthria.
- Proximal limb weakness.
- Respiratory failure (myasthenic crisis).

Mycoplasma pneumonia

Symptoms:

- Gradual onset of fever, cough (non-productive).
- Headache, malaise.
- Sore throat.
- May have rash (erythema multiforme).
- Often “walking pneumonia.”

Myelodysplastic syndromes

Symptoms:

- Anemia (fatigue, pallor).
- Neutropenia (infections).
- Thrombocytopenia (bleeding).

- May progress to acute leukemia.

Myocardial infarction (heart attack)

Symptoms:

- Chest pain/pressure (often substernal, radiating to left arm, jaw).
- Shortness of breath.
- Nausea, vomiting.
- Diaphoresis (sweating).
- Anxiety, sense of doom.
- Atypical symptoms in women, elderly (fatigue, indigestion).

Myocarditis

Symptoms:

- Chest pain.
- Dyspnea.
- Palpitations.
- Fatigue.
- Signs of heart failure (edema, jugular distension).
- Fever (if infectious).

Myotonic dystrophy

Symptoms:

- Myotonia (delayed relaxation after contraction).
- Progressive muscle weakness (face, neck, distal limbs).
- Cataracts.
- Cardiac conduction defects.
- Frontal balding, testicular atrophy.

Myxoma (cardiac)

Symptoms:

- Dyspnea (paroxysmal nocturnal, positional).
- Syncope.
- Embolic phenomena (stroke, peripheral emboli).
- Fever, weight loss.
- Murmur (tumor plop).

Narcolepsy

Symptoms:

- Excessive daytime sleepiness.
- Cataplexy (sudden loss of muscle tone triggered by emotion).
- Hypnagogic hallucinations.
- Sleep paralysis.
- Disrupted nocturnal sleep.

Nasal polyps

Symptoms:

- Nasal obstruction.
- Anosmia (loss of smell).
- Rhinorrhea.
- Snoring.
- Chronic sinusitis.

Nausea and vomiting

Symptoms:

- Queasy sensation, urge to vomit.
- May be acute or chronic.
- Associated with underlying conditions (pregnancy, gastroenteritis, motion sickness, CNS disorders).

Near-drowning

Symptoms:

- Respiratory distress, cyanosis.
- Cough, frothy sputum.
- Altered mental status.
- Hypothermia.
- Cardiac arrest.

Necrotizing enterocolitis (NEC)

Symptoms (newborns):

- Abdominal distension.
- Bilious vomiting.

- Bloody stools.
- Lethargy, apnea.
- Temperature instability.

Necrotizing fasciitis (see Flesh-eating disease)

Neonatal jaundice

Symptoms:

- Yellow discoloration of skin and eyes (first 24 hours to 2 weeks).
- Poor feeding, lethargy (if severe).
- Kernicterus if bilirubin very high.

Nephrotic syndrome

Symptoms:

- Proteinuria (foamy urine).
- Hypoalbuminemia.
- Edema (periorbital, dependent).
- Hyperlipidemia.
- Hypercoagulability.

Neuroblastoma

Symptoms:

- Abdominal mass (firm, irregular).
- Proptosis, periorbital bruising ("raccoon eyes").
- Bone pain, limping.
- Fever, weight loss.
- Hypertension (from catecholamine secretion).

Neurofibromatosis type 1

Symptoms:

- Café-au-lait spots (≥6).
- Neurofibromas.
- Lisch nodules (iris hamartomas).
- Axillary/inguinal freckling.
- Skeletal abnormalities (scoliosis, tibial dysplasia).
- Optic glioma.

Neuroleptic malignant syndrome

Symptoms:

- Fever.
- Muscle rigidity.
- Altered mental status.
- Autonomic instability (tachycardia, labile BP).
- Elevated creatine kinase.

Neuropathic pain

Symptoms:

- Burning, shooting, electric-like pain.
- Numbness, tingling.
- Allodynia (pain from normally non-painful stimuli).
- Hyperalgesia.

Neutropenia

Symptoms:

- Frequent infections (bacterial, fungal).
- Fever.
- Mouth ulcers.
- Sore throat.
- May be asymptomatic.

Nevus (mole)

Symptoms:

- Pigmented skin lesion.
- Change in size, shape, color may indicate melanoma.
- Itching, bleeding.

Night terrors

Symptoms:

- Abrupt awakening from sleep with screaming, intense fear.
- Sitting up in bed, wide-eyed.
- Difficulty arousing; no recall of dream.
- Usually in children.

Nightmares

Symptoms:

- Vivid, frightening dreams.
- Awakening from REM sleep.
- Recall of dream content.
- Anxiety, difficulty returning to sleep.

Nipple discharge

Symptoms:

- Spontaneous or expressed fluid from nipple.
- May be clear, milky, bloody, green, or purulent.
- Associated with pregnancy, lactation, prolactinoma, ductal ectasia, or malignancy.

Nocardiosis

Symptoms:

- Pulmonary: cough, fever, dyspnea, hemoptysis.
- Cutaneous: cellulitis, abscess.
- Disseminated: brain abscess, meningitis.

Non-Hodgkin lymphoma

Symptoms:

- Painless lymphadenopathy.
- Fever, night sweats, weight loss (B symptoms).
- Fatigue.
- Pruritus.
- Hepatosplenomegaly.

Nonspecific urethritis

Symptoms:

- Urethral discharge (mucoid or purulent).
- Dysuria.
- Frequency, urgency.
- Often caused by chlamydia, ureaplasma.

Nosebleed (epistaxis)

Symptoms:

- Bleeding from nostril(s).
- May be anterior or posterior.
- Associated with trauma, dry air, hypertension, coagulopathy.

Nystagmus

Symptoms:

- Involuntary, rhythmic eye movements.
- Oscillopsia (sensation that world is moving).
- Associated with inner ear, brainstem, cerebellar, or drug-related disorders.

Obesity

Symptoms:

- Excess body fat.
- Body mass index ≥30.
- Associated with metabolic syndrome, sleep apnea, osteoarthritis, cardiovascular disease.

Obsessive-compulsive disorder

Symptoms:

- Obsessions (recurrent, intrusive thoughts, urges, images).
- Compulsions (repetitive behaviors or mental acts to reduce anxiety).
- Time-consuming, cause distress, impair function.

Obstructive sleep apnea

Symptoms:

- Loud snoring.
- Witnessed apneas during sleep.
- Excessive daytime sleepiness.
- Morning headache.
- Difficulty concentrating.
- Hypertension.

Occupational asthma

Symptoms:

- Wheezing, dyspnea, cough, chest tightness.
- Symptoms worse during work days, improve away from work.

- Caused by sensitizers or irritants in workplace.

Oligomenorrhea

Symptoms:

- Infrequent menstrual periods (interval >35 days).
- May be associated with polycystic ovary syndrome, thyroid disorders, stress.

Oliguria

Symptoms:

- Decreased urine output (<400 mL/day in adults).
- May be prerenal, renal, or postrenal.
- Signs of fluid overload or dehydration.

Onychomycosis (fungal nail)

Symptoms:

- Thickened, discolored (yellow, brown) nail.
- Brittle, crumbly nail.
- Nail separation from nail bed.
- Subungual debris.

Opioid withdrawal

Symptoms:

- Yawning, rhinorrhea, lacrimation.
- Agitation, anxiety.
- Myalgia, abdominal cramps.
- Nausea, vomiting, diarrhea.
- Dilated pupils, piloerection.
- Tachycardia, hypertension.

Optic neuritis

Symptoms:

- Acute vision loss (usually unilateral).
- Pain with eye movement.
- Color desaturation.
- Afferent pupillary defect.
- Associated with multiple sclerosis.

Oral cancer

Symptoms:

- Non-healing sore or ulcer in mouth.
- Red or white patch.
- Lump, thickening.
- Difficulty chewing, swallowing.
- Loose teeth.
- Persistent hoarseness.

Orchitis

Symptoms:

- Testicular pain, swelling.
- Fever, chills.
- Often associated with mumps or other viral/bacterial infections.

Orthostatic hypotension

Symptoms:

- Dizziness, lightheadedness upon standing.
- Blurred vision.
- Syncope.
- Weakness.
- Symptoms relieved by sitting or lying down.

Osgood-Schlatter disease

Symptoms:

- Pain, swelling, tenderness over tibial tubercle.
- Worsened by activity (running, jumping).
- Usually in active adolescents.

Osteoarthritis

Symptoms:

- Joint pain (worsens with activity, improves with rest).
- Stiffness (brief morning stiffness).
- Crepitus.
- Heberden's nodes (DIP joints).

- Bouchard's nodes (PIP joints).

Osteogenesis imperfecta

Symptoms:

- Brittle bones (multiple fractures).
- Blue sclerae.
- Hearing loss.
- Dental imperfections.
- Joint hypermobility.
- Short stature.

Osteomalacia

Symptoms:

- Bone pain (diffuse, often lower back, hips, legs).
- Muscle weakness (proximal).
- Waddling gait.
- Fractures.
- Hypocalcemia (in some).

Osteomyelitis

Symptoms:

- Localized bone pain, swelling, warmth.
- Fever, chills.
- Drainage from sinus tract (chronic).
- Limping (if weight-bearing bone).

Osteoporosis

Symptoms:

- Often asymptomatic until fracture.
- Back pain (from vertebral compression fractures).
- Loss of height.
- Stooped posture.
- Fractures (hip, wrist, spine) with minimal trauma.

Ovarian cancer

Symptoms (early often none):

- Abdominal bloating, pressure.
- Pelvic pain.
- Early satiety.
- Urinary urgency, frequency.
- Unexplained weight loss.

Ovarian cysts

Symptoms:

- Often asymptomatic.
- Pelvic pain (dull ache, sharp).
- Menstrual irregularities.
- Bloating, fullness.
- If rupture: sudden severe pain.

Paget's disease of bone

Symptoms:

- Bone pain.
- Bowing of legs.
- Enlarged skull, hearing loss.
- Fractures.
- Increased serum alkaline phosphatase.

Pancreatic cancer

Symptoms:

- Jaundice (painless, with dark urine, pale stool).
- Weight loss.
- Abdominal pain (may radiate to back).
- New-onset diabetes.
- Thrombophlebitis (Trousseau sign).

Pancreatitis (acute)

Symptoms:

- Severe epigastric pain radiating to back.
- Nausea, vomiting.
- Fever.

- Tachycardia.
- Abdominal tenderness, guarding.

Panic disorder

Symptoms:

- Recurrent, unexpected panic attacks.
- Palpitations, sweating, trembling.
- Shortness of breath, chest pain.
- Derealization, fear of losing control.
- Persistent worry about future attacks.

Papilledema

Symptoms:

- Usually asymptomatic early.
- Headache.
- Nausea, vomiting.
- Blurred vision, transient visual obscurations.
- Enlarged blind spot.

Paraneoplastic syndromes

Symptoms:

- Vary widely (neurologic, endocrine, cutaneous, rheumatic).
- May precede cancer diagnosis.
- Examples: Lambert-Eaton syndrome, hypercalcemia, dermatomyositis.

Parkinson's disease

Symptoms:

- Resting tremor (pill-rolling).
- Bradykinesia (slowness).
- Rigidity.
- Postural instability.
- Shuffling gait, masked facies.
- Micrographia.
- Non-motor: depression, dementia, autonomic dysfunction.

Paronychia

Symptoms:

- Redness, swelling, pain around fingernail or toenail.
- Pus may accumulate.
- Acute (bacterial) or chronic (fungal).

Pelvic inflammatory disease

Symptoms:

- Lower abdominal pain.
- Abnormal vaginal discharge.
- Dyspareunia.
- Fever, chills.
- Irregular bleeding.

Pemphigus vulgaris

Symptoms:

- Flaccid blisters, erosions on skin and mucous membranes.
- Positive Nikolsky sign.
- Painful oral lesions.
- Potentially life-threatening if extensive.

Peptic ulcer (see Duodenal ulcer; Gastric ulcer)

Pericarditis

Symptoms:

- Sharp, pleuritic chest pain (worse with inspiration, lying flat; relieved by leaning forward).
- Pericardial friction rub.
- Fever.
- Dyspnea.

Peripheral artery disease

Symptoms:

- Intermittent claudication (leg pain with walking, relieved by rest).
- Coldness, numbness.
- Non-healing ulcers.
- Gangrene.

- Diminished pulses.

Peripheral neuropathy

Symptoms:

- Numbness, tingling (stocking-glove distribution).
- Burning pain.
- Weakness, muscle atrophy.
- Loss of reflexes.

Peritonitis

Symptoms:

- Severe abdominal pain (diffuse).
- Abdominal rigidity (board-like).
- Fever.
- Nausea, vomiting.
- Distension, rebound tenderness.

Pernicious anemia

Symptoms:

- Fatigue, pallor.
- Glossitis (smooth, red tongue).
- Neurologic: paresthesias, ataxia, impaired vibration/position sense.
- Vitamin B12 deficiency.

Personality disorders

Symptoms:

- Pervasive, inflexible patterns of inner experience and behavior.
- Impairment in social, occupational functioning.
- Cluster A: paranoid, schizoid, schizotypal.
- Cluster B: antisocial, borderline, histrionic, narcissistic.
- Cluster C: avoidant, dependent, obsessive-compulsive.

Pertussis (whooping cough)

Symptoms:

- Catarrhal stage: coryza, mild cough, low-grade fever.

- Paroxysmal stage: severe coughing fits followed by inspiratory whoop, post-tussive emesis.
- Convalescent stage.

Phenylketonuria (PKU)

Symptoms (if untreated):

- Intellectual disability.
- Seizures.
- Fair skin, eczema.
- Microcephaly.
- Musty odor.

Pheochromocytoma

Symptoms:

- Paroxysmal hypertension.
- Severe headache.
- Palpitations.
- Diaphoresis.
- Anxiety.
- May be sustained hypertension.

Phimosis

Symptoms:

- Inability to retract foreskin.
- Ballooning of foreskin during urination.
- Pain, difficulty urinating.
- Recurrent infections.

Phlebitis (superficial thrombophlebitis)

Symptoms:

- Red, tender, palpable cord along a superficial vein.
- Warmth, swelling.
- Usually self-limited.

Phobia

Symptoms:

- Marked fear or anxiety about a specific object or situation.
- Avoidance behavior.
- Impairment in social, occupational functioning.

Photophobia

Symptoms:

- Discomfort or pain in the eyes with light exposure.
- Associated with eye inflammation, meningitis, migraine.

Pica

Symptoms:

- Craving and eating non-nutritive substances (dirt, clay, ice, etc.).
- Persistent for at least 1 month.
- Inappropriate to developmental level.

Pilonidal cyst

Symptoms:

- Pain, swelling in sacrococcygeal area.
- Redness, tenderness.
- Draining sinus (may have foul odor).
- Fever if infected.

Pityriasis rosea

Symptoms:

- Herald patch (single large scaly patch).
- Subsequent generalized rash (Christmas tree pattern) on trunk, proximal limbs.
- Mild itching.
- Self-limiting.

Placenta previa

Symptoms:

- Painless, bright red vaginal bleeding in second half of pregnancy.
- May be intermittent.
- Malpresentation.

Plague

Symptoms:

- Bubonic: fever, painful lymphadenopathy (bubo).
- Pneumonic: pneumonia, hemoptysis, rapidly progressive.
- Septicemic: sepsis, disseminated intravascular coagulation.

Plantar fasciitis

Symptoms:

- Heel pain (first steps in morning, after rest).
- Pain worsens with prolonged standing, walking.
- Tenderness at calcaneal insertion.

Pleural effusion

Symptoms:

- Dyspnea.
- Pleuritic chest pain.
- Dullness to percussion.
- Decreased breath sounds.

Pneumoconiosis (black lung)

Symptoms:

- Dyspnea.
- Chronic cough.
- Progressive massive fibrosis.

Pneumonia

Symptoms:

- Fever, chills.
- Cough (productive of purulent sputum).
- Dyspnea.
- Pleuritic chest pain.
- Tachypnea, tachycardia.

Pneumothorax

Symptoms:

- Sudden sharp chest pain.
- Dyspnea.
- Decreased breath sounds on affected side.

- Subcutaneous emphysema.

Poliomyelitis

Symptoms:

- Asymptomatic or abortive: fever, headache, sore throat.
- Non-paralytic: aseptic meningitis.
- Paralytic: asymmetric flaccid paralysis, respiratory failure.

Polyarteritis nodosa

Symptoms:

- Fever, weight loss.
- Arthralgias, myalgias.
- Mononeuritis multiplex.
- Abdominal pain, renal involvement.
- Skin: livedo reticularis, nodules.

Polycystic kidney disease

Symptoms:

- Hypertension.
- Hematuria.
- Flank pain.
- Palpable kidneys.
- Renal failure.
- Cysts in liver, pancreas.

Polycythemia vera

Symptoms:

- Headache, dizziness.
- Pruritus (especially after warm bath).
- Ruddy complexion.
- Splenomegaly.
- Thrombotic events.

Polymyalgia rheumatica

Symptoms:

- Pain, stiffness in shoulders, neck, hips (morning prominent).

- Fatigue.
- Low-grade fever.
- Elevated ESR.
- Often with giant cell arteritis.

Polymyositis

Symptoms:

- Symmetric proximal muscle weakness.
- Dysphagia.
- Muscle pain.
- Elevated muscle enzymes.
- May have associated malignancy.

Porphyria (acute intermittent)

Symptoms:

- Abdominal pain.
- Neuropathy (motor, sensory).
- Psychiatric disturbances.
- Dark urine.
- Triggered by drugs, hormones, fasting.

Post-concussion syndrome (see Concussion)

Postpartum depression

Symptoms:

- Persistent sadness, hopelessness.
- Loss of interest.
- Fatigue.
- Anxiety, panic attacks.
- Difficulty bonding with baby.
- May have suicidal thoughts.

Post-traumatic stress disorder (PTSD)

Symptoms:

- Re-experiencing trauma (flashbacks, nightmares).
- Avoidance of reminders.

- Hyperarousal (irritability, hypervigilance, sleep disturbance).
- Negative mood, cognition.

Prader-Willi syndrome

Symptoms:

- Neonatal hypotonia, poor feeding.
- Global developmental delay.
- Hyperphagia, obesity (from age 2–3).
- Short stature.
- Hypogonadism.
- Behavioral problems.

Preeclampsia

Symptoms:

- Hypertension (≥140/90).
- Proteinuria.
- Edema (may be rapid).
- Headache, visual disturbances.
- Epigastric pain.
- Can progress to eclampsia (seizures).

Premature ventricular contractions (PVCs)

Symptoms:

- Palpitations (skipped beats).
- Often asymptomatic.
- May be benign or associated with heart disease.

Priapism

Symptoms:

- Persistent, painful erection not related to sexual arousal.
- Lasts >4 hours.
- Medical emergency.

Primary lateral sclerosis

Symptoms:

- Progressive spasticity (stiffness) in legs, then arms.

- Hyperreflexia.
- Slow progression.
- No muscle atrophy, fasciculations (unlike ALS).

Primary pulmonary hypertension

Symptoms:

- Dyspnea (exertional, then at rest).
- Fatigue.
- Syncope.
- Chest pain.
- Signs of right heart failure (edema, ascites).

Proctitis

Symptoms:

- Rectal bleeding.
- Tenesmus.
- Pain with defecation.
- Mucus discharge.

Prolactinoma

Symptoms:

- Galactorrhea.
- Menstrual irregularities, infertility (women).
- Decreased libido, erectile dysfunction (men).
- Headache, visual field defects (if macroadenoma).

Prostate cancer

Symptoms:

- Often asymptomatic.
- Urinary frequency, urgency, hesitancy.
- Hematuria.
- Bone pain (metastasis).

Prostatitis

Symptoms:

- Dysuria, frequency, urgency.

- Perineal pain.
- Fever (acute).
- Myalgia, malaise.

Pseudogout (calcium pyrophosphate deposition disease)

Symptoms:

- Acute arthritis (often knee, wrist).
- Swelling, warmth, tenderness.
- May mimic gout.
- Chondrocalcinosis on x-ray.

Pseudotumor cerebri (idiopathic intracranial hypertension)

Symptoms:

- Headache.
- Papilledema.
- Visual disturbances.
- Pulsatile tinnitus.
- Often in obese women of childbearing age.

Psoriasis

Symptoms:

- Well-demarcated, erythematous plaques with silvery scale.
- Common on elbows, knees, scalp.
- May have nail pitting, arthritis.

Psychogenic nonepileptic seizures (PNES)

Symptoms:

- Seizure-like events without EEG correlate.
- Often with emotional triggers.
- May be difficult to distinguish from epileptic seizures.

Pubic lice (crabs)

Symptoms:

- Intense itching in pubic area.
- Visible lice or nits attached to pubic hair.
- Blue-gray macules (maculae ceruleae).

Pulmonary edema

Symptoms:

- Severe dyspnea (paroxysmal nocturnal, orthopnea).
- Pink, frothy sputum.
- Crackles.
- Tachycardia, hypotension.

Pulmonary embolism (see Embolism)

Pulmonary fibrosis (see Idiopathic pulmonary fibrosis)

Pulmonary hypertension (see Primary pulmonary hypertension)

Pyelonephritis

Symptoms:

- Fever, chills.
- Flank pain.
- Dysuria, frequency.
- Nausea, vomiting.
- Costovertebral angle tenderness.

Pyloric stenosis

Symptoms (infants):

- Projectile vomiting (non-bilious) after feeds.
- Olive-shaped mass in epigastrium.
- Visible peristalsis.
- Weight loss, dehydration.

Pyoderma gangrenosum

Symptoms:

- Painful, rapidly enlarging ulcer with undermined, violaceous border.
- Often associated with inflammatory bowel disease, arthritis.

Q fever

Symptoms:

- Acute: high fever, headache, myalgia, atypical pneumonia, hepatitis.
- Chronic: endocarditis, osteomyelitis.

Quadriplegia (see Spinal cord injury)

Rabies

Symptoms:

- Prodrome: fever, headache, malaise, paresthesia at bite site.
- Acute neurologic phase: agitation, hydrophobia, aerophobia, hypersalivation.
- Paralysis, coma, death.

Radial tunnel syndrome

Symptoms:

- Deep aching pain in dorsum of forearm.
- Pain worsened by wrist extension, supination.
- No sensory deficits (unlike carpal tunnel).

Radiation sickness

Symptoms:

- Nausea, vomiting, diarrhea.
- Skin burns.
- Bone marrow suppression (pancytopenia).
- Alopecia.
- Cardiovascular collapse.

Raynaud's phenomenon

Symptoms:

- Episodic color changes of fingers, toes (white → blue → red).
- Triggered by cold or stress.
- Numbness, tingling, pain.
- May be primary or secondary.

Reactive arthritis

Symptoms:

- Arthritis (asymmetric, lower limbs).
- Urethritis.
- Conjunctivitis.
- Mucocutaneous lesions (keratoderma blennorrhagicum, circinate balanitis).
- Often after gastrointestinal or genitourinary infection.

Rectal cancer

Symptoms:

- Blood in stool (bright red or dark).
- Change in bowel habits.
- Tenesmus.
- Narrowing of stool.
- Pelvic pain.

Rectocele

Symptoms:

- Bulging of posterior vaginal wall.
- Difficulty with defecation.
- Feeling of incomplete evacuation.
- Splinting to empty.

Reiter syndrome (see Reactive arthritis)

Renal artery stenosis

Symptoms:

- Hypertension (often resistant, new-onset in elderly).
- Flash pulmonary edema.
- Unexplained renal failure.
- Abdominal bruit.

Renal cell carcinoma (see Kidney cancer)

Rett syndrome

Symptoms:

- Deceleration of head growth (after 6–18 months).
- Loss of purposeful hand skills.
- Stereotypic hand movements (wringing, clapping).
- Gait abnormalities.
- Impaired language, social withdrawal.

Reye syndrome

Symptoms:

- Following viral illness (especially influenza, varicella).
- Persistent vomiting.

- Lethargy, confusion.
- Seizures.
- Coma.
- Liver dysfunction.

Rheumatic fever

Symptoms:

- Arthritis (migratory, large joints).
- Carditis (valvulitis, heart failure).
- Sydenham chorea.
- Erythema marginatum.
- Subcutaneous nodules.
- Preceded by group A streptococcal pharyngitis.

Rheumatoid arthritis

Symptoms:

- Symmetric polyarthritis (small joints of hands, feet).
- Morning stiffness >30 minutes.
- Fatigue.
- Rheumatoid nodules.
- Systemic: pulmonary, cardiac, vasculitis.

Rhinitis (allergic)

Symptoms:

- Sneezing.
- Rhinorrhea (clear).
- Nasal congestion.
- Itchy eyes, nose, palate.
- Postnasal drip.

Rickets

Symptoms:

- Bone pain, tenderness.
- Delayed growth.
- Bowing of legs.

- Widening of wrists, ankles.
- Rachitic rosary (costochondral swelling).

Rocky Mountain spotted fever

Symptoms:

- Fever.
- Headache, myalgia.
- Rash (starts on wrists, ankles; becomes petechial).
- Tick exposure.

Rosacea

Symptoms:

- Facial flushing.
- Telangiectasias.
- Papules, pustules (no comedones).
- Rhinophyma.
- Ocular involvement.

Roseola (exanthem subitum)

Symptoms:

- High fever (3–5 days) in young child.
- Rash appears as fever subsides (rose-pink macules, papules).
- Irritability, cervical lymphadenopathy.

Rotator cuff tear

Symptoms:

- Shoulder pain (especially with overhead activities).
- Weakness, difficulty raising arm.
- Night pain.

Rubella (German measles)

Symptoms:

- Low-grade fever, malaise.
- Lymphadenopathy (posterior cervical, postauricular).
- Rash (fine, pink, begins on face, spreads).
- Arthralgias (especially in adults).

- Congenital rubella syndrome (if infected during pregnancy).

Saccular aneurysm (see Cerebral aneurysm)

Salicylate poisoning

Symptoms:

- Tinnitus, hearing loss.
- Hyperventilation (respiratory alkalosis).
- Metabolic acidosis.
- Nausea, vomiting.
- Fever.
- Confusion, coma.

Salmonellosis (see Food poisoning)

Sarcoidosis

Symptoms:

- Pulmonary: dyspnea, cough, chest pain.
- Erythema nodosum (especially in women).
- Lymphadenopathy (hilar).
- Ocular: uveitis.
- Skin: lupus pernio.
- Hypercalcemia.

Scabies

Symptoms:

- Intense pruritus (worse at night).
- Burrows (linear, grayish) in web spaces, wrists, genitals.
- Papules, vesicles.

Scarlet fever

Symptoms:

- Sore throat, fever.
- Sandpaper-like rash (starts on chest, spreads).
- Strawberry tongue.
- Pastia lines.
- Desquamation later.

Schistosomiasis

Symptoms:

- Acute (Katayama fever): fever, myalgia, cough, eosinophilia.
- Chronic: hematuria (Schistosoma haematobium), liver fibrosis, portal hypertension, colitis.

Schizoaffective disorder

Symptoms:

- Symptoms of schizophrenia (delusions, hallucinations, disorganized speech) concurrent with major mood episode (depression or mania).

Schizophrenia

Symptoms:

- Positive: hallucinations, delusions, disorganized speech, catatonic behavior.
- Negative: flat affect, alogia, avolition.
- Cognitive: impaired executive function, memory.
- Duration ≥6 months.

Sciatica

Symptoms:

- Radiating pain from lower back to buttock, leg, foot.
- Numbness, tingling.
- Weakness.
- Often due to lumbar disc herniation.

Scleritis

Symptoms:

- Severe, deep, boring eye pain.
- Redness, tenderness.
- Photophobia.
- Possible vision loss.

Scleroderma (systemic sclerosis)

Symptoms:

- Thickening, tightening of skin (sclerodactyly).
- Raynaud's phenomenon.
- Digital ulcers.

- Dysphagia, reflux.
- Pulmonary hypertension, interstitial lung disease.
- Renal crisis.

Scoliosis

Symptoms:

- Curved spine.
- Uneven shoulders, hips.
- Rib hump.
- Back pain (may be present).

Seasonal affective disorder (SAD)

Symptoms:

- Depressive symptoms during winter months.
- Increased sleep, appetite (carbohydrate craving).
- Lethargy.
- Remission in spring/summer.

Seizure disorder (epilepsy)

Symptoms:

- Focal seizures: motor, sensory, autonomic, psychic symptoms.
- Generalized tonic-clonic: loss of consciousness, tonic phase, clonic phase.
- Absence: brief staring spells.
- Atonic: drop attacks.

Sepsis

Symptoms:

- Fever, chills.
- Tachycardia, tachypnea.
- Altered mental status.
- Hypotension (septic shock).
- Organ dysfunction.

Septic arthritis

Symptoms:

- Acute, monoarticular pain, swelling, warmth.

- Fever.
- Inability to bear weight or use joint.
- Joint effusion.

Serotonin syndrome

Symptoms:

- Mental status changes (agitation, confusion).
- Autonomic instability (tachycardia, hypertension, hyperthermia).
- Neuromuscular abnormalities (tremor, rigidity, clonus).
- Triggered by serotonergic agents.

Sexual dysfunction (see Female sexual arousal disorder; Male erectile dysfunction)

Shigellosis (see Food poisoning)

Shin splints

Symptoms:

- Pain along shin (medial tibia).
- Worsened by exercise.
- Tenderness, mild swelling.

Shingles (see Herpes zoster)

Shock

Symptoms:

- Hypotension.
- Tachycardia.
- Pale, cool, clammy skin.
- Altered mental status.
- Oliguria.

Short bowel syndrome

Symptoms:

- Diarrhea.
- Malabsorption (weight loss, nutrient deficiencies).
- Dehydration.
- Electrolyte imbalances.

Sickle cell disease

Symptoms:

- Anemia (fatigue, pallor).
- Vaso-occlusive crises: severe bone pain, dactylitis.
- Acute chest syndrome.
- Splenic sequestration.
- Stroke.
- Infections.

Silicosis

Symptoms:

- Dyspnea (exertional).
- Cough.
- Progressive massive fibrosis.

Sinusitis

Symptoms:

- Facial pain, pressure.
- Nasal congestion, purulent discharge.
- Headache.
- Fever.
- Tooth pain.

Sjögren syndrome

Symptoms:

- Dry eyes (keratoconjunctivitis sicca).
- Dry mouth (xerostomia).
- Salivary gland enlargement.
- Arthritis.
- Raynaud's phenomenon.

Sleep apnea (see Obstructive sleep apnea)

Smallpox (variola) – historical

Symptoms:

- High fever, malaise.
- Rash: macules → papules → vesicles → pustules (all same stage).

- Lesions on palms, soles.

Social anxiety disorder

Symptoms:

- Marked fear of social situations (performance, interaction).
- Fear of negative evaluation.
- Avoidance.
- Physical symptoms (blushing, sweating, trembling).

Somatization disorder

Symptoms:

- Multiple physical complaints (pain, GI, pseudoneurological) for several years.
- Onset before age 30.
- No adequate medical explanation.

Spasmodic dysphonia

Symptoms:

- Voice breaks (strained, strangled, or breathy).
- Involuntary laryngeal muscle spasms.

Spina bifida

Symptoms:

- Occulta: often none, may have tuft of hair, dimple.
- Meningocele: sac of meninges protruding.
- Myelomeningocele: sac containing neural tissue, lower extremity paralysis, bowel/bladder dysfunction.

Spinal cord injury

Symptoms:

- Loss of motor function, sensation below level of injury.
- Autonomic dysfunction (blood pressure, bowel, bladder).
- Respiratory impairment (cervical injury).

Spinal stenosis (see Lumbar spinal stenosis)

Spondylolisthesis

Symptoms:

- Lower back pain.

- Hamstring tightness.
- Radicular pain.
- Gait disturbance.

Sporotrichosis

Symptoms:

- Cutaneous: papule at inoculation site, lymphocutaneous spread (nodules along lymphatics).
- Pulmonary: cough, hemoptysis.
- Usually after gardening with rose thorns, sphagnum moss.

Sprained ankle

Symptoms:

- Pain, swelling, bruising.
- Difficulty bearing weight.
- Instability.

Squamous cell carcinoma of skin

Symptoms:

- Firm, red nodule, or flat ulcer with crust.
- May arise in actinic keratosis.
- Can metastasize.

Staph infection (see Staphylococcus aureus)

Status epilepticus

Symptoms:

- Continuous seizure activity lasting >5 minutes, or recurrent seizures without return to baseline.
- Medical emergency.

Stomatitis

Symptoms:

- Painful sores in mouth (aphthous, herpetic).
- Erythema, edema.
- Difficulty eating.

Strabismus

Symptoms:

- Misalignment of eyes.
- Esotropia (inward), exotropia (outward).
- Double vision (in older children/adults).
- Amblyopia (in children).

Strep throat (streptococcal pharyngitis)

Symptoms:

- Sudden sore throat.
- Fever.
- Exudative tonsils.
- Tender cervical lymphadenopathy.
- No cough.

Stress fracture

Symptoms:

- Localized pain (insidious onset, with activity).
- Point tenderness.
- Swelling.
- Often in weight-bearing bones.

Stroke (see Ischemic stroke; Intracerebral hemorrhage)

Stuttering

Symptoms:

- Repetitions, prolongations, blocks of speech.
- Avoidance behaviors.
- Onset in childhood.

Subarachnoid hemorrhage

Symptoms:

- Thunderclap headache (worst ever).
- Nausea, vomiting.
- Neck stiffness.
- Photophobia.
- Loss of consciousness.
- Seizures.

Substance abuse (see Cocaine; Alcoholism; Opioid abuse)

Sudden infant death syndrome (SIDS)

Symptoms:

- Unexpected death of an infant (<1 year).
- No cause found after autopsy, death scene investigation.

Suicidal ideation

Symptoms:

- Thoughts about death, wanting to die.
- Planning, intent.
- Precipitating factors: depression, hopelessness, stressors.

Sunburn

Symptoms:

- Erythema (painful).
- Blistering.
- Peeling.
- Fever, chills, nausea (severe).

Superior vena cava syndrome

Symptoms:

- Facial, neck, upper extremity swelling.
- Cyanosis.
- Distended chest veins.
- Dyspnea, cough.
- Often due to mediastinal mass (cancer).

Syncope (see Fainting)

Syphilis

Symptoms:

- Primary: painless chancre.
- Secondary: rash (palms, soles), mucous patches, condylomata lata, lymphadenopathy.
- Latent: no symptoms.
- Tertiary: gummas, cardiovascular, neurological.

Systemic lupus erythematosus (SLE)

Symptoms:

- Malar rash.
- Photosensitivity.
- Arthritis.
- Serositis (pleuritis, pericarditis).
- Renal involvement.
- Hematologic, neurologic, immunologic abnormalities.

Tachycardia (supraventricular)

Symptoms:

- Rapid heart rate (150–250 bpm).
- Palpitations.
- Dizziness, syncope.
- Chest discomfort.
- Often abrupt onset, termination.

Taeniasis (tapeworm)

Symptoms:

- Often asymptomatic.
- Abdominal discomfort.
- Nausea.
- Weight loss.
- Passage of proglottids in stool.

Takayasu arteritis

Symptoms:

- Asymmetric pulses, blood pressure differences.
- Claudication.
- Constitutional symptoms (fever, malaise).
- Aortic regurgitation, stroke.

Tardive dyskinesia

Symptoms:

- Involuntary, repetitive movements (lip smacking, tongue protrusion, choreiform).
- Occurs after long-term antipsychotic use.

Tay-Sachs disease

Symptoms (infantile):

- Progressive neurodegeneration.
- Cherry-red spot on macula.
- Developmental regression.
- Seizures.
- Death by age 4.

Temporal arteritis (see Giant cell arteritis)

Temporomandibular joint disorder (TMJ)

Symptoms:

- Jaw pain, tenderness.
- Clicking, popping.
- Limitation of opening.
- Headache, earache.

Tendinitis

Symptoms:

- Localized pain (with movement, palpation).
- Swelling.
- Crepitus.
- Weakness.

Tennis elbow (lateral epicondylitis)

Symptoms:

- Pain over lateral elbow.
- Worsened by gripping, wrist extension.
- Tenderness at epicondyle.

Tension headache

Symptoms:

- Bilateral, pressing/tightening pain (non-pulsating).
- Mild to moderate.
- No nausea, vomiting.
- May be episodic or chronic.

Teratoma

Symptoms:

- Variable (depending on location: ovary, testis, sacrococcygeal).
- Palpable mass.
- May cause pain, obstruction.

Testicular cancer

Symptoms:

- Painless testicular lump.
- Heaviness, dull ache.
- Gynecomastia (if hCG-secreting).
- Metastases: back pain, cough, lymphadenopathy.

Tetanus

Symptoms:

- Trismus (lockjaw).
- Risus sardonicus.
- Generalized muscle rigidity, spasms (opisthotonos).
- Autonomic instability.
- Incubation 3–21 days.

Tetralogy of Fallot

Symptoms:

- Cyanosis (may have hypercyanotic spells).
- Heart murmur.
- Clubbing.
- Squatting to relieve dyspnea.

Thalassemia

Symptoms:

- Anemia (fatigue, pallor).
- Jaundice.
- Splenomegaly.
- Bone deformities (thalassemia major).

Thrombocytopenia (see Immune thrombocytopenic purpura; Heparin-induced thrombocytopenia)

Thrombophlebitis (see Deep vein thrombosis; Phlebitis)

Thrombotic thrombocytopenic purpura (TTP)

Symptoms:

- Microangiopathic hemolytic anemia.
- Thrombocytopenia.
- Fever.
- Renal impairment.
- Neurologic abnormalities.

Thymoma

Symptoms:

- Often asymptomatic (incidental finding).
- Myasthenia gravis (most common paraneoplastic).
- Cough, chest pain.

Thyroid cancer

Symptoms:

- Thyroid nodule (often asymptomatic).
- Hoarseness, dysphagia.
- Neck mass, lymphadenopathy.
- Hyperthyroidism (rare).

Thyroiditis (see Hashimoto's thyroiditis; Subacute thyroiditis)

Tic disorders

Symptoms:

- Sudden, rapid, recurrent, nonrhythmic movements or vocalizations.
- Tourette syndrome: multiple motor and at least one vocal tic for >1 year.

Tinea (ringworm)

Symptoms:

- **Tinea capitis:** scaly patches, hair loss.
- **Tinea corporis:** annular, erythematous, scaly ring.
- **Tinea cruris:** itchy, red rash in groin.

- **Tinea pedis:** scaling, itching, maceration between toes.

Tinnitus

Symptoms:

- Perception of sound (ringing, buzzing, hissing) without external source.
- May be pulsatile (synchronous with heartbeat).
- Associated with hearing loss, ear disorders.

Torsion of testis

Symptoms:

- Sudden severe scrotal pain.
- Nausea, vomiting.
- High-riding testis, absent cremasteric reflex.
- Emergency.

Tourette syndrome (see Tic disorders)

Toxic epidermal necrolysis (TEN)

Symptoms:

- Widespread erythema, blistering, sloughing of skin (>30% body surface).
- Painful.
- Mucous membrane involvement.
- Drug-induced (often).

Toxic shock syndrome

Symptoms:

- High fever.
- Hypotension.
- Diffuse rash (desquamation later).
- Multisystem involvement (vomiting, diarrhea, renal, hepatic).
- Associated with tampons, staph infection.

Toxoplasmosis

Symptoms:

- Often asymptomatic.
- Lymphadenopathy (painless).
- Flu-like symptoms.

- Congenital: chorioretinitis, intracranial calcifications, hydrocephalus.

Tracheoesophageal fistula

Symptoms (newborn):

- Excessive drooling.
- Coughing, choking with feeds.
- Cyanosis.
- Abdominal distension.
- Aspiration pneumonia.

Transient ischemic attack (TIA)

Symptoms:

- Focal neurologic deficit (weakness, numbness, speech difficulty, vision loss) lasting <24 hours.
- Usually <1 hour.
- High risk of subsequent stroke.

Transposition of the great arteries

Symptoms (newborn):

- Cyanosis (early).
- Tachypnea.
- Poor feeding.
- Absence of murmur (may be present later).

Transverse myelitis

Symptoms:

- Acute onset of weakness, sensory loss, autonomic dysfunction (bladder, bowel) at a spinal cord level.
- Back pain, fever.

Trichinosis

Symptoms:

- **Enteric phase:** nausea, diarrhea, abdominal pain (1 week).
- **Muscle phase:** periorbital edema, myalgia, fever, eosinophilia.
- Can involve myocardium, CNS.

Trichomoniasis

Symptoms:

- Women: frothy, yellow-green, malodorous discharge, vulvovaginal itching, dysuria.
- Men: often asymptomatic; urethral discharge, dysuria.

Trigeminal neuralgia

Symptoms:

- Paroxysmal, electric shock-like pain in distribution of trigeminal nerve (face).
- Triggered by touch, chewing, talking.
- Remissions common.

Trigger finger

Symptoms:

- Finger catching, locking in flexion.
- Pain at base of finger (palmar aspect).
- Nodule palpable.

Triploidy

Symptoms:

- Severe growth restriction.
- Multiple congenital anomalies (heart, brain, kidneys).
- Hydatidiform mole (partial).
- Lethal.

Tropical sprue

Symptoms:

- Chronic diarrhea.
- Weight loss.
- Malabsorption (fat, vitamin B12, folate).
- Fatigue, glossitis.

Tuberculosis

Symptoms:

- Chronic cough (>3 weeks).
- Hemoptysis.
- Night sweats, fever, weight loss.
- Fatigue.

Tularemia

Symptoms:

- Ulceroglandular: ulcer at inoculation site, painful lymphadenopathy.
- Oculoglandular: conjunctivitis.
- Typhoidal: fever, sepsis.
- Pneumonic: cough, dyspnea.

Turner syndrome

Symptoms:

- Short stature.
- Webbed neck.
- Broad chest (shield chest).
- Low hairline.
- Lymphedema (hands, feet) in newborns.
- Ovarian failure (infertility, delayed puberty).
- Congenital heart defects (coarctation of aorta).

Typhoid fever

Symptoms:

- Prolonged fever (step-ladder pattern).
- Headache, malaise.
- Abdominal pain, constipation or diarrhea.
- Rose spots (trunk).
- Intestinal bleeding, perforation.

Ulcerative colitis (see Colitis)

Uremia

Symptoms:

- Fatigue, lethargy.
- Nausea, vomiting.
- Anorexia, weight loss.
- Metallic taste, uremic frost.
- Peripheral neuropathy.
- Seizures, coma.

Urethral stricture

Symptoms:

- Decreased urinary stream.
- Dysuria.
- Frequency, urgency.
- Incomplete emptying.
- Urinary retention.

Urethritis (see Nonspecific urethritis)

Urinary incontinence (see Incontinence)

Urinary tract infection (UTI)

Symptoms:

- Dysuria, frequency, urgency.
- Suprapubic pain.
- Hematuria.
- Fever, chills (pyelonephritis).

Urticaria (hives)

Symptoms:

- Pruritic, raised, erythematous wheals.
- Individual lesions last <24 hours.
- Angioedema may occur.
- Acute or chronic.

Uterine fibroids

Symptoms:

- Heavy, prolonged menstrual bleeding.
- Pelvic pressure, pain.
- Frequent urination.
- Constipation.
- Infertility, pregnancy complications.

Uveitis

Symptoms:

- Eye pain, redness.
- Photophobia.

- Blurred vision.
- Floaters.
- Irregular pupil.

Vaginitis

Symptoms:

- Abnormal vaginal discharge (color, odor, consistency).
- Itching, burning.
- Dyspareunia.
- Dysuria.

Valvular heart disease

Symptoms:

- Dyspnea (exertional, paroxysmal nocturnal).
- Chest pain.
- Palpitations.
- Syncope.
- Edema.
- Heart murmur.

Varicella (see Chickenpox)

Varicose veins

Symptoms:

- Dilated, tortuous veins.
- Aching, heaviness, itching.
- Swelling (especially after standing).
- Skin changes (stasis dermatitis, ulcers).

Vasculitis (see Polyarteritis nodosa; Granulomatosis with polyangiitis; etc.)

Vasovagal syncope

Symptoms:

- Triggered by pain, fear, emotional stress.
- Nausea, diaphoresis.
- Pallor.
- Bradycardia, hypotension.

- Brief loss of consciousness.

Ventricular fibrillation

Symptoms:

- Sudden collapse.
- No pulse.
- No breathing.
- Cardiac arrest.

Ventricular septal defect

Symptoms:

- Heart murmur (holosystolic).
- Failure to thrive (if large).
- Tachypnea, dyspnea.
- Recurrent respiratory infections.

Vernal keratoconjunctivitis

Symptoms:

- Intense itching.
- Photophobia.
- Thick, ropy discharge.
- Giant papillae on upper tarsal conjunctiva.

Vertigo (see Dizziness)

Vesicoureteral reflux

Symptoms:

- Recurrent urinary tract infections.
- Fever (pyelonephritis).
- Incontinence (children).
- May be asymptomatic.

Vitamin B12 deficiency (see Pernicious anemia)

Vitamin D deficiency (see Rickets; Osteomalacia)

Vitiligo

Symptoms:

- Depigmented macules (white patches).

- Well-defined borders.
- May involve skin, hair, mucous membranes.
- Autoimmune association.

Vocal cord paralysis

Symptoms:

- Hoarseness.
- Breathiness.
- Aspiration, choking.
- Dysphagia.
- Stridor (if bilateral).

Volvulus

Symptoms:

- Abdominal pain (severe, colicky).
- Distension.
- Nausea, vomiting (bilious).
- Constipation.
- Shock (if strangulated).

Von Willebrand disease

Symptoms:

- Easy bruising.
- Mucocutaneous bleeding (epistaxis, menorrhagia).
- Prolonged bleeding after injury, surgery.
- Similar to hemophilia but milder.

Vulvodynia

Symptoms:

- Chronic vulvar pain (burning, stinging).
- No identifiable cause.
- Provoked (by touch) or unprovoked.
- Dyspareunia.

Warts (verruca)

Symptoms:

- Flesh-colored, rough papules.
- Common on hands, feet, genitals.
- May be painful (plantar warts).

Water intoxication (hyponatremia)

Symptoms:

- Nausea, vomiting.
- Headache.
- Confusion.
- Seizures, coma.
- Often in psychiatric patients or athletes.

Whipple disease

Symptoms:

- Weight loss.
- Diarrhea (steatorrhea).
- Arthralgias.
- Abdominal pain.
- Cardiac, neurologic involvement.

Whooping cough (see Pertussis)

Wilms tumor

Symptoms (children):

- Abdominal mass (usually unilateral, smooth).
- Hematuria.
- Hypertension.
- Fever, pain.

Wilson disease

Symptoms:

- Kayser-Fleischer rings (copper deposits in cornea).
- Liver disease (hepatitis, cirrhosis).
- Neurologic: tremor, dystonia, dysarthria, psychiatric.

Wolff-Parkinson-White syndrome

Symptoms:

- Palpitations (reentrant tachycardia).
- Dizziness, syncope.
- Short PR interval, delta wave on ECG.
- May cause sudden death.

Wound infection

Symptoms:

- Erythema, warmth, swelling.
- Purulent drainage.
- Pain.
- Fever, malaise.

Wrist fracture (Colles)

Symptoms:

- Pain, swelling, deformity.
- Dinner fork deformity.
- Loss of function.

Xeroderma pigmentosum

Symptoms:

- Extreme sun sensitivity.
- Severe sunburns with minimal exposure.
- Freckling in early childhood.
- High risk of skin cancers.

Xerostomia (see Dry mouth)

Yersiniosis

Symptoms:

- Enterocolitis: diarrhea (may be bloody), abdominal pain (often right lower quadrant – mimics appendicitis), fever.
- Pharyngitis.
- Reactive arthritis.

Yellow fever

Symptoms:

- Acute phase: fever, headache, myalgia, nausea, bradycardia.

- Toxic phase: jaundice, hemorrhage, renal failure, shock.

Zollinger-Ellison syndrome

Symptoms:

- Severe, recurrent peptic ulcers.
- Diarrhea.
- Abdominal pain.
- Heartburn, reflux.