

SecureDoc Test PDF 02 - Multi-page Contract

Purpose: multi-page PDF to verify that PAdES signing covers the whole document, not just one visible page.

Section 1: Multi-page signing test

Paragraph 1.1: This page contains deterministic text for SecureDoc signing tests. After signing, any byte-level modification should make verification fail or become not accepted.

Paragraph 1.2: This page contains deterministic text for SecureDoc signing tests. After signing, any byte-level modification should make verification fail or become not accepted.

Paragraph 1.3: This page contains deterministic text for SecureDoc signing tests. After signing, any byte-level modification should make verification fail or become not accepted.

Paragraph 1.4: This page contains deterministic text for SecureDoc signing tests. After signing, any byte-level modification should make verification fail or become not accepted.

Paragraph 1.5: This page contains deterministic text for SecureDoc signing tests. After signing, any byte-level modification should make verification fail or become not accepted.

Paragraph 1.6: This page contains deterministic text for SecureDoc signing tests. After signing, any byte-level modification should make verification fail or become not accepted.

Paragraph 1.7: This page contains deterministic text for SecureDoc signing tests. After signing, any byte-level modification should make verification fail or become not accepted.

Paragraph 1.8: This page contains deterministic text for SecureDoc signing tests. After signing, any byte-level modification should make verification fail or become not accepted.

Section 2: Multi-page signing test

Paragraph 2.1: This page contains deterministic text for SecureDoc signing tests. After signing, any byte-level modification should make verification fail or become not accepted.

Paragraph 2.2: This page contains deterministic text for SecureDoc signing tests. After signing, any byte-level modification should make verification fail or become not accepted.

Paragraph 2.3: This page contains deterministic text for SecureDoc signing tests. After signing, any byte-level modification should make verification fail or become not accepted.

Paragraph 2.4: This page contains deterministic text for SecureDoc signing tests. After signing, any byte-level modification should make verification fail or become not accepted.

Paragraph 2.5: This page contains deterministic text for SecureDoc signing tests. After signing, any byte-level modification should make verification fail or become not accepted.

Paragraph 2.6: This page contains deterministic text for SecureDoc signing tests. After signing, any byte-level modification should make verification fail or become not accepted.

Paragraph 2.7: This page contains deterministic text for SecureDoc signing tests. After signing, any byte-level modification should make verification fail or become not accepted.

Paragraph 2.8: This page contains deterministic text for SecureDoc signing tests. After signing, any byte-level modification should make verification fail or become not accepted.

Section 3: Multi-page signing test

Paragraph 3.1: This page contains deterministic text for SecureDoc signing tests. After signing, any byte-level modification should make verification fail or become not accepted.

Paragraph 3.2: This page contains deterministic text for SecureDoc signing tests. After signing, any byte-level modification should make verification fail or become not accepted.

Paragraph 3.3: This page contains deterministic text for SecureDoc signing tests. After signing, any byte-level modification should make verification fail or become not accepted.

Paragraph 3.4: This page contains deterministic text for SecureDoc signing tests. After signing, any byte-level modification should make verification fail or become not accepted.

Paragraph 3.5: This page contains deterministic text for SecureDoc signing tests. After signing, any byte-level modification should make verification fail or become not accepted.

Paragraph 3.6: This page contains deterministic text for SecureDoc signing tests. After signing, any byte-level modification should make verification fail or become not accepted.

Paragraph 3.7: This page contains deterministic text for SecureDoc signing tests. After signing, any byte-level modification should make verification fail or become not accepted.

Paragraph 3.8: This page contains deterministic text for SecureDoc signing tests. After signing, any byte-level modification should make verification fail or become not accepted.