

Modeling of whale calling behavior

2026-03-24

This code combines univariate and multivariate analyses of whale calls.

In RStudio, use File -> Compile Report to generate PDF from this R file.

```
# Clean the workspace
rm(list = ls())

# Packages ----

# data manipulation
library(chron)
library(dplyr)
library(tidyr)
library(readxl)
library(psych)
library(lubridate)
library(suncalc)

# plots
library(ggplot2)
theme_set(theme_light())
library(patchwork)
library(GGally)
library(gridExtra)

# models
library(flexmix)
library(car)
library(nlme)
library(randomForestSRC)
library(olsrr)
# library(rpart)
# library(rpart.plot)
# library(mgcv)
library(randomForest)
# library(ranger)

NTREE <- 1000
MTRY <- 2
NSIZE <- 5

get_decimal_hour <- function(dt) {
  lubridate::hour(dt) + lubridate::minute(dt) / 60 + lubridate::second(dt) / 3600
}
```

```

# Get partial dependence data for all predictors
get_pdp_data <- function(model, data, predictors, ...) {
  require(pdp)
  pdp_list <- lapply(predictors, function(pred) {
    pd <- pdp::partial(model,
                        pred.var = pred,
                        train = data,
                        plot = FALSE,
                        ...)

    pd$predictor <- pred
    names(pd)[1] <- "x"
    pd
  })
  do.call(rbind, pdp_list)
}

# Inverse of log10, such as for inv.link = invlog10 in get_pdp_data()
invlog10 <- function(x) {
  10^x
}

# Opposite of in
`%!in%` <- Negate(`%in%`)

# Data ----

BuoyReplacement <- as.Date(c("2022-07-20"))

# Load and format the data
D <- readxl::read_xlsx("./data/NARWData_2024-07-29.xlsx",
                      sheet = 1,
                      col_types = c(rep("guess", 3),
                                    rep("numeric", 3),
                                    rep("guess", 9))) %>%

# format dates and times
mutate(Date = as.Date(Date),
       Time_NYC = chron::times(Time_NYC),
       TimeLastVP_NYC = chron::times(TimeLastVP_NYC)) %>%
mutate(IsVPYesterday = TimeLastVP_NYC > Time_NYC) %>%
mutate(Time_NYC = as.POSIXct(paste(Date, Time_NYC), tz = "America/New_York"),
       TimeLastVP_NYC = as.POSIXct(paste(Date - IsVPYesterday, TimeLastVP_NYC),
                                    tz = "America/New_York")) %>%

# calculate time variables
mutate(TimeSinceLastVP = as.numeric(difftime(Time_NYC, TimeLastVP_NYC, units = "hours")),
       Year = as.numeric(format(Time_NYC, "%Y")),
       Month = as.numeric(format(Time_NYC, "%m")),
       Hour = as.numeric(format(Time_NYC, "%H")),
       HourDecimal = get_decimal_hour(Time_NYC),
       DoY = as.numeric(format(Time_NYC, "%j"))) %>%
mutate(DoYsin = sin(2 * pi * DoY / 365.25),
       DoYcos = cos(2 * pi * DoY / 365.25),
       Hoursin = sin(2 * pi * HourDecimal / 24),
       Hourcos = cos(2 * pi * HourDecimal / 24)) %>%

```

```

# define seasons based on months
mutate(Season = case_when(
  Month %in% 9:11 ~ "Fall",
  Month %in% c(12, 1, 2) ~ "Winter",
  Month %in% 3:5 ~ "Spring",
  TRUE ~ "Summer")) %>%
# order seasons chronologically
mutate(Season = factor(Season, levels = c("Fall", "Winter", "Spring", "Summer"))) %>%
# drop unused factor levels
mutate(Season = droplevels(Season)) %>%
# rename some variables
rename(Duration = DeltaTime,
  Duration90 = Dur90,
  SPLvessel = SPL_VesselPassage,
  SPLcalling = SPL_CallingPeriod,
  TimeSinceLVP = TimeSinceLastVP) %>%
# sort chronologically
arrange(Time_NYC) %>%
# calculate inter-call intervals
mutate(ICI = c(NA, as.numeric(difftime(Time_NYC[-1], Time_NYC[-length(Time_NYC)], units = "secs"))))
# year of deployment
mutate(YearDeployment = case_when(
  Date < BuoyReplacement ~ "Year 1",
  Date > BuoyReplacement ~ "Year 2"))

# Set the ICI between years of observations as missing (NA).
# Note that the end of the previous season is March and start of the season is November.
tmp_PreviousMonth <- c(NA, D$Month[-nrow(D)])
YearSwitch <- which(!is.na(tmp_PreviousMonth) & (tmp_PreviousMonth == 3 & D$Month == 11))
D$ICI[YearSwitch] <- NA

# Show summary
summary(D)

```

```

## SelectionNumber      Date      Year      Month
## Min.      : 1.00   Min.      :2021-11-11   Min.      :2021   Min.      : 1.000
## 1st Qu.: 5.00   1st Qu.:2022-12-20   1st Qu.:2022   1st Qu.: 2.000
## Median :13.00   Median :2023-02-02   Median :2023   Median : 2.000
## Mean   :17.52   Mean   :2022-11-17   Mean   :2023   Mean   : 4.377
## 3rd Qu.:25.00   3rd Qu.:2023-02-23   3rd Qu.:2023   3rd Qu.: 3.000
## Max.    :78.00   Max.    :2023-03-13   Max.    :2023   Max.    :12.000
##
##      Time_NYC      TimeLastVP_NYC      TimeSinceLVP
## Min.      :2021-11-11 06:31:14   Min.      :2021-11-11 06:17:40   Min.      : 0.01361
## 1st Qu.:2022-12-20 20:27:30   1st Qu.:2022-12-20 17:28:05   1st Qu.: 0.90861
## Median :2023-02-02 18:39:32   Median :2023-02-02 15:38:25   Median : 1.91056
## Mean   :2022-11-18 06:22:41   Mean   :2022-11-18 03:53:04   Mean   : 2.49366
## 3rd Qu.:2023-02-23 22:55:25   3rd Qu.:2023-02-23 22:27:32   3rd Qu.: 3.48417
## Max.    :2023-03-13 10:37:43   Max.    :2023-03-13 06:14:45   Max.    :11.18444
##
##      Hour      SPLcalling      SPLvessel      FreqMin
## Min.      : 0.00   Min.      : 94.5   Min.      :109.1   Min.      : 26.70
## 1st Qu.: 8.00   1st Qu.:104.2   1st Qu.:118.6   1st Qu.: 73.30

```

```
## Median :18.00 Median :105.8 Median :120.1 Median : 88.00
## Mean :14.48 Mean :106.9 Mean :121.1 Mean : 86.42
## 3rd Qu.:20.00 3rd Qu.:110.0 3rd Qu.:124.7 3rd Qu.:101.30
## Max. :23.00 Max. :118.9 Max. :131.0 Max. :146.70
##
## FreqMax FreqDelta Duration Duration90
## Min. :131.7 Min. : 48.33 Min. :0.4315 Min. :0.2560
## 1st Qu.:197.3 1st Qu.:109.33 1st Qu.:0.9001 1st Qu.:0.6400
## Median :218.7 Median :130.67 Median :1.0723 Median :0.7040
## Mean :223.6 Mean :137.17 Mean :1.0776 Mean :0.7503
## 3rd Qu.:245.3 3rd Qu.:160.00 3rd Qu.:1.2309 3rd Qu.:0.8320
## Max. :405.7 Max. :307.83 Max. :2.2006 Max. :1.6640
##
## IsVPYesterday HourDecimal DoY DoYsin
## Mode :logical Min. : 0.035 Min. : 1.0 Min. : -0.7607
## FALSE:848 1st Qu.: 8.357 1st Qu.: 36.0 1st Qu.: 0.0172
## TRUE :41 Median :18.425 Median : 54.0 Median : 0.5805
## Mean :15.012 Mean :117.2 Mean : 0.4306
## 3rd Qu.:20.676 3rd Qu.: 72.0 3rd Qu.: 0.8112
## Max. :23.984 Max. :365.0 Max. : 0.9655
##
## DoYcos Hoursin Hourcos Season
## Min. :0.2604 Min. : -1.0000 Min. : -1.0000 Fall : 27
## 1st Qu.:0.5848 1st Qu.: -0.8593 1st Qu.: -0.1326 Winter:668
## Median :0.7938 Median : -0.6519 Median : 0.4772 Spring:194
## Mean :0.7473 Mean : -0.2872 Mean : 0.2716
## 3rd Qu.:0.9813 3rd Qu.: 0.3643 3rd Qu.: 0.7207
## Max. :1.0000 Max. : 1.0000 Max. : 1.0000
##
## ICI YearDeployment
## Min. : 1 Length:889
## 1st Qu.: 43 Class :character
## Median : 86 Mode :character
## Mean : 23692
## 3rd Qu.: 214
## Max. :3770917
## NA's :2
```


```
# Bouts ----
```

```
## Define bouts ----
```

```
# Plot ICI distribution
```

```
D %>%
```

```
ggplot(aes(x = ICI / 60)) +
  geom_histogram(aes(y = ..count..), fill = "blue", alpha = 0.5, color = NA) +
  # scale_x_log10() +
  scale_x_log10(labels = scalar_labels <- function(x) format(x, scientific = FALSE, drop0trailing = TRUE),
    breaks = c(0.01, 0.1, 1, 10, 100, 1000, 10000, 100000)) +
  labs(x = "Inter-call interval (minutes)",
    y = "Frequency")
```



```
ggsave("images/ICI_hist.png", width = 6, height = 4, dpi = 600)
```


```
# Fit a mixture distribution (2 gamma distributions)
set.seed(123)
ICIs <- na.omit(D$ICI)
fit <- flexmix(ICIs ~ 1,
               model = FLXMRglm(ICIs ~ ., family = "Gamma"),
               k = 2)
summary(fit)
```

```
##
## Call:
## flexmix(formula = ICIs ~ 1, k = 2, model = FLXMRglm(ICIs ~ .,
##   family = "Gamma"))
##
##           prior size post>0  ratio
## Comp.1 0.887  807    827 0.9758
## Comp.2 0.113   80    887 0.0902
##
## 'log Lik.' -6088.831 (df=5)
## AIC: 12187.66   BIC: 12211.6
```

```
parameters(fit)
```

```
##               Comp.1      Comp.2
## coef.(Intercept) 0.006996097 4.783319e-06
## shape            0.823787078 1.606166e-01
```

```
# Plot histogram of posterior probabilities
plot(fit, root = FALSE, main = "", eps = 0.1,
     xlab = "Probability", ylab = "Frequency")
```



```
png("images/ICI_flexmix.png", width = 6, height = 4, units = "in", res = 600)
plot(fit, root = FALSE, main = "", eps = 0.1,
     xlab = "Probability", ylab = "Frequency")
dev.off()
```

```
## pdf
## 2
```

```
# In fit@cluster, 1s indicate that the current ICI belongs to the bout,
# and 2s indicate that there's a break between bouts (start of a new bout).
# The ICIs miss the 1st value in each year of deployment (which are NA), so it is n + 2.
# Sometimes the definition of 1 and 2 switches.
```

```
# Summarize ICIs (minutes) by cluster
psych::describeBy(ICIs/60, fit@cluster)
```

```
##
## Descriptive statistics by group
## group: 1
## vars  n mean  sd median trimmed  mad min  max range skew kurtosis  se
## X1    1 807 2.38 3.04  1.27   1.69 1.11 0.02 18.28 18.27 2.58    7.17 0.11
## -----
## group: 2
## vars  n  mean          sd median trimmed   mad  min    max   range skew
##
```

```
## X1      1 80 4354.1 10148.96 762.69 1647.35 1098.79 18.78 62848.62 62829.83 3.64
##      kurtosis      se
## X1      14.7 1134.69
```

```
# Define bouts
D$Bout <- NA
# Make sure that calls at the YearSwitch are also the breaks
IClusters <- fit@cluster
for (i in 1:length(YearSwitch)) {
  ii <- YearSwitch[i]
  IClusters <- c(IClusters[1:(ii - 2)], 2, IClusters[-c(1:(ii - 2))])
}

bi <- 1
D$Bout[1] <- bi
for (i in 1:length(IClusters)) {
  # If a break, start a new bout (increase bout index bi)
  if (IClusters[i] == 2) {
    bi <- bi + 1
  }
  D$Bout[i + 1] <- bi
}

# Summarize data for bout analysis
DBO <- D %>%
  mutate(Bout = as.factor(Bout)) %>%
  group_by(Bout) %>%
  summarise(Date = Date[1],
            Year = Year[1],
            Month = Month[1],
            DoY = DoY[1],
            Hour = Hour[1],
            Season = Season[1],
            DoYcos = DoYcos[1],
            DoYsin = DoYsin[1],
            Hoursin = Hoursin[1],
            Hourcos = Hourcos[1],
            HourDecimal = HourDecimal[1],

            ICI = mean(ICI, na.rm = TRUE),
            n_calls = n(),
            BoutDur_s = as.numeric(difftime(tail(Time_NYC, 1), Time_NYC[1], units = "secs")),

            Time_NYC = Time_NYC[1],
            TimeSinceLVP = TimeSinceLVP[1],
            SPLcalling = mean(SPLcalling),
            SPLvessel = mean(SPLvessel),

            FreqMin_first = FreqMin[1],
            FreqMin_last = tail(FreqMin, 1),
            FreqMin = mean(FreqMin),

            FreqMax_first = FreqMax[1],
            FreqMax_last = tail(FreqMax, 1),
```

```

    FreqMax = mean(FreqMax),

    FreqDelta_first = FreqDelta[1],
    FreqDelta_last = tail(FreqDelta, 1),
    FreqDelta = mean(FreqDelta),

    Duration_first = Duration[1],
    Duration_last = tail(Duration, 1),
    Duration = mean(Duration),

    Duration90_first = Duration90[1],
    Duration90_last = tail(Duration90, 1),
    Duration90 = mean(Duration90)
  ) %>%
  # convert duration to minutes
  mutate(BoutDur_mins = BoutDur_s / 60) %>%
  mutate(BoutDur_mins_log10 = log10(BoutDur_mins))

# Total number of bouts
max(D$Bout)

```

```
## [1] 82
```

```

# Summary of bout stats
DB0 %>%
  dplyr::select(BoutDur_mins, n_calls) %>%
  psych::describe()

```

```
##           vars  n mean    sd median trimmed   mad min    max range skew
## BoutDur_mins    1 82 23.45 24.24  15.57  19.28 16.93    0 125.82 125.82 1.91
## n_calls          2 82 10.84 11.73   7.50   8.58  6.67    1  78.00  77.00 2.92
##           kurtosis    se
## BoutDur_mins      4.14 2.68
## n_calls           11.85 1.30
```

```

# Count bouts with one call only
db1 <- DB0 %>%
  filter(n_calls == 1)
nrow(db1)

```

```
## [1] 4
```

```

# Remove the short bouts from analysis
DB <- DB0 %>%
  filter(n_calls > 1)

write.csv(DB, file = "dataderived/data_bouts.csv", row.names = FALSE)

## Bout summary ----

# Save numeric summary of the data as a table

```



```
summary_DB <- psych::describe(DB) %>%
  as.data.frame() %>%
  dplyr::select(n, min, mean, median, max, sd, range)

# Show summary to match with the table in the paper
summary_DB
```

##	n	min	mean	median	max
## Bout*	78	1.00000000	41.6794872	41.5000000	8.200000e+01
## Date	78	Inf	NaN	NA	-Inf
## Year	78	2021.00000000	2022.5256410	2023.0000000	2.023000e+03
## Month	78	1.00000000	4.3846154	2.0000000	1.200000e+01
## DoY	78	1.00000000	118.2179487	55.5000000	3.650000e+02
## Hour	78	0.00000000	13.2564103	16.0000000	2.300000e+01
## Season*	78	1.00000000	2.1923077	2.0000000	3.000000e+00
## DoYcos	78	0.26037648	0.7472356	0.8142924	9.999908e-01
## DoYsin	78	-0.76072009	0.4246142	0.5376774	9.655072e-01
## Hoursin	78	-0.99891033	-0.1842925	-0.3873657	9.997852e-01
## Hourcos	78	-0.99943076	0.1796920	0.3397293	9.999736e-01
## HourDecimal	78	0.88444444	13.7053241	16.3327778	2.397222e+01
## ICI	78	27.50000000	51706.2571715	5385.3500000	1.236674e+06
## n_calls	78	2.00000000	11.3461538	8.0000000	7.800000e+01
## BoutDur_s	78	30.00000000	1479.0897436	962.0000000	7.549000e+03
## Time_NYC	78	Inf	NaN	NA	-Inf
## TimeSinceLVP	78	0.01361111	2.2629630	1.7429167	1.102028e+01
## SPLcalling	78	94.50000000	107.8358974	107.5500000	1.189000e+02
## SPLvessel	78	109.10000000	122.2294872	123.1500000	1.310000e+02
## FreqMin_first	78	26.70000000	86.8487179	85.3000000	1.467000e+02
## FreqMin_last	78	32.00000000	84.2820513	84.2000000	1.253000e+02
## FreqMin	78	48.00000000	85.1437623	86.1331551	1.104111e+02
## FreqMax_first	78	141.70000000	216.7410256	209.3500000	3.515000e+02
## FreqMax_last	78	144.00000000	215.0538462	209.5000000	3.467000e+02
## FreqMax	78	161.30000000	215.4879562	212.4761905	2.835667e+02
## FreqDelta_first	78	64.35600000	129.8927436	119.4060000	2.586670e+02
## FreqDelta_last	78	77.33300000	130.7780897	124.4580000	2.880000e+02
## FreqDelta	78	90.66700000	130.3464290	127.3036063	1.978548e+02
## Duration_first	78	0.51640000	1.0666333	1.0791500	1.702500e+00
## Duration_last	78	0.57360000	1.0615013	1.0547500	1.937500e+00
## Duration	78	0.62893750	1.0638393	1.0504250	1.568050e+00
## Duration90_first	78	0.38400000	0.7745641	0.7680000	1.472000e+00
## Duration90_last	78	0.38400000	0.7483077	0.7040000	1.280000e+00
## Duration90	78	0.49600000	0.7640415	0.7520000	1.344000e+00
## BoutDur_mins	78	0.50000000	24.6514957	16.0333333	1.258167e+02
## BoutDur_mins_log10	78	-0.30103000	1.1853688	1.2050180	2.099738e+00
##		sd	range		
## Bout*		2.391299e+01	8.100000e+01		
## Date		NA	-Inf		
## Year		6.590895e-01	2.000000e+00		
## Month		4.319183e+00	1.100000e+01		
## DoY		1.352428e+02	3.640000e+02		
## Hour		7.229873e+00	2.300000e+01		
## Season*		4.850410e-01	2.000000e+00		
## DoYcos		2.335973e-01	7.396143e-01		

```
## DoYsin          4.584409e-01 1.726227e+00
## Hoursin         7.559556e-01 1.998696e+00
## Hourcos         6.118862e-01 1.999404e+00
## HourDecimal     7.245945e+00 2.308778e+01
## ICI             1.649072e+05 1.236646e+06
## n_calls         1.181110e+01 7.600000e+01
## BoutDur_s       1.455014e+03 7.519000e+03
## Time_NYC        NA          -Inf
## TimeSinceLVP    2.184091e+00 1.100667e+01
## SPLcalling      5.043215e+00 2.440000e+01
## SPLvessel       4.704077e+00 2.190000e+01
## FreqMin_first   2.182739e+01 1.200000e+02
## FreqMin_last    2.030673e+01 9.330000e+01
## FreqMin         1.363946e+01 6.241111e+01
## FreqMax_first   4.094089e+01 2.098000e+02
## FreqMax_last    3.916066e+01 2.027000e+02
## FreqMax         2.550202e+01 1.222667e+02
## FreqDelta_first 4.151236e+01 1.943110e+02
## FreqDelta_last  3.935943e+01 2.106670e+02
## FreqDelta       2.430327e+01 1.071878e+02
## Duration_first  2.534622e-01 1.186100e+00
## Duration_last   2.618602e-01 1.363900e+00
## Duration        1.731778e-01 9.391125e-01
## Duration90_first 2.137847e-01 1.088000e+00
## Duration90_last 2.029914e-01 8.960000e-01
## Duration90      1.342630e-01 8.480000e-01
## BoutDur_mins    2.425023e+01 1.253167e+02
## BoutDur_mins_log10 4.690455e-01 2.400768e+00
```

```
write.csv(summary_DB, 'dataderived/summary_DB.csv')
```

```
# Summarize like Table 3 in Davis et al. (2023)
# https://doi.org/10.1093/icesjms/fsad174
# but by Year and Month and add columns (Bout_dur_mins_sd)
```

```
dtmp <- DB %>%
  group_by(Year, Month) %>%
  summarize(n_bouts = n(),
            BoutDur_mins_mean = mean(BoutDur_mins),
            BoutDur_mins_sd = sd(BoutDur_mins),
            BoutDur_mins_95 = quantile(BoutDur_mins, probs = 0.95)
  )
```

```
SumTable <- D %>%
  # remove bouts formed by a single upcall
  filter(!is.element(Bout, db1$Bout)) %>%
  group_by(Year, Month) %>%
  summarize(n_calls = n(),
            ICI_95_min = quantile(ICI[-1], probs = 0.95, na.rm = TRUE) / 60
  ) %>%
  left_join(dtmp)
```

```
knitr::kable(SumTable, digits = 2)
```

Year	Month	n_calls	ICI_95_min	n_bouts	BoutDur_mins_mea	BoutDur_mins_sd	BoutDur_mins_95
2021	11	18	10.84	2	14.92	1.34	15.77
2021	12	18	10873.03	5	7.73	5.07	13.54
2022	1	117	69.50	8	27.99	17.25	47.55
2022	2	17	275.48	2	16.17	6.88	20.55
2022	3	7	17.39	1	44.07	NA	44.07
2022	11	9	0.84	1	3.67	NA	3.67
2022	12	166	20.45	11	25.80	35.01	82.50
2023	1	67	1193.85	11	15.26	10.93	30.71
2023	2	279	49.56	20	35.56	27.56	88.05
2023	3	187	178.32	17	22.79	23.81	56.72

Alternatively, summary by year

```

dtmp <- DB %>%
  group_by(Year) %>%
  summarize(n_bouts = n(),
            BoutDur_mins_mean = mean(BoutDur_mins),
            BoutDur_mins_sd = sd(BoutDur_mins),
            BoutDur_mins_95 = quantile(BoutDur_mins, probs = 0.95)
  )

SumTable <- D %>%
  # Remove bouts formed by a single upcall
  filter(!is.element(Bout, db1$Bout)) %>%
  group_by(Year) %>%
  summarize(n_calls = n(),
            ICI_95_min = quantile(ICI[-1], probs = 0.95, na.rm = TRUE) / 60
  ) %>%
  left_join(dtmp)

knitr::kable(SumTable, digits = 2)

```

Year	n_calls	ICI_95_min	n_bouts	BoutDur_mins_mean	BoutDur_mins_sd	BoutDur_mins_95
2021	36	12218.84	7	9.79	5.45	15.30
2022	316	24.34	23	25.56	26.49	48.19
2023	533	331.71	48	26.39	24.39	83.10

Bout plots ----

Plot bout duration distributions

```


p1 <- DB %>%
  ggplot(aes(x = BoutDur_mins)) +
  geom_histogram(fill = "blue", alpha = 0.5, color = NA) +
  labs(x = "Bout duration (minutes)",
       y = "Frequency")
p2 <- DB %>%
  ggplot(aes(x = BoutDur_mins)) +
  geom_histogram(fill = "blue", alpha = 0.5, color = NA) +
  scale_x_log10() +

```

```

labs(x = "Bout duration (minutes)",
     y = "Frequency")
p1 + p2 +
  plot_annotation(tag_levels = "A")

```



```

ggsave("images/bout_durs.png", width = 8, height = 4, dpi = 600)

# Set the response variables and predictors
RESPONSES <- c("BoutDur_mins_log10")


# PREDICTORS <- c("TimeSinceLVP"
#                 , "SPLcalling"
#                 , "SPLvessel"
#                 , "DoY"
#                 , "HourDecimal"
#                 )

PREDICTORS_cycle <- c("TimeSinceLVP"
                     , "SPLcalling"
                     , "SPLvessel"
                     , "DoYcos", "DoYsin"
                     , "Hoursin", "Hourcos"
                     )

# Response variables are the first rows/columns in the matrix
DB %>%
  dplyr::select(all_of(c(RESPONSES, PREDICTORS_cycle))) %>%
  GGally::ggpairs() +
  ggplot2::theme(

```

```
axis.text = ggplot2::element_text(size = 8),
strip.text = ggplot2::element_text(size = 8)
)
```



```
ggsave("images/bout_scatter.png", width = 10, height = 8, dpi = 600)
```

```
# Show correlations and p-values
```

```
DB %>%
  dplyr::select(all_of(c(RESPONSES, PREDICTORS_cycle))) %>%
  as.matrix() %>%
  Hmisc::rcorr()
```

```
##           BoutDur_mins_log10 TimeSinceLVP SPLcalling SPLvessel DoYcos
## BoutDur_mins_log10           1.00      -0.06      -0.26      -0.27      -0.01
## TimeSinceLVP                -0.06           1.00      -0.06      -0.08       0.10
## SPLcalling                  -0.26      -0.06           1.00       0.36      -0.25
## SPLvessel                   -0.27      -0.08       0.36           1.00       0.02
## DoYcos                      -0.01       0.10      -0.25       0.02           1.00
## DoYsin                      0.14       0.04       0.17      -0.07      -0.73
## Hoursin                     -0.15      -0.22       0.26       0.01      -0.28
## Hourcos                     0.22      -0.16      -0.34      -0.37       0.17
##
##           DoYsin Hoursin Hourcos
## BoutDur_mins_log10  0.14  -0.15   0.22
## TimeSinceLVP        0.04  -0.22  -0.16
## SPLcalling          0.17   0.26  -0.34
## SPLvessel          -0.07   0.01  -0.37
## DoYcos             -0.73  -0.28   0.17
## DoYsin             1.00   0.10  -0.13
```

```
## Hoursin          0.10    1.00    0.00
## Hourcos          -0.13    0.00    1.00
##
## n= 78
##
##
## P
##          BoutDur_mins_log10 TimeSinceLVP SPLcalling SPLvessel DoYcos
## BoutDur_mins_log10          0.6275      0.0202    0.0159    0.9554
## TimeSinceLVP          0.6275          0.6234    0.5053    0.3865
## SPLcalling          0.0202          0.6234          0.0010    0.0243
## SPLvessel          0.0159          0.5053    0.0010          0.8410
## DoYcos          0.9554          0.3865    0.0243    0.8410
## DoYsin          0.2283          0.7546    0.1444    0.5300    0.0000
## Hoursin          0.1833          0.0567    0.0231    0.8981    0.0144
## Hourcos          0.0513          0.1562    0.0024    0.0007    0.1408
##
##          DoYsin Hoursin Hourcos
## BoutDur_mins_log10 0.2283 0.1833 0.0513
## TimeSinceLVP      0.7546 0.0567 0.1562
## SPLcalling        0.1444 0.0231 0.0024
## SPLvessel        0.5300 0.8981 0.0007
## DoYcos           0.0000 0.0144 0.1408
## DoYsin           0.4001 0.2506
## Hoursin          0.4001          0.9673
## Hourcos          0.2506 0.9673
```

```
# Show 95% confidence intervals for correlations of Response with Predictors
sapply(PREDICTORS_cycle, function(x)
  cor.test(unlist(DB[,RESPONSES]), unlist(DB[,x]), conf.level = 0.95)$conf.int
)
```

```
##          TimeSinceLVP SPLcalling SPLvessel DoYcos DoYsin Hoursin
## [1,] -0.2749164 -0.45835319 -0.46657637 -0.2286371 -0.08722708 -0.36248430
## [2,]  0.1688278 -0.04256446 -0.05300102  0.2164069  0.34977290  0.07276242
##          Hourcos
## [1,] -0.001123739
## [2,]  0.423139891
```

```
## Bout models ----
```

```
# Formula relating the response(s) to explanatory variables
fml <- as.formula(paste(RESPONSES,
  paste(PREDICTORS_cycle, collapse = " + "),
  sep = " ~ "))
```

```
### Linear regression ----
```

```
# Full model (response and all predictors)
```

```
M_LR_BoutDur <- lm(fml, data = DB)
```

```
# Check collinearity of predictors
```

```
ols_coll_diag(M_LR_BoutDur)
```

```
## Tolerance and Variance Inflation Factor
```

```
## -----
##      Variables Tolerance      VIF
## 1 TimeSinceLVP 0.8848089 1.130188
## 2 SPLcalling 0.7291019 1.371550
## 3 SPLvessel 0.7527814 1.328407
## 4 DoYcos 0.4072177 2.455689
## 5 DoYsin 0.4471551 2.236360
## 6 Hoursin 0.8297227 1.205222
## 7 Hourcos 0.7506821 1.332122
##
##
## Eigenvalue and Condition Index
## -----
##      Eigenvalue Condition Index      intercept TimeSinceLVP      SPLcalling
## 1 5.1490712067      1.000000 3.151133e-05 0.0100934571 5.747486e-05
## 2 0.9756688795      2.297276 3.124078e-06 0.0293354676 5.410315e-06
## 3 0.9691655837      2.304971 2.978187e-06 0.0009686071 9.982341e-06
## 4 0.5130534777      3.167985 1.353676e-05 0.0270785056 2.509869e-05
## 5 0.3666543089      3.747452 7.751451e-05 0.8947631598 1.529204e-04
## 6 0.0247485278      14.424135 2.723915e-03 0.0145074904 6.970731e-03
## 7 0.0010734424      69.258818 4.580157e-02 0.0013097327 9.000383e-01
## 8 0.0005645733      95.500200 9.513458e-01 0.0219435798 9.274012e-02
##      SPLvessel      DoYcos      DoYsin      Hoursin      Hourcos
## 1 4.026044e-05 1.213148e-03 4.571267e-03 0.003009569 0.00249031
## 2 2.936197e-06 2.360526e-05 3.098792e-04 0.373380265 0.32234515
## 3 5.081533e-06 3.505813e-04 3.329177e-02 0.327727632 0.30885550
## 4 2.094915e-05 8.423209e-03 3.264121e-01 0.119517280 0.05679069
## 5 1.155918e-04 3.839689e-03 1.408456e-03 0.059858667 0.09246019
## 6 3.974528e-03 9.477951e-01 6.119788e-01 0.076104915 0.02277546
## 7 3.345899e-01 2.521917e-02 6.700147e-05 0.038688592 0.00469296
## 8 6.612507e-01 1.313553e-02 2.196071e-02 0.001713081 0.18958974
```

```
# Model selected
```

```
m_LR_BoutDur <- ols_step_both_p(M_LR_BoutDur, p_remove = 0.05)
summary(m_LR_BoutDur$model)
```

```
##
## Call:
## lm(formula = paste(response, "~", paste(preds, collapse = " + ")),
##     data = l)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -1.42475 -0.26902  0.01466  0.33531  0.89969
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  4.50428     1.34616   3.346  0.00128 **
## SPLvessel   -0.02715     0.01101  -2.467  0.01586 *
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.4543 on 76 degrees of freedom
## Multiple R-squared:  0.07416,    Adjusted R-squared:  0.06198
```

```
## F-statistic: 6.087 on 1 and 76 DF, p-value: 0.01586
```


```
# Format the output
```



```
tmp <- summary(m_LR_BoutDur$model)
knitr::kable(tmp$coefficients, digits = 3)
```



	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	4.504	1.346	3.346	0.001
SPLvessel	-0.027	0.011	-2.467	0.016



```
# Diagnostics
```


```
ols_plot_diagnostics(m_LR_BoutDur$model)
```




















Regression Diagnostics



Regression Diagnostics




Regression Diagnostics







```
acf(m_LR_BoutDur$model$residuals)
```

Series m_LR_BoutDur\$model\$residuals



```
par(mfrow = c(2, 2))
plot(m_LR_BoutDur$model)
```



```
with(DB,
  cor.test(SPLvessel, SPLcalling)
)
```

```
##
## Pearson's product-moment correlation
##
## data: SPLvessel and SPLcalling
## t = 3.4123, df = 76, p-value = 0.001035
## alternative hypothesis: true correlation is not equal to 0
## 95 percent confidence interval:
##  0.1544870 0.5429774
## sample estimates:
##      cor
## 0.3644874
```

```
### Random forest ----
```

```
set.seed(123)
M_RF_BoutDur <- randomForest(fml
                             ,ntree = NTREE, mtry = MTRY, nodesize = NSIZE
                             ,sampsize = ceiling(nrow(DB) * 2/3)
                             ,importance = TRUE
                             ,data = DB)
M_RF_BoutDur
```

```
##
## Call:
## randomForest(formula = fml, data = DB, ntree = NTREE, mtry = MTRY,      nodesize = NSIZE, sampsize =
##               Type of random forest: regression
##               Number of trees: 1000
## No. of variables tried at each split: 2
##
##               Mean of squared residuals: 0.207353
##               % Var explained: 4.53
```

```
plot(M_RF_BoutDur)

importance_values <- M_RF_BoutDur$importance[,1]
importance_df <- tibble(Variable = names(importance_values),
                       Importance = importance_values) %>%
  arrange(Importance)

ggplot(importance_df, aes(x = reorder(Variable, Importance), y = Importance)) +
  geom_bar(stat = "identity") +
  coord_flip() +
  labs(x = "",
       y = "Importance")
ggsave("images/importance_BoutDur.png", width = 4, height = 3, dpi = 600)

# Get PDP data
pdp_BoutDur <- get_pdp_data(M_RF_BoutDur, DB, PREDICTORS_cycle)
```



```

# Convert the predictor column to factor for faceting
pdp_BoutDur$predictor <- factor(pdp_BoutDur$predictor, levels = PREDICTORS_cycle)

# Plot PDPs with fixed y-axes
ggplot(pdp_BoutDur, aes(x = x, y = yhat)) +
  geom_line() +
  facet_wrap(~predictor, scales = "free_x", nrow = 1) +
  labs(x = "Predictor values",
       y = expression(log[10] * "(Bout duration [minutes])")) +
  geom_rug(data = DB %>%
    pivot_longer(cols = all_of(PREDICTORS_cycle),
                  names_to = "predictor",
                  values_to = "x") %>%
    mutate(yhat = mean(DB$BoutDur_mins_log10, na.rm = TRUE)),
    sides = "b", alpha = 0.3) +
  theme(
    strip.text = element_text(color = "black", face = "bold"),
    strip.background = element_rect(fill = "white")
  )
ggsave("images/pdp_BoutDur.png", width = 9, height = 2.5, dpi = 600)

# Occurrence analysis ----

# Save numeric summary of the data as a table
summary_D <- psych::describe(D) %>%
  as.data.frame() %>%
  dplyr::select(n, min, mean, median, max, sd, range)

# Show summary to match with the table in the paper
summary_D

```

	n	min	mean	median	max
## SelectionNumber	889	1.00000000	17.5208099	13.0000000	7.800000e+01
## Date	889	Inf	NaN	NA	-Inf
## Year	889	2021.00000000	2022.5601800	2023.0000000	2.023000e+03
## Month	889	1.00000000	4.3768279	2.0000000	1.200000e+01
## Time_NYC	889	Inf	NaN	NA	-Inf
## TimeLastVP_NYC	889	Inf	NaN	NA	-Inf
## TimeSinceLVP	889	0.01361111	2.4936630	1.9105556	1.118444e+01
## Hour	889	0.00000000	14.4836895	18.0000000	2.300000e+01
## SPLcalling	889	94.50000000	106.9066367	105.8000000	1.189000e+02
## SPLvessel	889	109.10000000	121.0942632	120.1000000	1.310000e+02
## FreqMin	889	26.70000000	86.4203600	88.0000000	1.467000e+02
## FreqMax	889	131.70000000	223.5869516	218.7000000	4.057000e+02
## FreqDelta	889	48.33300000	137.1678009	130.6670000	3.078290e+02
## Duration	889	0.43150000	1.0775864	1.0723000	2.200600e+00
## Duration90	889	0.25600000	0.7502902	0.7040000	1.664000e+00
## IsVPYesterday	889	Inf	NaN	NA	-Inf
## HourDecimal	889	0.03500000	15.0115192	18.4252778	2.398361e+01
## DoY	889	1.00000000	117.1754781	54.0000000	3.650000e+02
## DoYsin	889	-0.76072009	0.4306122	0.5804549	9.655072e-01

```
## DoYcos      889      0.26037648      0.7472800      0.7938440 9.999908e-01
## Hoursin     889     -0.99999848     -0.2872195     -0.6519330 9.999982e-01
## Hourcos     889     -0.99999712      0.2715805      0.4771588 9.999908e-01
## Season*     889      1.00000000      2.1878515      2.0000000 3.000000e+00
## ICI         887      1.00000000 23692.2829763 86.0000000 3.770917e+06
## YearDeployment* 889      1.00000000      1.7997750      2.0000000 2.000000e+00
## Bout        889      1.00000000      42.9538808     45.0000000 8.200000e+01
##              sd      range
## SelectionNumber 1.606728e+01 7.700000e+01
## Date            NA      -Inf
## Year            5.744468e-01 2.000000e+00
## Month           4.263659e+00 1.100000e+01
## Time_NYC        NA      -Inf
## TimeLastVP_NYC  NA      -Inf
## TimeSinceLVP    2.243010e+00 1.117083e+01
## Hour            7.088089e+00 2.300000e+01
## SPLcalling      4.387383e+00 2.440000e+01
## SPLvessel       4.550777e+00 2.190000e+01
## FreqMin         1.962163e+01 1.200000e+02
## FreqMax         3.869449e+01 2.740000e+02
## FreqDelta       3.950972e+01 2.594960e+02
## Duration        2.513158e-01 1.769100e+00
## Duration90      1.999083e-01 1.408000e+00
## IsVPYesterday   NA      -Inf
## HourDecimal     7.083073e+00 2.394861e+01
## DoY             1.340355e+02 3.640000e+02
## DoYsin          4.520861e-01 1.726227e+00
## DoYcos          2.281498e-01 7.396143e-01
## Hoursin         7.079888e-01 1.999997e+00
## Hourcos         5.860469e-01 1.999988e+00
## Season*         4.621103e-01 2.000000e+00
## ICI             1.966299e+05 3.770916e+06
## YearDeployment*  4.003939e-01 1.000000e+00
## Bout           2.305026e+01 8.100000e+01
```

```
write.csv(summary_D, 'dataderived/summary_D.csv')
```

```
## Year-season counts ----
```

```
# Count number of upcalls from the year of deployment
```

```
table(D$YearDeployment)
```

```
##
```

```
## Year 1 Year 2
```

```
##      178      711
```

```
# Counts per season
```

```
table(D$YearDeployment, D$Season)
```

```
##
```

```
##           Fall Winter Spring
```

```
## Year 1      18      153       7
```

```
## Year 2       9      515     187
```

```
# % per season
round(table(D$YearDeployment, D$Season) * 100 / as.vector(table(D$YearDeployment)), 0)
```

```
##
##           Fall Winter Spring
##   Year 1    10     86     4
##   Year 2     1    72    26
```

```
## Seasonal plots ----
```

```
# See
```

```
# https://stackoverflow.com/questions/15575713/modifying-timezone-of-a-posixct-object-without-changing-
# for help changing the time zone without changing the displayed time
```

```
DateMonitoring <- read_xlsx("data/Datetime_Local_NARWMonitoring.xlsx") %>%
  arrange(datetime_local) %>%
  # edit timezone
  mutate(datetime_local = as.POSIXct(as.character(datetime_local),
                                     origin = as.POSIXct("1970-01-01"),
                                     tz = "America/New_York")) %>%

  # round to hours
  mutate(datetime_local = lubridate::floor_date(datetime_local, unit = "hour")) %>%
  # keep only unique
  dplyr::distinct(datetime_local, .keep_all = TRUE)
```

```
attr(DateMonitoring$datetime_local, "tzone") <- "UTC"
```

```
DateMonitoring_day <- DateMonitoring %>%
  # subtract 5 hours to convert to "UTC - 5"
  mutate(datetime_local = datetime_local - 5*3600) %>%
  mutate(datetime_local = as.Date(datetime_local)) %>%
  dplyr::distinct(datetime_local, .keep_all = TRUE)
```

```
AllDays <- tibble(date = seq(from = as.Date(min(DateMonitoring$datetime_local)),
                             to = as.Date(max(DateMonitoring$datetime_local)),
                             by = "1 day"),
                  lat = 38.303,
                  lon = -74.645)
```

```
sun <- getSunlightTimes(data = AllDays,
                       tz = "UTC", #"America/New_York",
                       keep = c("sunrise", "sunset")) %>%
  # subtract 5 hours to convert to "UTC - 5"
  mutate(sunrise = sunrise - 5*3600,
         sunset = sunset - 5*3600) %>%
  mutate(sunrise_h = get_decimal_hour(sunrise),
         sunset_h = get_decimal_hour(sunset)) %>%
  arrange(date)
```

```
# Create a copy of the main data but switch times to UTC - 5
```

```
D_utc <- D
attr(D_utc$Time_NYC, "tzone") <- "UTC"
D_utc <- D_utc %>%
  mutate(Time_NYC = Time_NYC - 5*3600) %>%
```

```

mutate(HourDecimal = get_decimal_hour(Time_NYC),
       Date = as.Date(Time_NYC),
       Hour = as.numeric(format(Time_NYC, "%H")))

# Year 1
DateMonitoring_day_0 <- DateMonitoring_day %>%
  dplyr::filter(datetime_local < BuoyReplacement) %>%
  dplyr::filter(datetime_local < as.Date("2022-04-01")) %>%
  dplyr::filter(datetime_local > as.Date("2021-10-20"))
sun_0 <- sun %>%
  dplyr::filter(date < BuoyReplacement) %>%
  dplyr::filter(date < as.Date("2022-04-01")) %>%
  dplyr::filter(date > as.Date("2021-10-20"))

d_0 <- D_utc %>%
  dplyr::filter(Date < BuoyReplacement)

p1 <- ggplot() +
  geom_rect(data = DateMonitoring_day_0,
            aes(ymin = datetime_local, ymax = datetime_local + days(1),
                xmin = -Inf, xmax = Inf),
            fill = "gray", alpha = 0.5) +
  geom_point(data = sun_0, pch = 16,
             aes(x = sunrise_h, y = date), color = "orange", size = 1) +
  geom_point(data = sun_0, pch = 16,
             aes(x = sunset_h, y = date), color = "orange", size = 1) +
  geom_point(data = d_0,
             aes(x = HourDecimal, y = Date),
             color = "black", size = 1, pch = 15) +
  labs(x = "Hour of day (UTC - 5)",
       y = "") +
  scale_x_continuous(limits = c(0, 24),
                     breaks = seq(0, 24, by = 6),
                     minor_breaks = seq(0, 24, by = 2),
                     expand = c(0.01, 0.01)) +
  scale_y_date(breaks = as.Date(c("2021-11-01", "2022-01-01",
                                  "2022-04-01",
                                  "2023-01-01", "2023-04-01")),
               date_labels = "%Y %b",
               # date_minor_breaks = "1 month"
               minor_breaks = seq(from = as.Date("2021-11-01"),
                                  to = as.Date("2023-04-01"),
                                  by = "1 month"),
               expand = c(0.01, 0.01)
  )

# Year 2
DateMonitoring_day_0 <- DateMonitoring_day %>%
  dplyr::filter(datetime_local > BuoyReplacement) %>%
  dplyr::filter(datetime_local > as.Date("2022-10-20"))
sun_0 <- sun %>%
  dplyr::filter(date > BuoyReplacement) %>%
  dplyr::filter(date > as.Date("2022-10-20"))

```

```

d_0 <- D_utc %>%
  dplyr::filter(Date > BuoyReplacement)

p2 <- ggplot() +
  geom_rect(data = DateMonitoring_day_0,
    aes(ymin = datetime_local, ymax = datetime_local + days(1),
      xmin = -Inf, xmax = Inf),
    fill = "gray", alpha = 0.5) +
  geom_point(data = sun_0, pch = 16,
    aes(x = sunrise_h, y = date), color = "orange", size = 1) +
  geom_point(data = sun_0, pch = 16,
    aes(x = sunset_h, y = date), color = "orange", size = 1) +
  geom_point(data = d_0,
    aes(x = HourDecimal, y = Date),
    color = "black", size = 1, pch = 15) +
  labs(x = "Hour of day (UTC - 5)",
    y = "") +
  scale_x_continuous(limits = c(0, 24),
    breaks = seq(0, 24, by = 6),
    minor_breaks = seq(0, 24, by = 2),
    expand = c(0.01, 0.01)) +
  scale_y_date(breaks = as.Date(c("2021-11-01", "2022-01-01",
    "2022-11-01",
    "2023-01-01", "2023-04-01")),
    date_labels = "%Y %b",
    # date_minor_breaks = "1 month"
    minor_breaks = seq(from = as.Date("2021-11-01"),
      to = as.Date("2023-04-01"),
      by = "1 month"),
    expand = c(0.01, 0.01)
  )

p1 + p2 +
  plot_annotation(tag_levels = "A")

ggsave("images/occurrence_diel.png", width = 8, height = 4, dpi = 600)

## Diel analysis ----

# Count calls per date and hour, then combine with all monitoring days
D_dh <- D_utc %>%
  dplyr::group_by(Date, Hour) %>%
  dplyr::summarise(Ncalls = n())
# Check
sum(D_dh$Ncalls) == nrow(D)

## [1] TRUE

Ncalls0 <- expand_grid(Date = DateMonitoring_day$datetime_local,
  Hour = 0:23) %>%
  as_tibble() %>%
  left_join(D_dh, by = c("Date", "Hour")) %>%

```

```

mutate(HourFac = factor(Hour, levels = 0:23),
       Year = "year 1",
       HourSin = sin(2 * pi * Hour / 24),
       HourCos = cos(2 * pi * Hour / 24)) %>%
  arrange(Date, Hour)
# Those counts of calls that are missing during the monitoring are 0
Ncalls0$Ncalls[is.na(Ncalls0$Ncalls)] <- 0
# Check
sum(Ncalls0$Ncalls) == nrow(D)

```

```
## [1] TRUE
```

```

# Plot number of calls per hour
# Aggregate calls by hour
Ncalls0_agg <- Ncalls0 %>%
  group_by(Hour) %>%
  summarise(Ncalls = sum(Ncalls))
# Check
sum(Ncalls0_agg$Ncalls) == nrow(D)

```

```
## [1] TRUE
```

```

p3 <- Ncalls0_agg %>%
  ggplot(aes(x = Hour, y = Ncalls)) +
  geom_bar(stat = "identity") +
  labs(x = "Hour of day (UTC - 5)", y = "Number of calls")

p1 + p2 + p3 +
  plot_annotation(tag_levels = "A")

ggsave("images/occurrence_dielNcalls.png", width = 8, height = 3, dpi = 600)

# Use a model to test the diel pattern
# Model 1: based on categorical hours -- has higher AIC and BIC than model 2 below.
m_ncalls_gls <- nlme::gls(log(Ncalls + 1) ~ HourFac
  , correlation = nlme::corAR1()
  , data = Ncalls0)

# Model 2: based on sin+cos transformation of hours
m_ncalls_gls <- nlme::gls(log(Ncalls + 1) ~ HourSin + HourCos
  , correlation = nlme::corAR1()
  , method = "REML"
  , data = Ncalls0)

summary(m_ncalls_gls)

```

```


## Generalized least squares fit by REML
## Model: log(Ncalls + 1) ~ HourSin + HourCos
## Data: Ncalls0
## AIC BIC logLik
## -588.4278 -553.9216 299.2139

```



```
##
## Correlation Structure: AR(1)
## Formula: ~1
## Parameter estimate(s):
##      Phi
## 0.3670744
##
## Coefficients:
##              Value   Std.Error   t-value p-value
## (Intercept)  0.02667577 0.004275948   6.238562  0.0000
## HourSin      -0.01384155 0.005867181  -2.359148  0.0183
## HourCos       0.01168837 0.005866322   1.992453  0.0464
##
## Correlation:
##      (Intr) HourSn
## HourSin 0
## HourCos 0      0
##
## Standardized residuals:
##      Min      Q1      Med      Q3      Max
## -0.17937737 -0.15385521 -0.10087434 -0.05147023 14.30270264
##
## Residual standard error: 0.2493522
## Degrees of freedom: 7344 total; 7341 residual
```

```
# ?nlme::residuals.gls
# e <- residuals(m_ncalls_gls, type = "pearson")
e <- residuals(m_ncalls_gls, type = "normalized")



# Residual diagnostics plots
par(mfrow = c(2, 2))
```



```
plot.ts(e,
  las = 1,
  ylab = "Residuals")
plot(x = fitted(m_ncalls_gls), y = e,
  las = 1,
  ylab = "Residuals", xlab = "Fitted")
plot(x = Ncalls0$Hour, y = e,
  las = 1,
  ylab = "Residuals", xlab = "Hour of day (UTC - 5)")
acf(e,
  las = 1,
  main = "Autocorrelation of residuals")
```

Autocorrelation of residuals



Test significance of diel patterns, using ML since the fixed effects are different

```
m_ncalls_gls <- nlme::glsl(log(Ncalls + 1) ~ HourSin + HourCos
  ,correlation = nlme::corAR1()
  ,method = "ML"
  ,data = Ncalls0)
```

Reduced model (without predictors)

```
m_ncalls_gls_reduced <- gls(log(Ncalls + 1) ~ 1
  ,correlation = corAR1()
  ,method = "ML"
  ,data = Ncalls0)
```

Likelihood ratio test

Use the p-value to determine if the predictors significantly improve the model.

```
anova(m_ncalls_gls, m_ncalls_gls_reduced)
```

```
##               Model df      AIC      BIC   logLik   Test  L.Ratio
## m_ncalls_gls         1  5 -614.3803 -579.8721 312.1902
## m_ncalls_gls_reduced  2  3 -608.8541 -588.1492 307.4271 1 vs 2 9.526203
##               p-value
## m_ncalls_gls
## m_ncalls_gls_reduced 0.0085
```

95% confidence interval for chi-squared distribution under the null hypothesis

```
df <- 2 # df.full - df.reduced
c(qchisq(0.025, df), qchisq(0.975, df))
```

```
## [1] 0.05063562 7.37775891
```

```

# Call rates ----

## Calculate call rates ----

# Aggregate to calculate call rates
DC <- D %>%
  group_by(Date, Month, DoY, Hour, Season) %>%
  summarise(CallRate = n(),
            HourDecimal = mean(HourDecimal, na.rm = TRUE),
            TimeSinceLVP = mean(TimeSinceLVP),
            SPLcalling = mean(SPLcalling),
            SPLvessel = mean(SPLvessel),
            DoYcos = mean(DoYcos),
            DoYsin = mean(DoYsin),
            Hoursin = mean(Hoursin),
            Hourcos = mean(Hourcos)) %>%
  ungroup() %>%
  mutate(CallRate_log10 = log10(CallRate))

# Save numeric summary of the data as a table
summary_DC <- psych::describe(DC) %>%
  as.data.frame() %>%
  dplyr::select(n, min, mean, median, max, sd, range)

# Show summary to match with the table in the paper
summary_DC

```

##	n	min	mean	median	max	sd
## Date	93	Inf	NaN	NA	-Inf	NA
## Month	93	1.0000000	4.1397849	2.0000000	12.0000000	4.1167510
## DoY	93	1.0000000	110.0537634	54.0000000	365.0000000	128.9833462
## Hour	93	0.0000000	13.5161290	17.0000000	23.0000000	7.4346616
## Season*	93	1.0000000	2.2043011	2.0000000	3.0000000	0.4791101
## CallRate	93	1.0000000	9.5591398	8.0000000	36.0000000	7.4373651
## HourDecimal	93	0.1932778	14.0329457	17.2927257	23.9722222	7.4475570
## TimeSinceLVP	93	0.1127083	2.5389105	1.9230556	11.0916111	2.3619948
## SPLcalling	93	94.5000000	107.6989247	107.3000000	118.9000000	4.8879731
## SPLvessel	93	109.1000000	121.8172043	122.0000000	131.0000000	4.8780704
## DoYcos	93	0.2603765	0.7322226	0.7832659	0.9999908	0.2342086
## DoYsin	93	-0.7607201	0.4564720	0.5804549	0.9655072	0.4510064
## Hoursin	93	-0.9999870	-0.2025692	-0.4173580	0.9929312	0.7216207
## Hourcos	93	-0.9997351	0.2309184	0.3973491	0.9999736	0.6269601
## CallRate_log10	93	0.0000000	0.8339571	0.9030900	1.5563025	0.3880536
##	range					
## Date	-Inf					
## Month	11.0000000					
## DoY	364.0000000					
## Hour	23.0000000					
## Season*	2.0000000					
## CallRate	35.0000000					
## HourDecimal	23.7789444					
## TimeSinceLVP	10.9789028					
## SPLcalling	24.4000000					


```
## SPLvessel      21.9000000
## DoYcos         0.7396143
## DoYsin         1.7262273
## Hoursin        1.9929182
## Hourcos        1.9997087
## CallRate_log10 1.5563025
```

```
write.csv(summary_DC, 'dataderived/summary_DC.csv')
```

```
## Call rates plots ----
```

```
# Plot bout duration distributions
```

```
p1 <- DC %>%
  ggplot(aes(x = CallRate)) +
  geom_histogram(fill = "blue", alpha = 0.5, color = NA, binwidth = 2) +
  labs(x = "Call rate (number of calls)",
       y = "Frequency")
p2 <- DC %>%
  ggplot(aes(x = CallRate)) +
  geom_histogram(fill = "blue", alpha = 0.5, color = NA) +
  scale_x_log10() +
  labs(x = "Call rate (number of calls per hour)",
       y = "Frequency")
p1 + p2 +
  plot_annotation(tag_levels = "A")
```



```
ggsave("images/CallRate.png", width = 8, height = 4, dpi = 600)
```

```
# Set the response variables and predictors
```

```
RESPONSES <- c("CallRate_log10")
```

```
# Response variables are the first rows/columns in the matrix
```

```
DC %>%
```

```
  dplyr::select(all_of(c(RESPONSES, PREDICTORS_cycle))) %>%
```


```
  GGally::ggpairs() +
```

```
  ggplot2::theme(
```

```
    axis.text = ggplot2::element_text(size = 8),
```

```
    strip.text = ggplot2::element_text(size = 8)
```

```
)
```



```
ggsave("images/CallRate_scatter.png", width = 10, height = 8, dpi = 600)
```

```
# Show correlations and p-values
```

```
DC %>%
```

```
  dplyr::select(all_of(c(RESPONSES, PREDICTORS_cycle))) %>%
```

```
  as.matrix() %>%
```

```
  Hmisc::rcorr()
```

```
##           CallRate_log10 TimeSinceLVP SPLcalling SPLvessel DoYcos DoYsin
## CallRate_log10           1.00      -0.04     -0.22     -0.17    0.08  -0.09
## TimeSinceLVP           -0.04           1.00     -0.02      0.00    0.13   0.04
## SPLcalling            -0.22      -0.02           1.00     0.37  -0.24   0.17
## SPLvessel             -0.17       0.00       0.37           1.00  -0.02  -0.03
```

```
## DoYcos          0.08          0.13         -0.24         -0.02         1.00        -0.75
## DoYsin          -0.09         0.04          0.17         -0.03        -0.75         1.00
## Hoursin        -0.10        -0.26          0.23         -0.01        -0.23         0.07
## Hourcos         0.08        -0.16         -0.39         -0.41         0.16        -0.15
##              Hoursin Hourcos
## CallRate_log10 -0.10    0.08
## TimeSinceLVP   -0.26   -0.16
## SPLcalling      0.23   -0.39
## SPLvessel      -0.01   -0.41
## DoYcos         -0.23    0.16
## DoYsin          0.07   -0.15
## Hoursin         1.00   -0.05
## Hourcos        -0.05    1.00
##
## n= 93
##
##
## P
##              CallRate_log10 TimeSinceLVP SPLcalling SPLvessel DoYcos DoYsin
## CallRate_log10              0.7236      0.0371      0.1036      0.4595 0.3946
## TimeSinceLVP    0.7236              0.8604      0.9830      0.2195 0.6908
## SPLcalling      0.0371      0.8604              0.0002      0.0233 0.1069
## SPLvessel       0.1036      0.9830      0.0002              0.8302 0.7639
## DoYcos          0.4595      0.2195      0.0233      0.8302      0.0000
## DoYsin          0.3946      0.6908      0.1069      0.7639      0.0000
## Hoursin         0.3563      0.0128      0.0274      0.9503      0.0289 0.4907
## Hourcos         0.4287      0.1164      0.0001      0.0000      0.1157 0.1409
##              Hoursin Hourcos
## CallRate_log10 0.3563 0.4287
## TimeSinceLVP   0.0128 0.1164
## SPLcalling      0.0274 0.0001
## SPLvessel       0.9503 0.0000
## DoYcos          0.0289 0.1157
## DoYsin          0.4907 0.1409
## Hoursin         0.6134
## Hourcos         0.6134
```

```
# Show 95% confidence intervals for correlations of Response with Predictors
sapply(PREDICTORS_cycle, function(x)
  cor.test(unlist(DC[,RESPONSES]), unlist(DC[,x]), conf.level = 0.95)$conf.int
)
```


```
##              TimeSinceLVP SPLcalling SPLvessel DoYcos DoYsin Hoursin
## [1,] -0.2390598 -0.40244252 -0.36107263 -0.1280974 -0.2877817 -0.2946384
## [2,] 0.1678174 -0.01336261 0.03506351 0.2769647 0.1165191 0.1091224
##              Hourcos
## [1,] -0.1227322
## [2,] 0.2819899
```

```
p1 <- DC %>%
  ggplot(aes(x = SPLcalling, y = CallRate)) +
  geom_point() +
  scale_y_log10() +
```

```

  labs(y = "Call rate (number of calls per hour)",
       x = "SPL of calling period (dB)")
p2 <- DB %>%
  ggplot(aes(x = SPLcalling, y = BoutDur_mins)) +
  geom_point() +
  scale_y_log10() +
  labs(y = "Bout duration (minutes)",
       x = "SPL of calling period (dB)")
p3 <- DB %>%
  ggplot(aes(x = SPLvessel, y = BoutDur_mins)) +
  geom_point() +
  scale_y_log10() +
  labs(y = "Bout duration (minutes)",
       x = "SPL of vessel passage (dB)")
p1 + p2 + p3 +
  plot_annotation(tag_levels = "A")

```



```

ggsave("images/CallRateBout.png", width = 8, height = 3, dpi = 600)

```

```

## Call rate models ----

```

```

# Formula relating the response(s) to explanatory variables

```

```

fml <- as.formula(paste(RESPONSES,
                        paste(PREDICTORS_cycle, collapse = " + "),
                        sep = " ~ "))

```

```

### Linear regression ----

```

```
# Full model (response and all predictors)
```

```
M_LR_CallRate <- lm(fml, data = DC)
```

```
# Check collinearity of predictors
```

```
ols_coll_diag(M_LR_CallRate)
```

```
## Tolerance and Variance Inflation Factor
```

```
## -----
```

```
##      Variables Tolerance      VIF
```

```
## 1 TimeSinceLVP 0.8595796 1.163359
```

```
## 2   SPLcalling 0.7248721 1.379554
```

```
## 3   SPLvessel 0.7523850 1.329107
```

```
## 4      DoYcos 0.3826715 2.613207
```

```
## 5      DoYsin 0.4059506 2.463354
```

```
## 6     Hoursin 0.8426041 1.186797
```

```
## 7     Hourcos 0.7231538 1.382832
```

```
##
```

```
##
```

```
## Eigenvalue and Condition Index
```

```
## -----
```

```
##      Eigenvalue Condition Index      intercept TimeSinceLVP   SPLcalling
```

```
## 1 5.2747981014      1.000000 2.953017e-05 9.254659e-03 5.129621e-05
```

```
## 2 0.9620656388      2.341535 6.309981e-06 3.256112e-05 1.670558e-05
```

```
## 3 0.9169878675      2.398397 3.371422e-06 3.853852e-02 4.614910e-06
```

```
## 4 0.4871264965      3.290653 1.141185e-05 3.472853e-02 1.999544e-05
```

```
## 5 0.3335755027      3.976544 8.744210e-05 8.834172e-01 1.618075e-04
```

```
## 6 0.0238165284     14.882082 2.733203e-03 2.923872e-02 6.645242e-03
```

```
## 7 0.0010566798     70.653098 1.726499e-02 1.297317e-03 8.107090e-01
```

```
## 8 0.0005731847     95.930260 9.798637e-01 3.492480e-03 1.823914e-01
```

```
##      SPLvessel      DoYcos      DoYsin      Hoursin      Hourcos
```

```
## 1 4.152520e-05 0.0011297038 0.0038891429 0.0037216454 0.003332397
```

```
## 2 1.085700e-05 0.0001300931 0.0245172408 0.4195725404 0.220792607
```

```
## 3 3.020417e-06 0.0001242416 0.0004864174 0.3054527102 0.372863297
```

```
## 4 1.942246e-05 0.0105790019 0.2844187388 0.0845018308 0.055130784
```

```
## 5 1.400679e-04 0.0042246531 0.0023563288 0.1044569197 0.110089516
```

```
## 6 4.891900e-03 0.9397044563 0.6521852724 0.0421368119 0.013968058
```

```
## 7 4.475987e-01 0.0088137886 0.0014019200 0.0398221476 0.001632718
```

```
## 8 5.472945e-01 0.0352940615 0.0307449388 0.0003353942 0.222190624
```

```
# Model selected
```

```
m_LR_CallRate <- ols_step_both_p(M_LR_CallRate, p_remove = 0.05)
```

```
summary(m_LR_CallRate$model)
```

```
##
```

```
## Call:
```

```
## lm(formula = paste(response, "~", paste(preds, collapse = " + ")),
```

```
##      data = l)
```

```
##
```

```
## Residuals:
```

```
##      Min      1Q   Median      3Q      Max
```

```
## -0.92159 -0.19183  0.04721  0.29403  0.71009
```

```
##
```

```
## Coefficients:
```

```
##           Estimate Std. Error t value Pr(>|t|)
## (Intercept)  2.684909   0.875937   3.065  0.00286 **
## SPLcalling  -0.017186   0.008125  -2.115  0.03714 *
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.3809 on 91 degrees of freedom
## Multiple R-squared:  0.04686,    Adjusted R-squared:  0.03639
## F-statistic: 4.474 on 1 and 91 DF,  p-value: 0.03714
```


Format the output



```
tmp <- summary(m_LR_CallRate$model)
knitr::kable(tmp$coefficients, digits = 3)
```



	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	2.685	0.876	3.065	0.003
SPLcalling	-0.017	0.008	-2.115	0.037



Diagnostics



```
ols_plot_diagnostics(m_LR_CallRate$model)
```














Residual Box Plot



Regression Diagnostics




Regression Diagnostics







```
acf(m_LR_CallRate$model$residuals)

par(mfrow = c(2, 2))
```



```
plot(m_LR_CallRate$model)
```



```
### Random forest ----
```

```

set.seed(123)
M_RF_CallRate <- randomForest(fml
                              ,ntree = NTREE, mtry = MTRY, nodesize = NSIZE
                              ,sampsize = ceiling(nrow(DC) * 2/3)
                              ,importance = TRUE
                              ,data = DC)

M_RF_CallRate

```

```

##
## Call:
## randomForest(formula = fml, data = DC, ntree = NTREE, mtry = MTRY,      nodesize = NSIZE, sampsize =
##               Type of random forest: regression
##               Number of trees: 1000
## No. of variables tried at each split: 2
##
##               Mean of squared residuals: 0.1481949
##               % Var explained: 0.52

```

```

plot(M_RF_CallRate)

importance_values <- M_RF_CallRate$importance[,1]
importance_df <- tibble(Variable = names(importance_values),
                        Importance = importance_values) %>%
  arrange(Importance)

ggplot(importance_df, aes(x = reorder(Variable, Importance), y = Importance)) +
  geom_bar(stat = "identity") +
  coord_flip() +
  labs(x = "",
       y = "Importance")
ggsave("images/importance_CallRate.png", width = 4, height = 3, dpi = 600)

# Get PDP data
pdp_CallRate <- get_pdp_data(M_RF_CallRate, DC, PREDICTORS_cycle)

# Convert the predictor column to factor for faceting
pdp_CallRate$predictor <- factor(pdp_CallRate$predictor, levels = PREDICTORS_cycle)

# Plot PDPs with fixed y-axes
ggplot(pdp_CallRate, aes(x = x, y = yhat)) +
  geom_line() +
  facet_wrap(~predictor, scales = "free_x", nrow = 1) +
  labs(x = "Predictor values",
       y = expression(log[10] * "(Number of calls per hour)")) +
  geom_rug(data = DC %>%
    pivot_longer(cols = all_of(PREDICTORS_cycle),
                  names_to = "predictor",
                  values_to = "x") %>%
    mutate(yhat = mean(DC$CallRate_log10, na.rm = TRUE)),
    sides = "b", alpha = 0.3) +
  theme(
    strip.text = element_text(color = "black", face = "bold"),
    strip.background = element_rect(fill = "white")
  )

```



```

)
ggsave("images/pdp_CallRate.png", width = 9, height = 2.5, dpi = 600)

# Call characteristics ----

## Plots ----

# Set the response variables and predictors
RESPONSES <- c("FreqMin", "FreqMax", "FreqDelta", "Duration", "Duration90")

# Response variables are the first rows/columns in the matrix
D %>%
  dplyr::select(all_of(c(RESPONSES, PREDICTORS_cycle))) %>%
  GGally::ggpairs() +
  ggplot2::theme(
    axis.text = ggplot2::element_text(size = 8),
    strip.text = ggplot2::element_text(size = 8)
  )

ggsave("images/CallChar_scatter.png", width = 10, height = 8, dpi = 600)

# Show correlations and p-values
D %>%
  dplyr::select(all_of(c(RESPONSES, PREDICTORS_cycle))) %>%
  as.matrix() %>%
  Hmisc::rcorr()

```

```

##           FreqMin FreqMax FreqDelta Duration Duration90 TimeSinceLVP
## FreqMin      1.00   0.21   -0.29   -0.09      -0.19      0.09
## FreqMax      0.21   1.00    0.87    0.17       0.02     -0.02
## FreqDelta   -0.29   0.87    1.00    0.21       0.11     -0.06
## Duration    -0.09   0.17    0.21    1.00       0.80      0.03
## Duration90  -0.19   0.02    0.11    0.80       1.00      0.06
## TimeSinceLVP 0.09  -0.02   -0.06    0.03       0.06      1.00
## SPLcalling   0.07   0.07    0.04   -0.10      -0.03     -0.04
## SPLvessel   -0.05  -0.06   -0.03   -0.11      -0.01      0.11
## DoYcos       0.09   0.24    0.19    0.00       0.06      0.20
## DoYsin      -0.15  -0.22   -0.14   -0.01       0.01     -0.07
## Hoursin     -0.04  -0.10   -0.08    0.06       0.07     -0.22
## Hourcos      0.08  -0.04   -0.08    0.05       0.00     -0.15
##
##           SPLcalling SPLvessel DoYcos DoYsin Hoursin Hourcos
## FreqMin      0.07    -0.05   0.09  -0.15  -0.04   0.08
## FreqMax      0.07    -0.06   0.24  -0.22  -0.10  -0.04
## FreqDelta     0.04    -0.03   0.19  -0.14  -0.08  -0.08
## Duration    -0.10    -0.11   0.00  -0.01   0.06   0.05
## Duration90  -0.03    -0.01   0.06   0.01   0.07   0.00
## TimeSinceLVP -0.04     0.11   0.20  -0.07  -0.22  -0.15
## SPLcalling   1.00     0.41  -0.20   0.18   0.20  -0.46
## SPLvessel     0.41     1.00  -0.02   0.01   0.08  -0.48
## DoYcos      -0.20    -0.02   1.00  -0.78  -0.21   0.11
## DoYsin       0.18     0.01  -0.78   1.00   0.10  -0.12

```

```
## Hoursin      0.20      0.08 -0.21   0.10    1.00   -0.15
## Hourcos     -0.46     -0.48   0.11  -0.12   -0.15    1.00
##
## n= 889
##
##
## P
##           FreqMin FreqMax FreqDelta Duration Duration90 TimeSinceLVP
## FreqMin           0.0000  0.0000   0.0076   0.0000   0.0052
## FreqMax      0.0000           0.0000   0.0000   0.6501   0.5751
## FreqDelta    0.0000  0.0000           0.0000   0.0011   0.0529
## Duration     0.0076  0.0000  0.0000           0.0000   0.3137
## Duration90   0.0000  0.6501  0.0011   0.0000           0.0851
## TimeSinceLVP 0.0052  0.5751  0.0529   0.3137   0.0851
## SPLcalling   0.0473  0.0289  0.2491   0.0032   0.3485   0.2054
## SPLvessel    0.1620  0.0856  0.3241   0.0011   0.8644   0.0006
## DoYcos       0.0069  0.0000  0.0000   0.9794   0.0658   0.0000
## DoYsin       0.0000  0.0000  0.0000   0.8220   0.6892   0.0432
## Hoursin     0.2368  0.0024  0.0170   0.0993   0.0295   0.0000
## Hourcos     0.0157  0.2680  0.0223   0.1609   0.9215   0.0000
##           SPLcalling SPLvessel DoYcos DoYsin Hoursin Hourcos
## FreqMin     0.0473    0.1620    0.0069 0.0000 0.2368 0.0157
## FreqMax     0.0289    0.0856    0.0000 0.0000 0.0024 0.2680
## FreqDelta   0.2491    0.3241    0.0000 0.0000 0.0170 0.0223
## Duration    0.0032    0.0011    0.9794 0.8220 0.0993 0.1609
## Duration90  0.3485    0.8644    0.0658 0.6892 0.0295 0.9215
## TimeSinceLVP 0.2054    0.0006    0.0000 0.0432 0.0000 0.0000
## SPLcalling           0.0000    0.0000 0.0000 0.0000 0.0000
## SPLvessel    0.0000           0.6237 0.8045 0.0248 0.0000
## DoYcos       0.0000    0.6237           0.0000 0.0000 0.0009
## DoYsin       0.0000    0.8045    0.0000           0.0037 0.0003
## Hoursin     0.0000    0.0248    0.0000 0.0037           0.0000
## Hourcos     0.0000    0.0000    0.0009 0.0003 0.0000
```

```
# Show 95% confidence intervals for correlations of Response with Predictors
tmp <- lapply(RESPONSES, function(r)
  sapply(PREDICTORS_cycle, function(x)
    cor.test(unlist(D[,r]), unlist(D[,x]), conf.level = 0.95)$conf.int
  )
)
names(tmp) <- RESPONSES
tmp
```

```
## $FreqMin
##           TimeSinceLVP SPLcalling SPLvessel DoYcos DoYsin Hoursin
## [1,] 0.02812884 0.0007889881 -0.11234821 0.02497765 -0.21438020 -0.10519754
## [2,] 0.15848163 0.1317118699 0.01886581 0.15540588 -0.08585364 0.02609844
##           Hourcos
## [1,] 0.01530199
## [2,] 0.14594606
##
## $FreqMax
##           TimeSinceLVP SPLcalling SPLvessel DoYcos DoYsin Hoursin
## [1,] -0.08447106 0.007547449 -0.122966346 0.1757339 -0.2771590 -0.16652658
```

```
## [2,] 0.04698510 0.138347218 0.008100568 0.2997726 -0.1517288 -0.03638341
##      Hourcos
## [1,] -0.10269257
## [2,] 0.02862886
##
## $FreqDelta
##      TimeSinceLVP SPLcalling SPLvessel DoYcos DoYsin Hoursin
## [1,] -0.1301335770 -0.02712778 -0.09864571 0.1247415 -0.2001073 -0.14505078
## [2,] 0.0008168298 0.10417876 0.03271331 0.2515691 -0.0710319 -0.01438754
##      Hourcos
## [1,] -0.14170228
## [2,] -0.01096931
##
## $Duration
##      TimeSinceLVP SPLcalling SPLvessel DoYcos DoYsin Hoursin
## [1,] -0.03199773 -0.16332496 -0.17403815 -0.06488981 -0.07327285 -0.01048065
## [2,] 0.09935503 -0.03309624 -0.04410676 0.06661265 0.05822223 0.12062137
##      Hourcos
## [1,] -0.01874799
## [2,] 0.11246458
##
## $Duration90
##      TimeSinceLVP SPLcalling SPLvessel DoYcos DoYsin Hoursin
## [1,] -0.008006864 -0.09702835 -0.07146095 -0.004042329 -0.05236783 0.00731137
## [2,] 0.123058638 0.03434447 0.06003730 0.126961358 0.07911111 0.13811564
##      Hourcos
## [1,] -0.06245431
## [2,] 0.06904681
```

```
# Plot boxplots of ALL responses per season
```

```
ps <- lapply(RESPONSES, function(response) {
  ggplot(D, aes(x = .data$Season, y = .data[[response]])) +
    geom_boxplot(fill = "bisque") +
    labs(x = "Season", y = response)
})
```

```
# List sample sizes on one plot
```

```
ps[[1]] <- ps[[1]] +
  stat_summary(
    fun.data = function(x) {
      return(data.frame(
        y = min(x) - 0.1,
        label = paste0("n = ", length(x))
      ))
    },
    geom = "text",
    size = 4,
    color = "blue"
  )
```

```
p2 <- ggplot(DC, aes(x = Season, y = CallRate)) +
  geom_boxplot(fill = "darkolivegreen3") +
```

```

labs(x = "Season", y = "Call rate") +
stat_summary(
  fun.data = function(x) {
    return(data.frame(
      y = min(x) - 1,
      label = paste0("n = ", length(x))
    ))
  },
  geom = "text",
  size = 4,
  color = "blue"
)

p3 <- ggplot(DB, aes(x = Season, y = BoutDur_mins)) +
  geom_boxplot(fill = "cornflowerblue") +
  labs(x = "Season", y = "Bout duration") +
  stat_summary(
    fun.data = function(x) {
      return(data.frame(
        y = min(x) - 1,
        label = paste0("n = ", length(x))
      ))
    },
    geom = "text",
    size = 4,
    color = "blue"
  )

# Combine all ggplot objects using patchwork
combined_plot <- wrap_plots(ps) + plot_spacer() + p2 + p3

# Print the combined plot
print(combined_plot) +
  plot_layout(axes = "collect") +
  plot_annotation(tag_levels = "A")

ggsave("images/Response_boxplots.png", width = 9, height = 7, dpi = 600)

## Multivariate linear regression ----

# Set formula object
mult_form_lin <- as.formula(
  paste("cbind(",
    paste0(RESPONSES, collapse = ", "),
    ") ~",
    paste0(PREDICTORS_cycle, collapse = " + ")
  )
)

# Multivariate model of linear parametric form
mult_mod_lin <- lm(mult_form_lin
  ,data = D)

```

```
# The function summary() gives a separate summary for each response variable
summary(mult_mod_lin)
```

```
## Response FreqMin :
##
## Call:
## lm(formula = FreqMin ~ TimeSinceLVP + SPLcalling + SPLvessel +
##      DoYcos + DoYsin + Hoursin + Hourcos, data = D)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -58.641 -12.630   1.422  14.345  62.566
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   41.2876    24.3270   1.697 0.090014 .
## TimeSinceLVP    1.1475     0.3063   3.746 0.000191 ***
## SPLcalling     0.8537     0.1741   4.904 1.12e-06 ***
## SPLvessel     -0.3204     0.1661  -1.929 0.054027 .
## DoYcos        -9.4424     4.7042  -2.007 0.045033 *
## DoYsin       -10.5536     2.3054  -4.578 5.38e-06 ***
## Hoursin       -0.6922     0.9631  -0.719 0.472532
## Hourcos        4.4306     1.3439   3.297 0.001017 **
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 19.03 on 881 degrees of freedom
## Multiple R-squared:  0.0669, Adjusted R-squared:  0.05949
## F-statistic: 9.024 on 7 and 881 DF, p-value: 8.791e-11
##
## Response FreqMax :
##
## Call:
## lm(formula = FreqMax ~ TimeSinceLVP + SPLcalling + SPLvessel +
##      DoYcos + DoYsin + Hoursin + Hourcos, data = D)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -81.39 -26.31  -5.11  20.37 172.03
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  203.3833    47.0035   4.327 1.68e-05 ***
## TimeSinceLVP  -1.3557     0.5918  -2.291 0.022217 *
## SPLcalling     1.4590     0.3363   4.338 1.60e-05 ***
## SPLvessel     -1.2713     0.3209  -3.962 8.04e-05 ***
## DoYcos        33.6416     9.0893   3.701 0.000228 ***
## DoYsin       -8.2002     4.4545  -1.841 0.065973 .
## Hoursin      -5.6617     1.8609  -3.043 0.002416 **
## Hourcos       -6.2076     2.5966  -2.391 0.017029 *
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
##
## Residual standard error: 36.77 on 881 degrees of freedom
## Multiple R-squared:  0.1043, Adjusted R-squared:  0.09714
## F-statistic: 14.65 on 7 and 881 DF,  p-value: < 2.2e-16
##
##
## Response FreqDelta :
##
## Call:
## lm(formula = FreqDelta ~ TimeSinceLVP + SPLcalling + SPLvessel +
##     DoYcos + DoYsin + Hoursin + Hourcos, data = D)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -81.862 -26.141  -6.024  22.016 167.864
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  162.0439    48.6910   3.328 0.000911 ***
## TimeSinceLVP   -2.5030     0.6131  -4.083 4.86e-05 ***
## SPLcalling      0.6051     0.3484   1.737 0.082794 .
## SPLvessel     -0.9503     0.3324  -2.859 0.004353 **
## DoYcos         43.0967     9.4156   4.577 5.39e-06 ***
## DoYsin         2.3474     4.6144   0.509 0.611087
## Hoursin       -4.9684     1.9277  -2.577 0.010116 *
## Hourcos       -10.6394     2.6899  -3.955 8.26e-05 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 38.09 on 881 degrees of freedom
## Multiple R-squared:  0.07804, Adjusted R-squared:  0.07072
## F-statistic: 10.65 on 7 and 881 DF,  p-value: 6.424e-13
##
##
## Response Duration :
##
## Call:
## lm(formula = Duration ~ TimeSinceLVP + SPLcalling + SPLvessel +
##     DoYcos + DoYsin + Hoursin + Hourcos, data = D)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.63014 -0.17641 -0.00864  0.15377  1.17161
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   2.241590    0.318491   7.038 3.92e-12 ***
## TimeSinceLVP   0.006876    0.004010   1.715  0.0868 .
## SPLcalling    -0.004732    0.002279  -2.077  0.0381 *
## SPLvessel     -0.005333    0.002174  -2.453  0.0144 *
## DoYcos        -0.021043    0.061588  -0.342  0.7327
## DoYsin        -0.007128    0.030183  -0.236  0.8134
## Hoursin       0.031192    0.012609   2.474  0.0136 *
## Hourcos      -0.006154    0.017595  -0.350  0.7266
```

```
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.2491 on 881 degrees of freedom
## Multiple R-squared:  0.02507,    Adjusted R-squared:  0.01732
## F-statistic: 3.236 on 7 and 881 DF,  p-value: 0.002141
##
##
## Response Duration90 :
##
## Call:
## lm(formula = Duration90 ~ TimeSinceLVP + SPLcalling + SPLvessel +
##     DoYcos + DoYsin + Hoursin + Hourcos, data = D)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.48886 -0.13610 -0.01742  0.11342  0.94291
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   0.7732759   0.2529610   3.057 0.002304 **
## TimeSinceLVP   0.0048259   0.0031851   1.515 0.130089
## SPLcalling    -0.0019105   0.0018100  -1.055 0.291487
## SPLvessel      0.0001164   0.0017269   0.067 0.946297
## DoYcos         0.1759692   0.0489163   3.597 0.000339 ***
## DoYsin         0.0755808   0.0239728   3.153 0.001672 **
## Hoursin        0.0341926   0.0100147   3.414 0.000669 ***
## Hourcos        0.0033461   0.0139745   0.239 0.810816
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1979 on 881 degrees of freedom
## Multiple R-squared:  0.028,    Adjusted R-squared:  0.02028
## F-statistic: 3.626 on 7 and 881 DF,  p-value: 0.0007311
```

```
# Run multivariate tests and check if they agree
car::Anova(mult_mod_lin, test.statistic = "Wilks")
```

```
##
## Type II MANOVA Tests: Wilks test statistic
##
##      Df test stat approx F num Df den Df    Pr(>F)
## TimeSinceLVP  1   0.96529   6.3080     5    877 9.204e-06 ***
## SPLcalling    1   0.94586  10.0395     5    877 2.330e-09 ***
## SPLvessel     1   0.96767   5.8606     5    877 2.456e-05 ***
## DoYcos        1   0.91871  15.5195     5    877 1.194e-14 ***
## DoYsin        1   0.94843   9.5375     5    877 7.132e-09 ***
## Hoursin       1   0.97538   4.4268     5    877 0.0005478 ***
## Hourcos       1   0.97609   4.2970     5    877 0.0007226 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
car::Anova(mult_mod_lin, test.statistic = "Pillai")
```

```
##
```

```
## Type II MANOVA Tests: Pillai test statistic
##           Df test stat approx F num Df den Df    Pr(>F)
## TimeSinceLVP 1  0.034715   6.3080     5    877 9.204e-06 ***
## SPLcalling   1  0.054139  10.0395     5    877 2.330e-09 ***
## SPLvessel    1  0.032332   5.8606     5    877 2.456e-05 ***
## DoYcos       1  0.081288  15.5195     5    877 1.194e-14 ***
## DoYsin       1  0.051572   9.5375     5    877 7.132e-09 ***
## Hoursin      1  0.024617   4.4268     5    877 0.0005478 ***
## Hourcos      1  0.023913   4.2970     5    877 0.0007226 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
car::Anova(mult_mod_lin, test.statistic = "Hotelling-Lawley")
```

```
##
## Type II MANOVA Tests: Hotelling-Lawley test statistic
##           Df test stat approx F num Df den Df    Pr(>F)
## TimeSinceLVP 1  0.035963   6.3080     5    877 9.204e-06 ***
## SPLcalling   1  0.057238  10.0395     5    877 2.330e-09 ***
## SPLvessel    1  0.033413   5.8606     5    877 2.456e-05 ***
## DoYcos       1  0.088480  15.5195     5    877 1.194e-14 ***
## DoYsin       1  0.054376   9.5375     5    877 7.132e-09 ***
## Hoursin      1  0.025239   4.4268     5    877 0.0005478 ***
## Hourcos      1  0.024498   4.2970     5    877 0.0007226 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
car::Anova(mult_mod_lin, test.statistic = "Roy")
```

```
##
## Type II MANOVA Tests: Roy test statistic
##           Df test stat approx F num Df den Df    Pr(>F)
## TimeSinceLVP 1  0.035963   6.3080     5    877 9.204e-06 ***
## SPLcalling   1  0.057238  10.0395     5    877 2.330e-09 ***
## SPLvessel    1  0.033413   5.8606     5    877 2.456e-05 ***
## DoYcos       1  0.088480  15.5195     5    877 1.194e-14 ***
## DoYsin       1  0.054376   9.5375     5    877 7.132e-09 ***
## Hoursin      1  0.025239   4.4268     5    877 0.0005478 ***
## Hourcos      1  0.024498   4.2970     5    877 0.0007226 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
## Multiple (individual) linear regressions ----
```

```
# Run model selection and save results in a list
```

```
invisible(
  lapply(RESPONSES, function(y) { # y = RESPONSES[1]
    print(y)
    fml <- as.formula(paste(y,
                           paste(PREDICTORS_cycle, collapse = " + "),
                           sep = " ~ "))
```



```


# Full model (response and all predictors)
Mfull <- lm(fml, data = D)

# Model selected
Mreduced <- ols_step_both_p(Mfull, p_remove = 0.05)
print(summary(Mreduced$model))

# Format the output
tmp <- summary(Mreduced$model)
print(knitr::kable(tmp$coefficients, digits = 3))

# Diagnostics
par(mfrow = c(2, 2))
plot(Mreduced$model)
})
)

```







```

## [1] "FreqMin"
##
## Call:
## lm(formula = paste(response, "~", paste(preds, collapse = " + ")),
##     data = l)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -58.996 -13.056   1.426  14.398  61.356
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)

```

```
## (Intercept)      2.7178      18.0833      0.150 0.880566
## DoYsin           -6.7278       1.4453     -4.655 3.74e-06 ***
## SPLcalling        0.7730       0.1672      4.622 4.36e-06 ***
## Hourcos           5.3360       1.2566      4.246 2.40e-05 ***
## TimeSinceLVP      1.0062       0.2921      3.445 0.000598 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 19.08 on 884 degrees of freedom
## Multiple R-squared:  0.05855,    Adjusted R-squared:  0.05429
## F-statistic: 13.74 on 4 and 884 DF,  p-value: 7.038e-11
##
##
##
## |               | Estimate| Std. Error| t value| Pr(>|t|) |
## |-----|-----|-----|-----|-----|
## |(Intercept)|      2.718|      18.083|   0.150|    0.881|
## |DoYsin      |     -6.728|       1.445|  -4.655|    0.000|
## |SPLcalling   |      0.773|       0.167|   4.622|    0.000|
## |Hourcos     |      5.336|       1.257|   4.246|    0.000|
## |TimeSinceLVP|      1.006|       0.292|   3.445|    0.001|
```




```
## [1] "FreqMax"
##
## Call:
## lm(formula = paste(response, "~", paste(preds, collapse = " + ")),
##     data = l)
##
## Residuals:
```

```





##      Min      1Q  Median      3Q      Max
## -82.003 -26.308  -5.063  19.545 171.793
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  190.4795    46.5408   4.093 4.65e-05 ***
## DoYcos       46.6585     5.7188   8.159 1.16e-15 ***
## SPLcalling    1.4215     0.3362   4.229 2.60e-05 ***
## SPLvessel    -1.2378     0.3208  -3.858 0.000122 ***
## Hoursin     -5.3136     1.8537  -2.866 0.004250 **
## TimeSinceLVP -1.4938     0.5879  -2.541 0.011220 *
## Hourcos      -6.0300     2.5984  -2.321 0.020530 *
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 36.82 on 882 degrees of freedom
## Multiple R-squared:  0.1008, Adjusted R-squared:  0.0947
## F-statistic: 16.48 on 6 and 882 DF,  p-value: < 2.2e-16
##
##
##
## |              | Estimate| Std. Error| t value| Pr(>|t|) |
## |:-----:|:-----:|:-----:|:-----:|:-----:|
## |(Intercept) |  190.480|    46.541|   4.093|    0.000|
## |DoYcos       |   46.659|     5.719|   8.159|    0.000|
## |SPLcalling   |    1.421|     0.336|   4.229|    0.000|
## |SPLvessel    |   -1.238|     0.321|  -3.858|    0.000|
## |Hoursin      |   -5.314|     1.854|  -2.866|    0.004|
## |TimeSinceLVP |   -1.494|     0.588|  -2.541|    0.011|
## |Hourcos      |   -6.030|     2.598|  -2.321|    0.021|

```




```
## [1] "FreqDelta"
##
## Call:
## lm(formula = paste(response, "~", paste(preds, collapse = " + ")),
##     data = l)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -81.419 -26.654  -5.588   22.808  167.055
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   215.1921    39.2500   5.483 5.47e-08 ***
## DoYcos         37.9357     5.8650   6.468 1.64e-10 ***
## TimeSinceLVP  -2.5545     0.6064  -4.212 2.79e-05 ***
## Hourcos       -12.1766     2.5556  -4.765 2.21e-06 ***
## SPLvessel     -0.8097     0.3211  -2.522  0.0119 *
## Hoursin       -4.7034     1.9081  -2.465  0.0139 *
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 38.12 on 883 degrees of freedom
## Multiple R-squared:  0.07449,    Adjusted R-squared:  0.06925
## F-statistic: 14.21 on 5 and 883 DF,  p-value: 2.134e-13
##
##
## |               | Estimate| Std. Error| t value| Pr(>|t|)|
## |:-----:|:-----:|:-----:|:-----:|:-----:|
```

```
## |(Intercept) | 215.192| 39.250| 5.483| 0.000|
## |DoYcos | 37.936| 5.865| 6.468| 0.000|
## |TimeSinceLVP | -2.555| 0.606| -4.212| 0.000|
## |Hourcos | -12.177| 2.556| -4.765| 0.000|
## |SPLvessel | -0.810| 0.321| -2.522| 0.012|
## |Hoursin | -4.703| 1.908| -2.465| 0.014|
```




```
## [1] "Duration"
##
## Call:
## lm(formula = paste(response, "~", paste(preds, collapse = " + ")),
##     data = l)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.61762 -0.16790 -0.01172  0.15756  1.18294
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  1.810127   0.223347   8.105 1.75e-15 ***
## SPLvessel   -0.006049   0.001843  -3.282  0.00107 **
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.2499 on 887 degrees of freedom
## Multiple R-squared:  0.012, Adjusted R-squared:  0.01089
## F-statistic: 10.77 on 1 and 887 DF, p-value: 0.00107
##
##
```

```
##
## |           | Estimate| Std. Error| t value| Pr(>|t|)|
## |-----|-----|-----|-----|-----|
## |(Intercept)|    1.810|    0.223|    8.105|    0.000|
## |SPLvessel   |   -0.006|    0.002|   -3.282|    0.001|
```



```
## [1] "Duration90"
##
## Call:
## lm(formula = paste(response, "~", paste(preds, collapse = " + ")),
##     data = l)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.4811 -0.1303 -0.0252  0.1061  0.9518
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  0.579769   0.044164  13.128 < 2e-16 ***
## Hoursin      0.029207   0.009667   3.021  0.00259 **
## DoYcos       0.194407   0.047802   4.067  5.19e-05 ***
## DoYsin       0.078106   0.023674   3.299  0.00101 **
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1979 on 885 degrees of freedom
## Multiple R-squared:  0.02362,    Adjusted R-squared:  0.02031
## F-statistic: 7.137 on 3 and 885 DF,  p-value: 9.718e-05
##
```

```
##
##
## |           | Estimate| Std. Error| t value| Pr(>|t|) |
## |-----|-----|-----|-----|-----|
## |(Intercept)|    0.580|    0.044|  13.128|    0.000|
## |Hoursin    |    0.029|    0.010|   3.021|    0.003|
## |DoYcos     |    0.194|    0.048|   4.067|    0.000|
## |DoYsin     |    0.078|    0.024|   3.299|    0.001|
```



```
## Random forest ----

# Set formula object
mult_form_rf <- as.formula(
  paste("Multivar(",
    paste0(RESPONSES, collapse = ", "),
    ") ~",
    paste0(PREDICTORS_cycle, collapse = " + ")
  )
)

# Multivariate model of nonlinear nonparametric form
set.seed(123)
mult_mod_rf <- rfsrc(mult_form_rf,
  ntree = NTREE,
  nodesize = NSIZE,
  importance = "permute",
  splitrule = "mahalanobis",
  data = D)
```

```
# Print out RF results for each response
invisible(
  sapply(RESPONSES, function(i) print(mult_mod_rf, outcome.target = i))
)
```

```
##                               Sample size: 889
##                               Number of trees: 1000
##                               Forest terminal node size: 5
##                               Average no. of terminal nodes: 84.359
## No. of variables tried at each split: 3
##                               Total no. of variables: 7
##                               Total no. of responses: 5
##                               User has requested response: FreqMin
##                               Resampling used to grow trees: swor
##                               Resample size used to grow trees: 562
##                               Analysis: mRF-R
##                               Family: regr+
##                               Splitting rule: mahalanobis *random*
##                               Number of random split points: 10
##                               (OOB) R squared: 0.25270253
## (OOB) Requested performance error: 287.71573732
##
##                               Sample size: 889
##                               Number of trees: 1000
##                               Forest terminal node size: 5
##                               Average no. of terminal nodes: 84.359
## No. of variables tried at each split: 3
##                               Total no. of variables: 7
##                               Total no. of responses: 5
##                               User has requested response: FreqMax
##                               Resampling used to grow trees: swor
##                               Resample size used to grow trees: 562
##                               Analysis: mRF-R
##                               Family: regr+
##                               Splitting rule: mahalanobis *random*
##                               Number of random split points: 10
##                               (OOB) R squared: 0.34408758
## (OOB) Requested performance error: 982.07392639
##
##                               Sample size: 889
##                               Number of trees: 1000
##                               Forest terminal node size: 5
##                               Average no. of terminal nodes: 84.359
## No. of variables tried at each split: 3
##                               Total no. of variables: 7
##                               Total no. of responses: 5
##                               User has requested response: FreqDelta
##                               Resampling used to grow trees: swor
##                               Resample size used to grow trees: 562
##                               Analysis: mRF-R
##                               Family: regr+
##                               Splitting rule: mahalanobis *random*
##                               Number of random split points: 10
```



```



##                (OOB) R squared: 0.31527044
##    (OOB) Requested performance error: 1068.87523642
##
##                Sample size: 889
##                Number of trees: 1000
##                Forest terminal node size: 5
##                Average no. of terminal nodes: 84.359
## No. of variables tried at each split: 3
##                Total no. of variables: 7
##                Total no. of responses: 5
##                User has requested response: Duration
##                Resampling used to grow trees: swor
##                Resample size used to grow trees: 562
##                Analysis: mRF-R
##                Family: regr+
##                Splitting rule: mahalanobis *random*
##                Number of random split points: 10
##                (OOB) R squared: 0.19943878
##    (OOB) Requested performance error: 0.05056314
##
##                Sample size: 889
##                Number of trees: 1000
##                Forest terminal node size: 5
##                Average no. of terminal nodes: 84.359
## No. of variables tried at each split: 3
##                Total no. of variables: 7
##                Total no. of responses: 5
##                User has requested response: Duration90
##                Resampling used to grow trees: swor
##                Resample size used to grow trees: 562
##                Analysis: mRF-R
##                Family: regr+
##                Splitting rule: mahalanobis *random*
##                Number of random split points: 10
##                (OOB) R squared: 0.16788154
##    (OOB) Requested performance error: 0.03325424

```



```

# Plot RF results for each response
invisible(
  sapply(RESPONSES, function(i) plot(mult_mod_rf, m.target = i))
)



```





```
##
##          Importance  Relative Imp
## DoYcos          39.8726         1.0000
## DoYsin          39.4801         0.9902
## SPLcalling       34.1661         0.8569
## SPLvessel        32.9639         0.8267
## Hourcos          22.7999         0.5718
## TimeSinceLVP     22.6338         0.5677
## Hoursin          22.6236         0.5674
```





##		
##	Importance	Relative Imp
## DoYcos	219.7628	1.0000
## DoYsin	188.7911	0.8591
## SPLcalling	170.8062	0.7772
## SPLvessel	148.7004	0.6766
## TimeSinceLVP	79.4295	0.3614
## Hoursin	77.5395	0.3528
## Hourcos	74.0498	0.3370



```
##
##          Importance  Relative Imp
## DoYcos          205.8428         1.0000
## SPLcalling       188.2534         0.9145
## DoYsin           185.5919         0.9016
## SPLvessel        171.6681         0.8340
## TimeSinceLVP      99.1931         0.4819
## Hourcos           91.7510         0.4457
## Hoursin          81.0634         0.3938
```



```
##
##          Importance  Relative Imp
## DoYcos          0.0054         1.0000
## DoYsin          0.0048         0.8860
## SPLcalling      0.0048         0.8858
## SPLvessel       0.0044         0.8157
## Hourcos         0.0039         0.7249
## Hoursin         0.0038         0.7069
## TimeSinceLVP    0.0038         0.7029
```




```
##
##           Importance  Relative Imp
## SPLcalling      0.0028      1.0000
## DoYcos          0.0026      0.9492
## DoYsin          0.0026      0.9430
## SPLvessel       0.0023      0.8235
## Hoursin         0.0019      0.6983
## TimeSinceLVP    0.0017      0.6062
## Hourcos         0.0015      0.5423
```

```
# Extract standardized variable importance
svimp <- get.mv.vimp(mult_mod_rf, standardize = TRUE) %>%
  t() %>%
  as_tibble()

# Calculate average importance for sorting of the variables
svimp_avg <- apply(svimp, 2, mean) %>%
  sort()
svimp_long <- svimp %>%
  pivot_longer(cols = PREDICTORS_cycle,
               names_to = "Variable",
               values_to = "Value") %>%
  mutate(Variable = factor(Variable, levels = names(svimp_avg)))

# Plot importances
ggplot(svimp_long, aes(x = Value, y = Variable)) +
  xlim(0, max(svimp)) +
  geom_boxplot(fill = "bisque") +
  xlab("Standardized importance") +
```

```
ylab("")
```



```
ggsave("images/importance_CallChar.png", width = 8, height = 5, dpi = 600)
```

```
# Get PDP data
```

```
pdp_CallChar <- lapply(PREDICTORS_cycle, function(i) { # i = "TimeSinceLVP"
```

```
# Setup x-grid similar to pdp::partial and pdp::pred_grid
```

```
grid.resolution <- min(length(unique(mult_mod_rf$xvar[, i, drop = TRUE])), 51)
```

```
xx <- seq(from = min(mult_mod_rf$xvar[, i, drop = TRUE], na.rm = TRUE),  
         to = max(mult_mod_rf$xvar[, i, drop = TRUE], na.rm = TRUE),  
         length = grid.resolution)
```

```
# Use new partial.values xx instead of the mult_mod_rf$xvar[, i]
```

```
partial.obj <- randomForestSRC::partial(mult_mod_rf,  
                                       partial.xvar = i,  
                                       partial.values = xx)
```

```
pdta <- lapply(RESPONSES, function(j)
```

```
  randomForestSRC::get.partial.plot.data(partial.obj, m.target = j))
```

```
  lapply(1:length(RESPONSES), function(j)
```

```
    tibble(x = pdta[[j]]$x,  
          yhat = pdta[[j]]$yhat,  
          predictor = i,  
          response = RESPONSES[j])) %>%  
    bind_rows()
```

```
  }) %>%
```


```

bind_rows()

# Rename stuff to include units
pdp_CallChar <- pdp_CallChar %>%
  mutate(predictor = gsub("TimeSinceLVP", "TimeSinceLVP (hours)", predictor)) %>%
  mutate(predictor = gsub("SPLcalling", "SPLcalling (dB)", predictor)) %>%
  mutate(predictor = gsub("SPLvessel", "SPLvessel (dB)", predictor)) %>%
  mutate(response = if_else(grepl("Duration", response),
    paste0(response, " (s)",
    response)) %>%
  mutate(response = gsub("FreqDelta", "FreqDelta (Hz)", response)) %>%
  mutate(response = gsub("FreqMax", "FreqMax (Hz)", response)) %>%
  mutate(response = gsub("FreqMin", "FreqMin (Hz)", response))

# Plot PDPs with fixed y-axes
pdp_CallChar %>%
  dplyr::filter(predictor %in% c("TimeSinceLVP (hours)", "SPLcalling (dB)", "SPLvessel (dB)")) %>%
  ggplot(aes(x = x, y = yhat)) +
  geom_line() +
  # Add rug plot only for the data where response is the bottom level
  # geom_rug(data = . %>% dplyr::filter(response == "FreqMin (Hz)",
  #   sides = "b", alpha = 0.3) +
  # Use the original data for the rug plot
  geom_rug(data = tibble(response = "FreqMin (Hz)",
    predictor = "SPLcalling (dB)",
    yhat = mean(D$FreqMin, na.rm = TRUE),
    x = D$SPLcalling),
    sides = "b", alpha = 0.3) +
  geom_rug(data = tibble(response = "FreqMin (Hz)",
    predictor = "SPLvessel (dB)",
    yhat = mean(D$FreqMin, na.rm = TRUE),
    x = D$SPLvessel),
    sides = "b", alpha = 0.3) +
  geom_rug(data = tibble(response = "FreqMin (Hz)",
    predictor = "TimeSinceLVP (hours)",
    yhat = mean(D$FreqMin, na.rm = TRUE),
    x = D$TimeSinceLVP),
    sides = "b", alpha = 0.3) +
  facet_grid(response ~ predictor, scales = "free") +
  labs(x = "Predictor values",
    y = "Response values") +
  theme(
    strip.text = element_text(color = "black", face = "bold"),
    strip.background = element_rect(fill = "white")
  )

```


```
ggsave("images/pdp_CallChar1.png", width = 9, height = 8, dpi = 600)
```

```
pdp_CallChar %>%
  dplyr::filter(predictor %in% c("TimeSinceLVP (hours)", "SPLcalling (dB)", "SPLvessel (dB)")) %>%
  ggplot(aes(x = x, y = yhat)) +
  geom_line() +
  # Add rug plot only for the data where response is the bottom level
  # geom_rug(data = . %>% dplyr::filter(response == "FreqMin (Hz)",
  #   sides = "b", alpha = 0.3) +
  geom_rug(data = tibble(response = "FreqMin (Hz)",
    predictor = "DoYcos",
    yhat = mean(D$FreqMin, na.rm = TRUE),
    x = D$DoYcos),
    sides = "b", alpha = 0.3) +
  geom_rug(data = tibble(response = "FreqMin (Hz)",
    predictor = "DoYsin",
    yhat = mean(D$FreqMin, na.rm = TRUE),
    x = D$DoYsin),
    sides = "b", alpha = 0.3) +
  geom_rug(data = tibble(response = "FreqMin (Hz)",
    predictor = "Hourcos",
    yhat = mean(D$FreqMin, na.rm = TRUE),
    x = D$Hourcos),
    sides = "b", alpha = 0.3) +
  geom_rug(data = tibble(response = "FreqMin (Hz)",
    predictor = "Hoursin",
    yhat = mean(D$FreqMin, na.rm = TRUE),
    x = D$Hoursin),
```

```

    sides = "b", alpha = 0.3) +
  facet_grid(response ~ predictor, scales = "free") +
  labs(x = "Predictor values",
       y = "Response values") +
  theme(
    strip.text = element_text(color = "black", face = "bold"),
    strip.background = element_rect(fill = "white")
  )

```



```

ggsave("images/pdp_CallChar2.png", width = 9, height = 8, dpi = 600)

```

```

save.image("dataderived/DataImage_modeling_combined.RData")

```

```

# Citations ----

```

```

citation(package = "car", auto = TRUE)

```

```

## To cite package 'car' in publications use:

```

```

##

```

```

## Fox J, Weisberg S, Price B (2026). _car: Companion to Applied

```

```

## Regression_. doi:10.32614/CRAN.package.car

```

```

## <https://doi.org/10.32614/CRAN.package.car>, R package version 3.1-5,

```

```

## <https://CRAN.R-project.org/package=car>.

```

```

##

```

```

## A BibTeX entry for LaTeX users is

```

```
##
## @Manual{,
##   title = {car: Companion to Applied Regression},
##   author = {John Fox and Sanford Weisberg and Brad Price},
##   year = {2026},
##   note = {R package version 3.1-5},
##   url = {https://CRAN.R-project.org/package=car},
##   doi = {10.32614/CRAN.package.car},
## }
```

```
citation(package = "flexmix")
```

```
## To cite package 'flexmix' in publications use:
##
## Gruen B, Leisch F (2025). _flexmix: Flexible Mixture Modeling_.
## doi:10.32614/CRAN.package.flexmix
## <https://doi.org/10.32614/CRAN.package.flexmix>, R package version
## 2.3-20, <https://CRAN.R-project.org/package=flexmix>.
##
## Leisch F (2004). "FlexMix: A General Framework for Finite Mixture
## Models and Latent Class Regression in R." _Journal of Statistical
## Software_, *11*(8), 1-18. doi:10.18637/jss.v011.i08
## <https://doi.org/10.18637/jss.v011.i08>.
##
## Grün B, Leisch F (2007). "Fitting Finite Mixtures of Generalized
## Linear Regressions in R." _Computational Statistics & Data Analysis_,
## *51*(11), 5247-5252. doi:10.1016/j.csda.2006.08.014
## <https://doi.org/10.1016/j.csda.2006.08.014>.
##
## Grün B, Leisch F (2008). "FlexMix Version 2: Finite Mixtures with
## Concomitant Variables and Varying and Constant Parameters." _Journal
## of Statistical Software_, *28*(4), 1-35. doi:10.18637/jss.v028.i04
## <https://doi.org/10.18637/jss.v028.i04>.
##
## To see these entries in BibTeX format, use 'print(<citation>,
## bibtex=TRUE)', 'toBibtex(.)', or set
## 'options(citation.bibtex.max=999)'.
```

```
citation(package = "nlme")
```

```
## To cite package 'nlme' in publications use:
##
## Pinheiro J, Bates D, R Core Team (2025). _nlme: Linear and Nonlinear
## Mixed Effects Models_. doi:10.32614/CRAN.package.nlme
## <https://doi.org/10.32614/CRAN.package.nlme>, R package version
## 3.1-168, <https://CRAN.R-project.org/package=nlme>.
##
## Pinheiro JC, Bates DM (2000). _Mixed-Effects Models in S and S-PLUS_.
## Springer, New York. doi:10.1007/b98882
## <https://doi.org/10.1007/b98882>.
##
## To see these entries in BibTeX format, use 'print(<citation>,
## bibtex=TRUE)', 'toBibtex(.)', or set
## 'options(citation.bibtex.max=999)'.
```

```
citation(package = "randomForestSRC", auto = TRUE)
```

```
## To cite package 'randomForestSRC' in publications use:
##
##   Ishwaran H, Kogalur U (2026). _randomForestSRC: Fast Unified Random
##   Forests for Survival, Regression, and Classification (RF-SRC)_.
##   doi:10.32614/CRAN.package.randomForestSRC
##   <https://doi.org/10.32614/CRAN.package.randomForestSRC>, R package
##   version 3.5.0, <https://CRAN.R-project.org/package=randomForestSRC>.
##
## A BibTeX entry for LaTeX users is
##
##   @Manual{,
##     title = {randomForestSRC: Fast Unified Random Forests for Survival, Regression, and
## Classification (RF-SRC)},
##     author = {Hemant Ishwaran and Udaya B. Kogalur},
##     year = {2026},
##     note = {R package version 3.5.0},
##     url = {https://CRAN.R-project.org/package=randomForestSRC},
##     doi = {10.32614/CRAN.package.randomForestSRC},
##   }
```

```
citation(package = "randomForest", auto = TRUE)
```

```
## To cite package 'randomForest' in publications use:
##
##   Breiman L, Cutler A, Liaw A, Wiener M (2024). _randomForest: Breiman
##   and Cutlers Random Forests for Classification and Regression_.
##   doi:10.32614/CRAN.package.randomForest
##   <https://doi.org/10.32614/CRAN.package.randomForest>, R package
##   version 4.7-1.2, <https://CRAN.R-project.org/package=randomForest>.
##
## A BibTeX entry for LaTeX users is
##
##   @Manual{,
##     title = {randomForest: Breiman and Cutlers Random Forests for Classification and
## Regression},
##     author = {Leo Breiman and Adele Cutler and Andy Liaw and Matthew Wiener},
##     year = {2024},
##     note = {R package version 4.7-1.2},
##     url = {https://CRAN.R-project.org/package=randomForest},
##     doi = {10.32614/CRAN.package.randomForest},
##   }
```

```
citation(package = "suncalc", auto = TRUE)
```

```
## To cite package 'suncalc' in publications use:
##
##   Thieurmél B, Elmarhraoui A (2022). _suncalc: Compute Sun Position,
##   Sunlight Phases, Moon Position and Lunar Phase_.
##   doi:10.32614/CRAN.package.suncalc
```

```

## <https://doi.org/10.32614/CRAN.package.suncalc>, R package version
## 0.5.1, <https://CRAN.R-project.org/package=suncalc>.
##
## A BibTeX entry for LaTeX users is
##
## @Manual{,
##   title = {suncalc: Compute Sun Position, Sunlight Phases, Moon Position and Lunar
## Phase},
##   author = {Benoit Thieurmél and Achraf Elmarhraoui},
##   year = {2022},
##   note = {R package version 0.5.1},
##   url = {https://CRAN.R-project.org/package=suncalc},
##   doi = {10.32614/CRAN.package.suncalc},
## }

```