## **Retro Clouds Vape Shop**

Documentation paper for vape shop online ordering system as final project

#### **Presented to:**

Prof. Emily F. Sicat

# In Partial Fulfillment Of the Requirements for Web Applications (WEBAPPS)

#### **Prepared by:**

Dorado, Christine C.

Orina, Rodolfo Jr. T.

Salgado, James Van T.

Tajarros, Zedrick Jerol S.

Tamayo, Mark Adrian P.

## I. ALL PHP FILES

## **Root directory**

File: about.php

```
<?php
    session_start();
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>About | Retro Clouds PH</title>
    <link rel="stylesheet" href="./styles/output.css">
    <link rel="stylesheet" href="./styles/about.css">
    <link rel="shortcut icon" href="./assets/Favicon_Retro.png" type="image/x-</pre>
icon">
   <style>
        ::-webkit-scrollbar {
            width: 10px;
        ::-webkit-scrollbar-track {
            background-color: #1A1D3B;
        ::-webkit-scrollbar-thumb {
            background: linear-gradient(#1A1D3B, #FF1695, #1A1D3B);
            border-radius: 50px;
        .swiper-slide {
            text-align: center !important;
            display: flex !important;
            align-items: center !important;
            justify-content: center !important;
            flex-direction: column !important;
    </style>
</head>
<body class="bg-[#1A1D3B] select-none" id="scroll-top">
```

```
<?php
       require("./config/config.php");
       require("./config/database.php");
       define('SOURCE PATH', './assets/Retro Clouds VS.jpg');
       include("./config/Navigation.php");
       include("./config/sidebar-cart.php");
   <!-- ABOUT HERO BANNER -->
   <div class="w-full h-[80vh] bg-gradient-to-t from-[#FF1695] via-[#1A1D3B] to-</pre>
[#1A1D3B] flex flex-col items-center justify-end px-4 mobilemd:px-6 sm:px-8
md:px-10 lg:h-screen lg:max-h-screen lg:pb-4 lg:px-24 xl:px-14 laptopxxl:px-16
2x1:px-20">
       <div class="w-full h-[80%] mixed-gradient-img flex flex-col items-center</pre>
justify-center gap-2 lg:h-[85%]">
           <div class="w-[80%] max-w-[80%] h-[90%] flex flex-col items-center</pre>
lg:gap-2 lg:h-full lg:p-4 laptopxxl:grid laptopxxl:grid-cols-2 laptopxxl:w-full
laptopxxl:max-w-full laptopxxl:justify-center">
              <div class="w-full h-[30%] flex flex-col gap-1 justify-center</pre>
mobilelg:gap-2 p-1 lg:h-[25%] laptopxxl:items-center laptopxxl:h-[50vh]
laptopxxl:px-8 laptopxxl:gap-12">
                  poppins sm:text-base lg:text-lg laptopxxl:text-left laptopxxl:text-xl">About
Retro Clouds
                  oswald sm:text-4xl sm:tracking-wide lg:text-5xl laptopxxl:text-left
laptopxxl:text-6xl">WHAT WE DO
                  poppins sm:text-sm lg:text-base laptopxxl:text-left laptopxxl:text-lg">Selling
vape products since 2020
                  sm lg:text-base laptopxxl:flex laptopxxl:text-left">Established in December 2022,
we started as a passionate vape store in Pinagsama Phase 2, Taguig City, and our
passion for providing the best vaping experience has led us to expand and serve
vapers in San Pedro Laguna, Gen Tri Cavite, Kawit Cavite, and even Infanta
Pangasinan. We offer a wide variety of high-quality e-liquids, vape devices, and
accessories from reputable brands, with knowledgeable staff to help you find the
perfect setup, all at competitive prices.
              <div class="retro-logo w-[99%] h-[70%] lg:h-full"></div>
          </div>
       </div>
   </div>
   <!-- STORE BRANCHES -->
```

```
<div class="h-auto w-full max-w-full bg-gradient-to-b from-[#FF1695] via-</pre>
[#1A1D3B] to-[#1A1D3B] flex flex-col items-center justify-center p-4 mobilemd:px-
6 sm:px-8 md:px-10 lg:px-24 xl:px-14 laptopxxl:px-16 2xl:px-20 2xl:py-12">
       <div class="w-full max-w-full h-[100%] max-h-[100%] relative flex flex-</pre>
col items-center gap-8 md:justify-between md:gap-8 lg:gap-12">
           lg:text-5xl text-[#fafafa]">store branches
           <div class="w-full max-w-full h-full max-h-full flex flex-col flex-</pre>
wrap gap-3 items-center md:justify-between">
               <div class="mixed-gradient-img w-full max-w-full h-full max-h-</pre>
full overflow-hidden">
                   <!-- Slider main container -->
                   <div class="w-full max-w-full h-full min-h-full mySwiper flex</pre>
flex-col flex-wrap justify-center items-center cursor-grabbing">
                       <div class="swiper-wrapper flex">
                           <!-- STORE BRANCH PASIG-->
                           <div class="swiper-slide text-center mixed-gradient-</pre>
img text-white text-xs gap-4 p-4 md:p-8 slide_1">
                              <iframe class="w-full h-[300px] laptopxxl:h-</pre>
[380px] 2xl:h-[400px]"
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d3862.4687152650276!2d1
21.05490877457144!3d14.515161279163838!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m
3!1m2!1s0x3397cf4a96a5b0e1%3A0x6ffef89d1466140d!2s27%208th%2C%20Manila%2C%20Metro
%20Manila!5e0!3m2!1sen!2sph!4v1717630704189!5m2!1sen!2sph" width="600"
height="450" style="border:0;" allowfullscreen="" loading="lazy"
referrerpolicy="no-referrer-when-downgrade"></iframe>
                               poppins lg:text-base 2xl:text-lg w-full">No. 27 8th Street, North Signal Village,
Taguig
                               poppins lg:text-base">09454083993
                           </div>
                           <!-- STORE BRANCH MAKATI-->
                           <div class="swiper-slide text-center mixed-gradient-</pre>
img text-white text-xs gap-4 p-4 md:p-8 slide_1">
                              <iframe class="w-full h-[300px] laptopxxl:h-</pre>
[380px] 2xl:h-[400px]"
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d3862.335918475174!2d12
1.05867147457164!3d14.52276807897857!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!
1m2!1s0x3397c8b6c788c3ab%3A0xa515211583d50bfd!2sPhase%202%2C%2032%20Block%201%2C%
20Taguig%2C%20Metro%20Manila!5e0!3m2!1sen!2sph!4v1717630606839!5m2!1sen!2sph"
width="600" height="450" style="border:0;" allowfullscreen="" loading="lazy"
referrerpolicy="no-referrer-when-downgrade"></iframe>
```

```
poppins lg:text-base 2xl:text-lg w-full">Block 1 Lot 32 Phase 2, Pinagsama, City
of Taguig
                            poppins lg:text-base">09454083993
                         </div>
                         <!-- STORE BRANCH TAGUIG-->
                         <div class="swiper-slide text-center mixed-gradient-</pre>
img text-white text-xs gap-4 p-4 md:p-8 slide 1">
                            <iframe class="w-full h-[300px] laptopxxl:h-</pre>
[380px] 2xl:h-[400px]"
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d3862.6435584922688!2d1
21.05287677640472!3d14.5051400432568!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!
1m2!1s0x3397cf47ead75bd7%3A0xdd72ad4f989d8e7d!2sMagsaysay%20Road%20%26%20Daisy%2C
%20Taguig%2C%20Metro%20Manila!5e0!3m2!1sen!2sph!4v1717630749241!5m2!1sen!2sph"
width="600" height="450" style="border:0;" allowfullscreen="" loading="lazy"
referrerpolicy="no-referrer-when-downgrade"></iframe>
                            poppins lg:text-base 2xl:text-lg w-full">Daisy St. Cnr Magsaysay Rd, South Sgnl
Vlg, Taguig
                            poppins lg:text-base">09454083993
                         <!-- STORE BRANCH MANILA-->
                         <div class="swiper-slide text-center mixed-gradient-</pre>
img text-white text-xs gap-4 p-4 md:p-8 slide 1">
                            <iframe class="w-full h-[300px] laptopxxl:h-</pre>
[380px] 2xl:h-[400px]"
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d3861.45024296879!2d121
.04056427641402!3d14.573401541436736!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!
1m2!1s0x3397c845862500ff%3A0xc21cfa3d5d84512a!2sBlock%2046%2C%2036%20Boni%20Ave%2
C%20Mandaluyong%2C%20Metro%20Manila!5e0!3m2!1sen!2sph!4v1717630804332!5m2!1sen!2s
ph" width="600" height="450" style="border:0;" allowfullscreen="" loading="lazy"
referrerpolicy="no-referrer-when-downgrade"></iframe>
                            poppins lg:text-base 2xl:text-lg w-full">Block 46 Lot 36 A. Boni Ave, Central
Bicutan, Taguig
                            poppins lg:text-base">09454083993
                         </div>
                         <!-- STORE BRANCH MANDALUYONG-->
                         <div class="swiper-slide text-center mixed-gradient-</pre>
img text-white text-xs gap-4 p-4 md:p-8 slide_1">
                            <iframe class="w-full h-[300px] laptopxxl:h-</pre>
[380px] 2xl:h-[400px]"
```

```
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d3862.1420374706836!2d1
21.06805067457175!3d14.53386687870807!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3
!1m2!1s0x3397c898136d1137%3A0x40afa2a755eeb34f!2sBagong%20Calzada%2C%20Taguig%2C%
20Metro%20Manila!5e0!3m2!1sen!2sph!4v1717630948903!5m2!1sen!2sph" width="600"
height="450" style="border:0;" allowfullscreen="" loading="lazy"
referrerpolicy="no-referrer-when-downgrade"></iframe>
                             poppins lg:text-base 2xl:text-lg w-full">42 J.P. Rizal St. Bagong Kalsada,
Tuktukan, Taguig
                             poppins lg:text-base">09454083993
                         </div>
                      </div>
                      <div class="swiper-pagination flex items-end justify-</pre>
center"></div>
                  </div>
              </div>
           </div>
       </div>
   </div>
   <!-- BUSINESS PERMITS -->
   <div class="xl:grid xl:grid-cols-2">
       <div class="w-full max-w-full h-auto bg-gradient-to-t from-[#FF1695] via-</pre>
[#1A1D3B] to-[#1A1D3B] flex flex-col items-center flex-wrap justify-end py-8 px-4
mobilemd:px-6 sm:px-8 md:px-10 lg:px-24 xl:col-span-1 xl:bg-gradient-to-t
xl:from-[#1A1D3B] xl:via-[#FF1695] xl:to-[#1A1D3B] xl:px-14 laptopxxl:px-16
2x1:px-20">
           <div class="h-full w-full flex flex-col items-center gap-4 py-4</pre>
md:gap-6 lg:justify-center">
              <div class="flex flex-col items-center gap-4 w-[90%] laptopxxl:w-</pre>
full laptopxxl:items-start">
                  pt-4 text-[#fafafa] md:text-4xl lg:text-5xl laptopxxl:text-6xl">BUSINESS
PERMITS
                  base">Copies of business permits of our store branches. 
              <div class="flex flex-col items-center gap-4 w-full text-</pre>
[#610049] font-semibold oswald sm:grid sm:grid-cols-2 sm:gap-6 xl:grid-cols-1">
                  <button class="uppercase tracking-wider font-bold rounded-sm</pre>
bg-gradient-to-r from-[#1F9799] via-[#33FCFF] to-[#1F9799] w-full p-1 sm:col-
span-2 sm:p-2 lg:text-lg" id="branchPermitOneBtn">pinagsama, city of
taguig</button>
```

```
<button class="uppercase tracking-wider font-bold rounded-sm</pre>
bg-gradient-to-r from-[#1F9799] via-[#33FCFF] to-[#1F9799] w-full p-1 sm:col-
span-2 sm:p-2 lg:text-lg" id="branchPermitTwoBtn">north signal village, city of
taguig</button>
                    <button class="uppercase tracking-wider font-bold rounded-sm</pre>
bg-gradient-to-r from-[#1F9799] via-[#33FCFF] to-[#1F9799] w-full p-1 sm:col-
span-2 sm:p-2 lg:text-lg" id="branchPermitFourBtn">central bicutan, city of
taguig</button>
                    <button class="uppercase tracking-wider font-bold rounded-sm</pre>
bg-gradient-to-r from-[#1F9799] via-[#33FCFF] to-[#1F9799] w-full p-1 sm:col-
span-2 sm:p-2 lg:text-lg" id="branchPermitThreeBtn">south signal village, city of
taguig</button>
                    <button class="uppercase tracking-wider font-bold rounded-sm</pre>
bg-gradient-to-r from-[#1F9799] via-[#33FCFF] to-[#1F9799] w-full p-1 sm:col-
span-2 sm:p-3 lg:text-lg" id="branchPermitFiveBtn">tuktukan, city of
taguig</button>
                </div>
            </div>
        </div>
        <div class="bg-gradient-to-b from-[#FF1695] via-[#1A1D3B] to-[#1A1D3B]</pre>
flex flex-col items-center justify-center w-full h-[70vh] px-4 mobilemd:px-6
sm:h-screen sm:px-8 md:px-10 lg:px-24 xl:col-span-1 xl:bg-gradient-to-b xl:from-
[#1A1D3B] xl:via-[#FF1695] xl:to-[#1A1D3B] xl:p-0 xl:pr-14 laptopxxl:pr-16
2x1:pr-20">
            <div class="h-[90%] w-full mixed-gradient-img flex items-center</pre>
justify-center rounded-sm">
                <img src="./assets/businessPermitImages/branch1.jpg" alt="One"</pre>
class="h-full w-full p-4 mixed-gradient-img" style="display: flex;"
id="branchPermitOneImg">
                <img src="./assets/businessPermitImages/branch2.jpg" alt="Two"</pre>
class="h-full w-full p-4 mixed-gradient-img" style="display: none;"
id="branchPermitTwoImg">
                <img src="./assets/businessPermitImages/branch3.jpg" alt="Three"</pre>
class="h-full w-full p-4 mixed-gradient-img" style="display: none;"
id="branchPermitFourImg">
                <img src="./assets/businessPermitImages/branch4.jpg" alt="Four"</pre>
class="h-full w-full p-4 mixed-gradient-img" style="display: none;"
id="branchPermitThreeImg">
                <img src="./assets/businessPermitImages/branch5.jpeg" alt="Five"</pre>
class="h-full w-full p-4 mixed-gradient-img" style="display: none;"
id="branchPermitFiveImg">
            </div>
        </div>
    </div>
```

```
<?php
    require("./config/Footer.php");
    define('SOURCE_FOOTER', './assets/Retro_Clouds_VS.jpg');
    footer();
    <!-- Scripting -->
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/swiper@11/swiper-</pre>
bundle.min.css" />
    <script src="https://cdn.jsdelivr.net/npm/swiper@11/swiper-</pre>
bundle.min.js"></script>
    <script src="./js/about.js"></script>
    <script src="https://kit.fontawesome.com/d870978cd1.js"</pre>
crossorigin="anonymous"></script>
    <script type="module"</pre>
src="https://unpkg.com/ionicons@7.1.0/dist/ionicons/ionicons.esm.js"></script>
    <script nomodule</pre>
src="https://unpkg.com/ionicons@7.1.0/dist/ionicons/ionicons.js"></script>
</body>
</html>
```

### File: catalog-cart-process.php

#### File: catalog-disposables.php

```
<?php
date default timezone set('Asia/Manila');
$currentDate = date('Y-m-d');
$page = $ POST['page'] ?? "1";
$limit = $ POST['limit'] ?? "8";
$filterType = $_POST['filterType'] ?? "price ASC";
$productStart = 0 + ($limit * ($page - 1));
require "config/config.php";
$getAllDisposables = "SELECT * FROM products WHERE category id = '1' GROUP BY
product name ORDER BY $filterType";
$allDisposables = mysqli_query($conn, $getAllDisposables);
$getAllDisposablesSorted = "SELECT * FROM products WHERE category id = '1' GROUP
BY product_name ORDER BY $filterType LIMIT $productStart, $limit";
$allDisposablesSorted = mysqli_query($conn, $getAllDisposablesSorted);
$rows = mysqli_num_rows($allDisposables);
$pages = number_format($rows/$limit);
<div class="flex flex-1 flex-col w-full max-w-full h-auto lg:col-span-3">
    <div class="w-full flex justify-between items-center h-auto">
        <h1
            class="retro_clouds_h2 uppercase font-bold text-xl tracking-wider
text-white iphone:text-2xl iphone:tracking-widest lg:text-4xl">
            Vape Disposable</h1>
    </div>
</div>
<div
    class="retro clouds border gradient w-full h-[1px] rounded-full relative bg-
gradient-to-r from-[#33FCFF] to-[#FF1695] lg:col-span-3">
</div>
<div class="w-full flex items-start justify-start flex-col mt-2 lg:mt-0 lg:items-</pre>
center lg:justify-center lg:h-full">
    <img src="./assets/dispo_banner.png" class="border border-[#FF1695] h-auto</pre>
lg:h-full lg:object-cover">
</div>
<div
    class="w-full max-w-full h-auto grid grid-cols-2 grid-rows-2 gap-y-8 gap-x-4
mt-8 sm:gap-x-8 lg:col-span-2 lg:mt-0 lg:gap-4 lg:grid-cols-3 laptopxxl:grid-
cols-4">
    <?php
    while ($allDisposablesRow = mysqli_fetch_assoc($allDisposablesSorted)) {
```

```
<div id="<?php echo $allDisposablesRow['product id'] ?>" data-
value="<?php echo $allDisposablesRow['product name'] ?>"
            class='$podkitDisplay disposables w-full h-full flex items-center
justify-center flex-col border border-[#33FCFF] cursor-pointer customProd'>
            <img src='./assets/catalog/<?php echo $allDisposablesRow['img_dir']</pre>
               class='h-auto w-[55%] scale-125 mobilemd:w-[100px] mobilelg:w-
[120px] iphone:w-[140px] sm:w-[150px] lg:w-[120px] laptopxxl:w-[150px]'
               style='width: 100%; aspect-ratio: 1; object-fit: contain'>
            <div class='mt-6 w-full p-2 h-auto flex flex-col gap-2 sm:px-4'>
               <h2 class='z-10 text-xs text-[#FF1695] font-black uppercase</pre>
sm:text-sm customName'>
                   <?php echo $allDisposablesRow['product name'] ?>
               </h2>
               ₱
                   <?php
                       if($allDisposablesRow['sale'] != $currentDate) {
                           $price = number_format($allDisposablesRow['price'],
2);
                       } else {
                           $price =
number_format($allDisposablesRow['price']*0.78, 2) . " (SALE!)";
                       echo $price;
               </div>
        </div>
        <?php
</div>
<div class="w-full max-w-full flex flex-1 flex-col items-end justify-end flex-</pre>
wrap lg:col-span-3">
    <div class="flex gap-2 items-end justify-end w-full mobilemd:gap-4">
        <?php
            for(x = 1; x <= pages; x++) {
        <div class='<?php if($x == $page) echo "bg-[#FF1695]" ?> disposable-
button customProd disposable-buttons w-[20px] h-[20px] border border-[#FF1695]
rounded-full flex items-center justify-center mobilemd:w-[30px] mobilemd:h-
[30px]'
           style='cursor: pointer'>
           <a class='flex justify-center items-center'>
```

```
class='text-center text-[#33FCFF] text-xs font-semibold
mobilemd:text-base'><?php echo $x ?></span>
            </a>
        </div>
        <?php
    </div>
</div>
<script>
    $(document).ready(function () {
        $('.disposable-button').click(function (e) {
            $('#disposables-section').load('catalog-disposables.php', { page:
e.target.innerText, limit: <?php echo $limit ?> });
        });
    });
    $('.disposables').click(function (e) {
        var productName = e.currentTarget.dataset.value;
        var productId = e.currentTarget.id;
        console.log(productId);
        $('#popup-section').load('catalog-popup.php', { productName: productName,
productId: productId });
    });
</script>
```

#### File: catalog-juices.php

```
<?php
date default timezone set('Asia/Manila');
$currentDate = date('Y-m-d');
$page = $ POST['page'] ?? "1";
$limit = $_POST['limit'] ?? "8";
$filterType = $_POST['filterType'] ?? "price ASC";
$productStart = 0 + ($limit * ($page - 1));
require "config/config.php";
$getAllJuices = "SELECT * FROM products WHERE category_id = '2' GROUP BY
product_name ORDER BY $filterType";
$allJuices = mysqli_query($conn, $getAllJuices);
$getAllJuicesSorted = "SELECT * FROM products WHERE category id = '2' GROUP BY
product_name ORDER BY $filterType LIMIT $productStart, $limit";
$allJuicesSorted = mysqli_query($conn, $getAllJuicesSorted);
$rows = mysqli_num_rows($allJuices);
$pages = number format($rows/$limit);
```

```
<div class="flex flex-1 flex-col w-full max-w-full h-auto lg:col-span-3">
    <div class="w-full flex justify-between items-center h-auto">
           class="retro clouds h2 uppercase font-bold text-xl tracking-wider
text-white iphone:text-2xl iphone:tracking-widest lg:text-4xl">
           Vape Juice</h1>
   </div>
</div>
<div
   class="retro clouds border gradient w-full h-[1px] rounded-full relative bg-
gradient-to-r from-[#33FCFF] to-[#FF1695] lg:col-span-3">
</div>
<div class="w-full flex items-start justify-start flex-col mt-2 lg:mt-0 lg:items-</pre>
center lg:justify-center lg:h-full">
   <img src="./assets/juice-hero-banner.png" class="border border-[#FF1695] h-</pre>
auto lg:h-full lg:object-cover">
</div>
<div
   class="w-full max-w-full h-auto grid grid-cols-2 grid-rows-2 gap-y-8 gap-x-4
mt-8 sm:gap-x-8 lg:col-span-2 lg:mt-0 lg:gap-4 lg:grid-cols-3 laptopxxl:grid-
cols-4">
    <?php
   while ($allJuicesRow = mysqli fetch assoc($allJuicesSorted)) {
        <div id="<?php echo $allJuicesRow['product_id'] ?>" data-value="<?php
echo $allJuicesRow['product name'] ?>"
           class='$juiceDisplay juices w-full h-full flex items-center justify-
center flex-col border border-[#33FCFF] cursor-pointer customProd'>
           <img src='./assets/catalog/<?php echo $allJuicesRow['img_dir'] ?>'
               class='h-auto w-[55%] scale-125 mobilemd:w-[100px] mobilelg:w-
[120px] iphone:w-[140px] sm:w-[150px] lg:w-[120px] laptopxxl:w-[150px]'
               style='width: 100%; aspect-ratio: 1; object-fit: contain'>
           <div class='mt-6 w-full p-2 h-auto flex flex-col gap-2 sm:px-4'>
               <h2 class='z-10 text-xs text-[#FF1695] font-black uppercase</pre>
sm:text-sm customName'>
                   <?php echo $allJuicesRow['product_name'] ?>
               ₱
                   <?php
                       if($allJuicesRow['sale'] != $currentDate) {
                           $price = number_format($allJuicesRow['price'], 2);
                       } else {
```

```
$price = number format($allJuicesRow['price']*0.78,
2) . " (SALE!)";
                        echo $price;
                </div>
        </div>
        <?php
</div>
<div class="w-full max-w-full flex flex-1 flex-col items-end justify-end flex-</pre>
wrap lg:col-span-3">
    <div class="flex gap-2 items-end justify-end w-full mobilemd:gap-4">
            for(x = 1; x <= pages; x++) {
        <div class='<?php if($x == $page) echo "bg-[#FF1695]" ?> juice-button
customProd juice-buttons w-[20px] h-[20px] border border-[#FF1695] rounded-full
flex items-center justify-center mobilemd:w-[30px] mobilemd:h-[30px]'
            style='cursor: pointer'>
            <a class='flex justify-center items-center'>
                    class='text-center text-[#33FCFF] text-xs font-semibold
mobilemd:text-base'><?php echo $x ?></span>
            </a>
        </div>
        <?php
    </div>
</div>
<script>
    $(document).ready(function () {
        $('.juice-button').click(function (e) {
            $('#juices-section').load('catalog-juices.php', { page:
e.target.innerText, limit: <?php echo $limit ?> });
       });
    });
    $('.juices').click(function (e) {
        var productName = e.currentTarget.dataset.value;
        var productId = e.currentTarget.id;
        console.log(productId);
```

```
$('#popup-section').load('catalog-popup.php', { productName: productName,
productId: productId });
     });
</script>
```

#### File: catalog-podkits.php

```
<?php
if (!isset($ SESSION)) {
    // Start the session
    session_start();
require "./config/config.php";
$_SESSION['customer_ID'] = $_SESSION['customer_ID'] ?? "";
$ SESSION['message'] = $ SESSION['message'] ?? "";
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>USER PROFILE | Retro Clouds PH</title>
    <link rel="stylesheet" href="./styles/output.css">
    <link rel="stylesheet" href="./styles/Component.css">
    <link rel="shortcut icon" href="./assets/Favicon_Retro.png" type="image/x-</pre>
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/6.0.0-beta2/css/all.min.css"
        integrity="sha512-
YWzhKL2whUzgiheMoBFwW8CKV4qpHQAEuvilg9FAn5VJUDwKZZxkJNuGM4XkWuk94WCrrwslk8yWNGmY1
EduTA=="
        crossorigin="anonymous" referrerpolicy="no-referrer" />
    <link href="https://cdn.jsdelivr.net/npm/remixicon@3.2.0/fonts/remixicon.css"</pre>
rel="stylesheet">
    <script src="https://code.jquery.com/jquery-3.7.1.min.js"</pre>
        integrity="sha256-/JqT3SQfawRcv/BIHPThkBvs00EvtFFmqPF/1YI/Cxo="
crossorigin="anonymous"></script>
    <style>
        ::-webkit-scrollbar {
            width: 10px;
```

```
::-webkit-scrollbar-track {
            background-color: #1A1D3B;
        ::-webkit-scrollbar-thumb {
            background: linear-gradient(#1A1D3B, #FF1695, #1A1D3B);
            border-radius: 50px;
    </style>
</head>
<body class="bg-[#1A1D3B] select-none">
    <?php
        require ("./config/database.php");
        define('SOURCE_PATH', './assets/Retro_Clouds_VS.jpg');
        include ("./config/Navigation.php");
        include ("./config/sidebar-cart.php");
    <div class='flex items-center justify-center p-3 gap-2'>
        <img src="./assets/Retro Clouds VS.jpg" class="h-auto w-[50px] rounded-</pre>
full mix-blend-lighten">
        <h1 class="retro clouds h1 uppercase font-bold text-2x1">Retro
Clouds</h1>
    </div>
    <div
        class="w-full h-auto py-2 px-4 mobilemd:px-6 mobilemd:py-4 sm:px-8 md:px-
10 lg:grid lg:grid-cols-3 lg:gap-x-4 lg:px-12 xl:px-20 xl:gap-x-8 laptopxxl:px-
14">
        <div
            class="w-full h-[15vh] flex flex-col justify-center items-center gap-
4 iphone:h-[20vh] iphone:max-h-[20vh] sm:mt-4 lg:col-span-3 laptopxxl:flex-row
laptopxxl:justify-between laptopxxl:h-[5vh]">
            <hl class="text-[#fafafa] text-4xl poppins uppercase font-bold">USERS
PROFILE</h1>
             Your profile and information
        </div>
        <div
            class="bg-[#FF1695] rounded-md border-2 border-[#33FCFF] w-full max-
w-full h-[50vh] flex flex-col items-center justify-center mt-8 gap-4 sm:p-4 sm:h-
[60vh] md:h-[70vh] lg:col-span-2 lg:h-[128vh] lg:max-h-[128vh] xl:h-[102vh]
xl:max-h-[102vh] laptopxxl:h-[88vh] laptopxxl:max-h-[88vh] 2xl:h-[680px] 2xl:max-
h-[680px]">
```

```
<div
              class="w-full flex items-center justify-between flex-col lg:max-
w-full lg:flex-row 2xl:max-w-full 2xl:flex-row">
                  class="text-[#fafafa] text-xl font-bold poppins p-4 text-
center w-full lg:text-2xl lg:flex lg:justify-start lg:items-center lg:gap-2
2xl:text-2xl 2xl:text-left 2xl:flex 2xl:justify-start 2xl:items-center 2xl:gap-
4">
                  <span class="hidden lg:flex 2x1:text-2x1 2x1:items-center"</pre>
2x1:justify-center"><i
                         class="fa-solid fa-bag-shopping"></i>
TRANSACTION</h1>
           </div>
           <div
              class="w-full h-[90%] flex items-center justify-center overflow-
x-scroll overflow-y-scroll relative lg:overflow-x-hidden 2xl:h-full">
              absolute top-0">
                  <thead>
                      class="px-4 py-1 border-2 border-white text-xs
lg:px-1 xl:text-sm 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
                             Transac. ID
                             class="px-4 py-1 border-2 border-white text-xs
lg:px-1 xl:text-sm 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
                             Mobile Number
                             class="px-4 py-1 border-2 border-white text-xs
lg:px-1 xl:text-sm 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
                             Shipping Address
                             class="px-4 py-1 border-2 border-white text-xs
lg:px-1 xl:text-sm 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
                             Transac. Date
                             class="px-4 py-1 border-2 border-white text-xs
lg:px-1 xl:text-sm 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
                             Overall Total
                             class="px-4 py-1 border-2 border-white text-xs
lg:px-1 xl:text-sm 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
                             Delivery Selected
```

```
class="px-4 py-1 border-2 border-white text-xs
lg:px-1 xl:text-sm 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
                        Transaction Status
                  </thead>
               <?php
                  $getUserTransation = "SELECT * FROM `transaction tbl`
JOIN delivery_modes ON transaction_tbl.delivery_id = delivery_modes.delivery_id
JOIN transaction status tbl ON transaction tbl.status id =
transaction status tbl.status id WHERE `customer id` =
{$_SESSION['customer_ID']}' ORDER BY transaction_date DESC";
                  $userTransationResult = mysqli query($conn,
$getUserTransation);
                  while ($userTransationRow =
mysqli_fetch_assoc($userTransationResult)) {
                     border-white xl:text-sm xl:px-2'>
                            <?php echo
$userTransationRow['transaction id'] ?></rap>
                        <td class='text-white text-center border-2
border-white xl:text-sm xl:px-2'>
                            <?php echo
border-white xl:text-sm xl:px-2'>
                            <?php echo
<td class='text-white text-center border-2
border-white x1:text-sm x1:px-2'>
                            <?php echo
border-white xl:text-sm xl:px-2'>P
                            <?php echo
number_format($userTransationRow['sub_total'] +
$userTransationRow['shipping_fee'], 2) ?>
                        border-white xl:text-sm xl:px-2'>
                            <?php echo
$userTransationRow['delivery name'] ?>
```

```
border-white xl:text-sm xl:px-2'>
                                   <?php echo $userTransationRow['status name']</pre>
?>
                           <?php
                   </div>
       </div>
       <div
           class="w-full max-w-full h-auto flex flex-col items-start justify-
start gap-4 mobilemd:gap-2 mobilemd:items-start mobilemd:justify-start lg:col-
span-1 lg:gap-0">
           <div class="w-full h-full flex flex-col items-start justify-start">
               <div
                   class="bg-[#FF1695] rounded-md border-2 border-[#33FCFF] w-
full max-w-full h-auto flex flex-col items-start justify-start flex-wrap px-2 py-
4 mt-8 sm:p-6 md:py-16 lg:p-4">
                   <div id="users-info-section"</pre>
                       class="w-full flex flex-col items-start justify-start
gap-4 md:gap-6 lg:gap-2 xl:gap-2 laptopxxl:grid laptopxxl:grid-cols-2 2xl:gap-4">
                       <?php require "users-profile-info.php" ?>
                   </div>
               </div>
           </div>
           <div class="w-full h-full flex flex-col items-start justify-start">
                   class="bg-[#FF1695] rounded-md border-2 border-[#33FCFF] w-
full max-w-full h-auto flex flex-col items-start justify-start flex-wrap px-2 py-
4 mt-8 sm:p-6 md:py-16 lg:p-4">
                   <div id="users-password-section"</pre>
                       class="w-full flex flex-col items-start justify-start
gap-4 md:gap-6 lg:gap-2 xl:gap-2 laptopxxl:grid laptopxxl:grid-cols-2 2xl:gap-4">
                       <?php require "users-profile-password.php" ?>
                   </div>
               </div>
           </div>
       </div>
    </div>
```

#### File: catalog-popup.php

```
<?php
if(!isset($_SESSION)) {
    session_start();
require "config/config.php";
date_default_timezone_set('Asia/Manila');
$customerID = $_SESSION['customer_ID'] ?? "";
$currentDate = date('Y-m-d');
$deal = $ POST['deal'] ?? false;
$productName = $_POST['productName'] ?? "";
$productId = $ POST['productId'] ?? "";
$getProductWithId = "SELECT * FROM products JOIN inventory tbl ON
products.product_id = inventory_tbl.item_id WHERE product_id = '$productId'";
$productWithId = mysqli query($conn, $getProductWithId);
$getAllProductsWithName = "SELECT * FROM products JOIN inventory_tbl ON
products.product id = inventory tbl.item id WHERE product name = '$productName'";
$allProductsWithName = mysqli query($conn, $getAllProductsWithName);
$productWithIdRow = mysqli_fetch_assoc($productWithId);
<div class="popup-product-bg" id="popup-bg">
    <form action="checkout.php" method="post"</pre>
        class="popup-product mobilemd:w-[300px] mobilelg:w-[350px] iphone:w-
[400px] sm:w-[425px] lg:h-[500px] 2xl:w-[600px] 2xl:h-[600px]">
```

```
<input name="customer-id" id="customer-id" type="text" hidden</pre>
value="<?php echo $customerID ?>">
        <input name="product-id" id="product-id" type="text" hidden value="<?php</pre>
echo $productId ?>">
        <input name="buy-now" id="product-id" type="text" hidden value="true">
        <div class="w-full max-w-full h-auto flex flex-col items-start justify-</pre>
start flex-wrap mb-9">
            <div class="w-full flex items-start justify-start flex-wrap gap-2</pre>
iphone:gap-6">
                <div
                     class="w-full flex items-center justify-center px-6 py-4 gap-
2 sm:flex-row-reverse sm:justify-between">
                    <img src="./assets/Retro_Clouds_VS.jpg" class="h-auto w-</pre>
[50px] mix-blend-lighten">
                     <h1 class="setTourney text-base uppercase font-semibold"
mobilemd:text-lg sm:text-xl">Retro Clouds
                     </h1>
                </div>
                <div class="w-full flex items-center justify-start px-6 py-4</pre>
flex-wrap gap-4">
                    <div class="w-full h-full flex flex-1 flex-col items-center"</pre>
justify-center">
                         <img id="popup-image" class="popup-img w-full aspect-</pre>
square object-contain scale-125"
                             src="assets/catalog/<?php echo</pre>
$productWithIdRow['img dir'] ?>">
                     </div>
                     <div class="w-full h-full flex flex-1 flex-col gap-4 item-</pre>
center justify-center sm:gap-6">
                         <h2
                             class="setOpenSans text-[#33FCFF] uppercase font-
semibold text-sm text-center sm:text-base sm:w-full">
                             Product Classification</h2>
                         <h1
                             class="popup-name setPoppins text-white uppercase
font-bold text-2xl text-center sm:text-[2rem] lg:text-3xl lg:leading-10">
                             <?php echo $productWithIdRow['product_name'];</pre>
                                 if($productWithIdRow['flavor'] == "NULL" ||
$productWithIdRow['flavor'] == "N/A") {
                                     echo " " . $productWithIdRow['color'];
                                 } else {
                                     echo " " . $productWithIdRow['flavor'];
```

```
</h1>
                         <h2 id="popup-price" class="popup-price setOpenSans text-</pre>
[#33FCFF] uppercase font-bold text-xl text-center">₱
                             <?php
                             if ($productWithIdRow['sale'] != $currentDate) {
                                 $price =
number format($productWithIdRow['price'], 2);
                             } else {
                                 $price = number format($productWithIdRow['price']
* 0.78, 2) . " (SALE!)";
                             echo $price;
                         </h2>
                    </div>
                </div>
                <div class="w-full flex flex-col items-start justify-start px-6</pre>
py-4 flex-wrap gap-4">
                    <div class="w-full flex items-start justify-start">
                         <h2 class="w-full setOpenSans text-white font-semibold</pre>
text-sm text-center">Tax Included.
                             Shipping Calculated at Checkout</h2>
                    </div>
                    <?php
                         if(!$deal) {
                    <div class="w-full flex items-start justify-start flex-col"</pre>
gap-2">
                         <h1 class="w-full setPoppins text-[#33FCFF] font-bold
text-lg uppercase">Flavors</h1>
                         <select name="" id="selection"</pre>
                             class="cursor-pointer popup-flavors bg-[#1A1D3B]
border border-[#33FCFF] rounded-full px-4 py-2 w-full text-[#FF1695] setPoppins
uppercase font-semibold outline-none">
                             <?php
                             while ($allProductsWithNameRow =
mysqli_fetch_assoc($allProductsWithName)) {
                                 if ($allProductsWithNameRow['sale'] !=
$currentDate) {
                                     $priceNew =
number_format($allProductsWithNameRow['price'], 2);
                                     $isDeal = "false";
                                 } else {
```

```
$priceNew =
number_format($allProductsWithNameRow['price'] * 0.78, 2) . " (SALE!)";
                                     $isDeal = "true";
                                 $flavor = ($allProductsWithNameRow['flavor'] ==
"NULL" || $allProductsWithNameRow['flavor'] == "N/A") ?
$allProductsWithNameRow['color'] : $allProductsWithNameRow['flavor'];
                                 <option value="<?php echo</pre>
$allProductsWithNameRow['img_dir'] .",,,". $priceNew .",,,".
$allProductsWithNameRow['description'] .",,,".
$allProductsWithNameRow['total_stock'] .",,,". $isDeal .",,,".
$allProductsWithNameRow['product_id'] ?>"><?php echo $flavor ?>
                                 </option>
                                 <?php
                             echo $allProductsWithNameRow['total_stock'];
                         </select>
                    </div>
                    <?php
                </div>
                <div class="w-full flex items-end justify-start px-6 py-4 gap-2</pre>
flex-wrap">
                    <div class="w-full flex flex-1 flex-col gap-2">
                         <h1 class="w-full setPoppins text-[#33FCFF] font-bold
text-lg uppercase">Quantity</h1>
                         <div class="w-full flex items-center justify-around"</pre>
border-2 border-white rounded-full py-1">
                            <a id="popup-minus" class="popup-minus cursor-pointer</pre>
setOpenSans text-[#33FCFF] text-lg font-semibold">-</a>
                            <h1 id="popup-quantity" class="popup-quantity"
setPoppins text-white text-lg font-bold">1</h1>
                             <input name="product-quantity" id="popup-quantity-</pre>
value" type="text" hidden value="1">
                             <a id="popup-add" class="popup-add cursor-pointer"
setOpenSans text-[#33FCFF] text-lg font-semibold">+</a>
                         </div>
                    </div>
                </div>
```

```
<div class="w-full flex flex-1 flex-col items-center justify-</pre>
center px-6 py-2">
                     sm font-normal"><?php echo $productWithIdRow['description'] ?>
                     </div>
                 <div id="popup-buttons" class="popup-buttons w-full flex flex-col</pre>
items-start justify-start px-6 py-4 gap-2 flex-wrap">
                     <div class="w-full flex-col flex items-center gap-4 justify-</pre>
between iphone:flex-row">
                         <button type="submit" name="btnBuyNow"</pre>
                             class="buy-now w-full border border-white rounded-
full bg-gradient-to-b from-[#FF1695] to-[#008F99] py-2 px-4 flex items-center
justify-center gap-2">
                             <span class="setPoppins text-white font-bold"><span class="setPoppins text-white font-bold">
uppercase text-xs mobilelg:text-sm">Buy
                                 Now</span>
                             <span class="text-white"><i class="fa-solid fa-bag-</pre>
shopping"></i></span>
                         </button>
                         <button type="button" id="add-to-cart"</pre>
name="btnAddToCart"
                             class="<?php if($productWithIdRow['sale'] !=</pre>
$currentDate) {echo "flex";} else {echo "hidden";} ?> add-to-cart w-full border
border-white rounded-full bg-gradient-to-b from-[#FF1695] to-[#008F99] py-2 px-4
flex items-center justify-center gap-2">
                             <span class="setPoppins text-white font-bold"><span class="setPoppins"</pre>
uppercase text-xs mobilelg:text-sm">Add to
                                 Cart</span>
                             <span class="text-white"><i class="fa-solid fa-cart-</pre>
shopping"></i></span>
                         </button>
                     </div>
                 </div>
            </div>
        </div>
        <div
            class="w-full max-w-full h-auto flex items-center justify-center p-4
flex-wrap bg-gradient-to-r from-[#1F9799] via-[#33FCFF] to-[#1F9799]">
            <h2 class="setOpenSans text-xs uppercase font-black text-[#610049]</pre>
text-center">Government Warning: This
```

```
product is harmful and contains nicotine which is highly
addictive substance. This is for use only by
                adults and is not recommended for use by non-smokers.</h2>
        </div>
    </form>
</div>
<?php
    echo "
    <script>
        productLimit = {$productWithIdRow['total stock']};
    </script>
<script>
    $(document).ready(function () {
        // let productLimit = $productWithIdRow;
        $('#add-to-cart').click(function (e) {
            const productQuantity = document.getElementById('popup-
quantity').innerText;
            const productID = document.getElementById('product-id').value;
            const customerID = document.getElementById('customer-id').value;
            console.log(productQuantity + " - " + productID + " - " +
customerID);
            $('#cart-process').empty();
            $('#popup-section').empty();
            $('#cart-process').load('catalog-cart-process.php', {productQuantity:
productQuantity, productID: productID, customerID: customerID});
        });
        $('#popup-bg').click(function (e) {
            if (e.target == e.currentTarget) {
                $('#popup-section').empty();
            }
        });
        $('#selection').change(function (e) {
            // console.log(e.currentTarget.value);
            let productArray = e.currentTarget.value.split(",,,");
            console.log(productArray[0] + " - " + productArray[1] + " - " +
productArray[2] + " - " + productArray[3]);
            document.getElementById('product-id').value = productArray[5];
            if(productArray[4] == "true") {
                document.getElementById('add-to-cart').className = "hidden add-
to-cart w-full border border-white rounded-full bg-gradient-to-b from-[#FF1695]
to-[#008F99] py-2 px-4 flex items-center justify-center gap-2";
           } else {
```

```
document.getElementById('add-to-cart').className = "add-to-cart
w-full border border-white rounded-full bg-gradient-to-b from-[#FF1695] to-
[#008F99] py-2 px-4 flex items-center justify-center gap-2";
            document.getElementById('popup-image').src =
'assets/catalog/"+productArray[0];
            document.getElementById('popup-price').innerText = "#"
'+productArray[1];
            document.getElementById('popup-description').innerText =
productArray[2];
            document.getElementById('popup-add').style.display = "block";
            document.getElementById('popup-minus').style.display = "block";
            document.getElementById('popup-buttons').className = "popup-buttons
w-full flex flex-col items-start justify-start px-6 py-4 gap-2 flex-wrap";
            if(parseInt(document.getElementById('popup-quantity').innerText) >
productArray[3] && document.getElementById('popup-quantity').innerText != "OUT OF
STOCK :(") {
                document.getElementById('popup-quantity').innerText =
productArray[3];
                document.getElementById('popup-quantity-value').value =
productArray[3];
                console.log(document.getElementById('popup-quantity').innerText);
            else if(document.getElementById('popup-quantity').innerText == "OUT
OF STOCK :(") {
                document.getElementById('popup-quantity').innerText = "1";
                document.getElementById('popup-quantity-value').value = "1";
                console.log("out of stock");
            productLimit = productArray[3];
            if (productArray[3] <= 0) {</pre>
                document.getElementById('popup-quantity').innerText = "OUT OF
STOCK :(";
                document.getElementById('popup-add').style.display = "none";
                document.getElementById('popup-minus').style.display = "none";
                document.getElementById('popup-buttons').className = "hidden
popup-buttons w-full flex flex-col items-start justify-start px-6 py-4 gap-2
flex-wrap";
        })
        $('#popup-add').click(function (e) {
            let quantity = parseInt(document.getElementById('popup-
quantity').innerText);
            if (quantity < productLimit) {</pre>
                quantity++;
```

#### File: catalog.php

```
<?php
session start();
require_once "config/config.php";
date_default_timezone_set('Asia/Manila');
$currentDate = new DateTime();
$currentDateStr = $currentDate->format('Y-m-d');
$ SESSION['customer ID'] = $ SESSION['customer ID'] ?? "0";
$customerID = $ SESSION['customer ID'];
//Deal of the day
$getAllProducts = "SELECT * FROM products WHERE sale = '$currentDateStr'";
$result = mysqli_query($conn, $getAllProducts);
$saleDiscount = 0.22;
//get deal
if (mysqli num rows($result) > 0) {
    $item = mysqli_fetch_assoc($result);
    $dealId = $item['product_id'];
    $dealNameExt = ($item['flavor'] == "NULL" || $item['flavor'] == "N/A") ?
$item['color'] : $item['flavor'];
    $dealName = $item['product_name'] . " " . $dealNameExt;
    $dealPrice = "P " . number_format($item['price'], 2);
    $dealDiscountedPrice = "P " . number_format($item['price'] * (1 -
$saleDiscount), 2);
    $dealImg = $item['img_dir'];
} else {
```

```
$saleCounter = 0;
    $getAllProducts = "SELECT * FROM products";
    $result = mysqli_query($conn, $getAllProducts);
    $randomDeal = rand(0, mysqli num rows($result) - 1);
    while ($item = mysqli_fetch_assoc($result)) {
        if ($saleCounter == $randomDeal) {
            $updateItemSale = "UPDATE products SET sale='$currentDateStr' WHERE
product_id='{$item['product_id']}'";
            mysqli query($conn, $updateItemSale);
            $dealId = $item['product_id'];
            $dealNameExt = ($item['flavor'] == "NULL" || $item['flavor'] ==
$dealName = $item['product_name'] . " " . $dealNameExt;
            $dealPrice = "P " . number format($item['price'], 2);
            $dealDiscountedPrice = "P " . number_format($item['price'] * (1 -
$saleDiscount), 2);
            $dealImg = $item['img_dir'];
            break;
        $saleCounter++;
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Retro Clouds PH - Catalog</title>
    <link rel="stylesheet" href="./styles/output.css">
    <link rel="stylesheet" href="./styles/catalog.css">
    <link rel="stylesheet" href="./styles/catalog-popup.css">
    <link rel="shortcut icon" href="./assets/Favicon_Retro.png" type="image/x-</pre>
icon">
    <script src="https://code.jquery.com/jquery-3.7.1.min.js"</pre>
        integrity="sha256-/JqT3SQfawRcv/BIHPThkBvs00EvtFFmqPF/lYI/Cxo="
crossorigin="anonymous"></script>
    <script src="js/timer.js" defer></script>
    <link rel="stylesheet" href="./styles/output.css">
    <link rel="stylesheet" href="./styles/home.css">
    <link rel="shortcut icon" href="./assets/Favicon Retro.png" type="image/x-</pre>
icon">
   <style>
```

```
::-webkit-scrollbar {
            width: 10px;
        ::-webkit-scrollbar-track {
            background-color: #1A1D3B;
        ::-webkit-scrollbar-thumb {
            background: linear-gradient(#1A1D3B, #FF1695, #1A1D3B);
            border-radius: 50px;
    </style>
</head>
<div id="cart-process"></div>
<body class="bg-[#1A1D3B] select-none" id="scroll-top">
    <!-- Navigation -->
    <?php
        require("./config/database.php");
        define('SOURCE_PATH', './assets/Retro_Clouds_VS.jpg');
        include("./config/Navigation.php");
        include("./config/sidebar-cart.php");
    <div id="popup-section">
    </div>
    <!-- Hero Section -->
    <div
        class="bg-[#1A1D3B] w-full max-w-full h-[60vh] min-h-[60vh] flex items-
start justify-start iphone:h-[65vh] lg:h-[75vh] lg:max-h-[75vh] lg:px-12 lg:py-4
xl:px-14 xl:h-[85vh] xl:max-h-[85vh] laptopxxl:h-[90vh] laptopxxl:max-h-[90vh]
laptopxxl:px-28 2xl:h-[95vh] 2xl:max-h-[95vh] 2xl:px-32">
        <div class="bg-transparent w-full max-w-full h-full max-h-full relative"</pre>
flex">
            <div
                class="retro clouds carousel absolute bottom-0 w-full flex
justify-start items-center bg-transparent z-10 px-4 sm:px-8">
            </div>
            <div class="absolute top-0 left-0 w-full h-[100%] object-cover</pre>
mobilemd:px-6">
                <img src="./assets/catalog-carousel-2.png"</pre>
                    class="cursor-pointer retro_clouds_carousel_img absolute top-
0 left-0 w-full h-full object-cover">
```

```
<img src="./assets/catalog-carousel-3.png"</pre>
                    class="cursor-pointer retro clouds carousel img absolute top-
0 left-0 w-full h-full object-cover">
                <img src="./assets/catalog-carousel-4.png"</pre>
                    class="cursor-pointer retro clouds carousel img absolute top-
0 left-0 w-full h-full object-cover">
            </div>
        </div>
    </div>
    <!-- Categories -->
        class="retro clouds bg gradient w-full max-w-full h-auto py-8 px-4 flex
items-center justify-center flex-wrap flex-col mobilemd:px-6 sm:px-0 sm:justify-
start sm:items-start">
        <div
            class="flex flex-0 flex-col w-full h-auto flex-wrap gap-4 lg:grid
lg:grid-cols-2 lg:items-end lg:justify-center">
            <div
                class="w-full flex flex-1 justify-between items-center gap-4
iphone:justify-start sm:pt-14 sm:px-14 lg:grid lg:grid-rows-1 lg:py-8 lg:px-12
lg:gap-6 xl:px-14 laptopxxl:ps-28 2xl:ps-32">
                    class="retro clouds h2 uppercase text-white text-base font-
black mobilemd:text-lg iphone:text-xl sm:text-2xl lg:col-span-2 lg:text-[2rem]">
                    Categories</h2>
                <div
                    class="flex flex-1 items-center justify-end gap-4
mobilemd:justify-around mobilemd:gap-2 iphone:justify-end iphone:gap-4 sm:gap-8
lg:col-span-1 laptopxxl:gap-12 2xl:gap-16">
                    <a href="#pods-section"
                        class="border border-[#fafafa] w-[40px] h-[40px] bg-
[url(./assets/banner_one.png)] bg-cover bg-center rounded-full flex flex-col
items-center justify-center object-cover mobilemd:w-[50px] mobilemd:h-[50px]
iphone:w-[70px] iphone:h-[70px] sm:w-[80px] sm:h-[80px] lg:w-[120px] lg:h-[120px]
xl:w-[140px] xl:h-[140px] 2xl:h-[160px] 2xl:w-[160px] 2xl:gap-0">
                        <img src="./assets/categ pods.png" class="h-full">
                            class="hidden retro_clouds_h2 laptopxx1:flex
uppercase laptopxxl:text-xl font-bold text-[#fafafa] laptopxxl:z-10">
                            Pods Kit
                    </a>
                    <a href="#disposables-section"
                        class="border border-[#fafafa] w-[40px] h-[40px] bg-
[url(./assets/banner one.png)] bg-cover bg-center rounded-full flex flex-col
```

```
items-center justify-center object-cover mobilemd:w-[50px] mobilemd:h-[50px]
iphone:w-[70px] iphone:h-[70px] sm:w-[80px] sm:h-[80px] lg:w-[120px] lg:h-[120px]
xl:w-[140px] xl:h-[140px] 2xl:h-[160px] 2xl:w-[160px] 2xl:gap-0">
                        <img src="./assets/categ dispo.png" class="h-full">
                            class="hidden retro clouds h2 laptopxx1:flex
uppercase laptopxxl:text-xl font-bold text-[#fafafa] laptopxxl:z-10">
                            Disposable
                    </a>
                    <a href="#juices-section"
                        class="border border-[#fafafa] w-[40px] h-[40px] bg-
[url(./assets/banner one.png)] bg-cover bg-center rounded-full flex flex-col
items-center justify-center object-cover mobilemd:w-[50px] mobilemd:h-[50px]
iphone:w-[70px] iphone:h-[70px] sm:w-[80px] sm:h-[80px] lg:w-[120px] lg:h-[120px]
xl:w-[140px] xl:h-[140px] 2xl:h-[160px] 2xl:w-[160px] 2xl:gap-0">
                        <img src="./assets/categ juice.png" class="h-full">
                            class="hidden retro clouds h2 laptopxx1:flex
uppercase laptopxxl:text-xl font-bold text-[#fafafa] laptopxxl:z-10">
                            Juice
                    </a>
                </div>
            </div>
            <div
                class="w-full max-w-full h-auto flex items-center justify-center
flex-wrap py-4 mobilemd:py-2 sm:pb-14 sm:px-14 lg:col-span-1 lg:py-8 lg:pe-12
xl:pe-14 laptopxxl:pe-28 2xl:pe-32">
                <form action="" method="post"</pre>
                    class="w-full max-w-full flex items-center justify-center
laptopxxl:justify-end">
                    <select name="" id="catalog-sort"</pre>
                        class="cursor-pointer w-full outline-none border border-
[#33FCFF] bg-[#1A1D3B] rounded-full text-white py-1 px-6 retro clouds p flex
items-center justify-center mobilemd:py-2 md:py-4 laptopxxl:w-1/2 laptopxxl:px-
14"
                        onchange="console.log(this.value)">
                        <option value="price ASC">Price Low to High</option>
                        <option value="price DESC">Price High to Low</option>
                        <option value="product name ASC">Alphabetical A-
Z</option>
                        <option value="product name DESC">Alphabetical Z-
A</option>
                    </select>
```

```
</form>
            </div>
        </div>
        <!-- Deals -->
        <div
            class="bg-[url(../assets/img_divider_three.png)] bg-cover bg-bottom
bg-fixed flex flex-1 flex-col items-center justify-center w-full max-w-full mb-8
py-6 px-4 gap-4 mobilemd:px-6 mobilelg:bg-top lg:py-8 laptopxxl:gap-8
laptopxxl:py-14 2xl:px-32">
                class="retro clouds h2 uppercase text-xl font-bold text-white
iphone:text-2xl iphone:tracking-widest lg:text-[2rem]">
                Deals of the Day</h2>
            <div
                class="w-[280px] max-w-[280px] flex flex-1 flex-col flex-wrap
iphone:w-[290px] iphone:max-w-[290px] sm:w-[320px] sm:max-w-[320px] md:w-[350px]
md:max-w-[350px] lg:w-[600px] lg:max-w-[600px] xl:w-[650px] xl:max-w-[650px]
laptopxxl:w-[700px] laptopxxl:max-w-[700px]">
                <div class="flex items-center justify-center bg-[#1A1D3B] w-full</pre>
border border-[#FF1695]">
                    <div class="flex flex-col gap-4 p-4 w-full md:p-6 lg:grid</pre>
lg:grid-cols-2 laptopxxl:p-8 2xl:gap-8">
                        <div class="w-full flex-col flex items-center justify-</pre>
center">
                             <div
                                 class="flex flex-col relative items-center
justify-center bg-[#1A1D3B] w-full m-[1px] border border-[#33FCFF]">
                                 <img src="./assets/catalog/<?php echo $dealImg</pre>
                                     class="h-auto w-[120px] p-4 md:p-6 md:w-
[55%]">
                                 <div class="absolute bottom-0 w-full bg-[#FF1695]</pre>
border-t border-[#33FCFF]">
                                     <div id="quick-view"
                                         class="retro clouds h2 cursor-pointer w-
full text-center p-1 flex items-center justify-center font-black text-sm
uppercase iphone:text-base lg:text-lg lg:p-2">
                                         Ouick View</div>
                                 </div>
                             </div>
                         </div>
                         <div class="flex flex-col w-full items-start justify-</pre>
center gap-4 2x1:gap-6">
```

```
<input id="deal-id" type="text" hidden value="<?php</pre>
echo $dealId ?>">
                            <input id="deal-name" type="text" hidden value="<?php</pre>
echo $dealName ?>">
                            <h2 class="retro_clouds_h2 w-full text-white text-lg"</pre>
font-semibold lg:text-2xl">
                                <?php echo $dealName ?>
                            </h2>
                            <div class="flex gap-2 w-full max-w-full items-center</pre>
justify-center lg:justify-start">
                                    class="retro clouds p w-full text-[#6f6f6f]
text-sm font-medium line-through lg:w-1/3">
                                    <?php echo $dealPrice ?>
                                class="retro_clouds_p w-full text-white text-
base font-semibold lg:text-xl lg:font-bold lg:w-1/2">
                                    <?php echo $dealDiscountedPrice ?>
                                </div>
                            <div
                                class="flex flex-col w-full items-start justify-
center gap-4 lg:items-start lg:justify-start">
                                <h2 class="retro_clouds_h2 text-white text-base</pre>
font-bold uppercase lg:text-lg">Offers
                                    end in:</h2>
                                <div class="w-full flex gap-6 items-start</pre>
justify-start lg:justify-between">
                                    <div
                                        class="flex items-start justify-start
flex-col lg:p-2 lg:bg-[#33FCFF] rounded-md">
                                        [#FF1695] font-bold w-[100%] text-left lg:text-2xl lg:text-center"
                                            id="hours">00
                                        <span
                                            class="retro clouds ph text-sm text-
[#33FCFF] font-semibold iphone:text-base lg:text-[#1A1D3B] lg:font-
bold">Hours</span>
                                    </div>
                                    <div
                                        class="flex items-start justify-start
flex-col lg:p-2 lg:bg-[#33FCFF] rounded-md">
```

```
[#FF1695] font-bold w-[100%] text-left lg:text-2xl lg:text-center"
                                         id="minutes">00
                                         class="retro clouds ph text-sm text-
[#33FCFF] font-semibold iphone:text-base lg:text-[#1A1D3B] lg:font-
bold">Minutes
                                  </div>
                                     class="flex items-start justify-start
flex-col lg:p-2 lg:bg-[#33FCFF] rounded-md">
                                      [#FF1695] font-bold w-[100%] text-left lg:text-2xl lg:text-center"
                                         id="seconds">00
                                      <span
                                         class="retro clouds ph text-sm text-
[#33FCFF] font-semibold iphone:text-base lg:text-[#1A1D3B] lg:font-
bold">Seconds</span>
                                  </div>
                              </div>
                          </div>
                      </div>
                   </div>
               </div>
           </div>
       </div>
   </div>
   <!-- Vape Pods -->
   <div class="bg-[#1A1D3B] w-full max-w-full h-auto px-4 flex items-center</pre>
justify-center flex-wrap flex-col gap-4 py-12 mobilemd:px-6 sm:px-14 sm:gap-8
lg:px-12 lg:grid lg:grid-cols-3 lg:grid-rows-1 lg:gap-14 xl:px-14 laptopxxl:px-28
2x1:px-32"
       id="pods-section">
       <?php include "catalog-podkits.php" ?>
   </div>
   <!-- Vape Disposable -->
   <div class="bg-[#1A1D3B] w-full max-w-full h-auto px-4 flex items-center</pre>
justify-center flex-wrap flex-col gap-4 py-12 mobilemd:px-6 sm:px-14 sm:gap-8
lg:px-12 lg:grid lg:grid-cols-3 lg:grid-rows-1 lg:gap-14 xl:px-14 laptopxxl:px-28
2x1:px-32"
       id="disposables-section">
       <?php require "catalog-disposables.php" ?>
```

```
</div>
    <!-- Vape Juice -->
    <div class="bg-[#1A1D3B] w-full max-w-full h-auto px-4 flex items-center</pre>
justify-center flex-wrap flex-col gap-4 py-12 mobilemd:px-6 sm:px-14 sm:gap-8
lg:px-12 lg:grid lg:grid-cols-3 lg:grid-rows-1 lg:gap-14 xl:px-14 laptopxxl:px-28
2x1:px-32"
        id="juices-section">
        <?php require "catalog-juices.php" ?>
    </div>
        class="retro_clouds_bg_gradient w-full max-w-full h-[30vh] max-h-[30vh]
px-4 py-16 flex items-start justify-start flex-wrap iphone:items-center
iphone:justify-center iphone:py-0 laptopxxl:h-[60vh] laptopxxl:max-h-[60vh]
laptopxxl:px-14">
        <div class="customDivider w-full max-w-full h-full iphone:h-[20vh]</pre>
laptopxxl:h-[45vh]">
        </div>
    </div>
    <?php
    require ("./config/Footer.php");
    define('SOURCE_FOOTER', './assets/Retro_Clouds_VS.jpg');
    footer();
    <!-- Font Awesome -->
    <script src="https://kit.fontawesome.com/d870978cd1.js"</pre>
crossorigin="anonymous"></script>
    <!-- External JavaScript -->
    <script src="./js/catalog.js"></script>
    <!-- <script src="js/catalogButtons.js"></script> -->
    <script type="module"</pre>
src="https://unpkg.com/ionicons@7.1.0/dist/ionicons/ionicons.esm.js"></script>
    <script nomodule</pre>
src="https://unpkg.com/ionicons@7.1.0/dist/ionicons/ionicons.js"></script>
    <script>
    </script>
    <script>
        $(document).ready(function () {
            window.addEventListener('resize', function () {
                updateCatalog();
```

```
});
            $('#catalog-sort').click(function (e) {
                updateCatalog();
                // var filterType = e.target.value;
                // var limit = 8;
                // if (window.innerWidth <= 1399 && window.innerWidth >= 1024) {
                       limit = 6;
                // } else if (window.innerWidth < 1024) {</pre>
                       limit = 4;
                // $('#pods-section').load('catalog-podkits.php', { limit: limit,
filterType: filterType });
                // $('#disposables-section').load('catalog-disposables.php', {
limit: limit, filterType: filterType });
                // $('#juices-section').load('catalog-juices.php', { limit:
limit, filterType: filterType });
            });
            updateCatalog();
            function updateCatalog() {
                var filterType = document.getElementById('catalog-sort').value;
                var limit = 8;
                if (window.innerWidth <= 1399 && window.innerWidth >= 1024) {
                    limit = 6;
                } else if (window.innerWidth < 1024) {</pre>
                    limit = 4;
                $('#pods-section').load('catalog-podkits.php', { limit: limit,
filterType: filterType });
                $('#disposables-section').load('catalog-disposables.php', {
limit: limit, filterType: filterType });
                $('#juices-section').load('catalog-juices.php', { limit: limit,
filterType: filterType });
        });
    </script>
</body>
</html>
<script>
    $(document).ready(function () {
        $('#quick-view').click(function (e) {
            var productName = document.querySelector('#deal-name').value;
            var productId = document.querySelector('#deal-id').value;
            // console.log("CLICKED");
            $('#popup-section').load('catalog-popup.php', {
```

#### File: checkout.php

```
<!DOCTYPE html>
<html lang="en">
   <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>Retro Clouds PH - Checkout</title>
    <link rel="stylesheet" href="./styles/output.css">
    <link rel="stylesheet" href="./styles/checkout.css">
   <link rel="shortcut icon" href="./assets/Favicon Retro.png" type="image/x-</pre>
   <style>
        ::-webkit-scrollbar {
            width: 10px;
        ::-webkit-scrollbar-track {
            background-color: #1A1D3B;
        ::-webkit-scrollbar-thumb {
            background: linear-gradient(#1A1D3B, #FF1695, #1A1D3B);
            border-radius: 50px;
   </style>
</head>
<body class="gradient body one select-none">
   <?php
    ini_set("display_errors",0);
    session_start();
   define('SOURCE_PATH', './assets/Retro_Clouds_VS.jpg');
    include("./config/Navigation.php");
```

```
require("./config/config.php");
    include("./config/sidebar-cart.php");
    date_default_timezone_set('Asia/Manila');
    $currentDate = date('Y-m-d');
    $buyNow = ($_POST['buy-now'] == "true") ? true : false;
    if($buyNow) {
        $BuyNowCustomerID = $ POST['customer-id'];
        $BuyNowProductID = $_POST['product-id'];
        $BuyNowProductQuantity = $ POST['product-quantity'];
    $sqlGetCartCount = "SELECT * FROM cart tbl WHERE
customer id='{$ SESSION['customer ID']}'";
    $result= $conn->query($sqlGetCartCount);
    $rows = $result ->num rows;
    $setDisabled="";
    if($rows<=0){
        $setDisabled="disabled";
    $sql = "SELECT * FROM customer tbl WHERE
costumer_id='{$_SESSION['customer_ID']}'";
    $result1 = $conn->query($sql);
    $rowResult1 = $result1->fetch assoc();
    $ SESSION['email'] = $rowResult1['email'];
    $ SESSION['customerName'] = $rowResult1['fname'] . " " .
$rowResult1['lname'];
    <form action="./process payment.php" method="post" class="w-full max-w-full</pre>
h-auto p-4 flex flex-col flex-wrap mobilemd:px-6 mobilelg:px-8 iphone:px-10
iphone:gap-4 sm:px-12 md:px-20 lg:p-28 lg:grid lg:grid-cols-2 lg:gap-8 xl:py-32
xl:px-20 xl:gap-14">
        <div class="w-full flex flex-1 flex-col flex-wrap lg:items-center"</pre>
xl:justify-between">
            <div class="w-full max-w-full h-[25vh] max-h-[25vh] flex items-end</pre>
justify-end flex-wrap lg:h-[10vh] lg:max-h-[10vh]">
                <div class="flex flex-col flex-1 gap-1 items-start justify-</pre>
start">
                    <h2 class="retro clouds h2 text-white uppercase text-2xl</pre>
font-bold w-full x1:text-3xl laptopxx1:text-4xl">Checkout</h2>
```

```
<div class="w-full flex justify-start items-center gap-2</pre>
iphone:gap-4 x1:gap-8 laptopxx1:gap-12">
                        <h2 class="retro clouds h2 text-[#FF1695] uppercase text-</pre>
sm font-medium iphone:text-base xl:text-lg laptopxxl:text-xl">Order Summary</h2>
                        base font-medium iphone:text-lg xl:text-xl laptopxxl:text-2xl">|
                        <h2 class="retro clouds h2 text-[#FF1695] uppercase text-</pre>
sm font-medium iphone:text-base xl:text-lg laptopxxl:text-xl">Check Out Page</h2>
                    </div>
                </div>
            </div>
            <div class="w-full max-w-full h-auto flex items-start justify-start</pre>
flex-wrap my-4">
                <div class="border-t-2 border-b-2 border-white w-full flex flex-</pre>
col items-start justify-start ">
                    <div action="" method="" class="w-full flex flex-col flex-</pre>
wrap overflow-hidden">
                        <div class="w-full flex flex-1 flex-col items-start</pre>
justify-start gap-4 my-8">
                            <div class="w-full flex flex-col items-start justify-</pre>
start">
                                <h2 class="retro_clouds_h2 text-lg uppercase</pre>
font-bold text-white sm:text-xl xl:text-[1.45rem] laptopxxl:2xl">Contact
Information</h2>
                            </div>
                            <div class="w-full max-w-full grid grid-cols-2 grid-</pre>
rows-1 gap-2 xl:gap-8">
                                <div class="col-span-1 gap-1 iphone:gap-2 x1:flex</pre>
xl:items-start xl:justify-start xl:flex-col xl:gap-4">
                                     <input name="mobileNumber" type="text"</pre>
name="mobileNumberTxt" class="w-full outline-none border-2 border-[#33FCFF]
rounded-sm text-sm retro clouds h2 font-medium bg-[#ffffffb3] p-1 sm:text-base
sm:p-1 sm:px-2 laptopxxl:p-2 laptopxxl:font-semibold">
                                     <label class="row-span-1 text-white</pre>
retro_clouds_p font-semibold text-xs mobilelg:text-sm xl:text-base">Mobile
Number</label>
                                </div>
                                <div class="col-span-1 gap-1 iphone:gap-2 x1:flex</pre>
xl:items-start xl:justify-start xl:flex-col xl:gap-4">
                                     <input type="text" disabled name="email"</pre>
value="<?php echo $ SESSION['email'] ?>" class="w-full outline-none border-2
```

```
border-[#33FCFF] rounded-sm text-sm retro_clouds_p font-medium bg-[#fffffb3] p-1
sm:text-base sm:p-2 sm:px-2" value="abscbn">
                                      <label class="row-span-1 text-white</pre>
retro clouds p font-semibold text-xs mobilelg:text-sm xl:text-base">Email
Address</label>
                                 </div>
                             </div>
                         </div>
                     </div>
                </div>
            </div>
            <div class="w-full max-w-full h-auto flex items-start justify-start</pre>
flex-wrap my-4">
                <div class="w-full flex flex-1 flex-col items-start justify-</pre>
start">
                     <div action="" class="w-full flex flex-col flex-wrap</pre>
overflow-hidden">
                         <div class="w-full flex flex-1 flex-col items-start</pre>
justify-start gap-4 x1:gap-8">
                             <div class="w-full flex flex-col items-start justify-</pre>
start">
                                 <h2 class="retro clouds h2 text-lg uppercase</pre>
font-bold text-white sm:text-xl xl:text-[1.45rem] laptopxxl:text-2xl">Shipping
Address</h2>
                             </div>
                             <div class="w-full flex flex-col items-start justify-</pre>
start gap-1 xl:flex xl:items-start xl:justify-start xl:flex-col xl:gap-4">
                                 <input name="address1" type="text"</pre>
name="addressLineOneTxt" class="w-full outline-none border-2 border-[#33FCFF]
rounded-sm text-sm retro_clouds_h2 font-medium bg-[#ffffffb3] p-1 sm:text-base
sm:p-1 sm:px-2 laptopxxl:p-2 laptopxxl:font-semibold">
                                 <label class="text-white retro clouds p font-</pre>
semibold text-xs mobilelg:text-sm xl:text-base">Unit Number, House Number, Block,
Lot</label>
                             </div>
                             <div class="w-full flex flex-col items-start justify-</pre>
start gap-1 xl:flex xl:items-start xl:justify-start xl:flex-col xl:gap-4">
                                 <input name="address2" type="text"</pre>
name="addressLineTwoTxt" class="w-full outline-none border-2 border-[#33FCFF]
rounded-sm text-sm retro clouds h2 font-medium bg-[#ffffffb3] p-1 sm:text-base
sm:p-1 sm:px-2 laptopxxl:p-2 laptopxxl:font-semibold">
```

```
<label class="text-white retro clouds p font-</pre>
semibold text-xs mobilelg:text-sm xl:text-base">Street, Barangay, City</label>
                             </div>
                             <div class="w-full flex flex-col items-start justify-</pre>
start gap-1 xl:flex xl:items-start xl:justify-start xl:flex-col xl:gap-4">
                                 <input name="address3" type="text"</pre>
name="addressLineThreeTxt" class="w-full outline-none border-2 border-[#33FCFF]
rounded-sm text-sm retro clouds h2 font-medium bg-[#ffffffb3] p-1 sm:text-base
sm:p-1 sm:px-2 laptopxxl:p-2 laptopxxl:font-semibold">
                                 <label class="text-white retro clouds p font-</pre>
semibold text-xs mobilelg:text-sm xl:text-base">Land Mark and Other Description
(Optional)</label>
                             </div>
                         </div>
                    </div>
                </div>
            </div>
            <div class="w-full max-w-full overflow-x-hidden h-auto flex items-</pre>
start justify-start flex-wrap my-4">
                <div class="w-full flex flex-col items-start justify-start</pre>
xl:items-center xl:justify-between xl:flex-row">
                    <div class="w-[400px]">
                         <div class="w-full flex flex-col items-start justify-</pre>
start gap-2 relative">
                             <div class="w-full">
                                 <h2 class="retro clouds h2 text-lg uppercase"</pre>
font-bold text-[#33FCFF] w-full sm:text-xl laptopxxl:text-2xl">Delivery
Options</h2>
                             </div>
                             <select name="deliverySelection" class="bg-[#1A1D3B]</pre>
border-2 border-white rounded-full px-4 py-1 retro clouds h2 text-xs uppercase
font-semibold text-white mobilemd:text-sm mobilelg:text-base iphone:w-full sm:py-
2 sm:text-lg sm:tracking-wider x1:flex x1:w-full laptopxx1:rounded-md">
                                 <!-- <option value="1" selected
class="retro clouds h2 text-xs uppercase font-semibold mobilemd:text-sm
mobilelg:text-base">Nearby Pick Up</option> -->
                                 <option value="1" class="retro clouds h2 text-xs</pre>
font-normal mobilemd:text-sm mobilelg:text-base">JRS Express</option>
                                 <option value="2" class="retro_clouds_h2 text-xs</pre>
font-normal mobilemd:text-sm mobilelg:text-base">JNT Express</option>
                                 <option value="3" class="retro_clouds_h2 text-xs</pre>
font-normal mobilemd:text-sm mobilelg:text-base">Lala Move/option>
```

```
<option value="4" class="retro clouds h2 text-xs</pre>
font-normal mobilemd:text-sm mobilelg:text-base">Ninja Van
                                <option value="5" class="retro clouds h2 text-xs</pre>
font-normal mobilemd:text-sm mobilelg:text-base">LBC Express</option>
                             </select>
                        </div>
                    </div>
                </div>
            </div>
        </div>
        <div class="w-full flex flex-1 flex-col flex-wrap lg:items-center">
            <div class="bg-gradient-to-b from-[#FF1695] to-[#990D5A] rounded-sm</pre>
w-full max-w-full h-auto flex items-start justify-start flex-wrap p-2 my-4 lg:w-
[80%] xl:h-[300px] xl:w-[420px] xl:max-w-[420px] xl:items-center xl:justify-
between">
                <div class="flex flex-col items-start justify-start w-full lg:pt-</pre>
30">
                    <div class="flex justify-center w-full mb-4">
                        <h2 class="retro_clouds_h2 text-lg uppercase font-bold"</pre>
text-white py-2 sm:text-x1">Order Summary</h2>
                    </div>
                    <?php
                    if($buyNow) {
                        $getProductWithID = "SELECT * FROM products_WHERE
product id = '$BuyNowProductID'";
                        $productWithIDResult = mysqli_query($conn,
$getProductWithID);
                        $productWithIDRow =
mysqli_fetch_assoc($productWithIDResult);
                    $getAllCartItemsSum = "SELECT *, SUM(price*product_quantity)
as total per product FROM cart tbl JOIN products ON cart tbl.product id =
products.product id WHERE customer id='{$ SESSION['customer ID']}' GROUP BY
cart tbl.product id";
                    $allCartItemsSumResult = mysqli query($conn,
$getAllCartItemsSum);
                    $subTotal = 0;
                    $quantity = 0;
                    if(!$buyNow) {
                        while ($allCartItemsSumRow =
mysqli_fetch_assoc($allCartItemsSumResult)) {
                            if($allCartItemsSumRow['sale'] == $currentDate) {
                                $subTotal +=
$allCartItemsSumRow['total per product']*0.78;
```

```
else {
                                 $subTotal +=
$allCartItemsSumRow['total_per_product'];
                             $quantity += $allCartItemsSumRow['product quantity'];
                         $shippingFee = ($quantity > 50) ? 45+$quantity : 45;
                         $total = $subTotal + $shippingFee;
                    } else {
                        $quantity = $BuyNowProductQuantity;
                         $subTotal = $productWithIDRow['price'] * $quantity;
                         $ SESSION['subtotal'] = $subTotal;
                        $shippingFee = ($quantity > 50) ? 45+$quantity : 45;
                         $total = $subTotal + $shippingFee;
                    <div class="w-full flex flex-col items-start justify-start</pre>
px-4 py-1 gap-4 lg:gap-0">
                         <div class="border-b border-white w-full mb-4 flex">
                             <h2 class="w-full text-white retro clouds h2</pre>
uppercase font-semibold text-base mb-1 iphone:text-lg">Sub Total</h2>
                             <h2 class="w-full text-white retro clouds h2
uppercase font-semibold text-right mb-1 iphone:text-lg"><?php echo</pre>
number format($subTotal, 2) ?></h2>
                             <input name="subTotal" type="text" hidden</pre>
value="<?php echo $subTotal ?>">
                         </div>
                         <div class="border-b border-white w-full mb-4 flex">
                             <h2 class="w-full text-white retro clouds h2</pre>
uppercase font-semibold text-base mb-1 iphone:text-lg">Shipping Fees</h2>
                             <h2 class="w-full text-white retro clouds h2
uppercase font-semibold text-right mb-1 iphone:text-lg"><?php echo
number format($shippingFee, 2) ?></h2>
                             <input name="shippingFee" type="text" hidden</pre>
value="<?php echo $shippingFee ?>">
                        </div>
                         <div class="border-b border-white w-full mb-4 flex">
                             <h2 class="w-full text-white retro clouds h2</pre>
uppercase font-bold text-lg mb-4">Total</h2>
                             <h2 value="<?php echo number format($total, 2) ?>"
class="w-full text-white retro_clouds_h2 uppercase font-bold text-lg mb-4 text-
right"><?php echo number format($total, 2) ?></h2>
                             <input name="amount" type="text" hidden value="<?php</pre>
echo $total ?>">
```

```
<input type="hidden" name="description"</pre>
id="description" class="w-full outline-none border-2 border-[#33FCFF] rounded-sm
text-sm retro_clouds_p font-medium bg-[#ffffffb3] p-1" value="<?php echo "Retro
Clouds Order Payment - {$ SESSION['customerName']}" ?>">
                        </div>
                        <button type="submit" id="confirm-order-section"</pre>
class="bg-gradient-to-r from-[#1A1D3B] to-[#474FA1] w-full p-2 text-center text-
white retro clouds h2 uppercase font-bold tracking-widest rounded-md"
id="confirm-order-btn" <?php echo $setDisabled;?>>
                            <h2>Confirm Order</h2>
                        </button>
                    </div>
                </div>
            </div>
            <div class="bg-gradient-to-b from-[#FF1695] to-[#1A1D3B] rounded-sm</pre>
w-full max-w-full h-[40vh] flex items-start justify-start flex-wrap px-4 py-2
overflow-hidden overflow-y-scroll gap-4 iphone:h-[50vh] sm:h-[60vh] sm:p-6 md:px-
12 lg:p-4 lg:w-[80%] lg:h-[50vh] xl:h-[490px] xl:w-[420px] xl:max-w-[420px]
xl:max-h-[490px] xl:p-8">
                <div class="w-full flex flex-col items-start justify-start</pre>
border-b-2 border-white lg:justify-center lg:items-center">
                    <h2 class="retro_clouds_h2 text-lg uppercase font-bold text-</pre>
[#33FCFF] py-2 sm:text-xl">Your Order</h2>
                </div>
                <?php
                    $getAllCartItems = "SELECT * FROM cart_tbl JOIN products ON
cart tbl.product id = products.product id WHERE
customer id='{$ SESSION['customer ID']}'";
                    $allCartItemsResult = mysqli_query($conn, $getAllCartItems);
                    if(!$buyNow) {
                        while($allCartItemsRow =
mysqli fetch assoc($allCartItemsResult)) {
                            $name = $allCartItemsRow['product name'];
                            $nameExt = ($allCartItemsRow['flavor'] == "NULL" ||
$allCartItemsRow['flavor'] == "N/A") ? $allCartItemsRow['color'] :
$allCartItemsRow['flavor'];
                            $size = ($allCartItemsRow['bottle_size'] == "NULL" ||
$allCartItemsRow['bottle_size'] == "N/A") ? "" : $allCartItemsRow['bottle_size'];
                            $price = ($allCartItemsRow['sale'] == $currentDate) ?
number_format($allCartItemsRow['price']*0.78, 2)." (SALE!)" :
number format($allCartItemsRow['price'], 2);
```

```
$quantity = $allCartItemsRow['product quantity'];
                           $image = $allCartItemsRow['img dir'];
                       <div class="w-full flex items-start justify-start gap-4</pre>
border-b border-white p-2">
                           <div class="w-full h-auto flex items-start justify-</pre>
start gap-4 lg:grid lg:grid-cols-2 lg:items-center lg:justify-center">
                               <div class="bg-transparent w-1/2 p-2 flex items-</pre>
center justify-center lg:w-full lg:p-0">
                                  <img src="./assets/catalog/<?php echo $image</pre>
?>" class="aspect-square object-contain w-[58%] md:w-[50%] lg:w-full lg:p-2 lg:h-
full x1:w-[150px]">
                              </div>
                               <div class="w-full flex flex-1 flex-col justify-</pre>
between gap-4 xl:h-full xl:items-center xl:justify-end xl:gap-8">
                                  <div class="w-full flex flex-col items-start</pre>
justify-start mt-0.5 lg:gap-4 xl:justify-center xl:items-center">
                                      <h2 class="retro clouds h2 text-white
uppercase text-sm font-semibold lg:text-center w-full x1:text-base"><?php echo
$name ?></h2>
                                      uppercase text-sm font-medium lg:text-center w-full x1:text-base"><?php echo
$nameExt ?>
                                  </div>
                                  <div class="w-full flex flex-1 items-start</pre>
justify-between">
                                      uppercase text-xs font-normal lg:text-sm lg:font-semibold">Qty: <?php echo</pre>
$quantity ?>
                                      uppercase text-xs font-normal lg:text-sm lg:font-semibold">P <?php echo $price
?>
                                  </div>
                              </div>
                           </div>
                       </div>
                       <?php
                   } else {
                       if($productWithIDRow['flavor'] == "NULL" ||
$productWithIDRow['flavor'] == "N/A") {
                           $nameExt = $productWithIDRow['color'];
                       } else {
```

```
$nameExt = $productWithIDRow['flavor'];
                       <div class="w-full flex items-start justify-start gap-4</pre>
border-b border-white p-2">
                          <div class="w-full h-auto flex items-start justify-</pre>
start gap-4 lg:grid lg:grid-cols-2 lg:items-center lg:justify-center">
                              <div class="bg-transparent w-1/2 p-2 flex items-</pre>
center justify-center lg:w-full lg:p-0">
                                  <img src="./assets/catalog/<?php echo</pre>
$productWithIDRow['img_dir'] ?>" class="aspect-square object-contain w-[58%]
md:w-[50%] lg:w-full lg:p-2 lg:h-full xl:w-[150px]">
                              </div>
                              <div class="w-full flex flex-1 flex-col justify-</pre>
between gap-4 xl:h-full xl:items-center xl:justify-end xl:gap-8">
                                  <div class="w-full flex flex-col items-start</pre>
justify-start mt-0.5 lg:gap-4 xl:justify-center xl:items-center">
                                      <h2 class="retro clouds h2 text-white
uppercase text-sm font-semibold lg:text-center w-full x1:text-base"><?php echo
$productWithIDRow['product name'] ?></h2>
                                      uppercase text-sm font-medium lg:text-center w-full x1:text-base"><?php echo
$nameExt ?>
                                  </div>
                                  <div class="w-full flex flex-1 items-start</pre>
justify-between">
                                      uppercase text-xs font-normal lg:text-sm lg:font-semibold">Qty: <?php echo</pre>
$BuyNowProductQuantity ?>
                                      uppercase text-xs font-normal lg:text-sm lg:font-semibold">P <?php echo
$productWithIDRow['price'] ?>
                                  </div>
                              </div>
                          </div>
                       </div>
               <?php
           </div>
       </div>
```

```
<input type="hidden" name="remarks" class="w-full outline-none border-2</pre>
border-[#33FCFF] rounded-sm text-sm retro clouds p font-medium bg-[#fffffb3] p-
1" value="payment">
    </form>
    <?php
    require("./config/Footer.php");
    define('SOURCE_FOOTER', './assets/Retro_Clouds_VS.jpg');
    footer();
    <!-- Font Awesome -->
    <script src="https://kit.fontawesome.com/d870978cd1.js"</pre>
crossorigin="anonymous"></script>
    <script type="module"</pre>
src="https://unpkg.com/ionicons@7.1.0/dist/ionicons/ionicons.esm.js"></script>
    <script nomodule</pre>
src="https://unpkg.com/ionicons@7.1.0/dist/ionicons/ionicons.js"></script>
</body>
</html>
```

## File: faqs.php

```
::-webkit-scrollbar-thumb {
            background: linear-gradient(#1A1D3B, #FF1695, #1A1D3B);
            border-radius: 50px;
    </style>
</head>
<body class="bg-[#1A1D3B]" id="scroll-top">
    <!-- Navigation -->
    <?php
        require("./config/config.php");
        require("./config/database.php");
        define('SOURCE_PATH', './assets/Retro_Clouds_VS.jpg');
        include("./config/Navigation.php");
        include("./config/sidebar-cart.php");
    $sql = "SELECT * FROM faqs";
    $result1 = $conn->query($sql);
    if (!$result1) {
        echo "Error : " . $conn->error;
    <div class="bg-[#1A1D3B] w-full max-w-full h-[30vh] pt-16 px-4 flex items-</pre>
center justify-center flex-wrap mobilemd:px-6 iphone:pt-20 sm:h-[35vh] sm:px-8
md:px-10 lg:px-12 xl:px-14 laptopxxl:px-40 laptopxxl:h-[40vh] ">
        <div class="w-full flex flex-col gap-4 items-center justify-center</pre>
sm:gap-2">
            <h2 class="retro-clouds-h2 text-[#ff1695] uppercase text-base font-</pre>
medium w-full iphone:text-xl lg:text-2xl">Asked Questions</h2>
            <h1 class="retro clouds h2 text-white uppercase text-2xl font-bold w-
full iphone:text-2xl sm:text-4xl lg:text-5xl laptopxxl:text-6xl">Answer to Common
Ouestions</h1>
        </div>
    </div>
    <div class="retro_clouds_bg_gradient w-full max-w-full h-auto py-8 px-4 flex</pre>
items-start justify-start flex-wrap mobilemd:px-6 sm:px-8 md:px-10 lg:px-12
xl:px-14 laptopxxl:px-40">
        <div class="w-full max-w-full flex flex-col gap-8 laptopxxl:gap-10">
            <?php
```

```
while ($fags = $result1->fetch assoc()) {
                <div class="accordions bg-gradient-to-r from-[#33FCFF] to-</pre>
[#1F9799] border border-[#1A1D3B] rounded-lg">
                    <div class="faqs_title flex items-center justify-between p-2</pre>
px-8 w-full gap-4 iphone:h-[70px] iphone:max-h-[70px] iphone:p-4 sm:h-[80px]
sm:max-h-[80px] sm:p-6 lg:h-[90px] lg:max-h-[90px] laptopxxl:h-[100px]
laptopxxl:max-h-[100px] laptopxxl:py-8">
                         <i class="fa-solid fa-circle-question text-[#FF1695]</pre>
text-4xl xl:text-6xl"></i>
                         <span class="retro clouds h2 text-sm uppercase font-bold">
class="retro clouds h2 text-sm uppercase font-bold"

text-[#FF1695] mobilemd:text-base iphone:text-lg sm:text-xl xl:text-2xl
xl:tracking-wider laptopxxl:text-3xl"><?php echo $faqs["question"]; ?></span>
                         <i class="fa-sharp fa-solid fa-chevron-down text-base</pre>
accordion_icons font-bold text-[#FF1695] laptopxxl:text-lg"></i></i>
                    </div>
                     <div class="faqs_container grid grid-rows-[0] overflow-hidden</pre>
rounded-b-lg bg-[#1A1D3B]">
                         <div class="min-h-0 p-2 lg:p-4 xl:p-6">
                             normal mobilelg:text-base xl:tracking-wide laptopxxl:text-2xl"> <?php echo
$faqs["answer"]; ?>
                         </div>
                    </div>
                </div>
            <?php
            }
        </div>
    </div>
    <div class="bg-[#1A1D3B] w-full max-w-full h-[20vh] max-h-[20vh] py-8 flex</pre>
items-start justify-start flex-wrap sm:h-[25vh] sm:max-h-[25vh] md:h-[30vh]
md:max-h-[30vh] lg:h-[35vh] lg:max-h-[35vh] xl:h-[40vh] xl:max-h-[40vh]
laptopxx1:h-[45vh] laptopxx1:max-h-[45vh] 2x1:h-[50vh] 2x1:max-h-[50vh]">
        <div class="w-full max-w-full h-full divider">
        </div>
    </div>
    <?php
    require("./config/Footer.php");
    define('SOURCE_FOOTER', './assets/Retro_Clouds_VS.jpg');
    footer();
```

# File: index.php

```
<?php
session_start();
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Retro Clouds PH</title>
    <link rel="stylesheet" href="./styles/output.css">
    <link rel="stylesheet" href="./styles/home.css">
    <link rel="shortcut icon" href="./assets/Favicon Retro.png" type="image/x-</pre>
    <link href="https://cdn.jsdelivr.net/npm/remixicon@3.2.0/fonts/remixicon.css"</pre>
rel="stylesheet">
    <style>
        ::-webkit-scrollbar {
            width: 10px;
        ::-webkit-scrollbar-track {
            background-color: #1A1D3B;
        ::-webkit-scrollbar-thumb {
            background: linear-gradient(#1A1D3B, #FF1695, #1A1D3B);
```

```
border-radius: 50px;
    </style>
</head>
<body class="bg-[#1A1D3B] select-none" id="scroll-top">
    <!-- NAVIGATION -->
    <?php
       require("./config/config.php");
       require("./config/database.php");
       define('SOURCE PATH', './assets/Retro Clouds VS.jpg');
       include("./config/Navigation.php");
       include("./config/sidebar-cart.php");
    <!-- HERO BANNER -->
    <div class="w-full max-w-full h-[60vh] min-h-[60vh] flex items-start justify-</pre>
start relative mobilelg:h-[90vh] mobilelg:max-h-[90vh] lg:h-screen lg:max-h-
screen" id="scroll-top">
        <video autoplay muted loop plays-inline src="./assets/Retro-Clouds-Hero-</pre>
Video.mp4" class="absolute top-0 left-0 -z-[1] w-full h-full object-
cover"></video>
   </div>
    <a href=""></a>
    <!-- FEATURED PRODUCT -->
    <div class="w-full h-[50%] bg-gradient-to-b from-[#FF1695] to-transparent</pre>
laptopxx1:h-[60%] laptopxx1:max-h-[60%] 2x1:h-[50%] 2x1:max-h-[50%] 2x1:px-8">
        <div class="w-full p-4 mobilemd:px-6 sm:p-8 md:p-10 md:grid md:grid-cols-</pre>
3 md:justify-center md:items-center md:gap-4 lg:p-12 xl:p-14 xl:gap-8
laptopxxl:p-16 2xl:px-32">
           <div class="flex flex-col gap-2 z-10 md:justify-end md:items-end</pre>
lg:mb-20 xl:gap-4">
               <h1 class="text-[#fafafa] font-bold text-2xl oswald sm:text-
[2rem] md:text-[1.7rem] md:text-right md:w-full lg:text-[2rem] xl:text-4xl
xl:tracking-wider">PANTHER SERIES</h1>
               <div class=" w-1/2 bg-gradient-to-r from-cyan-300 via-transparent</pre>
to-cyan-300 ml-7 sm:w-1/3 md:w-1/2 md:justify-end">
                   mobilelg:text-lg lg:p-1 lg:text-xl xl:text-2xl">₱ 1097.25
               </div>
            </div>
            <div class="w-full relative flex flex-col items-center justify-center</pre>
m-4 md:m-0 lg:grid lg:grid-cols-3 lg:items-center lg:justify-center lg:gap-4">
```

```
<img src="./assets/smokes.png" class="hidden lg:flex lg:h-auto</pre>
lg:scale-[3]">
                <img src="./assets/Red-Dark-Green-Grape.png" alt=""</pre>
class="rotate-0 h-auto w-[30%] mobilemd:w-[25%] iphone:w-[20%] iphone:rotate-
[35deg] sm:w-[100px] md:rotate-0 lg:w-[120px] xl:w-[170px]">
                <img src="./assets/smokes.png" class="hidden lg:flex lg:h-auto</pre>
lg:scale-[3] lg:-z-[1]">
            </div>
            <div class=" w-full h-auto z-10 flex flex-col items-end justify-end</pre>
gap-3 md:justify-start md:items-start lg:mt-20 x1:gap-6">
                <h1 class="poppins text-[#fafafa] text-xs w-[60%] mobilelg:text-
base mobilelg:w-[70%] sm:w-[50%] md:w-full lg:text-lg xl:text-xl">Dr Vapes
Panther Series Grape Flavored Goodness in 120ml Bottle. Now available in the
Retro Clouds Vape Shop!</h1>
                <a href="./catalog.php" aria-disabled="true">
                    <div class="bg-gradient-to-b from-[#FF1695] to-[#008F99] flex</pre>
items-center justify-center gap-1 rounded-full border border-white py-2 px-7
sm:gap-2">
                        <i class="fa-solid fa-bag-shopping text-white sm:text-lg</pre>
lg:text-xl"></i>
                        <h1 class="oswald text-white font-semibold sm:text-lg"
lg:text-xl">SHOP NOW</h1>
                    </div>
                </a>
            </div>
        </div>
    </div>
    <!-- GOVERNMENT WARNING -->
    <div class="relative p-4 w-full h-[20vh] bg-gradient-to-l from-[#1F9799] via-</pre>
[#33FCFF] to-[#1F9799] flex items-center justify-center mobilemd:px-6 sm:px-8
md:h-auto md:px-10 lg:px-12 xl:px-14 xl:py-6 laptopxxl:px-16 2xl:px-20">
        <div class="w-full h-auto flex flex-col items-center justify-center">
            mobilelg:text-xl lg:text-2xl">Government warning: This product is harmful and
contains nicotine which is a highly addictive substance. This is for use only by
adults and is not recommended for use by non-smokers.
        </div>
    </div>
    <!-- BRAND PARTNERS -->
    <div class="overflow-x-hidden partners bg relative w-full h-auto p-4 flex</pre>
flex-col justify-center items-center flex-wrap gap-4 mobilemd:p-6 mobilelg:gap-6
sm:max-h-[50vh] sm:h-[50vh] sm:p-8 sm:gap-8 md:px-10 lg:px-12 xl:px-14 xl:gap-14
xl:h-[60vh] xl:max-h-[60vh] laptopxxl:px-16 2xl:px-20">
```

```
<div class="w-full flex items-center justify-around gap-2 flex-wrap">
            <a href="https://www.facebook.com/iqphilippine" target="_blank"</pre>
class="hover:scale-105"><img src="./assets/Infinity Series Brand Logo.png"</pre>
class="w-[80px] h-auto mobilelg:w-[100px] sm:w-[120px] xl:w-[130px] 2xl:w-
[160px]"></a>
            <a href="https://www.facebook.com/aeroginvapeph" target=" blank"</pre>
class="hover:scale-105"><img src="./assets/aerogin-logo.png" class="w-[80px] h-</pre>
auto mobilelg:w-[100px] sm:w-[120px] xl:w-[130px] 2xl:w-[160px]"></a>
            <a href="https://www.facebook.com/NastyPH" target=" blank"</pre>
class="hover:scale-105"><img src="./assets/nasty-logo.png" class="w-[80px] h-auto</pre>
mobilelg:w-[100px] sm:w-[120px] xl:w-[130px] 2xl:w-[160px]"></a>
        </div>
        <div class="w-full flex items-center justify-around gap-2 flex-wrap">
            <a href="https://www.facebook.com/worldsupersmooth.ph"</pre>
target="_blank" class="hover:scale-105"><img src="./assets/relx-logo.png"</pre>
class="w-[80px] h-auto mobilelg:w-[100px] sm:w-[120px] xl:w-[130px] 2xl:w-
[160px]"></a>
            base mobilelg:text-lg sm:text-2xl md:text-[2rem] x1:text-4x1">BRAND PARTNERS
            <a href="https://www.facebook.com/profile.php?id=61553286650013"</pre>
target=" blank" class="hover:scale-105"><img src="./assets/geekvape-logo.png"</pre>
class="w-[80px] h-auto mobilelg:w-[100px] sm:w-[120px] xl:w-[130px] 2xl:w-
[160px]"></a>
        </div>
        <div class="w-full flex items-center justify-around gap-2 flex-wrap">
            <a href="https://www.facebook.com/veehoophmain" target="_blank"</pre>
class="hover:scale-105"><img src="./assets/veehoo-logo.png" class="w-[80px] h-
auto mobilelg:w-[100px] sm:w-[120px xl:w-[130px]] 2xl:w-[160px]"></a>
            <a href="https://www.facebook.com/Shiftdisposablevape"</pre>
target=" blank" class="hover:scale-105"><img src="./assets/shft-logo.png"</pre>
class="w-[80px] h-auto mobilelg:w-[100px] sm:w-[120px] xl:w-[130px] 2xl:w-
[160px]"></a>
            <a href="https://www.facebook.com/SMPOPH" target=" blank"</pre>
class="hover:scale-105"><img src="./assets/smpo-logo.png" class="w-[80px] h-auto</pre>
mobilelg:w-[100px] sm:w-[120px] xl:w-[130px] 2xl:w-[160px]"></a>
        </div>
    </div>
    <!-- RELATED ARTICLES -->
    <div class="lg:grid lg:grid-cols-2 lg:w-full lg:max-w-full lg:items-end</pre>
lg:justify-between">
        <div class="w-full max-w-full h-[60vh] bg-gradient-to-t from-[#FF1695]</pre>
to-transparent flex flex-col items-center justify-center gap-3 px-4 mobilemd:px-6
sm:h-[70vh] sm:max-h-[70vh] sm:p-8 sm:gap-4 md:px-10 md:h-[80vh] md:max-h-[80vh]
lg:p-12 xl:p-14 laptopxxl:p-16 2xl:px-20 2xl:py-8">
```

```
<div class="w-full h-[10vh] flex items-center justify-center">
               bold sm:text-[2rem] 2xl:text-4xl 2xl:tracking-wider">related articles
           <a href="https://kidshealth.org/en/teens/e-cigarettes.html"</pre>
target="_blank" class="w-full h-[60%] bg-[#1A1D3B] flex flex-col items-center
justify-center blog-bg-one border border-[#1A1D3B] border-x-2 border-y-8
rounded-md hover:border-[#FF1695] hover:border-2 iphone:justify-end sm:h-[80%]
sm:max-h-[80%] md:h-full md:max-h-full lg:p-4">
               <div class="w-full h-[50%] overflow-hidden flex items-center</pre>
justify-center iphone:hidden lg:w-full">
               </div>
               <div class="flex flex-col w-[90%] items-start justify-center bg-</pre>
[#1a1d3bd5] px-1 mobilelg:w-full mobilelg:p-2 sm:p-4">
                  January
2024
                  <h1 class="text-white text-lg sm:text-xl">Vaping: What You
Need to Know</h1>
                   Medically
reviewed by: Elana Pearl Ben-Joseph, MD
               </div>
           </a>
       </div>
       <div class="w-full max-w-full h-[40vh] max-h-[40vh] bg-gradient-to-b</pre>
from-[#FF1695] to-transparent flex flex-col items-center justify-start
mobilelg:px-6 sm:h-[70vh] sm:max-h-[70vh] sm:p-8 sm:gap-4 md:px-10 md:h-[80vh]
md:max-h-[80vh] lg:grid lg:col-span-1 lg:bg-gradient-to-t lg:from-[#FF1695]
lg:to-transparent lg:justify-end lg:p-14 laptopxxl:p-16 2xl:pr-20 2xl:pl-0
2xl:py-8 2xl:justify-end">
           <div class="w-full max-w-full h-[100%] flex flex-col px-4</pre>
mobilemd:px-6 mobilelg:gap-4 mobilelg:px-0 2xl:gap-12 2xl:flex-1 2xl:px-0 2xl:pl-
0 2x1:w-[600px] 2x1:max-w-[600px]">
               <div class="w-full max-w-full h-[50%] flex items-center justify-</pre>
around iphone:justify-between iphone:gap-4 lg:h-full 2x1:flex-1">
                   <a href="https://newsinhealth.nih.gov/2020/05/risks-vaping"</pre>
target=" blank" class="w-[45%] h-[95%] bg-[#1A1D3B] border border-3 border-
[#33FCFF] hover:border-[#FF1695] flex flex-col items-center justify-center blog-
bg-two iphone:w-1/2 iphone:justify-end iphone:h-[130px] sm:h-full sm:max-h-full
2x1:w-full">
                      <div class="bg-[#1a1d3bd5] w-[90%] mobilelg:w-full</pre>
iphone:p-1 sm:p-2">
```

```
sm">May 2020
                         <h1 class="text-white text-sm px-1 sm:text-base">The
Risks of Vaping</h1>
                     </div>
                  </a>
                  <a href="https://www.medicalnewstoday.com/articles/vaping-vs-</pre>
smoking" target="_blank" class="w-[45%] h-[95%] bg-[#1A1D3B] border border-3
border-[#33FCFF] hover:border-[#FF1695] flex flex-col items-center justify-center
blog-bg-three iphone:w-1/2 iphone:justify-end iphone:h-[130px] sm:h-full sm:max-
h-full 2xl:w-full">
                     <div class="bg-[#1a1d3bd5] w-[90%] mobilelg:w-full</pre>
iphone:p-1 sm:p-2">
                         sm">May 2024
                         <h1 class="text-white text-sm px-1 sm:text-
base">Vaping vs. smoking: Which is safer?</h1>
                     </div>
                  </a>
              </div>
              <div class="w-full max-w-full h-[50%] flex items-center justify-</pre>
around iphone:justify-between iphone:gap-4 lg:h-full 2xl:flex-1">
href="https://archpublichealth.biomedcentral.com/articles/10.1186/s13690-022-
00998-w" target="_blank" class="w-[45%] h-[95%] bg-[#1A1D3B] border border-3
border-[#33FCFF] hover:border-[#FF1695] flex flex-col items-center justify-center
blog-bg-four iphone:w-1/2 iphone:justify-end iphone:h-[130px] sm:h-full sm:max-h-
full 2x1:w-full">
                     <div class="bg-[#1a1d3bd5] w-[90%] mobilelg:w-full</pre>
iphone:p-1 sm:p-2">
                         sm">November 2022
                         <h1 class="text-white text-sm px-1 sm:text-base">The
prevalence of electronic cigarettes</h1>
                     </div>
                  </a>
                  <a href="#" class="w-[45%] h-[95%] bg-[#1A1D3B] border
border-3 border-[#33FCFF] hover:border-[#FF1695] flex flex-col items-center
justify-center blog-bg-five iphone:w-1/2 iphone:justify-end iphone:h-[130px]
sm:h-full sm:max-h-full 2xl:w-full">
                     <div class="bg-[#1a1d3bd5] w-[90%] mobilelg:w-full</pre>
iphone:p-1 sm:p-2">
                         sm">April 2018
```

```
<h1 class="text-white text-sm px-1 sm:text-
base">Vaping's potential to benefit public...</h1>
                         </div>
                     </a>
                 </div>
            </div>
        </div>
    </div>
    <?php
        require("./config/Footer.php");
        define('SOURCE_FOOTER', './assets/Retro_Clouds_VS.jpg');
        footer();
    <!-- Font Awesome -->
    <script src="https://kit.fontawesome.com/d870978cd1.js"</pre>
crossorigin="anonymous"></script>
    <script type="module"</pre>
src="https://unpkg.com/ionicons@7.1.0/dist/ionicons/ionicons.esm.js"></script>
    <script nomodule</pre>
src="https://unpkg.com/ionicons@7.1.0/dist/ionicons/ionicons.js"></script>
</body>
</html>
```

# File: Login-Page.php

```
if (empty($emailAddressTxt)) {
    $errors[] = "Email is required";
} elseif (empty($password)) {
    $errors[] = "Password is required";
} else {
   $sql = "SELECT * FROM admin tbl WHERE email address = ?";
   $stmt = $conn->prepare($sql);
   $stmt->bind_param("s", $emailAddressTxt);
   $stmt->execute();
   $result = $stmt->get_result();
   if ($result && $result->num rows == 1) {
        $row = $result->fetch_assoc();
        if ($password === $row['password']) {
            $ SESSION['emailAddressTxt'] = $row['email address'];
            $_SESSION['amdinType'] = $row['admin_type'];
            $_SESSION['customerID'] = $row['costumer_id'];
            $systemMessage = "Successfully ADMIN logged in";
            header("Location:./admin/sales.php");
        } else {
            $errors[] = "Invalid Password";
    } else {
        $sql = "SELECT * FROM customer tbl WHERE email = ?";
        $stmt = $conn->prepare($sql);
        $stmt->bind_param("s", $emailAddressTxt);
        $stmt->execute();
        $result = $stmt->get result();
        if ($result && $result->num rows == 1) {
            $row = $result->fetch_assoc();
            if (password_verify($password, $row['password'])) {
                $_SESSION['emailAddressTxt'] = $row['email'];
                $ SESSION['fname'] = $row['fname'];
                $ SESSION['customer ID'] = $row['costumer id'];
                $systemMessage = "Successfully CUSTOMER logged in";
                $loginStatus = true;
                if(!empty($_SESSION['customer_ID'])) {
                    header('location: index.php');
```

```
} else {
                    $errors[] = "Invalid Password";
            } else {
                $errors[] = "Invalid email or password";
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Retro Clouds PH | Login</title>
    <link rel="stylesheet" href="./styles/output.css">
    <link rel="stylesheet" href="./styles/home.css">
    <link rel="shortcut icon" href="./assets/Favicon_Retro.png" type="image/x-</pre>
icon">
    <link href="https://cdn.jsdelivr.net/npm/remixicon@3.2.0/fonts/remixicon.css"</pre>
rel="stylesheet">
    <link rel="stylesheet" href="./styles/Component.css">
    <style>
        ::-webkit-scrollbar {
            width: 10px;
        ::-webkit-scrollbar-track {
            background-color: #1A1D3B;
        ::-webkit-scrollbar-thumb {
            background: linear-gradient(#1A1D3B, #FF1695, #1A1D3B);
            border-radius: 50px;
```

```
@import
url('https://fonts.googleapis.com/css2?family=Open+Sans:ital,wght@0,300..800;1,30
0..800&family=Poppins:ital,wght@0,100;0,200;0,300;0,400;0,500;0,600;0,700;0,800;0
,900&family=Tourney:ital,wght@0,100..900;1,100..900&display=swap');
        .retro clouds h1 {
            font-family: "Tourney", sans-serif;
            background: linear-gradient(90deg, rgba(51, 252, 255, 1) 30%,
rgba(255, 0, 138, 1) 71%, rgba(255, 80, 176, 1) 100%);
            background-clip: text;
            color: transparent;
        .oswald {
            font-family: "Oswald", sans-serif;
        .poppins {
            font-family: "Poppins", sans-serif;
        .bebas-neue {
            font-family: "Bebas Neue", sans-serif;
        #loginPopup {
            display: flex !important;
            justify-content: center;
            align-items: center;
            height: 100vh;
            /* Full height */
            background-color: rgba(0, 0, 0, 0.5);
            /* Optional: To add a background overlay */
            position: fixed;
            top: 0;
            left: 0;
            width: 100%;
            z-index: 1;
        #registerPopup {
            display: none !important;
            justify-content: center;
            align-items: center;
            height: 100vh;
```

```
/* Full height */
            background-color: rgba(0, 0, 0, 0.5);
            /* Optional: To add a background overlay */
            position: fixed;
            top: 0;
            left: 0;
            width: 100%;
            z-index: 1;
        #navigation {
            z-index: 0;
    </style>
</head>
<body class="bg-[#1A1D3B]">
    <!-- NAVIGATION -->
    <?php
    define('SOURCE_PATH', './assets/Retro_Clouds_VS.jpg');
    include("./config/Navigation.php");
    $_SESSION['customerID'] = $customerID ?? "";
    <div id="loginPopup" class="w-full h-full items-center justify-center fixed</pre>
top-0 z-10" style="display: block; background-image:linear-
gradient(rgba(0,0,0,0.70), rgba(0,0,0,0.70)),
url('./assets/img_divider_three.png'); background-size:cover; background-
position:center;">
        <div class="w-[350px] max-w-[350px] h-auto rounded-lg bg-[#1A1D3B]</pre>
border-2 p-4 lg:w-[400px] lg:max-w-[400px]">
            <div class='flex items-center justify-between p-3 gap-2'>
                <img src="./assets/Retro_Clouds_VS.jpg" class="h-auto w-[50px]</pre>
rounded-full mix-blend-lighten">
                <h1 class="retro clouds h1 uppercase font-bold text-2xl">Retro
Clouds</h1>
            </div>
            <div class="py-5">
                <h1 class="text-[#FF1695] text-2xl font-bold poppins text-
center">LOG-IN</h1>
            </div>
            <div class="w-full flex flex-col ">
```

```
<span class="text-center text-[#00ff00]"><?php echo</pre>
$systemMessage; ?></span>
                <?php
                    if ($ SERVER['REQUEST_METHOD'] === 'POST' && !empty($errors))
                        foreach ($errors as $error) :
                            <span class="text-</pre>
red-600 text-base font-bold poppins text-center"><?php echo $error;
?></span>
                    <?php
                        endforeach;
                    endif:
                </div>
            <form method="post" id="loginForm" class="flex flex-col items-center</pre>
gap-4 py-7 px-4">
                <div class=" w-full flex flex-col items-start">
                    <h1 class="text-[#33FCFF] text-sm poppins">Email</h1>
                    <input type="text" id="emailAddressTxt"</pre>
name="emailAddressTxt" class="w-full h-10 border-2 border-[#33FCFF] rounded-sm
py-2 px-4" value="<?php echo isset($emailAddressTxt) ?</pre>
htmlspecialchars($emailAddressTxt) : ''; ?>">
                </div>
                <div class=" w-full flex flex-col items-start">
                    <h1 class="text-[#33FCFF] text-sm poppins">Password</h1>
                    <input type="password" id="passwordTxt" name="passwordTxt"</pre>
class="w-full h-10 border-2 border-[#33FCFF] rounded-sm py-2 px-4">
                </div>
                <div class="w-full flex flex-col items-start">
                    <input type="submit" name="loginBtn" class="text-white</pre>
poppins font-bold bg-gradient-to-b from-[#FF1695] to-[#008F99] flex items-center
justify-center gap-1 rounded-sm border border-white py-2 px-7 w-full cursor-
pointer" value="LOGIN">
                    <button type="button" name="loginBtn" class="text-white"</pre>
poppins font-bold bg-gradient-to-b from-[#FF1695] to-[#008F99] items-center
justify-center gap-1 rounded-sm border border-white py-2 px-7 w-full cursor-
pointer hidden" value="BACK">BACK</button>
                </div>
```

## File: Login-Page.php

```
<?php
// error reporting(E ALL);
session start();
require("./config/config.php");
$errors = [];
$systemMessage ="";
if (isset($ POST['loginBtn'])) {
    $emailAddressTxt = $_POST['emailAddressTxt'];
    $password = $_POST['passwordTxt'];
    if (empty($emailAddressTxt)) {
        $errors[] = "Email is required";
    } elseif (empty($password)) {
        $errors[] = "Password is required";
    } else {
        $sql = "SELECT * FROM admin_tbl WHERE email_address = ?";
        $stmt = $conn->prepare($sql);
        $stmt->bind_param("s", $emailAddressTxt);
        $stmt->execute();
```

```
$result = $stmt->get_result();
if ($result && $result->num rows == 1) {
    $row = $result->fetch assoc();
    if ($password === $row['password']) {
        $ SESSION['emailAddressTxt'] = $row['email address'];
        $_SESSION['amdinType'] = $row['admin_type'];
        $ SESSION['customerID'] = $row['costumer id'];
        $systemMessage = "Successfully ADMIN logged in";
        header("Location:./admin/sales.php");
    } else {
        $errors[] = "Invalid Password";
} else {
    $sql = "SELECT * FROM customer_tbl WHERE email = ?";
    $stmt = $conn->prepare($sql);
    $stmt->bind param("s", $emailAddressTxt);
    $stmt->execute();
    $result = $stmt->get result();
    if ($result && $result->num rows == 1) {
        $row = $result->fetch assoc();
        if (password_verify($password, $row['password'])) {
            $ SESSION['emailAddressTxt'] = $row['email'];
            $ SESSION['fname'] = $row['fname'];
            $_SESSION['customer_ID'] = $row['costumer_id'];
            $systemMessage = "Successfully CUSTOMER logged in";
            $loginStatus = true;
            if(!empty($_SESSION['customer_ID'])) {
                header('location: index.php');
        } else {
            $errors[] = "Invalid Password";
    } else {
        $errors[] = "Invalid email or password";
    }
```

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Retro Clouds PH | Login</title>
    <link rel="stylesheet" href="./styles/output.css">
    <link rel="stylesheet" href="./styles/home.css">
    <link rel="shortcut icon" href="./assets/Favicon_Retro.png" type="image/x-</pre>
icon">
    <link href="https://cdn.jsdelivr.net/npm/remixicon@3.2.0/fonts/remixicon.css"</pre>
rel="stylesheet">
    <link rel="stylesheet" href="./styles/Component.css">
    <style>
        ::-webkit-scrollbar {
            width: 10px;
        ::-webkit-scrollbar-track {
            background-color: #1A1D3B;
        ::-webkit-scrollbar-thumb {
            background: linear-gradient(#1A1D3B, #FF1695, #1A1D3B);
            border-radius: 50px;
        @import
url('https://fonts.googleapis.com/css2?family=Open+Sans:ital,wght@0,300..800;1,30
0..800&family=Poppins:ital,wght@0,100;0,200;0,300;0,400;0,500;0,600;0,700;0,800;0
,900&family=Tourney:ital,wght@0,100..900;1,100..900&display=swap');
        .retro_clouds_h1 {
            font-family: "Tourney", sans-serif;
            background: linear-gradient(90deg, rgba(51, 252, 255, 1) 30%,
rgba(255, 0, 138, 1) 71%, rgba(255, 80, 176, 1) 100%);
           background-clip: text;
```

```
color: transparent;
.oswald {
    font-family: "Oswald", sans-serif;
.poppins {
    font-family: "Poppins", sans-serif;
.bebas-neue {
    font-family: "Bebas Neue", sans-serif;
#loginPopup {
    display: flex !important;
    justify-content: center;
    align-items: center;
    height: 100vh;
   /* Full height */
    background-color: rgba(0, 0, 0, 0.5);
    /* Optional: To add a background overlay */
    position: fixed;
    top: 0;
    left: 0;
   width: 100%;
    z-index: 1;
#registerPopup {
    display: none !important;
    justify-content: center;
    align-items: center;
    height: 100vh;
    /* Full height */
    background-color: rgba(0, 0, 0, 0.5);
    /* Optional: To add a background overlay */
    position: fixed;
    top: 0;
    left: 0;
   width: 100%;
   z-index: 1;
```

```
#navigation {
            z-index: 0;
    </style>
</head>
<body class="bg-[#1A1D3B]">
    <!-- NAVIGATION -->
    <?php
    define('SOURCE_PATH', './assets/Retro_Clouds_VS.jpg');
    include("./config/Navigation.php");
    $ SESSION['customerID'] = $customerID ?? "";
    <div id="loginPopup" class="w-full h-full items-center justify-center fixed</pre>
top-0 z-10" style="display: block; background-image:linear-
gradient(rgba(0,0,0,0.70), rgba(0,0,0,0.70)),
url('./assets/img_divider_three.png'); background-size:cover; background-
position:center;">
        <div class="w-[350px] max-w-[350px] h-auto rounded-lg bg-[#1A1D3B]</pre>
border-2 p-4 lg:w-[400px] lg:max-w-[400px]">
            <div class='flex items-center justify-between p-3 gap-2'>
                <img src="./assets/Retro_Clouds_VS.jpg" class="h-auto w-[50px]</pre>
rounded-full mix-blend-lighten">
                <h1 class="retro clouds h1 uppercase font-bold text-2xl">Retro
Clouds</h1>
            </div>
            <div class="py-5">
                <h1 class="text-[#FF1695] text-2xl font-bold poppins text-
center">LOG-IN</h1>
            </div>
            <div class="w-full flex flex-col">
                <span class="text-center text-[#00ff00]"><?php echo</pre>
$systemMessage; ?></span>
                <l
                    <?php
                    if ($ SERVER['REQUEST_METHOD'] === 'POST' && !empty($errors))
                        foreach ($errors as $error) :
```

```
<span class="text-</pre>
red-600 text-base font-bold poppins text-center"><?php echo $error;
?></span>
                    <?php
                        endforeach;
                    endif;
                </div>
            <form method="post" id="loginForm" class="flex flex-col items-center</pre>
gap-4 py-7 px-4">
                <div class=" w-full flex flex-col items-start">
                    <h1 class="text-[#33FCFF] text-sm poppins">Email</h1>
                    <input type="text" id="emailAddressTxt"</pre>
name="emailAddressTxt" class="w-full h-10 border-2 border-[#33FCFF] rounded-sm
py-2 px-4" value="<?php echo isset($emailAddressTxt) ?</pre>
htmlspecialchars($emailAddressTxt) : ''; ?>">
                </div>
                <div class=" w-full flex flex-col items-start">
                    <h1 class="text-[#33FCFF] text-sm poppins">Password</h1>
                    <input type="password" id="passwordTxt" name="passwordTxt"</pre>
class="w-full h-10 border-2 border-[#33FCFF] rounded-sm py-2 px-4">
                </div>
                <div class="w-full flex flex-col items-start">
                    <input type="submit" name="loginBtn" class="text-white</pre>
poppins font-bold bg-gradient-to-b from-[#FF1695] to-[#008F99] flex items-center
justify-center gap-1 rounded-sm border border-white py-2 px-7 w-full cursor-
pointer" value="LOGIN">
                    <button type="button" name="loginBtn" class="text-white</pre>
poppins font-bold bg-gradient-to-b from-[#FF1695] to-[#008F99] items-center
justify-center gap-1 rounded-sm border border-white py-2 px-7 w-full cursor-
pointer hidden" value="BACK">BACK</button>
                </div>
                <h1 class="text-[#FF1695] text-sm poppins font-bold">Don't have
an account?   <a href="Register-Page.php" id="open-register-</pre>
modal" class="text-[#33FCFF] underline cursor-pointer">Register</a></h1>
            </form>
        </div>
    </div>
```

## File: process-payment.php

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Checkout Link</title>
    <link rel="shortcut icon" href="./assets/Favicon_Retro.png" type="image/x-</pre>
icon">
    <link rel="stylesheet" href="./styles/output.css">
    <link rel="stylesheet" href="./styles/Component.css">
    <style>
        .customShadow {
            transition: all 300ms linear;
        .customShadow:hover {
            box-shadow: 0 0 25px #33FCFF;
        }
        .customInvalid {
            box-shadow: 0 0 25px #33FCFF;
    </style>
</head>
<body class="bg-rose-500">
    <div class='w-full max-w-full h-[100vh] max-h-[100vh] flex items-center</pre>
justify-center text-center flex-col bg-[#1A1D3B]'>
        <?php
        session start();
```

```
require("./config/config.php");
        if ($ SERVER["REQUEST METHOD"] == "POST") {
            $amount = $_POST['amount'] * 100; // Convert PHP to centavos
            $description = $ POST['description'] ?? "";
            $remarks = $ POST['remarks'];
            // $_SESSION['mobileNumber'] = $_POST['mobileNumberTxt'];
            // $ SESSION['shippingAddress'] = "{$ POST['addressLineOneTxt']}-
{$_POST['addressLineTwoTxt']}-{$_POST['addressLineThreeTxt']}";
            // $ SESSION['deliverySelection'] = $ POST['deliverySelectionLst'] ??
            $customer_id = $_SESSION['customer_ID'];
            $shippingAddress = $_POST['address1'] . " " . $_POST['address2'] . "
  . $_POST['address3'];
            $mobileNumber = $ POST['mobileNumber'];
            $deliverySelection = $_POST['deliverySelection'];
            $subTotal = $_POST['subTotal'];
            $shippingFee = $ POST['shippingFee'];
           // $sql="INSERT INTO `transaction tbl`(`customer id`,
 shipping_address`, `mobile_number`, `sub_total`, `shipping_fee`, `delivery_id`)
('{$ SESSION['customerID']}','{$ SESSION['shippingAddress']}','{$ SESSION['mobile
Number ]}','{$_SESSION['subTotal']}','{$_SESSION['shippingFee']}','{$_SESSION['de
liverySelection']}');";
           // $conn -> query($sq1);
            $newTransaction = "INSERT INTO transaction tbl (customer id,
shipping_address, mobile_number, sub_total, shipping_fee, delivery_id) VALUES
('$customer_id','$shippingAddress','$mobileNumber','$subTotal','$shippingFee','$d
eliverySelection')";
            mysqli_query($conn, $newTransaction);
            $getTransactionLatest = "SELECT * FROM transaction_tbl ORDER BY
transaction id DESC LIMIT 1";
            $getTransactionLatestQuery = mysqli_query($conn,
$getTransactionLatest);
            $getTransactionLatestRow =
mysqli_fetch_assoc($getTransactionLatestQuery);
            $transactionID = $getTransactionLatestRow['transaction id'];
            $getAllCartOfCustomer = "SELECT * FROM cart_tbl WHERE customer_id =
'$customer id'";
```

```
$getAllCartOfCustomerQuery = mysqli query($conn,
$getAllCartOfCustomer);
            while ($getAllCartOfCustomerRow =
mysqli fetch assoc($getAllCartOfCustomerQuery)) {
                $productQuantity = $getAllCartOfCustomerRow['product_quantity'];
                $productId = $getAllCartOfCustomerRow['product id'];
                $insertIntoOrder = "INSERT INTO orders (transaction id,
product_id, product_quantity) VALUES ('$transactionID', '$productId',
$productQuantity)";
                $sqlUpdateStockCount = "UPDATE inventory_tbl
                                        SET total stock =total stock-
$productQuantity
                                        WHERE item id=$productId";
                mysqli query($conn, $insertIntoOrder);
                mysqli_query($conn, $sqlUpdateStockCount);
            $deleteAllCartOfCustomer = "DELETE FROM cart_tbl WHERE customer_id =
 $customer id'";
            mysqli query($conn, $deleteAllCartOfCustomer);
            function createPayMongoLink($amount, $description, $remarks)
                $curl = curl init();
                curl_setopt_array($curl, [
                    CURLOPT URL => "https://api.paymongo.com/v1/links",
                    CURLOPT RETURNTRANSFER => true,
                    CURLOPT_ENCODING => "",
                    CURLOPT MAXREDIRS => 10,
                    CURLOPT TIMEOUT => 30,
                    CURLOPT HTTP VERSION => CURL HTTP VERSION 1 1,
                    CURLOPT_CUSTOMREQUEST => "POST",
                    CURLOPT POSTFIELDS => json encode([
                        'data' => [
                            'attributes' => [
                                'amount' => $amount,
                                'description' => $description,
                                'remarks' => $remarks,
                    ]),
                    CURLOPT HTTPHEADER => [
                        "accept: application/json",
                        "authorization: Basic
c2tfdGVzdF95bmpZQjNjNUpFUll0YlFBVFh4VGFheHY6",
```

```
"content-type: application/json"
                    ],
                1);
                $response = curl exec($curl);
                $err = curl error($curl);
                curl_close($curl);
                if ($err) {
                    return "cURL Error #:" . $err;
                } else {
                    return $response;
            }
            $response = createPayMongoLink($amount, $description, $remarks);
            $responseData = json_decode($response, true);
            if (isset($responseData['data']['attributes']['checkout url'])) {
                $checkoutUrl =
$responseData['data']['attributes']['checkout_url'];
                file get contents($checkoutUrl);
                echo "<span class='text-[#FF1695] setPoppins font-bold text-4xl</pre>
uppercase flex items-center justify-center'>Payment link created
successfully.</span><br><a href='$checkoutUrl' target=' blank'</pre>
class='customShadow p-4 setPoppins text-center font-bold text-lg bg-[#33FCFF]
text-[#1A1D3B] uppercase rounded-sm'>Click here to pay</a>
            } else {
                echo "
                <span class='text-[#FF1695] setPoppins font-bold text-4xl</pre>
uppercase flex items-center justify-center'>Error creating payment
link:</span><br><a href='index.php' class='customInvalid p-4 setPoppins text-
center font-bold text-lg bg-[#33FCFF] text-[#1A1D3B] uppercase rounded-
sm'>$response;</a>
        } else {
            echo "<span class='text-[#FF1695] setPoppins font-bold text-4xl
uppercase flex items-center justify-center'>Admin Message:</span><br><a
href='index.php' class='customInvalid p-4 setPoppins text-center font-bold text-
lg bg-[#33FCFF] text-[#1A1D3B] uppercase rounded-sm'>Invalid request.</a>";
```

```
</div>
</body>
</html>
```

## File: Register-Page.php

```
<?php
       ini_set('display_errors', 1);
       error_reporting(E_ALL);
       session start();
       require("./config/config.php");
       $_SESSION['firstnameTxt'] = $_POST['firstnameTxt'] ?? '';
       $_SESSION['lastnameTxt'] = $_POST['lastnameTxt'] ?? '';
       $ SESSION['emailTxt'] = $ POST['emailTxt'] ?? '';
       $_SESSION['birthdateTxt'] = $_POST['birthdateTxt'] ?? '';
       $_SESSION['passwordTxt'] = $_POST['passwordTxt'] ?? '';
       $_SESSION['confirmPasswordTxt'] = $_POST['confirmPasswordTxt'] ?? '';
       $systemMessage = "";
       $errors = [];
       function calculateAge($birthdate)
            $birthDate = new DateTime($birthdate);
           $currentDate = new DateTime();
            $age = $currentDate->diff($birthDate)->y;
           return $age;
       if ($_SERVER['REQUEST_METHOD'] === 'POST') {
           if (empty($_SESSION['firstnameTxt'])) {
               $errors[] = "Please enter first name";
            if (empty($_SESSION['lastnameTxt'])) {
               $errors[] = "Please enter last name";
           if (empty($_SESSION['emailTxt'])) {
               $errors[] = "Please enter email";
            } else if (!filter_var($_SESSION['emailTxt'], FILTER_VALIDATE_EMAIL))
               $errors[] = "Invalid email format";
```

```
}
            if (empty($ SESSION['birthdateTxt'])) {
                $errors[] = "Please enter birthdate";
            } else if (calculateAge($_SESSION['birthdateTxt']) < 18) {</pre>
                $errors[] = "You must be at least 18 years old to register";
            if (empty($ SESSION['passwordTxt'])) {
                $errors[] = "Please enter password";
            } else if ($ SESSION['passwordTxt'] !=
$ SESSION['confirmPasswordTxt']) {
                $errors[] = "Passwords do not match";
            if (empty($errors)) {
                $email = $ SESSION['emailTxt'];
                $emailCheckQuery = $conn->prepare("SELECT COUNT(*) as count FROM
customer tbl WHERE email = ?");
                $emailCheckQuery->bind_param("s", $email);
                $emailCheckQuery->execute();
                $result = $emailCheckQuery->get_result();
                if ($result === false) {
                    die("Execute failed: (" . $emailCheckQuery->errno . ") " .
$emailCheckQuery->error);
                $row = $result->fetch assoc();
                if ($row['count'] > 0) {
                    $errors[] = "Email already taken";
                } else {
                    $firstname = ucwords($_SESSION['firstnameTxt']);
                    $lastname = ucwords($ SESSION['lastnameTxt']);
                    $birthdate = $_SESSION['birthdateTxt'];
                    $passwordHash = password hash($ SESSION['passwordTxt'],
PASSWORD DEFAULT);
                    $sql = $conn->prepare("INSERT INTO customer_tbl (fname,
lname, email, birthday, password) VALUES (?, ?, ?, ?)");
                    $sql->bind_param("sssss", $firstname, $lastname, $email,
$birthdate, $passwordHash);
                    try {
                        if ($sql->execute()) {
```

```
$systemMessage = "Registered successfully";
                            $ SESSION['firstnameTxt'] = "";
                            $ SESSION['lastnameTxt'] = "";
                            $_SESSION['emailTxt'] = "";
                            $_SESSION['birthdateTxt'] = "";
                            $ SESSION['passwordTxt'] = "";
                            $_SESSION['confirmPasswordTxt'] = "";
                        } else {
                            $errors[] = "Error: " . $sql->error;
                    } catch (mysqli sql exception $e) {
                        $errors[] = "Error: " . $e->getMessage();
                    header("Location: ./Login-Page.php");
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Retro Clouds PH</title>
    <link rel="stylesheet" href="./styles/output.css">
    <link rel="stylesheet" href="./styles/home.css">
    <link rel="shortcut icon" href="./assets/Favicon Retro.png" type="image/x-</pre>
icon">
    <link href="https://cdn.jsdelivr.net/npm/remixicon@3.2.0/fonts/remixicon.css"</pre>
rel="stylesheet">
    <script src="https://cdn.tailwindcss.com"></script>
    <link rel="stylesheet" href="./styles/Component.css">
    <style>
        ::-webkit-scrollbar {
            width: 10px;
        ::-webkit-scrollbar-track {
            background-color: #1A1D3B;
```

```
::-webkit-scrollbar-thumb {
            background: linear-gradient(#1A1D3B, #FF1695, #1A1D3B);
            border-radius: 50px;
        @import
url('https://fonts.googleapis.com/css2?family=Open+Sans:ital,wght@0,300..800;1,30
0..800&family=Poppins:ital,wght@0,100;0,200;0,300;0,400;0,500;0,600;0,700;0,800;0
,900&family=Tourney:ital,wght@0,100..900;1,100..900&display=swap');
        .retro clouds h1 {
            font-family: "Tourney", sans-serif;
            background: linear-gradient(90deg, rgba(51,252,255,1) 30%,
rgba(255,0,138,1) 71%, rgba(255,80,176,1) 100%);
            background-clip: text;
            color: transparent;
        }
        .oswald { font-family: "Oswald", sans-serif; }
        .poppins { font-family: "Poppins", sans-serif; }
        .bebas-neue { font-family: "Bebas Neue", sans-serif; }
        #registerPopup {
            display: flex !important;
            justify-content: center;
            align-items: center;
            height: 100vh; /* Full height */
            background-color: rgba(0, 0, 0, 0.5); /* Optional: To add a
background overlay */
            position: fixed;
            top: 0;
            left: 0;
           width: 100%;
            z-index: 1;
</style>
    </style>
```

```
</head>
<body class="bg-[#1A1D3B]">
    <!-- NAVIGATION -->
    <?php
        $ SESSION['customerID'] = $customerID??"";
        define('SOURCE_PATH', './assets/Retro_Clouds_VS.jpg');
        include("./config/Navigation.php");
    <div id="registerPopup" class="w-full h-full items-center justify-center</pre>
fixed top-10 z-50" style="display: block; background-image:linear-
gradient(rgba(0,0,0,0.70), rgba(0,0,0,0.70)),
url('./assets/img_divider_three.png'); background-size:cover; background-
position:center;">>
        <div class="w-[300px] max-w-[300px] h-auto mt-12 rounded-md bg-[#1A1D3B]</pre>
border-2 flex flex-col items-center justify-center flex-wrap mobilemd:mt-16 sm:w-
[340px] sm:max-w-[340px] lg:w-[450px] lg:max-w-[450px]">
            <div class='flex items-center justify-center py-3 gap-2'>
                <img src="./assets/Retro Clouds VS.jpg" class="h-auto w-[50px]</pre>
rounded-full mix-blend-lighten">
                <h1 class="retro clouds h1 uppercase font-bold text-2x1">Retro
Clouds</h1>
            </div>
            <div class="py-0 md:py-5">
                <h1 class="text-[#FF1695] text-2xl font-bold poppins text-
center">REGISTER</h1>
            </div>
            <span style="color:greenyellow; font-weight:bold"><?php echo</pre>
$systemMessage; ?></span>
            <?php if ($ SERVER['REQUEST METHOD'] === 'POST' && !empty($errors)) :</pre>
                <div>
                    <l
                        <?php foreach ($errors as $error) : ?>
                             <span style="color: red; font-weight:bold"><?php</pre>
echo $error; ?></span>
                         <?php endforeach; ?>
                    </div>
                <?php endif; ?>
```

```
<form method="post" class="flex flex-col items-center gap-4 py-7</pre>
px-6">
                    <div class="flex w-full gap-2">
                        <div class=" w-full flex flex-col items-start">
                             <h1 class="text-[#33FCFF] text-xs
poppins">Firstname</h1>
                            <input type="text" name="firstnameTxt" class="w-full</pre>
h-10 border-2 border-[#33FCFF] rounded-md py-2 px-4" value="<?php echo
isset($ SESSION['firstnameTxt']) ? htmlspecialchars($ SESSION['firstnameTxt']) :
                        </div>
                        <div class=" w-full flex flex-col items-start">
                            <h1 class="text-[#33FCFF] text-xs
poppins">Lastname</h1>
                             <input type="text" name="lastnameTxt" class="w-full</pre>
h-10 border-2 border-[#33FCFF] rounded-md py-2 px-4" value="<?php echo
isset($_SESSION['lastnameTxt']) ? htmlspecialchars($_SESSION['lastnameTxt']) :
                        </div>
                    </div>
                    <div class=" w-full flex flex-col items-start">
                        <h1 class="text-[#33FCFF] text-xs poppins">Email</h1>
                         <input type="text" name="emailTxt" class="w-full h-10</pre>
border-2 border-[#33FCFF] rounded-md py-2 px-4" value="<?php echo
isset($_SESSION['emailTxt']) ? htmlspecialchars($_SESSION['emailTxt']) : ''; ?>">
                    </div>
                    <div class="w-full flex flex-col items-start">
                         <h1 class="text-[#33FCFF] text-xs poppins">Birthdate</h1>
                        <input type="date" name="birthdateTxt" class="w-full h-10</pre>
border-2 border-[#33FCFF] rounded-md py-2 px-4" value="<?php echo
isset($_SESSION['birthdateTxt']) ? htmlspecialchars($_SESSION['birthdateTxt']) :
                    </div>
                    <div class="grid grid-cols-2 w-full gap-4">
                        <div class=" w-full flex flex-col items-start">
                            <h1 class="text-[#33FCFF] text-xs
poppins">Password</h1>
                            <input type="password" name="passwordTxt" class="w-</pre>
full h-10 border-2 border-[#33FCFF] rounded-md py-2 px-4">
                        </div>
                        <div class=" w-full flex flex-col items-start">
```

```
<h1 class="text-[#33FCFF] text-xs poppins">Confirm
Password</h1>
                             <input type="password" name="confirmPasswordTxt"</pre>
class="w-full h-10 border-2 border-[#33FCFF] rounded-md py-2 px-4">
                         </div>
                    </div>
                    <input type="submit" name="submitBtn" class="text-white"</pre>
poppins font-bold bg-gradient-to-b from-[#FF1695] to-[#008F99] flex items-center
justify-center gap-1 rounded-sm border border-white py-2 px-7 w-full cursor-
pointer uppercase" value="Register">
                    <h1 class="text-[#FF1695] text-sm poppins font-bold">Already
have an account? <a href="Login-Page.php" class="text-[#33FCFF] underline cursor-
pointer">Log-in</a></h1>
                </form>
            </div>
        </div>
    <?php
        if(!empty($_SESSION['customerID'])) {
            header("Location: index.php");
    <script src="https://kit.fontawesome.com/d870978cd1.js"</pre>
crossorigin="anonymous"></script>
    <script type="module"</pre>
src="https://unpkg.com/ionicons@7.1.0/dist/ionicons/ionicons.esm.js"></script>
src="https://unpkg.com/ionicons@7.1.0/dist/ionicons/ionicons.js"></script>
</body>
</html>
```

# File: testimonials.php

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Testimonials | Retro Clouds PH</title>
    <link rel="stylesheet" href="./styles/output.css">
    <link rel="stylesheet" href="./styles/testimonials.css">
    <link rel="shortcut icon" href="./assets/Favicon_Retro.png" type="image/x-</pre>
icon">
    <style>
        ::-webkit-scrollbar {
            width: 10px;
        ::-webkit-scrollbar-track {
            background-color: #1A1D3B;
        ::-webkit-scrollbar-thumb {
            background: linear-gradient(#1A1D3B, #FF1695, #1A1D3B);
            border-radius: 50px;
    </style>
</head>
<body class="bg-[#1A1D3B] select-none" id="scroll-top">
   <?php
    session_start();
    require("./config/database.php");
    $conn = mysqli_connect(DBHOST, DBUSER, DBPASSWORD, DBNAME); //PROCEDURAL
    // Check connection
    if (!$conn) {
        die("Connection failed: " . mysqli_connect_error());
    $ SESSION['customerID'] = $ SESSION['customerID'] ?? "";
    define('SOURCE_PATH', './assets/Retro_Clouds_VS.jpg');
    include("./config/Navigation.php");
    include("./config/sidebar-cart.php");
    <div class="w-full h-[150vh] bg-gradient-to-t from-[#FF1695] to-transparent</pre>
flex flex-col items-center justify-start gap-4 md:h-[90vh] md:max-h-[90vh] lg:px-
12 xl:px-14 laptopxxl:h-[95vh] laptopxxl:max-h-[95vh] laptopxxl:px-28
laptopxxl:gap-6 2xl:px-32">
        <div class="w-full h-[25%] flex flex-col justify-end px-4 mobilemd:px-6</pre>
sm:h-[40vh] sm:max-h-[40vh] sm:px-8 md:px-10 2xl:px-0">
```

```
lg">Testimonials
          WHAT OUR
CUSTOMER SAYS
      </div>
      <div class="w-full h-[100%] flex flex-col justify-around gap-4 px-4</pre>
mobilemd:px-6 sm:h-auto sm:px-8 md:grid md:grid-cols-2 md:h-[90vh] md:max-h-
[90vh] md:px-10 lg:px-0 laptopxxl:gap-y-8 laptopxxl:gap-x-20 laptopxxl:h-screen
laptopxx1:max-h-screen">
          <div class="bg-[#1A1D3B] w-full h-1/5 rounded-lg border border-</pre>
[#33FCFF] p-4 iphone:h-1/4 sm:h-full laptopxxl:p-4">
             <div class="w-full text-[#FF1695] text-xl font-semibold flex</pre>
flex-col items-center justify-center h-1/2">
                 <?php
                 $sql = "SELECT * FROM feedback tbl WHERE feedback id = 1";
                 $result = mysqli_query($conn, $sql);
                 if (mysqli num rows($result)) {
                    $row = mysqli fetch array($result);
                    $d = strtotime($row["reg_date"]);
                    $date = date("F j, Y", $d);
                    <h1 class="poppins text-xs font-medium text-center"
iphone:text-lg sm:text-xl md:text-base"><?php echo "\"" .</pre>
ucfirst($row['customer_feedback']) . "\""; ?></h1>
             </div>
             <div class="gap-4 text-[#fafafa] text-xl font-semibold flex</pre>
items-center justify-evenly h-1/2">
                 <div class="bg-transparent w-[40px] h-[40px] flex items-</pre>
center justify-center iphone:w-[70px] iphone:h-[70px] sm:w-[60px] sm:h-
[60px]"><img src="./assets/testimonial two.jpg" class="h-auto w-full rounded-full
border border-[#FF1695]"></div>
                 <div class="w-[70%] flex flex-col items-start justify-start</pre>
gap-2 text-xs sm:gap-0">
                    <div class="w-full flex items-center justify-between">
                        md:text-sm"><?php echo $row['name']; ?>
                        md:text-sm">Customer
                    </div>
                    sm"><?php echo $date; ?>
                 <?php }
```

```
</div>
              </div>
           </div>
           <div class="bg-[#1A1D3B] w-full h-1/5 rounded-lg border border-</pre>
[#33FCFF] p-4 iphone:h-1/4 sm:h-full laptopxxl:p-4">
               <div class="text-[#FF1695] text-xl font-semibold flex flex-col</pre>
items-center justify-center h-1/2">
                  <?php
                  $sql = "SELECT * FROM feedback tbl WHERE feedback id = 2";
                  $result = mysqli_query($conn, $sql);
                  if (mysqli num rows($result)) {
                      $row = mysqli fetch array($result);
                      $d = strtotime($row["reg_date"]);
                      $date = date("F j, Y", $d);
                      <h1 class="poppins text-xs font-medium text-center"
iphone:text-lg sm:text-xl md:text-base"><?php echo "\"" .</pre>
ucfirst($row['customer_feedback']) . "\""; ?></h1>
               </div>
               <div class="gap-4 text-[#fafafa] text-xl font-semibold flex</pre>
items-center justify-evenly h-1/2">
                  <div class="bg-transparent w-[40px] h-[40px] flex items-</pre>
center justify-center iphone:w-[70px] iphone:h-[70px] sm:w-[60px] sm:h-
[60px]"><img src="./assets/testimonial three.jpg" class="h-auto w-full rounded-
full border border-[#FF1695]"></div>
                  <div class="w-[70%] flex flex-col items-start justify-start</pre>
gap-2 text-xs">
                      <div class="w-full flex items-center justify-between">
                          md:text-sm"><?php echo $row['name']; ?>
                          md:text-sm">Customer
                      </div>
                      sm"><?php echo $date; ?>
                  <?php }
                  </div>
               </div>
           </div>
           <div class="bg-[#1A1D3B] w-full h-1/5 rounded-lg border border-</pre>
[#33FCFF] p-4 iphone:h-1/4 sm:h-full laptopxxl:p-4">
               <div class="text-[#FF1695] text-xl font-semibold flex flex-col</pre>
items-center justify-center h-1/2">
                  <?php
```

```
$sql = "SELECT * FROM feedback tbl WHERE feedback id = 3";
                  $result = mysqli query($conn, $sql);
                  if (mysqli_num_rows($result)) {
                      $row = mysqli fetch array($result);
                      $d = strtotime($row["reg_date"]);
                      $date = date("F j, Y", $d);
                      <h1 class="poppins text-xs font-medium text-center"
iphone:text-lg sm:text-xl md:text-base"><?php echo "\"" .</pre>
ucfirst($row['customer_feedback']) . "\""; ?></h1>
              </div>
               <div class="gap-4 text-[#fafafa] text-xl font-semibold flex</pre>
items-center justify-evenly h-1/2">
                  <div class="bg-transparent w-[40px] h-[40px] flex items-</pre>
center justify-center iphone:w-[70px] iphone:h-[70px] sm:w-[60px] sm:h-
[60px]"><img src="./assets/testimonial_four.jpg" class="h-auto w-full rounded-
full border border-[#FF1695]"></div>
                  <div class="w-[70%] flex flex-col items-start justify-start</pre>
gap-2 text-xs">
                      <div class="w-full flex items-center justify-between">
                          md:text-sm"><?php echo $row['name']; ?>
                          md:text-sm">Customer
                      </div>
                      sm"><?php echo $date; ?>
                  <?php }
                  </div>
              </div>
           </div>
           <div class="bg-[#1A1D3B] w-full h-1/5 rounded-lg border border-</pre>
[#33FCFF] p-4 iphone:h-1/4 sm:h-full laptopxxl:p-4">
               <div class="text-[#FF1695] text-xl font-semibold flex flex-col</pre>
items-center justify-center h-1/2">
                  <?php
                  $sql = "SELECT * FROM feedback tbl WHERE feedback id = 4";
                  $result = mysqli_query($conn, $sql);
                  if (mysqli num rows($result)) {
                      $row = mysqli fetch array($result);
                      $d = strtotime($row["reg_date"]);
                      $date = date("F j, Y", $d);
```

```
<h1 class="poppins text-xs font-medium text-center"
iphone:text-lg sm:text-xl md:text-base"><?php echo "\"" .</pre>
ucfirst($row['customer_feedback']) . "\""; ?></h1>
             </div>
             <div class="gap-4 text-[#fafafa] text-xl font-semibold flex</pre>
items-center justify-evenly h-1/2">
                 <div class="bg-transparent w-[40px] h-[40px] flex items-</pre>
center justify-center iphone:w-[70px] iphone:h-[70px] sm:w-[60px] sm:h-
[60px]"><img src="./assets/testimonial_one.jpg" class="h-auto w-full rounded-full
border border-[#FF1695]"></div>
                <div class="w-[70%] flex flex-col items-start justify-start</pre>
gap-2 text-xs">
                    <div class="w-full flex items-center justify-between">
                       md:text-sm"><?php echo $row['name']; ?>
                       md:text-sm">Customer
                    </div>
                    sm"><?php echo $date; ?>
                 <?php }
                 </div>
             </div>
          </div>
      </div>
   </div>
   <div class="w-full h-auto flex flex-col items-center justify-start gap-3 bg-</pre>
gradient-to-b from-[#FF1695] via-transparent to-transparent px-4 mobilemd:px-6
iphone:gap-6 sm:px-8 md:px-10 lg:grid lg:grid-cols-2 lg:py-20 lg:px-12 xl:px-14
laptopxxl:px-[6.5rem] laptopxxl:gap-20">
      <div class="w-full h-[55vh] flex flex-col items-start justify-end gap-4</pre>
sm:h-[50vh] sm:max-h-[50vh] lg:h-[40vh] lg:max-h-[40vh] xl:px-14 laptopxxl:items-
start laptopxxl:justify-start laptopxxl:place-content-center laptopxxl:place-
items-start">
          font-bold">Our Journey
          uppercase">trusted by our customer since 2000
          At Retro Clouds, we've
been dedicated to providing top-quality vaping products and exceptional customer
service.
         <a href="./catalog.php">
```

```
<div class="bg-gradient-to-b from-[#FF1695] to-[#008F99] flex</pre>
items-center justify-center gap-1 rounded-full border border-white py-2 px-7">
                   <i class="fa-solid fa-bag-shopping text-white"></i></i>
                   <h1 class="text-white oswald iphone:font-bold">SHOP NOW</h1>
               </div>
           </a>
        </div>
        <div class="w-full h-[100vh] grid grid-cols-1 grid-rows-4 gap-5 px-0</pre>
iphone:grid iphone:grid-cols-2 iphone:grid-rows-2 iphone:h-[50vh] lg:h-[40vh]
xl:pr-14 2xl:place-content-center 2xl:place-items-center">
            <div class="w-full 2x1:w-[80%] h-full bg-gradient-to-b from-[#FF1695]</pre>
to-[#ff169649] rounded-2xl border border-cyan-300 text-white flex flex-col text-
xl justify-center items-center poppins font-medium text-center p-2">
               <?php
               $sql = "SELECT * FROM customer tbl";
               $result = mysqli_query($conn, $sql);
               $rows = mysqli num rows($result);
               bold"><?php echo $rows; ?>
               Customers
           </div>
           <div class="w-full 2x1:w-[80%] h-full bg-gradient-to-b from-[#FF1695]</pre>
to-[#ff169649] rounded-2xl border border-cyan-300 text-white flex flex-col text-
xl justify-center items-center poppins font-medium text-center p-2">
               //$sql = "SELECT * FROM sales tbl";
               //$result = mysqli_query($conn,$sql);
               //$rows = mysqli num rows($result);
               $sql = "SELECT SUM(product_quantity) AS total_quantity_sold FROM
orders";
               $result = mysqli_query($conn, $sql);
               $row = mysqli fetch assoc($result);
               $totalQuantitySold = $row['total quantity sold'];
               $dataHolder = $totalQuantitySold % 100;
               if ($dataHolder <= 0 || $totalQuantitySold < 100) {</pre>
                   $soldByTens = $totalQuantitySold;
               } else {
                   $quantitySold = floor($totalOuantitySold / 100);
```

```
$soldByTens = $quantitySold * 100 . "<span class='absolute</pre>
top-0 text-2xl laptopxxl:text-3xl'>+</span>";
              laptopxxl:text-5xl"><?php echo $soldByTens; ?>
              Sold Products
          </div>
          <div class="w-full 2x1:w-[80%] h-full bg-gradient-to-b from-[#FF1695]</pre>
to-[#ff169649] rounded-2xl border border-cyan-300 text-white flex flex-col text-
xl justify-center items-center poppins font-medium text-center p-2">
              <?php
              $sql = "SELECT * FROM brands";
              $result = mysqli query($conn, $sql);
              $rows = mysqli num rows($result);
              bold"><?php echo $rows; ?>
              Total Brands
          </div>
          <div class="w-full 2x1:w-[80%] h-full bg-gradient-to-b from-[#FF1695]</pre>
to-[#ff169649] rounded-2xl border border-cyan-300 text-white flex flex-col text-
xl justify-center items-center poppins font-medium text-center p-2">
              bold">7
              Payment Options
          </div>
       </div>
   </div>
   <div class="w-full h-[50vh] flex items-end justify-end">
       <div class="w-full h-[70%] testimonial"></div>
   </div>
   <div class="h-[140vh] w-full forms-testimonials-img flex justify-center px-4</pre>
mobilemd:px-6 iphone:h-[120vh] sm:px-8 md:px-10 lg:h-[70vh] lg:max-h-[70vh]
lg:py-0 lg:pb-12 lg:px-12 lg:justify-start xl:pb-14 xl:px-14 laptopxxl:px-26
laptopxxl:pb-16">
       <div class="h-full w-full grid grid-cols-1 grid-rows-2 gap-4 lg:grid-</pre>
cols-2 lg:grid-rows-1 lg:justify-center">
          <div class="rounded-b-xl bg-gradient-to-b from-[#33FCFF] to-[#1F9799]</pre>
flex flex-col items-center gap-4 lg:w-[80%] lg:p-4">
              <form action="" method="post" class="w-[90%] h-full flex flex-col</pre>
items-center justify-center gap-3">
```

```
<div class="w-full h-1/5 flex items-center justify-center</pre>
gap-3">
                       <img src="./assets/Retro Clouds VS.jpg" class="h-auto w-</pre>
[30%] rounded-full iphone:w-[80px] lg:w-[100px] laptopxxl:w-[80px]">
                       <div class="w-[70%] h-auto">
                          sm poppins laptopxxl:text-base">FEEDBACK FORM
                          poppins line leading-6 laptopxxl:text-2xl">How was your experiencece
                       </div>
                   </div>
                   <div class="text-[#fafafa] poppins w-full max-w-full">
                       Name
                       <input type="text" name="feedbackName" class="w-full</pre>
text-[#fafafa] text-lg bg-gradient-to-r rounded-2xl drop-shadow-
[3px_3px_0_#fafafa] from-[#FF1695] to-[#990D5A] iphone:px-4 lg:py-1 laptopxxl:py-
1">
                   </div>
                   <div class="text-[#fafafa] poppins w-full max-w-full">
                       Email
                       <input type="email" name="feedbackEmail" class="w-full</pre>
text-[#fafafa] text-lg bg-gradient-to-r rounded-2xl drop-shadow-
[3px_3px_0_#fafafa] from-[#FF1695] to-[#990D5A] iphone:px-4 lg:py-1 laptopxxl:py-
1">
                   </div>
                   <div class="text-[#fafafa] poppins w-full">
                       Comments
                       <textarea name="feedbackComments" class="w-full text-
[#fafafa] text-lg bg-gradient-to-r rounded-2xl drop-shadow-[3px 3px 0 #fafafa]
from-[#FF1695] to-[#990D5A] resize-none iphone:px-4 laptopxxl:py-2"></textarea>
                   </div>
                   <button type="submit" name="sendFeedbackBtn" class="bg-</pre>
gradient-to-b from-[#FF1695] to-[#008F99] flex items-start justify-start gap-1
rounded-sm border border-white py-2 px-7">
                       <h1 class="text-white font-bold">SEND FEEDBACK</h1>
                   </button>
                   <?php
                   if (isset($ POST['sendFeedbackBtn'])) {
                       if (empty($ POST['feedbackName']) ||
empty($_POST['feedbackEmail']) || empty($_POST['feedbackComments'])) {
                          echo "<script>window.alert('Please fill all the
fields')</script>";
                      } else {
```

```
$sql = "INSERT INTO feedback tbl (name,
customer email, customer feedback) VALUES ('{$ POST['feedbackName']}',
'{$_POST ['feedbackEmail']}', '{$_POST['feedbackComments']}')";
                          $result = mysqli query($conn, $sql);
                          if ($result) {
                              echo "<script>alert('Thank you for your
feedback!')</script>";
                              session_destroy();
                          } else {
                              echo "<script>alert('Something went
wrong!')</script>";
               </form>
           </div>
           <div class="w-full flex flex-col justify-center gap-3 px-4</pre>
iphone:gap-6">
               <h1 class="retro_clouds_h1 uppercase font-bold text-3xl
iphone:text-4xl">Retro Clouds</h1>
               iphone:text-5xl">"Life is all about creating the perfect vape cloud."
               We value your feedback!
Share your thoughts and help us enhance your vaping experience. Your insights
make all the difference. 
           </div>
       </div>
   </div>
   <?php
   require("./config/Footer.php");
   define('SOURCE_FOOTER', './assets/Retro_Clouds_VS.jpg');
   footer();
   <!-- Font Awesome -->
   <script src="https://kit.fontawesome.com/d870978cd1.js"</pre>
crossorigin="anonymous"></script>
    <script type="module"</pre>
src="https://unpkg.com/ionicons@7.1.0/dist/ionicons/ionicons.esm.js"></script>
    <script nomodule</pre>
src="https://unpkg.com/ionicons@7.1.0/dist/ionicons/ionicons.js"></script>
</body>
```

### File: users-profile-info.php

```
<?php
if (!isset($ SESSION)) {
    // Start the session
    session start();
require "config/config.php";
$fname = $_POST['fname'] ?? "";
$lname = $_POST['lname'] ?? "";
$contact = $ POST['contact'] ?? "";
$submit = $_POST['submit'] ?? false;
$fname = filter var($fname, FILTER SANITIZE STRING);
$1name = filter var($1name, FILTER SANITIZE STRING);
$contact = filter_var($contact, FILTER_SANITIZE_NUMBER_INT);
if(!empty($fname) || !empty($lname) || !empty($contact)) {
    if (!empty($fname)) {
        $updateFName = "UPDATE customer tbl SET fname = '$fname' WHERE
costumer id = '{$ SESSION['customer ID']}'";
        mysqli query($conn, $updateFName);
        $_SESSION['message'] = "USERS PROFILE HAS BEEN UDPATED!";
    if (!empty($lname)) {
        $updateLName = "UPDATE customer tbl SET lname = '$lname' WHERE
costumer_id = '{$_SESSION['customer_ID']}'";
        mysqli_query($conn, $updateLName);
        $ SESSION['message'] = "USERS PROFILE HAS BEEN UDPATED!";
    if (!empty($contact)) {
        $updateContact = "UPDATE customer tbl SET contact num = '$contact' WHERE
costumer_id = '{$_SESSION['customer ID']}'";
        mysqli query($conn, $updateContact);
        $ SESSION['message'] = "USERS PROFILE HAS BEEN UDPATED!";
} else if($submit) {
    $ SESSION['message'] = "NO CHANGES HAS BEEN MADE!";
    $submit = false;
$getUserInfos = "SELECT * FROM `customer_tbl` WHERE `costumer id` =
'{$ SESSION['customer ID']}'";
```

```
$getUserInfosResult = mysqli query($conn, $getUserInfos);
$getUserInfosRow = mysqli fetch assoc($getUserInfosResult);
    class=" text-[#fafafa] font-bold text-base uppercase w-full iphone:text-lg
sm:text-xl lg:text-2xl lg:font-black laptopxxl:col-span-2">
    USER INFORMATION</h1>
    class=" text-[#fafafa] font-bold text-base uppercase w-full iphone:text-lg
sm:text-xl lg:text-2xl lg:font-black laptopxxl:col-span-2"><?php</pre>
    $_SESSION['message'] = $_SESSION['message'] ?? "";
    echo $ SESSION['message'];
    $ SESSION['message'] = "";
    ?></h1>
    class="bg-[#33FCFF] text-[#FF1695] rounded-sm flex items-center justify-start
p-3 w-full sm:px-6 lg:p-2 laptopxx1:col-span-2">
    <label
        class=" text-[#FF1695] text-xs font-semibold w-[70%] sm:text-base
md:text-base lg:text-base lg:w-[60%] xl:w-[80%] laptopxxl:hidden 2xl:w-
[45%]">Email:</label>
    <input type="email" name="" value="<?php echo $getUserInfosRow['email'] ?>"
        class="w-full p-1 bg-transparent border-b border-[#fafafa] outline-none
text-xs texts font-medium sm:text-base md:text-lg lg:text-base"
        placeholder="" autocomplete="off" disabled>
</div>
    class="bg-[#33FCFF] text-[#FF1695] rounded-sm flex items-center justify-start
p-3 w-full sm:px-6 lg:p-2 laptopxx1:col-span-1">
    <label
        class=" text-[#FF1695] text-xs font-semibold w-[70%] sm:text-base
md:text-lg lg:text-base lg:w-[60%] xl:w-[80%] laptopxxl:hidden 2xl:w-[45%]">First
        Name:</label>
    <input type="text" name="" id="fname"</pre>
        class="w-full p-1 bg-transparent border-b border-[#fafafa] outline-none
text-xs texts font-medium sm:text-base md:text-lg lg:text-base"
        placeholder="<?php echo $getUserInfosRow['fname'] ?>" autocomplete="off">
</div>
<div
    class="bg-[#33FCFF] text-[#FF1695] rounded-sm flex items-center justify-start
p-3 w-full sm:px-6 lg:p-2 laptopxxl:col-span-1">
   <label
```

```
class=" text-[#FF1695] text-xs font-semibold w-[70%] sm:text-base
md:text-lg lg:text-base lg:w-[60%] xl:w-[80%] laptopxxl:hidden 2xl:w-[45%]">Last
        Name:</label>
    <input type="text" name="" id="lname"</pre>
        class="w-full p-1 bg-transparent border-b border-[#fafafa] outline-none
text-xs texts font-medium sm:text-base md:text-lg lg:text-base"
        placeholder="<?php echo $getUserInfosRow['lname'] ?>" autocomplete="off">
</div>
<div class="bg-[#33FCFF] text-[#FF1695] rounded-sm flex items-center justify-</pre>
start p-3 w-full sm:px-6 lg:p-2">
    <label
        class=" text-[#FF1695] text-xs font-semibold w-[70%] sm:text-base
md:text-lg lg:text-base lg:w-[60%] xl:w-[80%] laptopxxl:hidden 2xl:w-
[45%]">Contact
        Number:</label>
    <input type="number" name="" id="contact"</pre>
        class="w-full p-1 bg-transparent border-b border-[#fafafa] outline-none
text-xs texts font-medium sm:text-base md:text-lg lg:text-base"
        placeholder="<?php echo $getUserInfosRow['contact num'] ?>"
autocomplete="off">
</div>
<div class="bg-[#33FCFF] text-[#FF1695] rounded-sm flex items-center justify-</pre>
start p-3 w-full sm:px-6 lg:p-2">
    <label
        class=" text-xs font-semibold w-[70%] sm:text-base md:text-lg lg:text-
base lg:w-[60%] xl:w-[80%] laptopxxl:hidden 2xl:w-[45%]">Birthdate:</label>
    <input type="text" name="" min="<?php echo date('Y-m-d'); ?>"
        max="<?php echo date('Y-m-d', strtotime('+365 days')); ?>"
        class="w-full p-1 bg-transparent border-b border-[#fafafa] outline-none
text-xs texts font-medium sm:text-base md:text-lg xl:text-base"
        disabled id="datePicker" value="<?php echo $getUserInfosRow['birthday']</pre>
</div>
<input type="submit" id="update-profile" name="edit" value="Update Profile"</pre>
    class="text-white poppins font-bold bg-gradient-to-b from-[#FF1695] to-
[#33FCFF] flex items-center justify-center gap-1 rounded-sm w-full border border-
white py-2 cursor-pointer uppercase laptopxx1:col-span-2">
<script>
    $(document).ready(function () {
        $('#update-profile').click(function (e) {
            const fname = document.getElementById('fname').value;
            const lname = document.getElementById('lname').value;
```

```
const contact = document.getElementById('contact').value;

console.log("CLICKED");
    $('#users-info-section').load('users-profile-info.php', { fname:
fname, lname: lname, contact: contact, submit: true });
    });
    });
    </script>
```

# File: users-profile-password.php

```
<?php
if (!isset($ SESSION)) {
    session start();
require "config/config.php";
$newPass = $ POST['newPass'] ?? "";
$oldPass = $ POST['oldPass'] ?? "";
$newPassRetype = $ POST['newPassRetype'] ?? "";
$submit = $_POST['submit'] ?? false;
// $oldPass = password verify($password to check, $hashed password from db);
// $newPass = password_hash($password, PASSWORD_DEFAULT);
if(!empty($newPass) && !empty($oldPass) && !empty($newPassRetype)) {
    $checkOldPass = "SELECT * FROM `customer tbl` WHERE `costumer id` =
'{$ SESSION['customer ID']}'";
    $checkOldPassResult = mysqli_query($conn, $checkOldPass);
    $checkOldPassRow = mysqli fetch assoc($checkOldPassResult);
    if(!password_verify($oldPass, $checkOldPassRow['password'])) {
        $_SESSION['message'] = "INCORRECT OLD PASSWORD!";
    } else if($newPass != $newPassRetype) {
        $_SESSION['message'] = "NEW PASSWORD DOES NOT MATCH!";
    } else {
        $newPass = password_hash($newPass, PASSWORD_DEFAULT);
        $updatePass = "UPDATE `customer tbl` SET `password` = '$newPass' WHERE
 costumer id` = '{$ SESSION['customer ID']}'";
        $updatePassResult = mysqli_query($conn, $updatePass);
        if($updatePassResult) {
            $_SESSION['message'] = "PASSWORD CHANGED SUCCESSFULLY!";
        } else {
            $ SESSION['message'] = "PASSWORD CHANGE FAILED!";
```

```
} else if($submit) {
    $ SESSION['message'] = "PLEASE FILL ALL FIELDS!";
    $submit = false;
$getUserInfos = "SELECT * FROM `customer tbl` WHERE `costumer id` =
'{$ SESSION['customer ID']}'";
$getUserInfosResult = mysqli query($conn, $getUserInfos);
$getUserInfosRow = mysqli fetch assoc($getUserInfosResult);
    class=" text-[#fafafa] font-bold text-base w-full iphone:text-lg sm:text-2xl
md:text-4xl lg:text-2xl lg:font-black uppercase laptopxxl:col-span-2">
    change password</h1>
    class=" text-[#fafafa] font-bold text-base w-full iphone:text-lg sm:text-2xl
md:text-4xl lg:text-2xl lg:font-black uppercase laptopxxl:col-span-2">
    <?php
    $ SESSION['message'] = $ SESSION['message'] ?? "";
   echo $ SESSION['message'];
    $_SESSION['message'] = "";
</h1>
    class="bg-[#33FCFF] text-[#FF1695] rounded-sm flex items-center justify-start
p-3 w-full sm:px-6 lg:px-4 xl:p-2 laptopxxl:col-span-2">
    <label
        class=" text-[#FF1695] text-xs font-semibold w-[70%] sm:text-base
md:text-lg lg:text-sm lg:w-[60%] xl:w-[80%] laptopxxl:hidden 2xl:w-[45%]">Old
        Password:</label>
    <input type="password" name="" id="oldPass"</pre>
        class="w-full p-1 bg-transparent border-b border-[#fafafa] outline-none
text-xs texts font-medium sm:text-base md:text-lg lg:text-base"
        placeholder="Old password..." autocomplete="off">
</div>
<div class="bg-[#33FCFF] text-[#FF1695] rounded-sm flex items-center justify-</pre>
start p-3 w-full sm:px-6 lg:px-4 xl:p-2">
    <label
        class=" text-[#FF1695] text-xs font-semibold w-[70%] sm:text-base
md:text-lg lg:text-sm lg:w-[60%] xl:w-[80%] laptopxxl:hidden 2xl:w-[45%]">New
        Password:</label>
    <input type="password" name="" id="newPass"</pre>
```

```
class="w-full p-1 bg-transparent border-b border-[#fafafa] outline-none
text-xs texts font-medium sm:text-base md:text-lg lg:text-base"
        placeholder="New password..." autocomplete="off">
</div>
<div class="bg-[#33FCFF] text-[#FF1695] rounded-sm flex items-center justify-</pre>
start p-3 w-full sm:px-6 lg:px-4 xl:p-2">
    <label
        class=" text-[#FF1695] text-xs font-semibold w-[70%] sm:text-base
md:text-lg lg:text-sm lg:w-[60%] xl:w-[80%] laptopxxl:hidden 2xl:w-[45%]">Confirm
        New Password:</label>
    <input type="password" name="" id="newPassRetype"</pre>
        class="w-full p-1 bg-transparent border-b border-[#fafafa] outline-none
text-xs texts font-medium sm:text-base md:text-lg lg:text-base"
        placeholder="Retype new password..." autocomplete="off">
</div>
<input type="submit" name="edit" value="CHANGE PASSWORD" id="update-password"</pre>
    class="text-white poppins font-bold bg-gradient-to-b from-[#FF1695] to-
[#33FCFF] flex items-center justify-center gap-1 rounded-sm w-full border border-
white py-3 cursor-pointer laptopxx1:col-span-2">
<div class="w-full flex items-center justify-center p-3 sm:px-6 lg:px-4 lg:flex-</pre>
col x1:p-2 laptopxx1:col-span-2">
    <label
        class="text-[#fafafa] text-xs font-semibold w-full flex items-center
justify-center sm:text-lg md:text-xl lg:text-base lg:flex-row">
        Forgot your password?  <a href="" class="underline text-[#33FCFF]">
Email us
            here</a></label>
</div>
<script>
   $(document).ready(function () {
        $('#update-password').click(function (e) {
            const oldPass = document.getElementById('oldPass').value;
            const newPass = document.getElementById('newPass').value;
            const newPassRetype = document.getElementById('newPassRetype').value;
            $('#users-password-section').load('users-profile-password.php', {
oldPass: oldPass, newPass: newPass, newPassRetype: newPassRetype, submit: true});
        });
    });
</script>
```

#### File: users-profile.php

```
<?php
if (!isset($_SESSION)) {
    // Start the session
    session start();
require "./config/config.php";
$_SESSION['customer_ID'] = $_SESSION['customer_ID'] ?? "";
$_SESSION['message'] = $_SESSION['message'] ?? "";
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>USER PROFILE | Retro Clouds PH</title>
    <link rel="stylesheet" href="./styles/output.css">
    <link rel="stylesheet" href="./styles/Component.css">
    <link rel="shortcut icon" href="./assets/Favicon_Retro.png" type="image/x-</pre>
icon">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/6.0.0-beta2/css/all.min.css"
        integrity="sha512-
YWzhKL2whUzgiheMoBFwW8CKV4qpHQAEuvilg9FAn5VJUDwKZZxkJNuGM4XkWuk94WCrrwslk8yWNGmY1
EduTA=="
        crossorigin="anonymous" referrerpolicy="no-referrer" />
    <link href="https://cdn.jsdelivr.net/npm/remixicon@3.2.0/fonts/remixicon.css"</pre>
rel="stylesheet">
    <script src="https://code.jquery.com/jquery-3.7.1.min.js"</pre>
        integrity="sha256-/JqT3SQfawRcv/BIHPThkBvs00EvtFFmqPF/lYI/Cxo="
crossorigin="anonymous"></script>
    <style>
        ::-webkit-scrollbar {
            width: 10px;
        ::-webkit-scrollbar-track {
            background-color: #1A1D3B;
        ::-webkit-scrollbar-thumb {
            background: linear-gradient(#1A1D3B, #FF1695, #1A1D3B);
```

```
border-radius: 50px;
    </style>
</head>
<body class="bg-[#1A1D3B] select-none">
        require ("./config/database.php");
       define('SOURCE PATH', './assets/Retro Clouds VS.jpg');
        include ("./config/Navigation.php");
        include ("./config/sidebar-cart.php");
    <div class='flex items-center justify-center p-3 gap-2'>
        <img src="./assets/Retro_Clouds_VS.jpg" class="h-auto w-[50px] rounded-</pre>
full mix-blend-lighten">
       <h1 class="retro clouds h1 uppercase font-bold text-2x1">Retro
Clouds</h1>
    </div>
    <div
        class="w-full h-auto py-2 px-4 mobilemd:px-6 mobilemd:py-4 sm:px-8 md:px-
10 lg:grid lg:grid-cols-3 lg:gap-x-4 lg:px-12 xl:px-20 xl:gap-x-8 laptopxxl:px-
14">
       <div
           class="w-full h-[15vh] flex flex-col justify-center items-center gap-
4 iphone:h-[20vh] iphone:max-h-[20vh] sm:mt-4 lg:col-span-3 laptopxxl:flex-row
laptopxxl:justify-between laptopxxl:h-[5vh]">
            <h1 class="text-[#fafafa] text-4xl poppins uppercase font-bold">USERS
PROFILE</h1>
             Your profile and information
       </div>
       <div
            class="bg-[#FF1695] rounded-md border-2 border-[#33FCFF] w-full max-
w-full h-[50vh] flex flex-col items-center justify-center mt-8 gap-4 sm:p-4 sm:h-
[60vh] md:h-[70vh] lg:col-span-2 lg:h-[128vh] lg:max-h-[128vh] xl:h-[102vh]
xl:max-h-[102vh] laptopxxl:h-[88vh] laptopxxl:max-h-[88vh] 2xl:h-[680px] 2xl:max-
h-[680px]">
            <div
               class="w-full flex items-center justify-between flex-col lg:max-
w-full lg:flex-row 2xl:max-w-full 2xl:flex-row">
                   class="text-[#fafafa] text-xl font-bold poppins p-4 text-
center w-full lg:text-2xl lg:flex lg:justify-start lg:items-center lg:gap-2
```

```
2xl:text-2xl 2xl:text-left 2xl:flex 2xl:justify-start 2xl:items-center 2xl:gap-
4">
                   <span class="hidden lg:flex 2x1:text-2x1 2x1:items-center"</pre>
2xl:justify-center"><i
                          class="fa-solid fa-bag-shopping"></i>
TRANSACTION</h1>
           </div>
           <div
               class="w-full h-[90%] flex items-center justify-center overflow-
x-scroll overflow-y-scroll relative lg:overflow-x-hidden 2xl:h-full">
               <table class="table-auto border-2 border-[#fafafa] w-full
absolute top-0">
                   <thead>
                      class="px-4 py-1 border-2 border-white text-xs
lg:px-1 xl:text-sm 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
                              Transac. ID
                              class="px-4 py-1 border-2 border-white text-xs
lg:px-1 xl:text-sm 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
                              Mobile Number
                              class="px-4 py-1 border-2 border-white text-xs
lg:px-1 xl:text-sm 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
                              Shipping Address
                              class="px-4 py-1 border-2 border-white text-xs
lg:px-1 xl:text-sm 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
                              Transac. Date
                              class="px-4 py-1 border-2 border-white text-xs
lg:px-1 xl:text-sm 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
                              Overall Total
                              class="px-4 py-1 border-2 border-white text-xs
lg:px-1 xl:text-sm 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
                              Delivery Selected
                              class="px-4 py-1 border-2 border-white text-xs
lg:px-1 xl:text-sm 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
                              Transaction Status
                      </thead>
```

```
<?php
                $getUserTransation = "SELECT * FROM `transaction_tbl`
JOIN delivery modes ON transaction tbl.delivery id = delivery modes.delivery id
JOIN transaction_status_tbl ON transaction_tbl.status_id =
transaction status tbl.status id WHERE `customer id` =
{$ SESSION['customer ID']}' ORDER BY transaction date DESC";
                $userTransationResult = mysqli_query($conn,
$getUserTransation);
                while ($userTransationRow =
mysqli fetch assoc($userTransationResult)) {
                   >
                      border-white xl:text-sm xl:px-2'>
                         <?php echo</pre>
$userTransationRow['transaction_id'] ?></rap>
                      border-white xl:text-sm xl:px-2'>
                         <?php echo
$userTransationRow['mobile number'] ?>
                      border-white xl:text-sm xl:px-2'>
                         <?php echo
border-white x1:text-sm x1:px-2'>
                         <?php echo
border-white xl:text-sm xl:px-2'>P
                         <?php echo
number_format($userTransationRow['sub_total'] +
$userTransationRow['shipping fee'], 2) ?>
                      border-white xl:text-sm xl:px-2'>
                         <?php echo
border-white x1:text-sm x1:px-2'>
                         <?php echo $userTransationRow['status_name']</pre>
?>
                   <?php
```

```
</div>
        </div>
        <div
            class="w-full max-w-full h-auto flex flex-col items-start justify-
start gap-4 mobilemd:gap-2 mobilemd:items-start mobilemd:justify-start lg:col-
span-1 lg:gap-0">
            <div class="w-full h-full flex flex-col items-start justify-start">
                    class="bg-[#FF1695] rounded-md border-2 border-[#33FCFF] w-
full max-w-full h-auto flex flex-col items-start justify-start flex-wrap px-2 py-
4 mt-8 sm:p-6 md:py-16 lg:p-4">
                    <div id="users-info-section"</pre>
                        class="w-full flex flex-col items-start justify-start
gap-4 md:gap-6 lg:gap-2 xl:gap-2 laptopxxl:grid laptopxxl:grid-cols-2 2xl:gap-4">
                        <?php require "users-profile-info.php" ?>
                    </div>
                </div>
            </div>
            <div class="w-full h-full flex flex-col items-start justify-start">
                    class="bg-[#FF1695] rounded-md border-2 border-[#33FCFF] w-
full max-w-full h-auto flex flex-col items-start justify-start flex-wrap px-2 py-
4 mt-8 sm:p-6 md:py-16 lg:p-4">
                    <div id="users-password-section"</pre>
                        class="w-full flex flex-col items-start justify-start
gap-4 md:gap-6 lg:gap-2 xl:gap-2 laptopxxl:grid laptopxxl:grid-cols-2 2xl:gap-4">
                        <?php require "users-profile-password.php" ?>
                    </div>
                </div>
            </div>
        </div>
    </div>
    </div>
    <?php
    require ("./config/Footer.php");
    define('SOURCE_FOOTER', './assets/Retro_Clouds_VS.jpg');
    footer();
```

# **Admin folder**

File: admin-profile.php

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>ADMIN PROFILE | Retro Clouds PH</title>
    <link rel="stylesheet" href="../styles/output.css">
    <link rel="stylesheet" href="./sales.css">
    <link rel="shortcut icon" href="../assets/Favicon_Retro.png" type="image/x-</pre>
icon">
</head>
<body class="bg-[#1A1D3B]">
    define('SOURCE_PATH', '../assets/Retro_Clouds_VS.jpg');
    include("./adminNav.php");
    require("../config/database.php");
    $conn = new mysqli(DBHOST, DBUSER, DBPASSWORD, DBNAME);
    if ($conn->connect_error) {
        die("Connection failed: " . $conn->connect_error);
    if (isset($_POST["changePasswordBtn"])) {
        $passwordNew = $_POST["newPasswordTxt"];
```

```
$confirmPassword = $ POST["confirmPasswordTxt"];
        $adminEmail = $ POST["adminEmailTxt"];
        if(empty($adminEmail) || empty($passwordNew) || empty($confirmPassword))
           echo "<script>alert('Fill all fields');</script>";
        } else {
           if ($passwordNew == $confirmPassword) {
               $hashPassword=password verify($passwordNew,PASSWORD DEFAULT);
               $stmt = $conn->prepare("UPDATE admin_tbl SET password = ? WHERE
email address = ?");
               $stmt->bind_param("ss", $hashPassword, $adminEmail);
               $stmt->execute();
               $affectedRows = $stmt->affected rows;
               if ($affectedRows <= 0) {</pre>
                   echo "<script>alert('No admin record found');</script>";
               } else {
                   echo "<script>alert('Admin password successfully
changed');</script>";
               $stmt->close();
           } else {
               echo "<script>alert('Passwords do not match');</script>";
    <div class='flex items-center justify-center p-3 gap-2'>
        <img src="../assets/Retro_Clouds_VS.jpg" class="h-auto w-[50px] rounded-</pre>
full mix-blend-lighten">
        <h1 class="retro clouds h1 uppercase font-bold text-2x1">Retro
Clouds</h1>
   </div>
    <div class="w-full max-w-full h-auto py-6 px-4 flex flex-col items-center</pre>
justify-center flex-wrap gap-8 iphone:p-8 md:gap-6">
        <div class="w-full h-[15vh] flex flex-col justify-center items-center</pre>
gap-4 md:gap-4">
           <h1 class="text-[#fafafa] text-4xl poppins uppercase font-black text-
center md:text-5xl">ADMIN PROFILE</h1>
           lg">Your profile and information
       </div>
```

```
<div class="w-full max-w-full h-auto flex flex-col items-center justify-</pre>
center gap-4 iphone:w-[400px] iphone:max-w-[400px] md:w-[700px] md:max-w-[700px]
lg:w-[850px] lg:max-w-[850px]">
            <div class="w-full flex flex-1 flex-col">
                 <div class="bg-[#ff1695] rounded-lg border-2 border-[#33FCFF] w-</pre>
full max-w-full h-auto flex flex-col items-start justify-start flex-wrap p-4">
                     <form method="post" class="w-full flex flex-col items-start</pre>
justify-start gap-4">
                         <h1 class="text-[#fafafa] font-black text-base w-full
uppercase md:text-2xl">Change Password</h1>
                         <div class="bg-[#3ffcff] text-[#ff1695] flex items-center</pre>
rounded-sm justify-start p-2 w-full md:p-4">
                             <label class="text-[#ff1695] text-xs font-semibold w-</pre>
[60%] mobilemd:w-[70%] md:text-lg md:uppercase md:font-bold md:w-[50%]">Admin
Email:</label>
                             <input type="text" name="adminEmailTxt" class="w-full</pre>
p-1 bg-transparent outline-none border-b border-[#fafafa] text-xs texts font-
medium md:text-xl md:font-bold md:p-2" placeholder="Admin Email..."
autocomplete="off">
                         </div>
                         <div class="bg-[#3ffcff] text-[#ff1695] flex items-center</pre>
rounded-sm justify-start p-2 w-full md:p-4">
                             <label class="text-[#ff1695] text-xs font-semibold w-</pre>
[60%] mobilemd:w-[70%] md:text-lg md:uppercase md:font-bold md:w-[50%]">New
Password:</label>
                             <input type="password" name="newPasswordTxt"</pre>
class="w-full p-1 bg-transparent outline-none border-b border-[#fafafa] text-xs
texts font-medium md:text-xl md:font-bold md:p-2" placeholder="New Password..."
autocomplete="off">
                         </div>
                         <div class="bg-[#3ffcff] text-[#ff1695] flex items-center</pre>
rounded-sm justify-start p-2 w-full md:p-4">
                             <label class="text-[#ff1695] text-xs font-semibold w-</pre>
[60%] mobilemd:w-[70%] md:text-lg md:uppercase md:font-bold md:w-[50%]">Confirm
New Password:</label>
                             <input type="password" name="confirmPasswordTxt"</pre>
class="w-full p-1 bg-transparent outline-none border-b border-[#fafafa] text-xs
texts font-medium md:text-xl md:font-bold md:p-2" placeholder="Confirm New
Password..." autocomplete="off">
                         </div>
                         <input type="submit" name="changePasswordBtn"</pre>
value="Change Password" class="text-white poppins font-bold bg-gradient-to-b
```

# File: adminNav.php

```
<?php
function imageSrc()
    echo SOURCE PATH;
if (isset($ POST['logoutAdminBtn'])) {
    session_destroy();
    header("Location: ../index.php");
<header class="header absolute w-full left-0 top-0 z-50 p-0 mobilemd:p-1</pre>
iphone:p-2 lg:p-0">
    <div class="mx-auto">
        <div class="custom-nav bg-[#1A1D3B] flex justify-between items-center py-</pre>
2 px-4 mobilemd:rounded-md mobilemd:px-6 sm:px-8 md:px-10 lg:px-12 xl:px-14
laptopxxl:px-16 2xl:px-20">
            <div class="px-0">
                <a href="sales.php" class="flex items-center justify-center gap-</pre>
2">
                    <img src="<?php imageSrc(); ?>" class="h-auto w-[50px]
rounded-full mix-blend-lighten md:w-[60px] lg:w-[60px]">
                    <h1 class='setTourney uppercase font-bold text-xl
iphone:text-2xl'>Retro Clouds</h1>
                </a>
            </div>
            <div class="flex items-center">
```

```
<div class="flex lg:hidden cursor-pointer mr-2 lg:m-0" id="open-</pre>
nav-menu">
                 <span class='text-[#00FBFF] text-2xl'><i class="fa-solid fa-</pre>
bars-staggered"></i></span>
             </div>
             <nav class="hidden lg:flex px-4 lg:px-0">
                 <a href="sales.php" class="setPoppins block py-3</pre>
text-base font-bold uppercase text-white hover:text-[#33FCFF] md:text-sm md:py-0
2x1:text-base">Sales</a>
                    <a href="management.php" class="setPoppins block py-3</pre>
text-base font-bold uppercase text-white hover:text-[#33FCFF] md:text-sm md:py-0
2x1:text-base">Management</a>
                    <a href="users.php" class="setPoppins block py-3</pre>
text-base font-bold uppercase text-white hover:text-[#33FCFF] md:text-sm md:py-0
2xl:text-base">Users</a>
                    <a href="inventory.php" class="setPoppins block py-3</pre>
text-base font-bold uppercase text-white hover:text-[#33FCFF] md:text-sm md:py-0
2x1:text-base">Inventory</a>
                    <a href="admin-profile.php" class="setPoppins block</pre>
py-3 text-base font-bold uppercase text-white hover:text-[#33FCFF] md:text-sm
md:py-0 2x1:text-base">Profile</a>
                    <form method="post">
                        <button</pre>
name="logoutAdminBtn" class="setPoppins flex items-center justify-center gap-2
py-2 px-6 border-2 border-[#33FCFF] bg-[#FF1695] rounded-full text-base font-bold
uppercase text-white hover:text-[#33FCFF] md:py-1 md:px-4 md:text-base lg:m-0"><i
class="fa-solid fa-user-shield text-base"></i> Log Out</button>
                    </form>
```

```
</nav>
           </div>
           <div class="fixed inset-0 bg-black bg-opacity-50 z-40 hidden"</pre>
id="menu-overlay"></div>
           <nav class="fixed top-0 right-0 h-full w-72 bg-gray-900 text-white</pre>
transform translate-x-full transition-transform duration-300 z-50" id="nav-menu">
              <div class="flex justify-between items-center p-4">
                  <img src="<?php imageSrc(); ?>" class="h-auto w-[50px]
rounded-full mix-blend-lighten">
                  <h1 class='setTourney uppercase font-bold text-xl lg:text-
2xl'>Retro Clouds</h1>
                  <div class="cursor-pointer" id="close-nav-menu">
                      <span class='text-[#00FBFF] text-2xl'><i class='fa-solid</pre>
fa-xmark'></i></span>
                  </div>
              </div>
              <a href="sales.php" class="setPoppins block py-2 px-4</pre>
text-base font-bold uppercase text-white hover:text-[#33FCFF]">Sales</a>
                  <a href="management.php" class="setPoppins block py-2 px-</pre>
4 text-base font-bold uppercase text-white hover:text-[#33FCFF]">Management</a>
                  <a href="users.php" class="setPoppins block py-2 px-4</pre>
text-base font-bold uppercase text-white hover:text-[#33FCFF]">Users</a>
                  <a href="inventory.php" class="setPoppins block py-2 px-4</pre>
text-base font-bold uppercase text-white hover:text-[#33FCFF]">Inventory</a>
                  <a href="admin-profile.php" class="setPoppins block py-2</pre>
px-4 text-base font-bold uppercase text-white hover:text-[#33FCFF]">Profile</a>
                  <form method="post">
```

```
<button</pre>
name="logoutAdminBtn" class="setPoppins flex items-center justify-center gap-2
py-2 px-6 border-2 border-[#33FCFF] bg-[#FF1695] rounded-full text-base font-bold
uppercase text-white hover:text-[#33FCFF] md:py-1 md:px-4 md:text-base xl:text-
base"><i class="fa-solid fa-user-shield text-base"></i> Log Out</button>
                   </form>
               </nav>
       </div>
    </div>
    </div>
</header>
<!-- <style>
    .custom-nav.sticky {
       background: #1A1D3B !important;
       position: fixed !important;
       top: 0 !important;
       left: 0 !important;
       width: 100% !important;
       max-width: 100% !important;
       border-radius: 0 !important;
       margin: 0 !important;
</style> -->
<script>
    /* window.addEventListener("scroll", () => {
       let setCustomNav = document.querySelector(".custom-nav");
       setCustomNav.classList.toggle("sticky", window.scrollY > 20);
    document.getElementById('open-nav-menu').addEventListener('click', function()
        document.getElementById('nav-menu').classList.remove('translate-x-full');
        document.getElementById('menu-overlay').classList.remove('hidden');
    });
    document.getElementById('close-nav-menu').addEventListener('click',
function() {
        document.getElementById('nav-menu').classList.add('translate-x-full');
        document.getElementById('menu-overlay').classList.add('hidden');
    });
```

```
document.getElementById('menu-overlay').addEventListener('click', function()
{
         document.getElementById('nav-menu').classList.add('translate-x-full');
         document.getElementById('menu-overlay').classList.add('hidden');
    });
</script>
```

### File: inventory.php

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Retro Clouds PH</title>
    <link rel="stylesheet" href="../styles/output.css">
    <link rel="stylesheet" href="./sales.css">
    <link rel="shortcut icon" href="../assets/Favicon_Retro.png" type="image/x-</pre>
icon">
    <style>
        ::-webkit-scrollbar {
            width: 10px;
        ::-webkit-scrollbar-track {
            background-color: #1A1D3B;
        ::-webkit-scrollbar-thumb {
            background: linear-gradient(#1A1D3B, #FF1695, #1A1D3B);
    </style>
</head>
<body class="bg-[#1A1D3B]">
   <?php
    include once "../config/config.php";
    define('SOURCE_PATH', '../assets/Retro_Clouds_VS.jpg');
    include("./adminNav.php");
    $sumAllProductPrice = "SELECT SUM(price * total_stock) AS total FROM products
JOIN inventory tbl ON products.product id = inventory tbl.item id";
    $valueOfStock = mysqli query($conn, $sumAllProductPrice);
    $valueOfStockRow = mysqli fetch assoc($valueOfStock);
```

```
$sumAllProduct = "SELECT SUM(total stock) AS total stock FROM products JOIN
inventory tbl ON products.product id = inventory tbl.item id";
    $stock = mysqli_query($conn, $sumAllProduct);
    $stockRow = mysqli fetch assoc($stock);
    $getStockPercentage = "SELECT *, ((total_stock/latest stock refill)*100) AS
stock percentage FROM products JOIN inventory tbl ON products.product id =
inventory tbl.item id";
    $stockPercentage = mysqli_query($conn, $getStockPercentage);
    <div class='flex items-center justify-center p-3 gap-2'>
        <img src="../assets/Retro_Clouds_VS.jpg" class="h-auto w-[50px] rounded-</pre>
full mix-blend-lighten">
        <h1 class="retro clouds h1 uppercase font-bold text-2x1">Retro
Clouds</h1>
    </div>
    <div class="w-full h-auto py-8 px-4 md:px-6 lg:p-10 lg:flex lg:flex-col</pre>
lg:gap-8 xl:px-20 laptopxxl:px-28 laptopxxl:py-2 laptopxxl:gap-2 2xl:px-36">
        <div class="w-full h-[15vh] flex flex-col justify-center items-center</pre>
gap-4 laptopxxl:gap-2 laptopxxl:flex-row laptopxxl:justify-between laptopxxl:h-
[10vh]">
            <h1 class="text-[#fafafa] text-2xl poppins uppercase font-bold text-
center lg:text-4xl xl:text-5xl laptopxxl:text-4xl">INVENTORY DASHBOARD</h1>
            retro cloudes vape lounge
        </div>
        <div class="w-full h-auto flex flex-col items-center justify-center gap-4</pre>
lg:gap-8 lg:grid lg:grid-cols-2 xl:gap-14 2xl:gap-24">
            <div class="w-full flex flex-col gap-4">
                <div class="bg-[#FF1695] w-full h-[35vh] rounded-xl border</pre>
border-cyan-400 flex flex-col items-center justify-center gap-2">
                   <i class="fa-solid fa-sack-dollar text-white text-</pre>
[3rem]"></i>
                   <h1 class="text-[#33FCFF] text-xl font-bold poppins">VALUE OF
STOCK</h1>
                    <h1 class="text-[#fafafa] text-4xl font-bold poppins lg:font-</pre>
black">₱ <?php echo number_format($valueOfStockRow['total'], 2) ?></h1>
                </div>
                <div class="bg-[#FF1695] w-full h-[35vh] rounded-xl border</pre>
border-cyan-400 flex flex-col items-center justify-center gap-2">
                    <div class="flex gap-2 items-center justify-center flex-col">
                        <i class="fa-solid fa-box text-white text-[3rem]"></i></i>
```

```
<h1 class="text-[#33FCFF] text-xl font-bold
poppins">TOTAL UNITS AVAILABLE</h1>
                  </div>
                  <h1 class="text-[#fafafa] text-4xl font-bold poppins lg:font-</pre>
black"> <?php echo $stockRow['total_stock'] ?></h1>
                  <h1 class="text-[#fafafa] text-lg font-bold poppins
uppercase">Inventory Items</h1>
              </div>
           </div>
           <div class="bg-[#FF1695] w-full h-[70vh] rounded-xl border border-</pre>
cyan-400 flex flex-col items-center justify-center gap-2 p-4 lg:gap-8 lg:h-[73vh]
lg:max-h-[73vh]">
              <h1 class="text-[#33FCFF] text-2xl font-bold poppins w-full text-</pre>
center lg:text-3xl">INVENTORY PERCENTAGE</h1>
              <div class="w-full h-[70%] flex flex-col gap-3 overflow-y-scroll</pre>
p-0 lg:h-[80%]">
                  <div class="w-full border-b-2 border-[#33FCFF] flex gap-2</pre>
lg:py-2 sticky top-0 bg-[#FF1695] p-0">
                      <h1 class="text-[#fafafa] text-sm font-bold poppins w-
full lg:text-lg">Product Name</h1>
                      right lg:text-lg">Stock Count
                      right lg:text-lg">Stock Percentage
                  </div>
                  <?php
                  while ($stockPercentageRow =
mysqli_fetch_assoc($stockPercentage)) {
                      $productNameExtend = ($stockPercentageRow['flavor'] ==
"NULL" || $stockPercentageRow['flavor'] == "N/A") ? $stockPercentageRow['color']
: $stockPercentageRow['flavor'];
                      <div class="w-full border-b-2 border-white flex gap-2</pre>
lg:py-2">
                         <h1 class="text-[#fafafa] text-sm font-bold poppins
w-full lg:text-lg"><?php echo $stockPercentageRow['product_name'] . " " .</pre>
$productNameExtend ?></h1>
                         text-right lg:text-lg"><?php echo</pre>
number_format($stockPercentageRow['total_stock']); ?>
                         text-right lg:text-lg"><?php echo</pre>
number format($stockPercentageRow['stock percentage'], 2) . "%" ?>
```

# File: management-prodcuct.php

```
<div class="bg-[#FF1695] rounded-lg border-2 border-cyan-400 w-full max-w-full h-</pre>
[90vh] flex flex-col items-center justify-center mt-8 gap-4 sm:p-4 lg:h-[129vh]
lg:max-h-[129vh] xl:h-[135vh] xl:max-h-[135vh] 2xl:h-[80vh] 2xl:max-h-[80vh]">
    <div class="w-full flex items-center justify-between flex-col lg:max-w-full</pre>
lg:flex-row 2xl:max-w-full 2xl:flex-row">
        <h1 class="text-[#fafafa] text-xl font-bold poppins p-2 text-center w-
full lg:text-2xl lg:flex lg:justify-start lg:items-center lg:gap-2 2xl:text-2xl
2x1:text-left 2x1:flex 2x1:justify-start 2x1:items-center 2x1:gap-4"><span
class="hidden lg:flex 2xl:text-2xl 2xl:items-center 2xl:justify-center"><i</pre>
class="fa-solid fa-bag-shopping"></i></span>PRODUCT DIRECTORY</h1>
        <div class="w-full">
            <div
                $searchString = $ POST['searchValue'] ?? "";
                class="bg-[#33FCFF] text-[#FF1695] flex items-center gap-4
justify-start p-3 w-full rounded-sm sm:px-6 lg:p-2 xl:p-2 2xl:rounded-lg 2xl:px-
4">
                <label</pre>
                    class="headings text-[#FF1695] text-xs font-semibold hidden
w-[40%] sm:text-base md:text-lg lg:text-base xl:w-[50%] 2xl:w-
[45%]">SEARCH</label>
```

```
<input id="search-value" value="<?php echo $searchString ?>"
type="text" name=""
                  class="w-full p-1 bg-transparent outline-none border-b
border-[#FF1695] text-xs texts font-bold mobilelg:text-sm sm:text-base md:text-lg
lg:text-base x1:text-base"
                  placeholder="Search Product..." autocomplete="off">
              <div id="product-search"
                  class="text-white poppins font-bold bg-gradient-to-b from-
[#FF1695] to-[#33FCFF] flex items-center justify-center text-[8px] gap-1 rounded-
full w-[50%] border border-[#33FCFF] py-1 cursor-pointer uppercase mobilelg:px-2
mobilelg:text-xs lg:w-1/3 lg:py-2 lg:rounded-sm lg:text-base">
                  SEARCH
              </div>
           </div>
       </div>
   </div>
   <div class="w-full h-[90%] flex items-center justify-center overflow-x-scroll</pre>
overflow-y-scroll relative 2x1:h-full lg:overflow-x-hidden">
       <thead>
              class="px-4 py-1 border-2 border-white text-xs xl:text-sm
xl:p-4 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
                      ID
                      class="px-4 py-1 border-2 border-white text-xs x1:text-sm
xl:p-4 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
                      Brand
                  <th
                      class="px-4 py-1 border-2 border-white text-xs xl:text-sm
xl:p-4 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
                      Name
                  <th
                      class="px-4 py-1 border-2 border-white text-xs xl:text-sm
xl:p-4 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
                      Price
                  <th
                      class="px-4 py-1 border-2 border-white text-xs xl:text-sm
xl:p-4 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
                      Flavor
                  <th
                      class="px-4 py-1 border-2 border-white text-xs xl:text-sm
xl:p-4 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
```

```
Color
                      class="px-4 py-1 border-2 border-white text-xs x1:text-sm
xl:p-4 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
                      Size
                  <th
                      class="px-4 py-1 border-2 border-white text-xs xl:text-sm
xl:p-4 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
                      Nicotine <span class="hidden">Percent</span>
                  <th
                      class="px-4 py-1 border-2 border-white text-xs xl:text-sm
xl:p-4 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
                      Puffs
                      class="px-4 py-1 border-2 border-white text-xs xl:text-sm
xl:p-4 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
                      Description
              </thead>
           <?php
              require "../config/config.php";
              $searchFilter = "WHERE product name LIKE '%$searchString%'";
              $selectAllProducts = "SELECT * FROM products JOIN brands ON
products.brand_id = brands.brand_id $searchFilter ORDER BY product_id ASC";
              $countAllProducts = "SELECT COUNT(product id) AS count FROM
products";
              $allProducts = mysqli_query($conn, $selectAllProducts);
              ini set("display_errors", 0);
              $count = 10;
              while ($productRow = mysqli fetch assoc($allProducts)) {
                  echo "
                      <td class='text-center border-2 border-white x1:text-
sm xl:px-2'>{$productRow['product_id']}
                          <td class='text-center border-2 border-white x1:text-
sm x1:px-2'>{$productRow['brand name']}
                          <td class='text-center border-2 border-white x1:text-
sm x1:px-2'>{$productRow['product_name']}
                          sm xl:px-2'>{$productRow['price']}
                          <td class='text-center border-2 border-white x1:text-
sm xl:px-2'>{$productRow['flavor']}
                          <td class='text-center border-2 border-white x1:text-
sm x1:px-2'>{$productRow['color']}
```

```
<td class='text-center border-2 border-white x1:text-
sm xl:px-2'>{$productRow['bottle size']}
                         <td class='text-center border-2 border-white x1:text-
sm x1:px-2'>{$productRow['nicotine percentage']}
                         <td class='text-center border-2 border-white x1:text-
sm xl:px-2'>{$productRow['puffs']}
                         sm xl:px-2'>{$productRow['description']}
                      }
          </div>
   <h1 class="text-[#fafafa] text-base font-bold poppins p-2 text-center w-full
2x1:text-lg">TOTAL PRODUCT COUNT : <?php echo</pre>
mysqli_fetch_assoc(mysqli_query($conn, $countAllProducts))['count'] ?>
   </h1>
</div>
<script>
   $(document).ready(function () {
       $('#product-search').click(function(e) {
       console.log("SEARCH");
           const search = document.getElementById('search-value');
           $('#products-section').load('management-product.php', { searchValue:
search.value });
       });
   });
</script>
```

## File: management-transaction.php

```
if(!empty($transactionID) && !empty($status)) {
    $updateSelectedTransactionStatus = "UPDATE transaction_tbl SET
status id='$status' WHERE transaction id = $transactionID";
    mysqli_query($conn, $updateSelectedTransactionStatus);
    class="bg-[#FF1695] rounded-lg border-2 border-cyan-400 w-full max-w-full h-
[90vh] flex flex-col items-center justify-center mt-8 gap-4 sm:p-4 lg:h-[129vh]
lg:max-h-[129vh] xl:h-[135vh] xl:max-h-[135vh] 2xl:h-[80vh] 2xl:max-h-[80vh]">
        class="w-full flex items-center justify-between flex-col lg:max-w-full
lg:flex-row 2x1:max-w-full 2x1:flex-row">
            class="text-[#fafafa] text-xl font-bold poppins p-2 text-center w-
full lg:text-2xl lg:flex lg:justify-start lg:items-center lg:gap-2 2xl:text-2xl
2xl:text-left 2xl:flex 2xl:justify-start 2xl:items-center 2xl:gap-4">
            <span class="hidden lg:flex 2x1:text-2x1 2x1:items-center"</pre>
2x1:justify-center"><i
                    class="fa-solid fa-bag-shopping"></i>TRANSACTION
DIRECTORY
        </h1>
        <div class="w-full">
            <div <?php
            $searchMonth = $ POST['month'] ?? "";
            $searchYear = $_POST['year'] ?? "";
                class="bg-[#33FCFF] text-[#FF1695] flex items-center gap-4
justify-start p-3 w-full rounded-sm sm:px-6 lg:p-2 xl:p-2 2xl:rounded-lg 2xl:px-
4">
                <label
                    class="headings text-[#FF1695] text-xs font-semibold hidden
w-[40%] sm:text-base md:text-lg lg:text-base xl:w-[50%] 2xl:w-
[45%]">SEARCH</label>
                <select name="" id="month-search"</pre>
                    class="w-full ouline-none bg-gradient-to-b from-[#FF1695] to-
[#33FCFF] border border-[#fafafa] rounded-sm p-2 setPoppins text-white text-
center text-sm outline-none uppercase font-semibold lg:text-lg">
                    <option style="color: black" value="">Month</option>
                    <option style="color: black" value="1" <?php echo</pre>
($searchMonth == 1) ? "selected" : "" ?>>January
                    </option>
                    <option style="color: black" value="2" <?php echo</pre>
($searchMonth == 2) ? "selected" : "" ?>>February
```

```
</option>
                    <option style="color: black" value="3" <?php echo</pre>
($searchMonth == 3) ? "selected" : "" ?>>March
                    </option>
                    <option style="color: black" value="4" <?php echo</pre>
($searchMonth == 4) ? "selected" : "" ?>>April
                    </option>
                    <option style="color: black" value="5" <?php echo</pre>
($searchMonth == 5) ? "selected" : "" ?>>May
                    </option>
                    <option style="color: black" value="6" <?php echo</pre>
($searchMonth == 6) ? "selected" : "" ?>>June
                    </option>
                    <option style="color: black" value="7" <?php echo</pre>
($searchMonth == 7) ? "selected" : "" ?>>July
                    </option>
                    <option style="color: black" value="8" <?php echo</pre>
($searchMonth == 8) ? "selected" : "" ?>>August
                    </option>
                    <option style="color: black" value="9" <?php echo</pre>
($searchMonth == 9) ? "selected" : "" ?>>September
                    </option>
                    <option style="color: black" value="10" <?php echo</pre>
($searchMonth == 10) ? "selected" : "" ?>>October
                    </option>
                    <option style="color: black" value="11" <?php echo</pre>
($searchMonth == 11) ? "selected" : "" ?>>November
                    </option>
                    <option style="color: black" value="12" <?php echo</pre>
($searchMonth == 12) ? "selected" : "" ?>>December
                    </option>
                </select>
                <select name="" id="year-search"</pre>
                    class="w-full ouline-none bg-gradient-to-b from-[#FF1695] to-
[#33FCFF] border border-[#fafafa] rounded-sm p-2 setPoppins text-white text-
center text-sm uppercase font-semibold lg:text-lg">
                    <option style="color: black" value="" selected>Year
                    for ($x = $yearRangeRow['min_year']; $x <=</pre>
$yearRangeRow['max_year']; $x++) {
                         <option style='color: black' value='<?php echo $x ?>'
<?php echo ($searchYear == $x) ? "selected" : "" ?>><?php echo $x ?></option>
                         <?php
```

```
2>
              </select>
              <!-- <input id="search-value" value="<?php /*echo $searchString*/
                  class="w-full p-1 bg-transparent outline-none border-b
border-[#FF1695] text-xs texts font-bold mobilelg:text-sm sm:text-base md:text-lg
lg:text-base x1:text-base"
              <!-- <div id="transaction-search"
                  class="text-white poppins font-bold bg-gradient-to-b from-
[#FF1695] to-[#33FCFF] flex items-center justify-center text-[8px] gap-1 rounded-
full w-[50%] border border-[#33FCFF] py-1 cursor-pointer uppercase mobilelg:px-2
mobilelg:text-xs lg:w-1/3 lg:py-2 lg:rounded-sm lg:text-base">
                  SEARCH
              </div> -->
           </div>
       </div>
   </div>
   <div
       class="w-full h-[90%] flex items-center justify-center overflow-x-scroll
overflow-y-scroll relative 2x1:h-full">
       <thead>
              class="px-4 py-1 border-2 border-white text-xs xl:text-sm
xl:p-4 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
                      Transac. ID
                  <th
                      class="px-4 py-1 border-2 border-white text-xs xl:text-sm
xl:p-4 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
                     Customer Name
                  <th
                      class="px-4 py-1 border-2 border-white text-xs xl:text-sm
xl:p-4 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
                      Email Address
                  <th
                      class="px-4 py-1 border-2 border-white text-xs xl:text-sm
xl:p-4 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
                      Mobile Number
                  <th
                      class="px-4 py-1 border-2 border-white text-xs xl:text-sm
xl:p-4 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
                     Shipping Address
```

```
<th
                      class="px-4 py-1 border-2 border-white text-xs x1:text-sm
xl:p-4 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
                      Transac. Date
                   <th
                      class="px-4 py-1 border-2 border-white text-xs x1:text-sm
xl:p-4 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
                      Overall Total
                      class="px-4 py-1 border-2 border-white text-xs xl:text-sm
xl:p-4 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
                      Delivery Selected
                  <th
                      class="px-4 py-1 border-2 border-white text-xs xl:text-sm
xl:p-4 2xl:font-bold 2xl:uppercase 2xl:py-4 2xl:px-6">
                      Status
               </thead>
           require "../config/config.php";
               $searchFilter = "WHERE DATE_FORMAT(transaction_date, '%m') LIKE
'%$searchMonth%' AND DATE_FORMAT(transaction_date, '%Y')    LIKE '%$searchYear%'";
               $selectAlltransactions = "SELECT * FROM transaction tbl JOIN
customer tbl ON transaction_tbl.customer_id = customer_tbl.costumer_id JOIN
delivery modes ON transaction_tbl.delivery_id = delivery_modes.delivery_id JOIN
transaction_status_tbl ON transaction_tbl.status_id =
transaction_status_tbl.status_id $searchFilter ORDER BY transaction_date DESC,
transaction id ASC";
               $countAlltransactions = "SELECT COUNT(transaction_id) AS count
FROM transaction tbl";
               $alltransactions = mysqli_query($conn, $selectAlltransactions);
               ini_set("display_errors", 0);
               $count = 10;
               while ($transactionRow = mysqli_fetch_assoc($alltransactions)) {
                  $total = number format($transactionRow['sub total'] +
$transactionRow['shipping_fee'], 2);
                  $customerName = $transactionRow['fname'] . ' ' .
$transactionRow['lname'];
                  x1:px-2'>
                          <?php echo $transactionRow['transaction_id'] ?>
```

```
x1:px-2'><?php echo $customerName ?>
                  x1:px-2'>
                     <?php echo $transactionRow['email'] ?>
                  x1:px-2'>
                     <?php echo $transactionRow['mobile_number'] ?>
                  x1:px-2'>
                     <?php echo $transactionRow['shipping_address']</pre>
                  x1:px-2'>
                     <?php echo $transactionRow['transaction_date']</pre>
?>
                  xl:px-2'>₱ <?php echo $total ?>
                  x1:px-2'>
                     <?php echo $transactionRow['delivery_name'] ?>
                  <td class='text-center border-2 border-white x1:text-sm
x1:px-2'>
                     <select id="<?php echo</pre>
$transactionRow['transaction_id'] ?>" class="status-update ouline-none bg-
gradient-to-b from-[#FF1695] to-[#33FCFF] border border-[#33FCFF] outline-none
rounded-sm p-2 setPoppins text-white text-center text-sm uppercase font-
semibold">
                        <option style="color: black" value='1' <?php echo</pre>
($transactionRow['status id'] == 1) ? "selected" : "" ?>>PENDING</>>
                        <option style="color: black" value='2' <?php echo</pre>
($transactionRow['status_id'] == 2) ? "selected" : "" ?>>PROCESSING</>
                       <option style="color: black" value='3' <?php echo</pre>
($transactionRow['status id'] == 3) ? "selected" : "" ?>>OUT FOR DELIVERY</>
                        <option style="color: black" value='4' <?php echo</pre>
($transactionRow['status id'] == 4) ? "selected" : "" ?>>DELIVERED</>
                     </select>
                  <?php
            }
         </div>
```

```
<h1 class="text-[#fafafa] text-base font-bold poppins p-2 text-center w-full
2x1:text-lg">TOTAL TRANSACTION COUNT :
        <?php
        echo mysqli fetch assoc(mysqli query($conn,
$countAlltransactions))['count'];
        2>
    </h1>
</div>
<script>
    $(document).ready(function () {
        $('#month-search').change(function (e) {
            const month = document.getElementById('month-search').value;
            const year = document.getElementById('year-search').value;
            $('#transactions-section').load('management-transaction.php', {
month: month, year: year });
        });
        $('#year-search').change(function (e) {
            const month = document.getElementById('month-search').value;
            const year = document.getElementById('year-search').value;
            $('#transactions-section').load('management-transaction.php', {
month: month, year: year });
        });
        $('.status-update').change(function (e) {
            const transactionID = e.currentTarget.id;
            const status = e.currentTarget.value;
            const month = document.getElementById('month-search').value;
            const year = document.getElementById('year-search').value;
            $('#transactions-section').load('management-transaction.php', {
month: month, year: year, transactionID: transactionID, status: status });
        });
    });
</script>
```

## File: management-updatestock.php

```
<?php
require "../config/config.php";
$id = $_POST['product_id'] ?? "";
$getStock = "SELECT * FROM inventory_tbl WHERE item_id = '$id'";
$getStockResult = mysqli_query($conn, $getStock);
$getStock = ($getStockRow = mysqli_fetch_assoc($getStockResult)) ? "Current Stock: " . $getStockRow['total_stock'] : "Stock...";
?>
<div</pre>
```

```
class="bg-[#33FCFF] text-[#FF1695] flex items-center rounded-sm justify-start
p-2 gap-2 w-full mobilemd:px-1 mobilelg:px-2 sm:px-6 lg:px-2 xl:p-2">
    <label
        class="headings text-[#FF1695] text-[8px] font-semibold w-[40%]
mobilemd:text-xs mobilelg:text-sm sm:text-base md:text-lg lg:text-base lg:w-1/2
2x1:w-[45%]">ID:</label>
    <input id="stock-id" type="number" name="txtID"</pre>
        class="w-full p-1 bg-transparent outline-none border-b border-[#fafafa]
text-xs texts font-bold mobilemd:w-[80%] mobilelg:text-sm sm:text-base md:text-lg
lg:text-sm xl:text-base"
        placeholder="Product ID..." autocomplete="off" value="<?php echo $id ?>">
</div>
<div
    class="bg-[#33FCFF] text-[#FF1695] flex items-center rounded-sm justify-start
p-2 gap-2 w-full mobilemd:px-1 mobilelg:px-2 sm:px-6 lg:px-2 xl:p-2">
    <label
        class="headings text-[#FF1695] text-[8px] font-semibold w-[40%]
mobilemd:text-xs mobilelg:text-sm sm:text-base md:text-lg lg:text-base lg:w-1/2
2x1:w-[45%]">Stock:</label>
    <input id="stocks" type="number" name="txtStock" min="0"</pre>
        class="w-full p-1 bg-transparent outline-none border-b border-[#fafafa]
text-xs texts font-bold mobilemd:w-[80%] mobilelg:text-sm sm:text-base md:text-lg
lg:text-sm xl:text-base"
        placeholder="<?php echo $getStock ?>" autocomplete="off">
</div>
<script>
    $(document).ready(function () {
        // document.getElementById('stock').value = '1';
        var id = 0;
        $('#stock-id').change(function (e) {
            console.log("changed");
            id = e.target.value;
            $('#update-stock').load('management-updatestock.php', { product_id:
id });
        });
    });
</script>
```

## File: management.php

```
<?php
session_start();
require "../config/config.php";
$id = $_POST['txtID'] ?? "";</pre>
```

```
$stock = $ POST['txtStock'] ?? "";
$category = $_POST['lstCategoryName'] ?? "";
$brand = $_POST['lstBrandName'] ?? "";
$name = $ POST['txtName'] ?? "";
$price = $_POST['txtPrice'] ?? "";
$flavor = $ POST['txtFlavor'] ?? "";
$color = $ POST['txtColor'] ?? "";
$bottleSize = $_POST['txtBottleSize'] ?? "";
$nicotine = $ POST['txtNicotine'] ?? "";
$puffs = $ POST['txtPuffs'] ?? "";
$description = $ POST['txtDescription'] ?? "";
$image = $ FILES["image"]["name"] ?? "";
$ SESSION['message'] = $_SESSION['message'] ?? "";
$ SESSION['mode'] = $ SESSION['mode'] ?? "add";
if (isset($_POST['btnAdd'])) {
    $_SESSION['mode'] = "add";
if (isset($ POST['btnUpdate'])) {
   $_SESSION['mode'] = "update";
if (isset($_POST['btnDelete'])) {
   $ SESSION['mode'] = "delete";
if (isset($_POST['btnUpdateStock'])) {
   $_SESSION['mode'] = "update stock";
if (isset($ POST['btnGo'])) {
    if ($_SESSION['mode'] == "add") {
        if (empty($name) || empty($category) || empty($brand) || empty($price) ||
empty($flavor) || empty($color) || empty($bottleSize) || empty($nicotine) ||
empty($puffs) || empty($description) || empty($image)) {
            $ SESSION['message'] = "PLEASE COMPLETE ALL FIELDS";
        } else {
            if (isset($ FILES["image"]) && $ FILES["image"]["error"] == 0) {
                $uploadDir = "../assets/catalog/"; // Directory where you want to
store uploaded files
                $uploadFile = $uploadDir . basename($_FILES["image"]["name"]);
                // Move the uploaded file to the desired directory
                if (move_uploaded_file($_FILES["image"]["tmp_name"],
$uploadFile)) {
                    $ SESSION['message'] = "NEW PRODUCT HAS BEEN CREATED!";
```

```
$insertNewProduct = "INSERT INTO products (category id,
brand id, product name, price, flavor, color, bottle size, nicotine percentage,
puffs, description, img_dir) VALUES ('$category', '$brand', '$name', '$price',
'$flavor', '$color', '$bottleSize', '$nicotine', '$puffs', '$description',
'$image')";
                    mysqli query($conn, $insertNewProduct);
                    $selectLatestProduct = "SELECT * FROM products ORDER BY
product id DESC LIMIT 1";
                    $selectLatestProductQuery = mysqli query($conn,
$selectLatestProduct);
                    $latestID =
mysqli fetch assoc($selectLatestProductQuery)['product id'];
                    $insertNewProductInventory = "INSERT INTO inventory_tbl
(item id) VALUES ('$latestID')";
                    mysqli query($conn, $insertNewProductInventory);
                } else {
                    $_SESSION['message'] = "Sorry, there was an error uploading
vour file.";
            } else {
                $ SESSION['message'] = "No file uploaded or there was an error
uploading the file.";
    } else if ($_SESSION['mode'] == "delete") {
        if (empty($id)) {
            $_SESSION['message'] = "PLEASE ENTER PRODUCT ID";
        } else {
            $checkID = "SELECT * FROM products WHERE product id = '$id'";
            $checkIDRun = mysqli_query($conn, $checkID);
            $checkIDRow = mysqli fetch assoc($checkIDRun);
            if (mysqli num rows($checkIDRun) == 0) {
                $ SESSION['message'] = "PRODUCT ID DOES NOT EXIST";
            } else {
                unlink("../assets/catalog/" . $checkIDRow['img_dir']);
                $deleteProductInventory = "DELETE FROM inventory tbl WHERE
item id = '$id'";
                mysqli_query($conn, $deleteProductInventory);
                $deleteProduct = "DELETE FROM products WHERE product id = '$id'";
                mysqli_query($conn, $deleteProduct);
                $ SESSION['message'] = "PRODUCT HAS BEEN DELETED!";
    } else if ($_SESSION['mode'] == "update") {
       if (empty($id)) {
```

```
$_SESSION['message'] = "PLEASE ENTER PRODUCT ID";
        } else {
            $checkID = "SELECT * FROM products WHERE product_id = '$id'";
            $checkIDRun = mysqli query($conn, $checkID);
            $checkIDRow = mysqli_fetch_assoc($checkIDRun);
            if (mysqli num rows($checkIDRun) == 0) {
                $ SESSION['message'] = "PRODUCT ID DOES NOT EXIST";
            } else {
                $productUpdates = array();
                if (!empty($name)) {
                    $updateProductName = "UPDATE products SET
product name='$name' WHERE product id='$id'";
                    mysqli_query($conn, $updateProductName);
                    array push($productUpdates, "Name");
                }
                if (!empty($category)) {
                    $updateProductCategory = "UPDATE products SET
category_id='$category' WHERE product_id='$id'";
                    mysqli query($conn, $updateProductCategory);
                    array_push($productUpdates, "Category");
                if (!empty($brand)) {
                    $updateProductBrand = "UPDATE products SET brand id='$brand'
WHERE product id='$id'";
                    mysqli_query($conn, $updateProductBrand);
                    array push($productUpdates, "Brand");
                if (!empty($price)) {
                    $updateProductPrice = "UPDATE products SET price='$price'
WHERE product_id='$id'";
                    mysqli query($conn, $updateProductPrice);
                    array_push($productUpdates, "Price");
                if (!empty($flavor)) {
                    $updateProductFlavor = "UPDATE products SET flavor='$flavor'
WHERE product id='$id'";
                    mysqli query($conn, $updateProductFlavor);
                    array push($productUpdates, "Flavor");
                if (!empty($color)) {
                    $updateProductColor = "UPDATE products SET color='$color'
WHERE product id='$id'";
                    mysqli query($conn, $updateProductColor);
                    array_push($productUpdates, "Color");
```

```
if (!empty($bottleSize)) {
                    $updateProductBottleSize = "UPDATE products SET
bottle_size='$bottleSize' WHERE product_id='$id'";
                    mysqli query($conn, $updateProductBottleSize);
                    array_push($productUpdates, "Bottle Size");
                }
                if (!empty($nicotine)) {
                    $updateProductNicotine = "UPDATE products SET
nicotine percentage='$nicotine' WHERE product id='$id'";
                    mysqli_query($conn, $updateProductNicotine);
                    array push($productUpdates, "Nicotine");
                if (!empty($puffs)) {
                    $updateProductPuffs = "UPDATE products SET puffs='$puffs'
WHERE product_id='$id'";
                    mysqli query($conn, $updateProductPuffs);
                    array_push($productUpdates, "Puffs");
                }
                if (!empty($description)) {
                    $updateProductDescription = "UPDATE products SET
description='$description' WHERE product id='$id'";
                    mysqli_query($conn, $updateProductDescription);
                    array_push($productUpdates, "Description");
                if (!empty($image)) {
                    $updateProductImage = "UPDATE products SET img dir='$image'
WHERE product_id='$id'";
                    mysqli_query($conn, $updateProductImage);
                    array push($productUpdates, "Image");
                if (count($productUpdates) > 0) {
                    $productUpdates = implode(", ", $productUpdates);
                    $ SESSION['message'] = "PRODUCT ID:$id ($productUpdates) HAS
BEEN UPDATED!";
                } else {
                    $ SESSION['message'] = "NO CHANGES HAS BEEN MADE!";
                }
    } else if ($ SESSION['mode'] == "update stock") {
        if (empty($id)) {
            $_SESSION['message'] = "PLEASE ENTER PRODUCT ID";
        } else {
            $checkID = "SELECT * FROM products WHERE product_id = '$id'";
            $checkIDRun = mysqli query($conn, $checkID);
```

```
$checkIDRow = mysqli fetch assoc($checkIDRun);
            if (mysqli num rows($checkIDRun) == 0) {
                $ SESSION['message'] = "PRODUCT ID DOES NOT EXIST";
            } else {
                if (!empty($stock)) {
                    $updateProductStock = "UPDATE inventory_tbl SET total_stock =
$stock', latest_stock_refill = '$stock' WHERE item id='$id'";
                    mysqli_query($conn, $updateProductStock);
                    $ SESSION['message'] = "PRODUCT ID:$id STOCK HAS BEEN
UPDATED!";
                } else {
                    $ SESSION['message'] = "NO CHANGES HAS BEEN MADE!";
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Retro Clouds PH - Management</title>
    <link rel="stylesheet" href="../styles/output.css">
    <link rel="stylesheet" href="./sales.css">
    <link rel="shortcut icon" href="../assets/Favicon_Retro.png" type="image/x-</pre>
    <script src="https://code.jquery.com/jquery-3.7.1.min.js"</pre>
        integrity="sha256-/JqT3SQfawRcv/BIHPThkBvs00EvtFFmqPF/1YI/Cxo="
crossorigin="anonymous"></script>
    <style>
        ::-webkit-scrollbar {
            width: 10px;
        ::-webkit-scrollbar-track {
            background-color: #1A1D3B;
        }
        ::-webkit-scrollbar-thumb {
            background: linear-gradient(#1A1D3B, #FF1695, #1A1D3B);
    </style>
```

```
<script defer>
        //add click listener on #popup-message
        $(document).ready(function () {
            $("#popup-message").click(function () {
                $(this).hide();
            });
        });
    </script>
</head>
<body class="bg-[#1A1D3B]">
    <?php
    if (!empty($_SESSION['message'])) {
        <div id="popup-message"</pre>
            style="position: fixed; z-index: 99999999999999999999999999; top: 0;
left: 0; width: 100%; height: 100%; background-color: rgba(0, 0, 0.6);
display: flex; justify-content: center; align-items: center;">
            <div id="message-con"
                style="background-color: #FF1695; width: auto; height: fit-
content; padding: 2rem; border: 2px solid cyan; border-radius: 10px; color:
white; font-weight: bolder; position: relative; top: 0; transform: translate(0, -
50%); font-size: 30px;">
                <?php
                echo $_SESSION['message'];
                $ SESSION['message'] = "";
            </div>
        </div>
        <?php
    <?php
    define('SOURCE PATH', '../assets/Retro Clouds VS.jpg');
    include ("./adminNav.php");
    $selectAllBrands = "SELECT * FROM brands ORDER BY brand name ASC";
    $allBrands = mysqli_query($conn, $selectAllBrands);
    $selectAllCategories = "SELECT * FROM categories ORDER BY category_name ASC";
    $allCategories = mysqli_query($conn, $selectAllCategories);
    <div class='flex items-center justify-center p-4 gap-2'>
        <img src="../assets/Retro_Clouds_VS.jpg" class="h-auto w-[50px] rounded-</pre>
full mix-blend-lighten">
```

```
<h1 class="retro clouds h1 uppercase font-bold text-2xl">Retro
Clouds</h1>
    </div>
        class="w-full h-auto py-2 px-4 flex items-center justify-center flex-col
flex-wrap mobilemd:px-6 sm:px-8 lg:grid lg:grid-cols-4 lg:items-start lg:justify-
start lg:p-2 lg:gap-4 laptopxxl:p-6">
        <div class="w-full h-[15vh] flex flex-col justify-center items-center</pre>
mobilelg:gap-2 lg:col-span-4">
            <h1 class="text-[#fafafa] text-2xl poppins uppercase font-bold text-
center lg:text-[2rem] 2x1:text-4x1">
                PRODUCT MANAGEMENT</h1>
             retro cloudes vape
lounge
        </div>
        <div class="w-full flex flex-1 flex-col lg:top-0 lg:right-0 lg:col-span-1</pre>
2x1:sticky 2x1:top-0">
            <div
                class="bg-[#FF1695] rounded-lg border-2 border-cyan-400 w-full
max-w-full h-auto flex flex-col items-start justify-start flex-wrap px-2 py-4 mt-
8 sm:p-4 2xl:sticky 2xl:top-0">
                <form enctype="multipart/form-data" action="" method="post"</pre>
                    class="w-full flex flex-col items-start justify-start gap-4
md:gap-6 lg:gap-4 xl:gap-2 2xl:gap-4">
                        class="headings text-[#fafafa] font-bold text-base
uppercase w-full text-center mobilemd:text-lg sm:text-2x1 md:text-4x1 lg:text-
x1">
                        MANAGE PRODUCTS</h1>
                    if ($ SESSION['mode'] == "update" || $ SESSION['mode'] ==
'delete") {
                            class="bg-[#33FCFF] text-[#FF1695] flex items-center
rounded-sm justify-start p-2 gap-2 w-full mobilemd:px-1 mobilelg:px-2 sm:px-6
lg:px-2 xl:p-2">
                            <label</pre>
                                class="headings text-[#FF1695] text-[8px] font-
semibold w-[40%] mobilemd:text-xs mobilelg:text-sm sm:text-base md:text-lg
lg:text-base lg:w-1/2 2xl:w-[45%]">ID:</label>
                           <input id="stock-id" type="number" name="txtID"</pre>
```

```
class="w-full p-1 bg-transparent outline-none
border-b border-[#fafafa] text-xs texts font-bold mobilemd:w-[80%] mobilelg:text-
sm sm:text-base md:text-lg lg:text-sm xl:text-base"
                                 placeholder="Product ID..." autocomplete="off">
                        </div>
                        <?php
                    <div id="update-stock"
                        class="w-full flex flex-col items-start justify-start
gap-4 md:gap-6 lg:gap-4 xl:gap-2 2xl:gap-4">
                        <?php
                        if ($ SESSION['mode'] == "update stock") {
                             require "management-updatestock.php";
                    </div>
                    <?php
                    if ($_SESSION['mode'] == "update" || $_SESSION['mode'] ==
'add") {
                        <div
                            class="bg-[#33FCFF] text-[#FF1695] flex items-center
rounded-sm justify-start p-2 gap-2 w-full mobilemd:px-1 mobilelg:px-2 sm:px-6
lg:px-2 x1:p-2">
                            <label</pre>
                                 class="headings text-[#FF1695] text-[8px] font-
semibold w-[40%] mobilemd:text-xs mobilelg:text-sm sm:text-base md:text-lg
lg:text-base lg:w-1/2 2xl:w-[45%]">Category:</label>
                             <select name="lstCategoryName"</pre>
                                 class="w-full p-1 bg-transparent outline-none
border-b border-[#fafafa] text-xs texts font-bold mobilemd:w-[80%] mobilelg:text-
sm sm:text-base md:text-lg lg:text-sm xl:text-base">
                                 <option value=''></option>
                                 <?php
                                 while ($allCategoriesRow =
mysqli_fetch_assoc($allCategories)) {
                                     echo "
                                         <option value='" .</pre>
$allCategoriesRow['category_id'] . "'>" . $allCategoriesRow['category_name'] . "
 " . $allCategoriesRow['category_id'] . "</option>
                                 }
```

```
</select>
                        </div>
                         <div
                             class="bg-[#33FCFF] text-[#FF1695] flex items-center
rounded-sm justify-start p-2 gap-2 w-full mobilemd:px-1 mobilelg:px-2 sm:px-6
lg:px-2 x1:p-2">
                             <label</pre>
                                 class="headings text-[#FF1695] text-[8px] font-
semibold w-[40%] mobilemd:text-xs mobilelg:text-sm sm:text-base md:text-lg
lg:text-base lg:w-1/2 2xl:w-[45%]">Brand:</label>
                             <select name="lstBrandName"</pre>
                                 class="w-full p-1 bg-transparent outline-none
border-b border-[#fafafa] text-xs texts font-bold mobilemd:w-[80%] mobilelg:text-
sm sm:text-base md:text-lg lg:text-sm xl:text-base">
                                 <option value=''></option>
                                 while ($allBrandsRow =
mysqli fetch assoc($allBrands)) {
                                     echo "
                                         <option value='" .</pre>
$allBrandsRow['brand_id'] . "'>" . $allBrandsRow['brand_name'] . " - " .
$allBrandsRow['brand_id'] . "</option>
                             </select>
                        </div>
                         <div
                             class="bg-[#33FCFF] text-[#FF1695] flex items-center
rounded-sm justify-start p-2 gap-2 w-full mobilemd:px-1 mobilelg:px-2 sm:px-6
lg:px-2 xl:p-2">
                             <label</pre>
                                 class="headings text-[#FF1695] text-[8px] font-
semibold w-[40%] mobilemd:text-xs mobilelg:text-sm sm:text-base md:text-lg
lg:text-base lg:w-1/2 2xl:w-[45%]">Name:</label>
                             <input type="text" name="txtName"</pre>
                                 class="w-full p-1 bg-transparent outline-none
border-b border-[#fafafa] text-xs texts font-bold mobilemd:w-[80%] mobilelg:text-
sm sm:text-base md:text-lg lg:text-sm xl:text-base"
                                 placeholder="Product Name..." autocomplete="off">
                         </div>
```

```
class="bg-[#33FCFF] text-[#FF1695] flex items-center
rounded-sm justify-start p-2 gap-2 w-full mobilemd:px-1 mobilelg:px-2 sm:px-6
lg:px-2 xl:p-2">
                            <label</pre>
                                class="headings text-[#FF1695] text-[8px] font-
semibold w-[40%] mobilemd:text-xs mobilelg:text-sm sm:text-base md:text-lg
lg:text-base lg:w-1/2 2xl:w-[45%]">Price:</label>
                            <input type="number" name="txtPrice"</pre>
                                 class="w-full p-1 bg-transparent outline-none
border-b border-[#fafafa] text-xs texts font-bold mobilemd:w-[80%] mobilelg:text-
sm sm:text-base md:text-lg lg:text-sm xl:text-base"
                                 placeholder="Price..." min="0" step=".01"
autocomplete="off">
                        </div>
                        <div
                            class="bg-[#33FCFF] text-[#FF1695] flex items-center
rounded-sm justify-start p-2 gap-2 w-full mobilemd:px-1 mobilelg:px-2 sm:px-6
lg:px-2 xl:p-2">
                            <label
                                 class="headings text-[#FF1695] text-[8px] font-
semibold w-[40%] mobilemd:text-xs mobilelg:text-sm sm:text-base md:text-lg
lg:text-base lg:w-1/2 2xl:w-[45%]">Flavor:</label>
                            <input type="text" name="txtFlavor"</pre>
                                 class="w-full p-1 bg-transparent outline-none
border-b border-[#fafafa] text-xs texts font-bold mobilemd:w-[80%] mobilelg:text-
sm sm:text-base md:text-lg lg:text-sm xl:text-base"
                                placeholder="Flavor..." autocomplete="off">
                        </div>
                        <div
                            class="bg-[#33FCFF] text-[#FF1695] flex items-center
rounded-sm justify-start p-2 gap-2 w-full mobilemd:px-1 mobilelg:px-2 sm:px-6
lg:px-2 xl:p-2">
                            <label
                                class="headings text-[#FF1695] text-[8px] font-
semibold w-[40%] mobilemd:text-xs mobilelg:text-sm sm:text-base md:text-lg
lg:text-base lg:w-1/2 2xl:w-[45%]">Color:</label>
                            <input type="text" name="txtColor"</pre>
                                class="w-full p-1 bg-transparent outline-none
border-b border-[#fafafa] text-xs texts font-bold mobilemd:w-[80%] mobilelg:text-
sm sm:text-base md:text-lg lg:text-sm xl:text-base"
                                placeholder="Color..." autocomplete="off">
                        </div>
```

```
<div
                            class="bg-[#33FCFF] text-[#FF1695] flex items-center
rounded-sm justify-start p-2 gap-2 w-full mobilemd:px-1 mobilelg:px-2 sm:px-6
lg:px-2 x1:p-2">
                            <label
                                class="headings text-[#FF1695] text-[8px] font-
semibold w-[40%] mobilemd:text-xs mobilelg:text-sm sm:text-base md:text-lg
lg:text-base lg:w-1/2 2xl:w-[45%]">Size:</label>
                            <input type="text" name="txtBottleSize"</pre>
                                class="w-full p-1 bg-transparent outline-none
border-b border-[#fafafa] text-xs texts font-bold mobilemd:w-[80%] mobilelg:text-
sm sm:text-base md:text-lg lg:text-sm xl:text-base"
                                placeholder="Bottle Size..." autocomplete="off">
                        </div>
                        <div
                            class="bg-[#33FCFF] text-[#FF1695] flex items-center
rounded-sm justify-start p-2 gap-2 w-full mobilemd:px-1 mobilelg:px-2 sm:px-6
lg:px-2 xl:p-2">
                            <label
                                class="headings text-[#FF1695] text-[8px] font-
semibold w-[40%] mobilemd:text-xs mobilelg:text-sm sm:text-base md:text-lg
lg:text-base lg:w-1/2 2xl:w-[45%]">Nicotine:</label>
                            <input type="text" name="txtNicotine"</pre>
                                class="w-full p-1 bg-transparent outline-none
border-b border-[#fafafa] text-xs texts font-bold mobilemd:w-[80%] mobilelg:text-
sm sm:text-base md:text-lg lg:text-sm xl:text-base"
                                placeholder="Nicotine Percentage..."
autocomplete="off">
                        </div>
                        <div
                            class="bg-[#33FCFF] text-[#FF1695] flex items-center
rounded-sm justify-start p-2 gap-2 w-full mobilemd:px-1 mobilelg:px-2 sm:px-6
lg:px-2 xl:p-2">
                            <label
                                class="headings text-[#FF1695] text-[8px] font-
semibold w-[40%] mobilemd:text-xs mobilelg:text-sm sm:text-base md:text-lg
lg:text-base lg:w-1/2 2xl:w-[45%]">Puffs:</label>
                            <input type="number" name="txtPuffs"</pre>
                                class="w-full p-1 bg-transparent outline-none
border-b border-[#fafafa] text-xs texts font-bold mobilemd:w-[80%] mobilelg:text-
sm sm:text-base md:text-lg lg:text-sm xl:text-base"
                                placeholder="Puffs..." autocomplete="off">
                        </div>
```

```
class="bg-[#33FCFF] text-[#FF1695] flex items-center
rounded-sm justify-start p-2 gap-2 w-full mobilemd:px-1 mobilelg:px-2 sm:px-6
lg:px-2 xl:p-2">
                             <lahel</pre>
                                 class="headings text-[#FF1695] text-[8px] font-
semibold w-[40%] mobilemd:text-xs mobilelg:text-sm sm:text-base md:text-lg
lg:text-base lg:w-1/2 2xl:w-[45%]">Desc<span</pre>
                                     class="hidden
2x1:inline">ription</span>:</label>
                             <input type="text" name="txtDescription"</pre>
                                 class="w-full p-1 bg-transparent outline-none
border-b border-[#fafafa] text-xs texts font-bold mobilemd:w-[80%] mobilelg:text-
sm sm:text-base md:text-lg lg:text-sm xl:text-base"
                                 placeholder="Description..." autocomplete="off">
                         </div>
                             class="bg-[#33FCFF] text-[#FF1695] flex items-center
rounded-sm justify-start p-2 gap-2 w-full mobilemd:px-1 mobilelg:px-2 sm:px-6
lg:px-2 xl:p-2">
                             <label
                                 class="headings text-[#FF1695] text-[8px] font-
semibold w-[40%] mobilemd:text-xs mobilelg:text-sm sm:text-base md:text-lg
lg:text-base lg:w-1/2 2xl:w-[45%]">Image:</label>
                             <input type="file" name="image" id="product_image"</pre>
accept="image/png"
                                 class=" text-[#FF1695] w-full p-1 bg-transparent
outline-none border-b border-[#fafafa] text-xs texts font-bold mobilemd:w-[80%]
mobilelg:text-sm sm:text-base md:text-lg lg:text-sm xl:text-base">
                         </div>
                        <?php
                    <div class="w-full flex-col flex gap-4 2xl:grid 2xl:grid-</pre>
cols-2">
                         <input type="submit" name="btnAdd" value="ADD PRODUCT"</pre>
                             class="text-white poppins font-bold bg-gradient-to-b
from-[#FF1695] to-[#33FCFF] flex items-center justify-center text-[8px] gap-1
rounded-sm w-full border border-white py-1 cursor-pointer uppercase
mobilelg:text-xs mobilelg:px-1 sm:py-2 sm:text-sm">
                         <input type="submit" name="btnDelete" value="DELETE</pre>
PRODUCT"
```

```
class="text-white poppins font-bold bg-gradient-to-b
from-[#FF1695] to-[#33FCFF] flex items-center justify-center text-[8px] gap-1
rounded-sm w-full border border-white py-1 cursor-pointer uppercase
mobilelg:text-xs mobilelg:px-1 sm:py-2 sm:text-sm">
                        <input type="submit" name="btnUpdate" value="UPDATE</pre>
PRODUCT"
                            class="text-white poppins font-bold bg-gradient-to-b
from-[#FF1695] to-[#33FCFF] flex items-center justify-center text-[8px] gap-1
rounded-sm w-full border border-white py-1 cursor-pointer uppercase
mobilelg:text-xs mobilelg:px-1 sm:py-2 sm:text-sm">
                        <input type="submit" name="btnUpdateStock" value="UPDATE</pre>
STOCK"
                            class="text-white poppins font-bold bg-gradient-to-b
from-[#FF1695] to-[#33FCFF] flex items-center justify-center text-[8px] gap-1
rounded-sm w-full border border-white py-1 cursor-pointer uppercase
mobilelg:text-xs mobilelg:px-1 sm:py-2 sm:text-sm">
                        <!-- <input type="submit" name="btnUpdateStock"
value="UPDATE STOCK"
                            class="text-white poppins font-bold bg-gradient-to-b
from-[#FF1695] to-[#33FCFF] flex items-center justify-center text-[8px] gap-1
rounded-full w-full border border-white py-1 cursor-pointer uppercase
mobilelg:text-xs mobilelg:px-1 sm:py-2 sm:text-sm 2xl:col-span-2"> -->
                    <input type="submit" name="btnGo" value="GO"</pre>
                        class="text-white poppins font-bold bg-gradient-to-b
from-[#FF1695] to-[#33FCFF] flex items-center justify-center text-[8px] gap-1
rounded-sm w-full border border-white py-1 cursor-pointer uppercase
mobilelg:text-xs mobilelg:px-1 sm:py-2 sm:text-sm">
                </form>
            </div>
        </div>
        <div class="w-full max-w-full h-auto flex flex-col items-center justify-</pre>
center gap-4 lg:col-span-3">
            <div id="products-section" class="bg-[#FF1695] rounded-lg border-2</pre>
border-cyan-400 w-full max-w-full h-[90vh] flex flex-col items-center justify-
center mt-8 gap-4 sm:p-4 lg:h-[129vh] lg:max-h-[129vh] xl:h-[135vh] xl:max-h-
[135vh] 2xl:h-[60vh] 2xl:max-h-[60vh]">
                <?php require "management-product.php" ?>
            </div>
            <div id="transactions-section" class="bg-[#FF1695] rounded-lg border-</pre>
2 border-cyan-400 w-full max-w-full h-[90vh] flex flex-col items-center justify-
center mt-8 gap-4 sm:p-4 lg:h-[129vh] lg:max-h-[129vh] xl:h-[135vh] xl:max-h-
[135vh] 2xl:h-[60vh] 2xl:max-h-[60vh]">
```

```
<?php require "management-transaction.php" ?>
            </div>
        </div>
        <style>
            @media (min-width: 320px) {
                th,
                td {
                    padding: 2px;
                    font-size: 10px;
            @media (min-width: 1024px) {
                th,
                td {
                    padding: 2px;
                    font-size: .7rem;
            @media (min-width: 1536px) {
                th,
                td {
                    padding: 4px;
                    font-size: .9rem;
        </style>
    </div>
    </div>
    </div>
    <script src="https://kit.fontawesome.com/d870978cd1.js"</pre>
crossorigin="anonymous"></script>
</body>
</html>
```

# File: sales-bestselling.php

```
<?php
    include "../config/config.php";
   $currentYear = date("Y");
   $currentDay = date("d");
    $currentMonth = date("m");
   $yearFilter = (!empty($_POST['year'])) ? "= ".$_POST['year'] : "!= 0";
   $monthFilter = (!empty($_POST['month'])) ? "= ".$_POST['month'] : "!= 0";
   $categoryFilter = (!empty($_POST['category'])) ? "= ".$_POST['category'] :
"!= 0";
   if(isset($_POST['category'])) {
        if($_POST['category'] == 1) {
            $category = "DISPOSABLE VAPES";
        } else if($_POST['category'] == 2) {
            $category = "VAPE JUICES";
        } else if($_POST['category'] == 3) {
            $category = "POD KITS";
        } else {
            $category = "PRODUCTS";
    } else {
        $category = "PRODUCTS";
    // $bestSellingFilter = "SELECT * FROM products JOIN inventory_tbl ON
products.product_id = inventory_tbl.item_id ORDER BY sold DESC LIMIT 1";
    $bestSellingFilter = "SELECT"
       products.product_name,
        products.flavor, products.color,
        products.product_id, SUM(product_quantity) AS total_quantity
    FROM orders
    JOIN products ON orders.product id = products.product id
    JOIN transaction tbl ON orders.transaction id =
transaction tbl.transaction id
   WHERE DATE_FORMAT(transaction_date, '%m') $monthFilter
   AND DATE_FORMAT(transaction_date, '%Y') $yearFilter
   AND category_id $categoryFilter
   GROUP BY product id
   ORDER BY total_quantity DESC";
   $bestSellingFilterResult = mysqli_query($conn, $bestSellingFilter);
   // $bestSellingFilterRow = mysqli_fetch_assoc($bestSellingFilterResult);
    if($bestSellingFilterRow = mysqli fetch assoc($bestSellingFilterResult)) {
```

```
$bestSellingName = $bestSellingFilterRow['product name'];
        $bestSellingNameExt = ($bestSellingFilterRow['flavor'] == "NULL" ||
$bestSellingFilterRow['flavor'] == "N/A") ? $bestSellingFilterRow['color'] :
$bestSellingFilterRow['flavor'];
        $bestSellingQuantity = $bestSellingFilterRow['total quantity'];
    } else {
        $bestSellingName = "NO $category SOLD IN THIS DATE";
        $bestSellingNameExt = "";
        $bestSellingQuantity = "0";
<h1 class="setPoppins text-base text-white text-center font-semibold
uppercase">Best Selling Product</h1>
<i class="fa-solid fa-trophy text-4xl text-white"></i></i>
<h2 class="setOpenSans text-sm text-[#33FCFF] font-bold text-center"><?php echo</pre>
$bestSellingName . " " . $bestSellingNameExt ?></h2>
<h2 class="setOpenSans text-xs text-[#33FCFF] font-semibold"><?php echo</pre>
$bestSellingQuantity ?> Units Sold</h2>
<script>
    $(document).ready(function () {
        $('#product-search').click(function(e) {
        console.log("SEARCH");
            const search = document.getElementById('search-value');
            $('#products-section').load('management-product.php', { searchValue:
search.value });
        });
    });
</script>
```

# File: sales-profitpercentage.php

```
<?php
include "../config/config.php";
$yearFilter = (!empty($_POST['year'])) ? "= " . $_POST['year'] : "!= 0";
$monthFilter = (!empty($_POST['month'])) ? "= " . $_POST['month'] : "!= 0";
$categoryFilter = (!empty($_POST['category'])) ? "= " . $_POST['category'] : "!= 0";
if (isset($_POST['category'])) {
    if ($_POST['category'] == 1) {
        $category = "DISPOSABLE VAPES";
    } else if ($_POST['category'] == 2) {
        $category = "VAPE JUICES";
    } else if ($_POST['category'] == 3) {
        $category = "POD KITS";
}</pre>
```

```
} else {
        $category = "PRODUCTS";
} else {
    $category = "PRODUCTS";
$getTotalCapital = "SELECT
    SUM(product quantity*((price*0.80)-100)) as total capital
FROM orders
JOIN products ON orders.product id = products.product id
JOIN transaction tbl ON orders.transaction id = transaction tbl.transaction id
WHERE DATE FORMAT(transaction date, '%m') $monthFilter
AND DATE_FORMAT(transaction_date, '%Y') $yearFilter
AND category id $categoryFilter";
$totalCapitalResult = mysqli_query($conn, $getTotalCapital);
$getTotalSales = "SELECT
    SUM(product quantity*price) as total
FROM orders
JOIN products ON orders.product id = products.product id
JOIN transaction tbl ON orders.transaction id = transaction tbl.transaction id
WHERE DATE_FORMAT(transaction_date, '%m') $monthFilter
AND DATE FORMAT(transaction date, '%Y') $yearFilter
AND category id $categoryFilter";
$totalSalesResult = mysqli query($conn, $getTotalSales);
$totalSales = mysqli_fetch_assoc($totalSalesResult)['total'];
$totalCapital = mysqli fetch assoc($totalCapitalResult)['total capital'];
$totalProfit = $totalSales - $totalCapital;
$totalProfitPercentage = ($totalSales > 0) ? ($totalProfit/$totalSales)*100 : 0;
<h1 class="w-full setPoppins text-center text-xl text-white font-bold
uppercase">Profit Percentage</h1>
<div class="pie-chart border-2 border-[#1A1D3B]" data-percent="30" style="</pre>
    width: 240px;
    height: 240px;
    background: conic-gradient(
        #33FCFF 0% calc(<?php echo $totalProfitPercentage ?> * 1%),
        transparent calc(<?php echo $totalProfitPercentage ?> * 1%) 100%
    ), conic-gradient(
        #A2162F 0% calc(<?php echo $totalProfitPercentage*-1 ?> * 1%),
        transparent calc(<?php echo $totalProfitPercentage*-1 ?> * 1%) 100%
```

```
), conic-gradient(
        #FFFF 0% calc(100 * 1%),
        transparent calc(100 * 1%) 100%
    border-radius: 50%;
    position: relative;
    <h1 class="setPoppins" style="position: relative; top: 50%; left: 50%;</pre>
transform: translate(-50%, -50%); text-align: center; font-weight: bold; font-
size: 2rem; color: #1A1D3B; text-shadow: 2px 2px 4px rgba(0, 0, 0, 0.8);
transition: background 0.5s ease-in-out;"><?php echo</pre>
number format($totalProfitPercentage, 2) . "%" ?></h1>
</div>
<!-- <div class="pie-chart md:w-[100px] md:h-[100px] lg:w-[110px] lg:h-[110px]">
    <div class="slice one"></div>
    <div class="slice two"></div>
    <div class="slice three"></div>
</div> -->
<script>
    $(document).ready(function () {
        $('#product-search').click(function (e) {
            console.log("SEARCH");
            const search = document.getElementById('search-value');
            $('#products-section').load('management-product.php', { searchValue:
search.value });
        });
    });
</script>
```

### File: sales-topcategory.php

```
<?php
include "../config/config.php";
$currentYear = date("Y");
$currentDay = date("d");
$currentMonth = date("m");

$yearFilter = (!empty($_POST['year'])) ? "= " . $_POST['year'] : "!= 0";
$monthFilter = (!empty($_POST['month'])) ? "= " . $_POST['month'] : "!= 0";

// $bestSellingFilter = "SELECT * FROM products JOIN inventory_tbl ON
products.product_id = inventory_tbl.item_id ORDER BY sold DESC LIMIT 1";
$topCategoryFilter = "SELECT
    products.category_id,</pre>
```

```
categories.category_name,
    SUM(product quantity) AS total quantity
FROM orders
JOIN products ON orders.product id = products.product id
JOIN categories ON products.category_id = categories.category_id
JOIN transaction tbl ON orders.transaction id = transaction tbl.transaction id
WHERE DATE FORMAT(transaction date, '%m') $monthFilter
AND DATE_FORMAT(transaction_date, '%Y') $yearFilter
GROUP BY products.category id, categories.category name
ORDER BY total quantity DESC;
$topCategoryFilterResult = mysqli_query($conn, $topCategoryFilter);
// $topCategoryFilterRow = mysqli fetch assoc($topCategoryFilterResult);
if ($topCategoryFilterRow = mysqli_fetch_assoc($topCategoryFilterResult)) {
    $topCategory = $topCategoryFilterRow["category name"];
} else {
    $topCategory = "NO PRODUCTS SOLD IN THIS DATE";
<h1 class="setPoppins text-base text-white text-center font-semibold
uppercase">Top Category</h1>
<i class="fa-solid fa-award text-5xl text-white"></i>
<h2 class="setOpenSans text-sm text-[#33FCFF] font-bold uppercase"><?php echo</pre>
$topCategory ?></h2>
<script>
    $(document).ready(function () {
        $('#product-search').click(function (e) {
            console.log("SEARCH");
            const search = document.getElementById('search-value');
            $('#products-section').load('management-product.php', { searchValue:
search.value });
        });
    });
</script>
```

#### File: sales-totalprofit.php

```
<?php
include "../config/config.php";
$yearFilter = (!empty($_POST['year'])) ? "= " . $_POST['year'] : "!= 0";
$monthFilter = (!empty($_POST['month'])) ? "= " . $_POST['month'] : "!= 0";
$categoryFilter = (!empty($_POST['category'])) ? "= " . $_POST['category'] : "!= 0";</pre>
```

```
if (isset($ POST['category'])) {
    if ($ POST['category'] == 1) {
        $category = "DISPOSABLE VAPES";
    } else if ($ POST['category'] == 2) {
        $category = "VAPE JUICES";
    } else if ($ POST['category'] == 3) {
        $category = "POD KITS";
    } else {
        $category = "PRODUCTS";
} else {
    $category = "PRODUCTS";
$getTotalCapital = "SELECT"
    SUM(product_quantity*((price*0.80)-100)) as total_capital
FROM orders
JOIN products ON orders.product id = products.product id
JOIN transaction tbl ON orders.transaction id = transaction tbl.transaction id
WHERE DATE_FORMAT(transaction_date, '%m') $monthFilter
AND DATE_FORMAT(transaction_date, '%Y') $yearFilter
AND category id $categoryFilter";
$totalCapitalResult = mysqli query($conn, $getTotalCapital);
$getTotalSales = "SELECT
    SUM(product quantity*price) as total
FROM orders
JOIN products ON orders.product id = products.product id
JOIN transaction tbl ON orders.transaction id = transaction tbl.transaction id
WHERE DATE_FORMAT(transaction_date, '%m') $monthFilter
AND DATE FORMAT(transaction date, '%Y') $yearFilter
AND category id $categoryFilter";
$totalSalesResult = mysqli_query($conn, $getTotalSales);
$totalSales = mysqli fetch assoc($totalSalesResult)['total'];
$totalCapital = mysqli fetch assoc($totalCapitalResult)['total capital'];
$totalProfit = $totalSales- $totalCapital;
<h1 class="w-full setPoppins text-xl text-white text-center uppercase font-
bold"><i
        class="fa-solid fa-chart-line mr-4"></i>Total Profit</h1>
<h2 class="w-full setOpenSans text-lg text-[#33FCFF] font-semibold text-center">₱
<?php echo number format($totalProfit, 2) ?></h2>
```

```
<script>
    $(document).ready(function () {
        $('#product-search').click(function (e) {
            console.log("SEARCH");
            const search = document.getElementById('search-value');
            $('#products-section').load('management-product.php', { searchValue:
            search.value });
            });
        });
    });
</script>
```

### File: sales-totalsales.php

```
<?php
include "../config/config.php";
$yearFilter = (!empty($_POST['year'])) ? "= " . $_POST['year'] : "!= 0";
$monthFilter = (!empty($_POST['month'])) ? "= " . $_POST['month'] : "!= 0";
$categoryFilter = (!empty($_POST['category'])) ? "= " . $_POST['category'] : "!=
0";
if (isset($ POST['category'])) {
    if ($_POST['category'] == 1) {
        $category = "DISPOSABLE VAPES";
    } else if ($ POST['category'] == 2) {
        $category = "VAPE JUICES";
    } else if ($_POST['category'] == 3) {
        $category = "POD KITS";
    } else {
        $category = "PRODUCTS";
} else {
    $category = "PRODUCTS";
$getTotalSales = "SELECT
   SUM(product_quantity*price) as total
FROM orders
JOIN products ON orders.product id = products.product id
JOIN transaction_tbl ON orders.transaction_id = transaction_tbl.transaction_id
WHERE DATE FORMAT(transaction date, '%m') $monthFilter
AND DATE_FORMAT(transaction_date, '%Y') $yearFilter
AND category_id $categoryFilter";
$TotalSalesResult = mysqli query($conn, $getTotalSales);
```

```
<h1 class="w-full setPoppins text-xl text-white text-center uppercase font-
bold"><i
        class="fa-solid fa-wallet mr-4"></i>Total Sales</h1>
<h2 class="w-full setOpenSans text-lg text-[#33FCFF] font-semibold text-center">₱
<?php echo number_format(mysqli_fetch_assoc($TotalSalesResult)['total'],</pre>
2)?></h2>
<script>
    $(document).ready(function () {
        $('#product-search').click(function (e) {
            console.log("SEARCH");
            const search = document.getElementById('search-value');
            $('#products-section').load('management-product.php', { searchValue:
search.value });
        });
    });
</script>
```

#### File: sales.php

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Admin - Sales Dashboard</title>
    <!-- Tailwind CSS -->
    <link rel="stylesheet" href="../styles/output.css">
    <link rel="stylesheet" href="./sales.css">
    <link rel="shortcut icon" href="../assets/Favicon Retro.png" type="image/x-</pre>
icon">
    <script src="https://code.jquery.com/jquery-3.7.1.min.js"</pre>
        integrity="sha256-/JqT3SQfawRcv/BIHPThkBvs00EvtFFmqPF/lYI/Cxo="
crossorigin="anonymous"></script>
    <style>
        ::-webkit-scrollbar {
            width: 10px;
        ::-webkit-scrollbar-track {
            background-color: #1A1D3B;
```

```
::-webkit-scrollbar-thumb {
            background: linear-gradient(#1A1D3B, #FF1695, #1A1D3B);
            border-radius: 50px;
    </style>
</head>
<body class="bg-[#1A1D3B]">
    <?php
    define('SOURCE_PATH', '../assets/Retro_Clouds_VS.jpg');
    include("./adminNav.php");
    include "../config/config.php";
    $getAllProducts = "SELECT * FROM products JOIN inventory tbl ON
products.product id = inventory tbl.item id";
    $getYearRange = "SELECT
    DATE FORMAT(transaction date, '%Y') AS order_year,
    MIN(DATE_FORMAT(transaction_date, '%Y')) AS min_year,
    MAX(DATE_FORMAT(transaction_date, '%Y')) AS max_year
    FROM transaction tbl";
    $yearRange = mysqli query($conn, $getYearRange);
    $yearRangeRow = mysqli_fetch_assoc($yearRange);
    <form action="">
        <div class="w-full max-w-full h-auto flex flex-col items-start justify-</pre>
start flex-wrap">
            <div class="w-full flex items-center justify-start p-4 gap-2</pre>
mobilemd:p-6 mobilelg:px-8 sm:px-8 md:px-10 py-8">
                <img
src="../../frontend/assets/Catalog/logos/Retro_Clouds_VS.jpg" class="h-auto w-
[80px] mix-blend-lighten">
                <h1 class="setTourney text-2xl uppercase font-semibold">Retro
Clouds</h1>
            </div>
            <div class="w-full flex flex-col items-start justify-start flex-wrap</pre>
gap-4 p-4 mobilemd:p-6 mobilelg:px-8 sm:px-8 md:px-10 lg:px-12 md:grid md:grid-
cols-2 lg:gap-8 xl:px-14 xl:gap-14 laptopxxl:px-16 laptopxxl:gap-20 2xl:px-20
2x1:gap-28">
                <!-- Right Side in Large Scale -->
                <div class="w-full flex flex-1 flex-col items-start justify-</pre>
start">
```

```
<div class="w-full flex flex-col items-start justify-start</pre>
gap-4 lg:gap-6">
                        <div class="w-full flex flex-col items-center justify-</pre>
center">
                             <h1 class="setPoppins text-white text-[1.7rem]
uppercase font-bold w-full text-center">Sales Dashboard</h1>
                            <h2 class="setOpenSans text-[#33FCFF] text-sm</pre>
uppercase font-normal w-full text-center">Retro Clouds Vape Lounge</h2>
                             <div class="w-full flex items-start justify-between</pre>
gap-4 my-4">
                                 <select name="" id="month" class="w-full ouline-</pre>
none bg-[#1A1D3B] border border-white rounded-full p-2 setPoppins text-white
text-center text-sm uppercase font-semibold">
                                     <option value="" selected>Month
                                     <option value="1">January</option>
                                     <option value="2">February</option>
                                     <option value="3">March</option>
                                     <option value="4">April</option>
                                     <option value="5">May</option>
                                     <option value="6">June</option>
                                     <option value="7">July</option>
                                     <option value="8">August</option>
                                     <option value="9">September</option>
                                     <option value="10">October</option>
                                     <option value="11">November</option>
                                     <option value="12">December</option>
                                 </select>
                                 <select name="" id="year" class="w-full ouline-</pre>
none bg-[#1A1D3B] border border-white rounded-full p-2 setPoppins text-white
text-center text-sm uppercase font-semibold">
                                     <option value="" selected>Year</option>
                                     <?php
                                         for($x = $yearRangeRow['min year']; $x <=</pre>
$yearRangeRow['max_year']; $x++) {
                                             echo "
                                                 <option value='$x'>$x</option>
                                 </select>
                             </div>
                         </div>
```

```
<div class="w-full bg-gradient-to-b from-[#FF1695] to-</pre>
[#990D5A] rounded-xl border-2 border-[#33FCFF] flex flex-col items-start justify-
start p-4">
                            <div class="w-full flex flex-col items-center"</pre>
justify-start gap-4">
                                 <h1 class="w-full setPoppins text-white uppercase
font-bold text-xl text-center">Product Categories</h1>
                                 <div data-value="3" class="category cursor-</pre>
pointer w-full setOpenSans text-base text-white uppercase font-semibold text-
center bg-gradient-to-b from-[#33FCFF] to-[#990D5A] px-2 py-3 border-2 border-
white rounded-lg">Vape Pods</div>
                                 <div data-value="2" class="category cursor-</pre>
pointer w-full setOpenSans text-base text-white uppercase font-semibold text-
center bg-gradient-to-b from-[#33FCFF] to-[#990D5A] px-2 py-3 border-2 border-
white rounded-lg">Vape Juices</div>
                                 <div data-value="1" class="category cursor-</pre>
pointer w-full setOpenSans text-base text-white uppercase font-semibold text-
center bg-gradient-to-b from-[#33FCFF] to-[#990D5A] px-2 py-3 border-2 border-
white rounded-lg">Disposables</div>
                                 <!-- <div id="category-input">
                                     <input type="hidden" id="category" value="">
                                 </div> -->
                             </div>
                         </div>
                         <div class="w-full max-w-full flex flex-1 flex-col items-</pre>
start justify-start flex-wrap gap-4 md:grid md:grid-cols-2">
                             <div class="w-full bg-gradient-to-b from-[#FF1695]</pre>
to-[#990D5A] rounded-xl border-2 border-[#33FCFF] flex flex-col items-start
justify-start p-4 md:h-[145px] md:max-h-[145px] md:items-center md:justify-center
lg:h-[150px] lg:max-h-[150px]">
                                 <div id="total-sales" class="w-full flex flex-col
items-center justify-start gap-4">
                                     <?php require "sales-totalsales.php" ?>
                                 </div>
                             </div>
                             <div class="w-full bg-gradient-to-b from-[#FF1695]</pre>
to-[#990D5A] rounded-xl border-2 border-[#33FCFF] flex flex-col items-start
justify-start p-4 md:h-[145px] md:max-h-[145px] md:items-center md:justify-center
lg:h-[150px] lg:max-h-[150px] ">
                                 <div id="total-profit" class="w-full flex flex-</pre>
col items-center justify-start gap-4">
                                     <?php require "sales-totalprofit.php" ?>
                                 </div>
```

```
</div>
                         </div>
                     </div>
                 </div>
                 <!-- Left Side in Large Scale -->
                 <div class="w-full flex flex-1 flex-col justify-center items-</pre>
center flex-wrap">
                     <div class="w-full flex flex-1 justify-center items-center</pre>
flex-col gap-4">
                              <div class="w-full bg-gradient-to-b from-[#FF1695]</pre>
to-[#990D5A] rounded-xl border-2 border-[#33FCFF] flex flex-col items-start
justify-start gap-4 p-4 md:gap-2 md:p-2">
                             <div class="w-full flex items-center justify-</pre>
between">
                                  <a href="" class="w-full setPoppins text-sm text-</pre>
[#33FCFF] text-center uppercase font-semibold">Sales Type</a>
                                 <a href="" class="w-full setPoppins text-sm text-</pre>
[#33FCFF] text-center uppercase font-semibold">Payment Mode</a>
                             </div>
                             <div class="w-full flex flex-col items-center"</pre>
justify-center">
                                  Sales and Payment Mode
                                  <div class="w-[130px] h-[130px] bg-[#1A1D3B]</pre>
rounded-full md:w-[100px] md:h-[100px] lg:w-[110px] lg:h-[110px]"></div>
                             </div>
                             <div class="w-full flex items-center justify-evenly">
                                  <div class="w-full flex items-center justify-</pre>
                                      <i class="fa-solid fa-square-full text-</pre>
[#33FCFF]"></i>
                                      <h1 class="setPoppins text-white text-base"
text-center uppercase font-bold tracking-wider">Online</h1>
                                  </div>
                                  <div class="w-full flex items-center justify-</pre>
center gap-2">
                                      <i class="fa-solid fa-square-full text-</pre>
[#1A1D3B]"></i>
                                      <h1 class="setPoppins text-white text-base"
text-center uppercase font-bold tracking-wider">Cash</h1>
```

```
</div>
                         </div> -->
                         <div class="w-full bg-gradient-to-b from-[#FF1695] to-</pre>
[#990D5A] rounded-xl border-2 border-[#33FCFF] flex flex-col items-start justify-
start p-4">
                             <!-- Profit Percentage -->
                             <div id="profit-percentage" class="w-full flex flex-</pre>
col items-center justify-center gap-4">
                                 <?php require "sales-profitpercentage.php" ?>
                             </div>
                         </div>
                         <div class="w-full h-auto flex items-start justify-start</pre>
gap-2 lg:col-span-2">
                             <div id="best-selling" class="w-full h-[30vh] max-h-</pre>
[30vh] overflow-hidden flex flex-col items-center justify-evenly gap-2 bg-
gradient-to-b from-[#FF1695] to-[#990D5A] rounded-xl border-2 border-[#33FCFF] p-
2">
                                 <?php require "sales-bestselling.php" ?>
                             </div>
                             <div id="top-category" class="w-full h-[30vh] flex</pre>
flex-col items-center justify-evenly gap-4 overflow-hidden bg-gradient-to-b from-
[#FF1695] to-[#990D5A] rounded-xl border-2 border-[#33FCFF] p-2">
                                 <?php require "sales-topcategory.php" ?>
                             </div>
                         </div>
                     </div>
                </div>
            </div>
        </div>
    </form>
    <!-- Font Awesome -->
    <script src="https://kit.fontawesome.com/d870978cd1.js"</pre>
crossorigin="anonymous"></script>
    <!-- External JavaScript -->
</body>
</html>
<script>
    $(document).ready(function () {
        var category = "";
        $('.category').click(function(e) {
```

```
const month = document.getElementById('month').value;
            const year = document.getElementById('year').value;
            category = e.target.dataset.value;
            console.log(category);
            updateSales(month, year, category);
        });
        $('#month').change(function(e) {
            const month = document.getElementById('month').value;
            const year = document.getElementById('year').value;
            category = e.target.dataset.value;
            updateSales(month, year, category);
        });
        $('#year').change(function(e) {
            const month = document.getElementById('month').value;
            const year = document.getElementById('year').value;
            category = e.target.dataset.value;
            updateSales(month, year, category);
        });
    });
    function updateSales(month, year, category) {
        $('#total-sales').load('sales-totalsales.php', { month: month, year:
year, category: category });
        $('#total-profit').load('sales-totalprofit.php', { month: month, year:
year, category: category });
        $('#profit-percentage').load('sales-profitpercentage.php', { month:
month, year: year, category: category });
        $('#best-selling').load('sales-bestselling.php', { month: month, year:
year, category: category });
        $('#top-category').load('sales-topcategory.php', { month: month, year:
year });
</script>
```

#### File: users.php

```
<link rel="stylesheet" href="./sales.css">
    <link rel="shortcut icon" href="../assets/Favicon Retro.png" type="image/x-</pre>
icon">
   <style>
        ::-webkit-scrollbar {
            width: 10px;
        ::-webkit-scrollbar-track {
            background-color: #1A1D3B;
        ::-webkit-scrollbar-thumb {
            background: linear-gradient(#1A1D3B, #FF1695, #1A1D3B);
   </style>
</head>
<body class="bg-[#1A1D3B]">
   define('SOURCE_PATH', '../assets/Retro_Clouds_VS.jpg');
    include("./adminNav.php");
    require("../config/database.php");
    ini set("display errors", 0);
   $conn = new mysqli(DBHOST, DBUSER, DBPASSWORD, DBNAME);
    if ($conn->connect_error) {
        die("Connection failed: " . $conn->connect_error);
   $sqlGetAllUsers = "SELECT * FROM customer tbl";
   $result1 = $conn->query($sqlGetAllUsers);
   if (!$result1) {
        die("Query failed: " . $conn->error);
   $disableSubmit = true;
    if(isset($ POST["searchBtn"])){
        $disableSubmit = false;
        $sqlFetchUserData= "SELECT * FROM customer_tbl WHERE
email='{$ POST['userEmailTxt']}'";
       $result2 = $conn->query($sqlFetchUserData);
       if (!$result2) {
```

```
die("Query failed: ". $conn->error);
        $userdata = $result2->fetch assoc();
        $affectedRows=$result2->num rows;
        if($affectedRows <=0){</pre>
            echo "<script> alert('No registered user found');</script>";
       if (isset($ POST["updateBtn"])) {
           $disableSubmit = true;
           $status = $ POST['userStatusLst'];
            $sqlGetUpdateUser = "UPDATE customer_tbl
               SET account_status = '$status'
               WHERE email='{$ POST['userEmailTxt']}'";
           $result3 = $conn->query($sqlGetUpdateUser);
           if (!$result3) {
               die("Query failed: " . $conn->error);
    <div class='flex items-center justify-center p-3 gap-2'>
        <img src="../assets/Retro_Clouds_VS.jpg" class="h-auto w-[50px] rounded-</pre>
full mix-blend-lighten">
       <h1 class="retro clouds h1 uppercase font-bold text-2xl">Retro
Clouds</h1>
   </div>
    <div class="w-full h-auto py-2 px-4 lg:grid lg:grid-cols-4 lg:gap-4 lg:p-6">
        <div class="w-full h-[15vh] flex flex-col justify-center items-center</pre>
lg:col-span-4 laptopxxl:gap-4">
           <h1 class="text-[#fafafa] text-2xl poppins uppercase font-bold text-
center lg:text-[2rem] laptopxxl:text-4xl">Users Dashboard</h1>
            retro cloudes vape
lounge
       </div>
       <form method="post" class="w-full flex flex-1 flex-col lg:col-span-1">
```

```
<div class="bg-[#FF1695] rounded-lg border-2 border-cyan-400 w-</pre>
full max-w-full h-auto flex flex-col items-start justify-start flex-wrap px-2 py-
4 mt-8 iphone:p-4 lg:p-2 xl:p-4">
                     <div class="w-full flex flex-col items-start justify-start</pre>
gap-4 md:gap-6 lg:gap-4">
                         <h1 class="headings text-[#fafafa] font-bold text-lg
uppercase w-full iphone:text-xl sm:text-2xl md:text-4xl lg:text-2xl lg:text-
center">UPDATE USER</h1>
                         <div class="bg-[#33FCFF] text-[#FF1695] flex items-center</pre>
rounded-sm justify-start gap-2 p-3 w-full sm:px-6 lg:p-2">
                             <label class="headings text-[#FF1695] text-sm font-</pre>
bold w-[55%] sm:text-base md:text-lg lg:text-sm lg:w-[80%] x1:w-[50%] 2x1:w-[45%]
laptopxxl:text-base">Email:</label>
                             <input type="email" name="userEmailTxt" class="w-full</pre>
p-1 bg-transparent outline-none border-b border-[#fafafa] text-sm texts font-
medium sm:text-base md:text-lg lg:text-sm lg:p-1 xl:text-base"
placeholder="Email..." autocomplete="off" value="<?php</pre>
if(isset($_POST['userEmailTxt'])){echo $userdata['email']; } else { echo "
 ';}
                         </div>
                         <div class="bg-[#33FCFF] text-[#FF1695] flex items-center</pre>
rounded-sm justify-start gap-2 p-3 w-full sm:px-6 lg:p-2">
                             <label class="headings text-[#FF1695] text-sm font-</pre>
bold w-[55%] sm:text-base md:text-lg lg:text-sm lg:w-[80%] x1:w-[50%] 2x1:w-[45%]
laptopxxl:text-base">First Name:</label>
                             <input type="text" name="" class="w-full p-1 bg-</pre>
transparent outline-none border-b border-[#fafafa] text-sm texts font-medium
sm:text-base md:text-lg lg:text-sm lg:p-1 xl:text-base" placeholder="First
Name..." autocomplete="off" disabled value="<?php</pre>
if(isset($_POST['userEmailTxt'])){echo ucwords($userdata['fname']); } else { echo
"";} ?>">
                         </div>
                         <div class="bg-[#33FCFF] text-[#FF1695] flex items-center</pre>
rounded-sm justify-start gap-2 p-3 w-full sm:px-6 lg:p-2">
                             <label class="headings text-[#FF1695] text-sm font-</pre>
bold w-[55%] sm:text-base md:text-lg lg:text-sm lg:w-[80%] x1:w-[50%] 2x1:w-[45%]
laptopxxl:text-base">Last Name:</label>
                             <input type="text" name="" class="w-full p-1 bg-</pre>
transparent outline-none border-b border-[#fafafa] text-sm texts font-medium
sm:text-base md:text-lg lg:text-sm lg:p-1 x1:text-base" placeholder="Last
Name..." autocomplete="off" disabled value="<?php</pre>
if(isset($_POST['userEmailTxt'])){echo ucwords($userdata['lname']); } else { echo
```

```
</div>
                             <div class="bg-[#33FCFF] text-[#FF1695] flex items-center</pre>
rounded-sm justify-start gap-2 p-3 w-full sm:px-6 lg:p-2">
                                  <label class="headings text-sm font-bold w-[55%]</pre>
sm:text-base md:text-lg lg:text-sm lg:w-[80%] x1:w-[50%] 2x1:w-[45%]
laptopxxl:text-base">Birth Date:</label>
                                  <input type="date" name="" min="<?php echo date('Y-m-</pre>
d'); ?>" max="<?php echo date('Y-m-d', strtotime('+365 days')); ?>" class="w-full
p-1 bg-transparent outline-none border-b border-[#fafafa] text-sm texts font-
medium sm:text-base md:text-lg lg:text-sm lg:p-1 xl:text-base" disabled
id="datePicker" value="<?php if(isset($_POST['userEmailTxt'])){echo</pre>
$userdata['birthday']; } else { echo "";} ?>">
                             </div>
                             <div class="bg-[#33FCFF] text-[#FF1695] flex items-center</pre>
rounded-sm justify-start gap-2 p-3 w-full sm:px-6 lg:p-2">
                                  <label class="headings text-sm font-bold w-[55%]</pre>
sm:text-base md:text-lg lg:text-sm lg:w-[80%] x1:w-[50%] 2x1:w-[45%]
laptopxxl:text-base">Status:</label>
                                  <select name="userStatusLst" class="w-full p-1 bg-</pre>
transparent outline-none border-b border-[#fafafa] text-sm texts font-medium
sm:text-base md:text-lg lg:text-sm lg:p-1 xl:text-base" <?php if ($disableSubmit)</pre>
echo 'disabled'; ?>>
                                       <option value="" selected>Select</option>
                                       <option value="VERIFIED">VERIFIED</option>
                                       <option value="DENIED">DENIED</option>
                                  </select>
                             </div>
                             <div class="w-full flex gap-4 lg:flex-col 2xl:grid">div class="w-full flex gap-4 lg:flex-col 2xl:grid"
2x1:grid-cols-2">
                                  <input type="submit" name="searchBtn" value="Search</pre>
User" class="text-white poppins font-bold bg-gradient-to-b from-[#FF1695] to-
[#33FCFF] flex items-center justify-center text-sm gap-1 rounded-full w-full
border border-white py-1 px-4 cursor-pointer uppercase iphone:py-2">
                                  <input type="submit" name="updateBtn" value="Update</pre>
User" class="text-white poppins font-bold bg-gradient-to-b from-[#FF1695] to-
[#33FCFF] flex items-center justify-center text-sm gap-1 rounded-full w-full
border border-white py-1 px-4 cursor-pointer uppercase iphone:py-2" <?php if
($disableSubmit) echo 'disabled'; ?>>
                             </div>
                        </div>
                   </div>
```

```
</form>
      <div class="w-full max-w-full h-auto flex flex-col items-center justify-</pre>
center gap-4 lg:col-span-3">
         <div class="bg-[#FF1695] rounded-lg border-2 border-cyan-400 w-full</pre>
max-w-full h-[90vh] flex flex-col items-start justify-start px-2 py-4 mt-8 gap-4
iphone:p-4 xl:p-6 2xl:p-8">
             <h1 class="text-[#fafafa] text-lg font-bold poppins lg:text-2xl
lg:w-full">USERS REGISTERED</h1>
             <div class="w-full h-[90%] flex items-center justify-center</pre>
overflow-x-scroll overflow-y-scroll relative iphone:overflow-x-hidden">
                absolute top-0">
                   <thead>
                      [#FF1695]">
                          iphone:px-4 iphone:py-2 sm:text-base xl:py-3 xl:px-5 xl:font-bold 2xl:text-lg
2x1:uppercase 2x1:font-black 2x1:py-4">Full Name
                          iphone:px-4 iphone:py-2 sm:text-base xl:py-3 xl:px-5 xl:font-bold 2xl:text-lg
2x1:uppercase 2x1:font-black 2x1:py-4">Email
                          iphone:px-4 iphone:py-2 sm:text-base xl:py-3 xl:px-5 xl:font-bold 2xl:text-lg
2x1:uppercase 2x1:font-black 2x1:py-4">Birthdate
                          iphone:px-4 iphone:py-2 sm:text-base xl:py-3 xl:px-5 xl:font-bold 2xl:text-lg
2x1:uppercase 2x1:font-black 2x1:py-4">Status
                   </thead>
                   <?php
                      ini set("display errors", 0);
                      count = 10;
                      while ( $users = $result1 -> fetch assoc()) {
                          iphone:py-2 sm:text-sm xl:text-base xl:font-medium 2xl:text-lg 2xl:py-4"><?php</pre>
echo ucwords($users['fname']). " " . ucwords($users['lname']); ?>
                             <td class="px-2 py-1 border-2 border-white
iphone:py-2 sm:text-sm xl:text-base xl:font-medium 2xl:text-lg 2xl:py-4"><?php</pre>
echo lcfirst($users['email']); ?>
```

```
text-center iphone:py-2 sm:text-sm xl:text-base xl:font-medium 2xl:text-lg
2x1:py-4"><?php echo $users['birthday']; ?>
                                 <td class="px-2 py-1 border-2 border-white
text-center iphone:py-2 sm:text-sm xl:text-base xl:font-medium 2xl:text-lg
2x1:py-4"> <?php echo $users['account_status']; ?>
                             <?php
                             $i++;
                         };
                      </div>
              <h1 class="text-[#fafafa] text-base font-bold poppins
iphone:text-lg lg:text-2xl">TOTAL USER COUNT : <?php echo $result1->num_rows. "
USERS "; ?></h1>
           </div>
           <style>
              @media (min-width: 320px) {
                  th,
                  td {
                      padding: 2px;
                      font-size: 10px;
              @media (min-width: 1024px) {
                  th,
                  td {
                      padding: 2px;
                      font-size: .7rem;
              @media (min-width: 1536px) {
                  th,
                  td {
                      padding: 4px;
                      font-size: .9rem;
           </style>
       </div>
   </div>
```

# **Config folder**

File: config.php

```
    $servername = "localhost";
    $username = "root";
    $password = "";
    $dbname = "retro";

$conn = new mysqli($servername, $username, $password, $dbname);

if ($conn->connect_error) {
        die("Connection failed: " . $conn->connect_error);
}
```

## File: database.php

```
    $servername = "localhost";
    $username = "root";
    $password = "";
    $dbname = "retro";

$conn = new mysqli($servername, $username, $password, $dbname);

if ($conn->connect_error) {
        die("Connection failed: " . $conn->connect_error);
    }
}
```

#### File: footer.php

```
<?php
function setFooterLogo()
    echo SOURCE_FOOTER;
function footer()
    <div class="w-full max-w-full h-auto p-4 bg-[#1A1D3B] flex flex-1 flex-col</pre>
items-start justify-start flex-wrap py-12 mobilemd:px-6 sm:px-8 md:px-10 lg:px-12
xl:px-14 xl:mb-14 laptopxxl:px-16 laptopxxl:mb-18 laptopxxl:py-20 2xl:px-20">
        <div class="w-full max-w-full h-auto flex flex-1 flex-col items-start</pre>
justify-start gap-8 mobilelg:grid mobilelg:grid-cols-2 mobilelg:gap-x-0 lg:grid
lg:grid-cols-3 lg:gap-8">
           <div class="w-full flex flex-col items-start justify-start gap-4</pre>
mobilelg:col-span-2 lg:col-span-1 laptopxxl:gap-6">
                <img src="<?php setFooterLogo(); ?>" class="h-auto w-[80px] mix-
blend-lighten sm:w-[100px] md:w-[120px]">
               sm:text-sm md:text-base laptopxxl:text-lg 2xl:w-1/2">All you need to create a
perfect cloud.
               <div class="w-full flex-1 gap-8 mobilelg:col-span-2 sm:gap-12</pre>
lg:col-span-1 hidden lg:flex lg:gap-4 laptopxxl:gap-6">
                   <a href="https://www.facebook.com/RetroClouds"</pre>
target="_blank" class="w-[40px] h-[40px] rounded-full flex items-center justify-
center text-center bg-[#FF1695] text-xl text-white sm:w-[50px] sm:h-[50px]
sm:text-2xl lg:w-[40px] lg:h-[40px] lg:text-lg"><i class="fa-brands fa-facebook-
f"></i></a>
                   <a href="" class="w-[40px] h-[40px] rounded-full flex items-
center justify-center text-center bg-[#FF1695] text-xl text-white sm:w-[50px]
sm:h-[50px] sm:text-2xl lg:w-[40px] lg:h-[40px] lg:text-lg"><i><i class="fa-
brands fa-instagram"></i></i></a>
                   <a href="mailto:johnjosephnavarro@yahoo.com" class="w-[40px]</pre>
h-[40px] rounded-full flex items-center justify-center text-center bg-[#FF1695]
text-xl text-white sm:w-[50px] sm:h-[50px] sm:text-2xl lg:w-[40px] lg:h-[40px]
lg:text-lg"><i class="fa-solid fa-envelope"></i></a>
                </div>
           </div>
```

```
<div class="w-full flex flex-1 gap-8 mobilelg:col-span-2 sm:gap-12</pre>
lg:col-span-1 lg:hidden">
                <a href="https://www.facebook.com/RetroClouds" target=" blank"</pre>
class="w-[40px] h-[40px] rounded-full flex items-center justify-center text-
center bg-[#FF1695] text-xl text-white sm:w-[50px] sm:h-[50px] sm:text-2xl"><i</pre>
class="fa-brands fa-facebook-f"></i></a>
                <a href="" class="w-[40px] h-[40px] rounded-full flex items-
center justify-center text-center bg-[#FF1695] text-xl text-white sm:w-[50px]
sm:h-[50px] sm:text-2xl"><i>i class="fa-brands fa-instagram"></i></i></a>
                <a href="" class="w-[40px] h-[40px] rounded-full flex items-
center justify-center text-center bg-[#FF1695] text-xl text-white sm:w-[50px]
sm:h-[50px] sm:text-2xl"><i class="fa-solid fa-envelope"></i></a>
            </div>
            <div class="w-full grid grid-cols-2 grid-rows-1 mobilelg:col-span-2</pre>
lg:col-span-1">
                <div class="w-full flex flex-col items-start justify-start gap-6</pre>
sm:gap-4 lg:gap-12">
                    <h2 class="retro clouds h2 w-full text-[#FF1695] uppercase</pre>
text-sm font-bold mb-4 sm:text-base md:text-lg lg:text-base laptopxxl:text-
lg">Quick Links</h2>
                    <a href="index.php" class="hover:text-[#FF1695]</pre>
retro clouds p w-full text-white uppercase text-xs font-bold sm:text-sm md:text-
base lg:text-sm laptopxxl:text-base">Home</a>
                    <a href="about.php" class="hover:text-[#FF1695]</pre>
retro clouds p w-full text-white uppercase text-xs font-bold sm:text-sm md:text-
base lg:text-sm laptopxxl:text-base">About</a>
                    <a href="testimonials.php" class="hover:text-[#FF1695]</pre>
retro clouds p w-full text-white uppercase text-xs font-bold sm:text-sm md:text-
base lg:text-sm laptopxxl:text-base">Testimonials</a>
                    <a href="catalog.php" class="hover:text-[#FF1695]</pre>
retro clouds p w-full text-white uppercase text-xs font-bold sm:text-sm md:text-
base lg:text-sm laptopxxl:text-base">Catalog</a>
                </div>
                <div class="w-full flex flex-col items-center justify-center gap-</pre>
6 sm:gap-4 lg:col-span-1 lg:items-start lg:justify-start lg:gap-8">
                    <h2 class="retro clouds h2 w-full text-[#FF1695] uppercase</pre>
text-sm font-bold mb-4 sm:text-base md:text-lg lg:text-base laptopxxl:text-
lg">Stay Connected</h2>
                    font-bold sm:text-sm md:text-base lg:text-sm laptopxxl:text-base">Pinagsama, City
of Taguig
```

```
font-bold sm:text-sm md:text-base lg:text-sm laptopxxl:text-base">North signal
Vilalge, city of taguig
                 font-bold sm:text-sm md:text-base lg:text-sm laptopxxl:text-base">Central
bicutan, city of taguig
                 font-bold sm:text-sm md:text-base lg:text-sm laptopxxl:text-base">south signal
village, city of taguig
                 font-bold sm:text-sm md:text-base lg:text-sm laptopxxl:text-base">tuktukan, city
of taguig
             </div>
          </div>
          <div class="w-full flex flex-col items-start justify-start gap-2</pre>
mobilelg:col-span-1 sm:justify-between sm:h-full lg:h-auto lg:hidden">
             <h2 class="retro_clouds_h2 text-white text-base font-semibold"</pre>
uppercase w-full">Monday to Friday</h2>
             uppercase w-full">11:00 AM - 10:00 PM
          </div>
          <div class="w-full flex flex-col items-start justify-start gap-4</pre>
mobilelg:col-span-1 mobilelg:gap-2 xl:justify-end xl:items-end xl:text-right">
             <div class="w-full hidden flex-col items-start justify-start gap-</pre>
2 mobilelg:col-span-1 sm:justify-between sm:h-full lg:h-auto lg:flex lg:gap-1">
                 <h2 class="retro clouds h2 text-white text-base font-semibold</pre>
uppe rcase w-full laptopxxl:text-lg">Monday to Friday</h2>
                 uppercase w-full lg:mb-4 xl:mb-8 laptopxxl:text-lg">11:00 AM - 10:00 PM
             <h2 class="retro clouds h2 w-full text-[#FF1695] text-base</pre>
uppercase font-semibold sm:font-bold md:text-lg laptopxxl:text-xl">Subscribe to
our news letter</h2>
             <div class="flex items-start justify-start bg-[#1A1D3B] w-[80%]</pre>
max-w-[80%] h-[33px] rounded-full border-2 border-[#FF1695] mobilelg:w-full
mobilelg:max-w-full xl:w-[70%]">
                 <form action="" method="" class="w-full max-w-full flex">
                    <input type="email" class="w-full border-none outline-</pre>
none bg-[#1A1D3B] rounded-full text-white py-1 px-6 retro clouds h2 text-sm"
placeholder="Your Email...">
                    <a href="" name="setNewsLetter" class="bg-[#33FCFF]</pre>
rounded-e-full px-4 border-s-2 border-[#FF1695] flex items-center justify-center
sm:px-8">
```

```
<span class="text-[#ff1696a4] retro clouds h2</pre>
uppercase text-sm font-bold sm:text-base"><i class="fa-solid fa-right-from-
bracket"></i></span>
                         </a>
                    </form>
                </div>
                <div class="w-full hidden flex-col items-start justify-start gap-</pre>
4 mobilelg:col-span-2 lg:flex lg:mt-4 xl:mt-8">
                    <a href="Terms and Condition.pdf" class="retro clouds h2 w-
full text-white text-sm uppercase font-semibold hover:text-[#33FCFF] sm:text-base
lg:text-lg" download>Terms and Condition</a>
                     <a href="Privacy_and_Policy.pdf" class="retro_clouds_h2 w-</pre>
full text-white text-sm uppercase font-semibold hover:text-[#33FCFF] sm:text-base
lg:text-lg" download="">Privacy and Policy</a>
                    <a href="#scroll-top" class="retro_clouds_h2 hover:text-</pre>
[#33FCFF] w-full text-white text-sm uppercase font-semibold sm:text-base lg:text-
lg">Scroll to Top</a>
                </div>
            </div>
            <div class="w-full flex flex-col items-start justify-start gap-4</pre>
mobilelg:col-span-2 lg:hidden">
                <a href="Terms_and_Condition.pdf" class="retro_clouds_h2 w-full</pre>
text-white text-sm uppercase font-semibold hover:text-[#33FCFF] sm:text-base
lg:text-lg" download>Terms and Condition</a>
                <a href="" class="retro clouds h2 w-full text-white text-sm
uppercase font-semibold sm:text-base" download>Privacy Policy</a>
                <a href="#scroll-top" class="retro_clouds_h2 w-full text-white"</pre>
text-sm uppercase font-semibold sm:text-base">Scroll to Top</a>
        </div>
    </div>
    <div class="w-full max-w-full h-auto bg-[#33FCFF] flex items-center justify-</pre>
center flex-wrap px-2 py-2">
        <h1 class="retro clouds h2 text-center uppercase font-bold text-base
text-[#610049] sm:text-lg">Ivauzch 2024 All Rights Reserved</h1>
    </div>
<?php
```

#### File: Navigation.php

```
<?php
function imageSrc()
    echo SOURCE_PATH;
if (isset($_POST['btnLogout'])) {
    session_destroy();
   header("Location: index.php");
    exit;
<header class="header absolute w-full left-0 top-0 z-50 p-0 mobilemd:p-1</pre>
iphone:p-2 laptopxxl:p-1">
   <div class="mx-auto">
        <div class="custom-nav bg-[#1A1D3B] flex justify-between items-center py-</pre>
2 px-4 mobilemd:rounded-md mobilemd:px-6 sm:px-8 md:px-10 lg:px-12 xl:px-14
laptopxxl:px-16 2xl:px-20">
           <div class="px-0">
               <a href="index.php" class="flex items-center justify-center gap-</pre>
2">
                   <img src="<?php imageSrc(); ?>" class="h-auto w-[50px]
rounded-full mix-blend-lighten md:w-[60px] lg:w-[60px]">
                   <h1 class='retro_clouds_h1 uppercase font-bold text-xl
iphone:text-2xl'>Retro Clouds</h1>
               </a>
           </div>
           <div class="flex items-center">
               <div class="flex lg:hidden cursor-pointer mr-2" id="open-nav-</pre>
menu">
                   <span class='text-[#00FBFF] text-2x1'><i class="fa-solid fa-</pre>
bars-staggered"></i></span>
               </div>
               <nav class="hidden lg:flex px-4">
                   lg:space-x-12 laptopxxl:justify-between laptopxxl:items-center">
                       <a href="index.php" class="poppins block py-3 text-</pre>
base font-bold uppercase text-white hover:text-[#33FCFF] md:text-sm md:py-0
2x1:text-base">Home</a>
```

```
<span href="#" class="poppins flex items-center</pre>
justify-center gap-2 py-3 text-base font-bold uppercase text-white hover:text-
[#33FCFF] md:text-sm 2xl:text-base">Pages <i class="fa-solid fa-chevron-down
text-xs"></i></span>
                                                         t-4 border-[#FF1695] bg-[#33FCFF] shadow-lg rounded-md opacity-0 invisible group-
hover:opacity-100 group-hover:visible transition-opacity duration-300 -translate-
v-3">
                                                                 <a href="about.php" class="poppins font-bold">href="about.php" class="poppins font-bold">href="about.php" class="poppins">href="about.php" class="poppins">href="
uppercase block py-2 px-4 text-base text-[#1A1D3B] hover:text-[#FF1695] md:text-
sm 2xl:text-base">About</a>
                                                                  <a href="testimonials.php" class="poppins" |
font-bold uppercase block py-2 px-4 text-base text-[#1A1D3B] hover:text-[#FF1695]
md:text-sm 2xl:text-base">Testimonials</a>
                                                                  <a href="faqs.php" class="poppins font-bold")</pre>
uppercase block py-2 px-4 text-base text-[#1A1D3B] hover:text-[#FF1695] md:text-
sm 2x1:text-base">Faqs</a>
                                                                 <?php
                                                                 if (!empty($_SESSION['customer_ID'])) {
                                                                                          <a href='users-profile.php'</p>
class='poppins font-bold uppercase block py-2 px-4 text-base text-[#1A1D3B]
hover:text-[#FF1695] md:text-sm 2xl:text-base'>Users Profile</a>
                                                         <a href="catalog.php" class="poppins block py-3 text-</pre>
base font-bold uppercase text-white hover:text-[#33FCFF] md:text-sm 2x1:text-
base">Catalog</a>
                                                 <!-- <li>id="loginDisplay" class="flex items-center"
justify-center"><a href="Login-Page.php" class="poppins flex items-center
justify-center gap-2 py-2 px-6 border-2 border-[#33FCFF] bg-[#FF1695] rounded-
full text-base font-bold uppercase text-white hover:text-[#33FCFF] md:py-1 md:px-
4 md:text-base xl:text-base"><i class="fa-regular fa-circle-user text-lg
laptopxxl:text-xl"></i> Login</a> -->
                                                 if (empty($ SESSION['customer ID'])) {
                                                         echo "
```

```
justify-center'><a href='Login-Page.php' class='poppins flex items-center
justify-center gap-2 py-2 px-6 border-2 border-[#33FCFF] bg-[#FF1695] rounded-
full text-base font-bold uppercase text-white hover:text-[#33FCFF] md:py-1 md:px-
4 md:text-base xl:text-base'><i class='fa-regular fa-circle-user text-lg
laptopxxl:text-xl'></i> Login</a>
                       } else {
                          echo "
                              justify-center'><form action='' method='post'><button type='submit'</pre>
class='poppins flex items-center justify-center gap-2 py-2 px-6 border-2 border-
[#33FCFF] bg-[#FF1695] rounded-full text-base font-bold uppercase text-white
hover:text-[#33FCFF] md:py-1 md:px-4 md:text-base xl:text-base'
name='btnLogout'><i class='fa-regular fa-circle-user text-lg laptopxx1:text-
xl'></i> Logout</button></form>
                       // if (isset($ POST['loginDisplayBtn'])) {
                             session destroy();
                             echo
'<script>document.getElementById('loginDisplay').style.display =
none';</script>";
                             echo
'<script>document.getElementById('logoutDisplay').style.display =
'flex';</script>";
                       <!-- <li>id="logoutDisplay" style="display:none;"
class="flex items-center justify-center"><form action="" method="post"><button</pre>
type="submit" id="loginDisplayBtn" class="poppins flex items-center justify-
center gap-2 py-2 px-6 border-2 border-[#33FCFF] bg-[#FF1695] rounded-full text-
base font-bold uppercase text-white hover:text-[#33FCFF] md:py-1 md:px-4 md:text-
base xl:text-base"><i class="fa-regular fa-circle-user text-lg laptopxxl:text-
xl"></i> Logout</button></form> -->
                       <a href="#" id="sidebarCartSlideInBtn" class="block"
py-3 text-base font-bold uppercase text-white hover:text-[#33FCFF]
laptopxxl:text-2xl"><ion-icon name="bag-handle-outline" class="text-2xl font-bold"</pre>
laptopxxl:text-[2rem]"></ion-icon></a>
                       <!-- <li>class="flex items-start justify-start px-2"><a
href="" class="h-[35px] w-[35px] text-2xl font-bold uppercase text-white bg-
[#666] border-2 border-white rounded-full flex items-end justify-center overflow-
```

```
</nav>
           </div>
           <div class="fixed inset-0 bg-black bg-opacity-50 z-40 hidden"</pre>
id="menu-overlay"></div>
           <nav class="fixed top-0 right-0 h-full w-72 bg-gray-900 text-white</pre>
transform translate-x-full transition-transform duration-300 z-50" id="nav-menu">
               <div class="flex justify-between items-center p-4">
                   <img src="<?php imageSrc(); ?>" class="h-auto w-[50px]
rounded-full mix-blend-lighten">
                   <h1 class='retro clouds h1 uppercase font-bold text-xl
lg:text-2xl'>Retro Clouds</h1>
                  <div class="cursor-pointer" id="close-nav-menu">
                       <span class='text-[#00FBFF] text-2xl'><i class='fa-solid</pre>
fa-xmark'></i></span>
                   </div>
               </div>
               <a href="index.php" class="poppins block py-2 px-4 text-</pre>
base font-bold uppercase text-white hover:text-[#33FCFF]">Home</a>
                  <div class="flex flex-col items-start justify-start px-4 gap-</pre>
2">
                      <div class="sub-menu w-full flex flex-col items-center"</pre>
justify-start p-0">
                          <span class="poppins w-full text-base font-bold</pre>
uppercase text-white hover:text-[#33FCFF] py-2 flex justify-between items-
center">Pages <i class="fa-solid fa-chevron-down text-xs dropdown-
arrow"></i></span>
                      </div>
                      <div class="w-full px-2 flex items-start justify-start</pre>
flex-col gap-2">
                          style="display: none; justify-content:start; align-items:start; flex-
direction:column;">
                              <a href="about.php"</pre>
class="w-full poppins text-base tracking-wider font-bold uppercase text-
[#FF1695]">About</a>
                              <a</pre>
href="testimonials.php" class="w-full poppins text-base tracking-wider font-bold
uppercase text-[#FF1695]">Testimonials</a>
```

```
<a href="fags.php"</pre>
class="w-full poppins text-base tracking-wider font-bold uppercase text-
[#FF1695]">Fags</a>
                                                                    <?php
                                                                    if (!empty($_SESSION['customer_ID'])) {
                                                                             echo "
                                                                             <a href='users-profile.php'
class='poppins font-bold uppercase block py-2 px-0 text-base text-[#FF1695]
hover:text-[#FF1695] md:text-sm 2xl:text-base'>Users Profile</a>
                                                            </div>
                                           </div>
                                           <a href="catalog.php" class="poppins block py-2 px-4">-2 px-4</a>
text-base font-bold uppercase text-white hover:text-[#33FCFF]">Catalog</a>
                                           <a href="#" id="sidebarCartBurgerSlideInBtn" class="block"> class="block" | class="block" 
py-2 px-4 text-base font-bold uppercase text-white hover:text-[#33FCFF] md:text-
lg"><ion-icon name="bag-handle-outline" class="text-2xl md:text-[2rem]"></ion-</pre>
icon></a>
                                           <?php
                                                   if (empty($ SESSION['customer ID'])) {
                                                            echo "
                                                                             center justify-start'><a href='Login-Page.php' class='poppins flex items-center</pre>
justify-center gap-2 py-2 px-6 border-2 border-[#33FCFF] bg-[#FF1695] rounded-
full text-base font-bold uppercase text-white hover:text-[#33FCFF] md:py-1 md:px-
4 md:text-base xl:text-base'><i class='fa-regular fa-circle-user text-lg
laptopxxl:text-xl'></i> Login</a>
                                                   } else {
                                                            echo "
                                                                             center justify-start'><form action='' method='post'><button type='submit'</pre>
class='poppins flex items-center justify-center gap-2 py-2 px-6 border-2 border-
[#33FCFF] bg-[#FF1695] rounded-full text-base font-bold uppercase text-white
hover:text-[#33FCFF] md:py-1 md:px-4 md:text-base xl:text-base'
name='btnLogout'><i class='fa-regular fa-circle-user text-lg laptopxx1:text-</pre>
xl'></i> Logout</button></form>
                                                   }
```

```
<!-- <li><a href="#" class="w-1/2 poppins flex items-center"
justify-center gap-2 py-2 px-6 border-2 border-[#33FCFF] bg-[#FF1695] rounded-
full text-base font-bold uppercase text-white hover:text-[#33FCFF]"><i class="fa-
regular fa-circle-user text-lg"></i> Login</a> -->
                    <!-- <li>class="flex items-start justify-start px-2"><a
href="" class="h-[40px] w-[40px] text-2xl font-bold uppercase text-white bg-
[#666] border-2 border-white rounded-full flex items-end justify-center overflow-
                </nav>
        </div>
    </div>
    </div>
</header>
<div class="toast-box"></div>
<style>
    .custom-nav.sticky {
        background: #1A1D3B !important;
        position: fixed !important;
        top: 0 !important;
        left: 0 !important;
        width: 100% !important;
        max-width: 100% !important;
        border-radius: 0 !important;
        margin: 0 !important;
    .rotate {
        transform: rotate(90deg);
</style>
<script>
    window.addEventListener("scroll", () => {
        let setCustomNav = document.querySelector(".custom-nav");
        setCustomNav.classList.toggle("sticky", window.scrollY > 20);
    });
    document.getElementById('open-nav-menu').addEventListener('click', function()
        document.getElementById('nav-menu').classList.remove('translate-x-full');
        document.getElementById('menu-overlay').classList.remove('hidden');
```

```
document.getElementById('close-nav-menu').addEventListener('click',
function() {
        document.getElementById('nav-menu').classList.add('translate-x-full');
        document.getElementById('menu-overlay').classList.add('hidden');
    });
    const subMenu = document.querySelector('.sub-menu');
    const dropdown = document.getElementById('dropdown');
    const dropdownArrow = document.querySelector('.dropdown-arrow');
    subMenu.addEventListener('click', (e) => {
        e.preventDefault();
        if (dropdown.style.display === "flex") {
            dropdown.style.display = "none";
            dropdownArrow.style.transform = "rotate(0deg)";
        } else {
            dropdown.style.display = "flex";
            dropdownArrow.style.transform = "rotate(180deg)";
        }
    });
 /script>
```

#### File: order-confirm.php

```
<!-- ORDER CONFIRM POP UP -->
<div class="w-[90%] h-auto rounded-lg bg-gradient-to-t from-[#FF1695] via-</pre>
[#1A1D3B] to-[#1A1D3B] border-2">
       <div class='flex items-center justify-center p-3 gap-2'>
           <img src="../../frontend/assets/Retro Clouds VS.jpg" class="h-auto w-</pre>
[50px] rounded-full mix-blend-lighten">
           <h1 class="retro_clouds_h1 uppercase font-bold text-2xl">Retro
Clouds</h1>
       </div>
       <div class="w-full h-[40vh] flex flex-col items-center justify-center</pre>
gap-2">
           <h1 class="text-[#33FCFF] text-2xl font-bold poppins">ORDER
SUCCESSFUL</h1>
           center">Thank you for your ordering at Retro Clouds Vape Shop! We're thrilled you
chose us for your vaping needs.
      </div>
```

```
<div class="w-full h-auto flex flex-col gap-4 py-4 ">
            <a href="#" class="w-full flex flex-col items-center justify-center">
                <div class="bg-gradient-to-b from-[#FF1695] to-[#008F99] flex</pre>
items-center justify-center gap-1 rounded-full border border-white py-2 px-7 w-
[80%] ">
                    <h1 class="text-white poppins font-bold">SEND TO EMAIL</h1>
                </div>
            </a>
            <a href="#" class="w-full flex flex-col items-center justify-center">
                <div class="bg-gradient-to-b from-[#FF1695] to-[#008F99] flex</pre>
items-center justify-center gap-1 rounded-full border border-white py-2 px-7 w-
[80%] ">
                    <h1 class="text-white poppins font-bold">COMFIRM</h1>
                </div>
            </a>
        </div>
    </div>
```

### File: Popup-Product.php

```
<div class="popup-product-bg">
    <form action="" method="post" class="popup-product mobilemd:w-[300px]</pre>
mobilelg:w-[350px] iphone:w-[400px] sm:w-[425px] lg:h-[500px] 2xl:w-[600px]
2x1:h-[600px]">
        <div class="w-full max-w-full h-auto flex flex-col items-start justify-</pre>
start flex-wrap mb-9">
            <div class="w-full flex items-start justify-start flex-wrap gap-2</pre>
iphone:gap-6">
                 <div class="w-full flex items-center justify-center px-6 py-4</pre>
gap-2 sm:flex-row-reverse sm:justify-between">
                     <img src="./assets/Retro Clouds VS.jpg" class="h-auto w-</pre>
[50px] mix-blend-lighten">
                     <h1 class="setTourney text-base uppercase font-semibold
mobilemd:text-lg sm:text-xl">Retro Clouds</h1>
                 </div>
                 <div class="w-full flex items-center justify-start px-6 py-4</pre>
flex-wrap gap-4">
                     <div class="w-full h-full flex flex-1 flex-col items-center"</pre>
justify-center">
                         <img class="popup-img w-full aspect-square object-contain"</pre>
scale-125">
```

```
</div>
                     <div class="w-full h-full flex flex-1 flex-col gap-4 item-</pre>
center justify-center sm:gap-6">
                         <h2 class="setOpenSans text-[#33FCFF] uppercase font-</pre>
semibold text-sm text-center sm:text-base sm:w-full">Product Classification</h2>
                         <h1 class="popup-name setPoppins text-white uppercase
font-bold text-2xl text-center sm:text-[2rem] lg:text-3xl lg:leading-10">Product
Name</h1>
                         <h2 class="popup-price setOpenSans text-[#33FCFF]</pre>
uppercase font-bold text-base text-center">₱ 000.00</h2>
                     </div>
                </div>
                <div class="w-full flex flex-col items-start justify-start px-6</pre>
py-4 flex-wrap gap-4">
                     <div class="w-full flex items-start justify-start">
                         <h2 class="w-full setOpenSans text-white font-semibold</pre>
text-sm text-center">Tax Included. Shipping Calculated at Checkout</h2>
                     </div>
                    <div class="w-full flex items-start justify-start flex-col</pre>
gap-2">
                         <h1 class="w-full setPoppins text-[#33FCFF] font-bold
text-lg uppercase">Flavors</h1>
                         <select name="" class="cursor-pointer popup-flavors bg-</pre>
[#1A1D3B] border border-[#33FCFF] rounded-full px-4 py-2 w-full text-[#FF1695]
setPoppins uppercase font-semibold outline-none">
                             <!-- <option value="" selected>Flavor Flavor
Name</option>
                             <option value="">Flavor Flavor Name</option>
                             <option value="">Flavor Flavor Name</option>
                             <option value="">Flavor Flavor Name</option> -->
                         </select>
                     </div>
                </div>
                <div class="w-full flex items-end justify-start px-6 py-4 gap-2</pre>
flex-wrap">
                     <div class="w-full flex flex-1 flex-col gap-2">
                         <h1 class="w-full setPoppins text-[#33FCFF] font-bold
text-lg uppercase">Quantity</h1>
                         <div class="w-full flex items-center justify-around"</pre>
border-2 border-white rounded-full py-1">
```

```
<a class="popup-minus cursor-pointer setOpenSans</pre>
text-[#33FCFF] text-lg font-semibold">-</a>
                              <h1 class="popup-quantity setPoppins text-white text-</pre>
lg font-bold">1</h1>
                              <a class="popup-add cursor-pointer setOpenSans text-</pre>
[#33FCFF] text-lg font-semibold">+</a>
                          </div>
                     </div>
                 </div>
                 <div class="w-full flex flex-1 flex-col items-center justify-</pre>
center px-6 py-2">
                     Lorem
ipsum dolor, sit amet consectetur adipisicing elit. Eos maiores voluptas
inventore blanditiis incidunt tenetur, assumenda, error illo quasi ad, saepe
voluptates fugit cum nisi deleniti modi possimus iure magni?
                 </div>
                 <div class="popup-buttons w-full flex flex-col items-start</pre>
justify-start px-6 py-4 gap-2 flex-wrap">
                     <div class="w-full flex-col flex items-center gap-4 justify-</pre>
between iphone:flex-row">
                         <button name="btnBuyNow" class="buy-now w-full border</pre>
border-white rounded-full bg-gradient-to-b from-[#FF1695] to-[#008F99] py-2 px-4
flex items-center justify-center gap-2">
                              <span class="setPoppins text-white font-bold"><span class="setPoppins text-white font-bold">
uppercase text-xs mobilelg:text-sm">Buy Now</span>
                              <span class="text-white"><i class="fa-solid fa-bag-</pre>
shopping"></i></span>
                         </button>
                         <button name="btnAddToCart" class="add-to-cart w-full</pre>
border border-white rounded-full bg-gradient-to-b from-[#FF1695] to-[#008F99] py-
2 px-4 flex items-center justify-center gap-2">
                              <span class="setPoppins text-white font-bold"><span class="setPoppins text-white font-bold">
uppercase text-xs mobilelg:text-sm">Add to Cart</span>
                              <span class="text-white"><i class="fa-solid fa-cart-</pre>
shopping"></i></span>
                         </button>
                     </div>
                 </div>
            </div>
        </div>
```

#### File: sidebar-cart.php

```
<?php
require('./config/config.php');
if (isset($ POST['deleteAllBtn'])) {
    $sql = "DELETE FROM cart_tbl WHERE customer_id =
 {$ SESSION['customer ID']}'";
    $result = mysqli_query($conn, $sql);
    if ($result) {
        header("Location:./catalog.php");
        echo "<script>window.alert('Cart Deletion Successful.')</script>";
<a href="../checkout.php"></a>
<div id="sidebar-cart" class="w-[300px] max-w-[300px] h-full bg-[#1A1D3B] p-4</pre>
fixed z-50" style="transition: all 0.3s ease; right:-300px;">
    <div class='flex items-center justify-center px-3 py-5 gap-2 text-left'>
        <i class="fa-solid fa-bag-shopping text-white text-xl h-auto"></i></i>
        <hl class="text-[#fafafa] uppercase font-bold text-xl">SHOPPING CART</hl>
        <div id="sidebarCartSlideOutBtn" style="color:#fff; height: 40px; width:</pre>
40px; font-size: 25px;" class="h-auto flex justify-end items-center cursor-
pointer"><i class="fas fa-times"></i></div>
    </div>
    <div class="w-full flex flex-1 flex-col flex-wrap gap-4">
        <div class="bg-gradient-to-b from-[#FF1695] to-[#1A1D3B] rounded-sm w-</pre>
full max-w-full h-[40vh] flex items-start justify-start flex-wrap px-4 py-2
overflow-hidden overflow-y-scroll gap-4">
```

```
<div class="w-full flex flex-col items-start justify-start border-b-2</pre>
border-white">
                <h2 class="retro_clouds_h2 text-lg uppercase font-bold text-</pre>
[#33FCFF] py-2">Your Order</h2>
            </div>
            <?php
            $subtotal = 0;
            $orderQuantity = 0;
            $getAllCarts = "SELECT * FROM cart_tbl JOIN customer_tbl ON
cart tbl.customer id = customer tbl.costumer id JOIN products ON
cart tbl.product id = products.product id WHERE customer id =
 {$_SESSION['customer_ID']}'"; //
            $result = mysqli query($conn, $getAllCarts);
            while ($cart = mysqli_fetch_assoc($result)) {
                <div class="w-full flex items-start justify-start gap-4 border-b"</pre>
border-white p-2">
                    <div class="w-full h-auto grid grid-cols-2 gap-4">
                        <div class="bg-transparent drop-shadow- w-full p-1 col-</pre>
span-1">
                            <img src="./assets/catalog/<?php echo</pre>
$cart['img_dir']; ?>" class="h-auto w-full aspect-square object-contain">
                        </div>
                        <div class="w-full grid col-span-1 gap-4">
                            <div class="w-full flex flex-1 flex-col items-center"</pre>
justify-center gap-2">
                                <h2 class="retro clouds h2 text-white uppercase</pre>
text-sm font-bold text-center"><?php echo $cart['product_name']; ?></h2>
                                text-sm font-semibold text-center"><?php if ($cart['flavor'] == 'N/A' ||</pre>
$cart['flavor'] == 'NULL') {
                                      echo $cart['color'];
                                  } else {
                                      echo $cart['flavor'];
                                  } ?>
                            </div>
                            <div class="w-full flex flex-1 items-start justify-</pre>
between">
```

```
text-sm font-medium">Qty: <?php echo $cart['product quantity']; ?>
                                text-sm font-medium">P <?php echo $cart['price']; ?>
                            </div>
                        </div>
                    </div>
                </div>
            <?php $subtotal += $cart['price'];</pre>
                $orderQuantity += $cart['product quantity'];
        </div>
        <form method="post">
            <button type="submit" name="deleteAllBtn" class="bg-gradient-to-b"</pre>
from-[#FF1695] to-[#33FCFF] outline-none border-2 my-4 border-white w-full p-2
text-center text-white retro_clouds_h2 uppercase font-black tracking-wider
rounded-md">
                <span class="w-full flex items-center justify-center gap-6">
                    <h2><i class="fa-sharp fa-solid fa-trash"></i></h2>
                    <h2>Delete All</h2>
                </span>
            </button>
            <div class="bg-gradient-to-b from-[#FF1695] to-[#990D5A] rounded-sm</pre>
w-full max-w-fullh-auto flex items-start justify-start flex-wrap px-4 py-2">
                <div class="flex flex-col items-start justify-start w-full gap-</pre>
4">
                    <div class="flex justify-start items-center w-full">
                        <h2 class="retro_clouds_h2 text-lg uppercase font-black"> text-lg uppercase font-black
text-[#33FCFF] w-full py-2">Order Summary</h2>
                    </div>
                    <div class="w-full flex flex-col items-start justify-start</pre>
gap-8">
                        <div class="w-full flex items-start justify-between</pre>
border-b border-[#fafafa]">
                            <h2 class="w-full text-white retro_clouds_h2</pre>
uppercase font-bold text-base"> Order Quantity</h2>
                            <h2 class="w-1/3 text-white retro clouds h2 uppercase</pre>
font-bold text-base mb-1 pr-[5px]" style="text-align: right;"><?php echo</pre>
$orderQuantity; ?></h2>
                            <input type="hidden" name="quantity" value="<?php</pre>
echo $orderQuantity; ?>">
                       </div>
```

```
<div class="w-full text-white retro clouds h2 uppercase</pre>
font-bold text-base flex border-b border-[#fafafa]">
                             <h2 class="w-full">SUB Total</h2>
                            <h2 class="w-full pr-[5px]" style="text-align:</pre>
right;"><?php echo "P " . number_format($subtotal, 2, '.', ','); ?></h2>
                        </div>
                         <a href="./checkout.php" class="bg-gradient-to-b from-</pre>
[#FF1695] to-[#33FCFF] border-2 border-white w-full p-2 text-center text-white
retro clouds h2 uppercase font-black tracking-wider rounded-md">
                             PROCEED TO CHECKOUT
                         </a>
                    </div>
                </div>
            </div>
        </form>
    </div>
</div>
<script>
    var id = <?php if (empty($_SESSION['customer_ID'])) {</pre>
                    echo 0;
                } else {
                    echo $ SESSION['customer ID'];
    document.getElementById("sidebarCartSlideInBtn").addEventListener("click",
function() {
        if (id == 0) {
            // LOGIN WILL POPUP LIKE A COCONUT TREE
            window.alert('You must be Logged In.');
        } else {
            document.getElementById("sidebar-cart").style.right = "0";
    });
    document.getElementById("sidebarCartBurgerSlideInBtn").addEventListener("clic
k", function() {
        if (id == 0) {
            // LOGIN WILL POPUP LIKE A COCONUT TREE
            window.alert('You must be Logged In.');
        } else {
            document.getElementById("sidebar-cart").style.right = "0";
    });
    document.getElementById("sidebarCartSlideOutBtn").addEventListener("click",
function() {
```

```
document.getElementById("sidebar-cart").style.right = "-300px";
});
</script>
```

## II. ALL CSS FILES

# **Styles folder**

File: about.css

```
@import
url('https://fonts.googleapis.com/css2?family=Poppins:ital,wght@0,100;0,200;0,300
;0,400;0,500;0,600;0,700;0,800;0,900;1,100;1,200;1,300;1,400;1,500;1,600;1,700;1,
800;1,900&family=Tourney:ital,wght@0,100..900;1,100..900&display=swap');
@import
url('https://fonts.googleapis.com/css2?family=Oswald:wght@200..700&display=swap')
@import url('https://fonts.googleapis.com/css2?family=Bebas+Neue&display=swap');
    scroll-behavior: smooth !important;
.retro clouds h1{
    font-family: "Tourney", sans-serif;
    background: linear-gradient(90deg, rgba(51,252,255,1) 30%, rgba(255,0,138,1)
71%, rgba(255,80,176,1) 100%);
    background-clip: text;
    color: transparent;
.oswald{
    font-family: "Oswald", sans-serif;
.poppins{
    font-family: "Poppins" , sans-serif;
.bebas-neue {
    font-family: "Bebas Neue", sans-serif;
.mixed-gradient-img {
```

```
background-image: linear-gradient(to bottom, #1a1d3b5c, #1a1d3b6f),
url('./assets/mixed-gradient.png');
  background-size: cover;
  background-position: center;
  background-repeat: no-repeat;
}
.retro-logo{
  background-image: linear-gradient(to bottom, transparent, #1a1d3b6f),
url('../assets/about_banner.png');
  background-size: cover;
  background-position: center;
  background-repeat: no-repeat;
}
```

### File: catalog-popup.css

```
:root {
   /* Background Color */
   --bg-dark-violet: #1A1D3B;
    --bg-light-blue: #00FBFF;
    --bg-pink: #FF1695;
   /* Background Gradient */
    --bg-heading: linear-gradient(90deg, rgba(51,252,255,1) 30%,
rgba(255,0,138,1) 71%, rgba(255,80,176,1) 100%);
    /* Heading Colors */
    --heading-light-blue: #00FBFF;
    --heading-pink: #FF008A;
    --heading-light-pink: #FF50B0;
   /* Paragraph Colors */
   --txt-white: #FFF;
   /* Font Style */
    --font-family-poppins: 'Poppins', sans-serif;
    --font-family-tourney: 'Tourney', sans-serif;
    --font-family-open-sans: 'Open Sans', sans-serif;
    scroll-behavior: smooth !important;
```

```
.setTourney {
    font-family: var(--font-family-tourney);
    background: var(--bg-heading);
    background-clip: text;
    color: transparent;
.setPoppins {
    font-family: var(--font-family-poppins);
.setOpenSans {
    font-family: var(--font-family-open-sans);
.popup-product-bg {
   position: fixed;
   width: 100%;
   height: 100%;
    background-color: rgba(0, 0, 0, 0.7);
    z-index: 99999;
.popup-product {
    position: absolute;
   top: 50%;
    left: 50%;
    transform: translate(-50%, -50%);
   min-width: 270px;
   max-width: 500px;
   width: 70%;
   max-height: 90%;
   height: 400px;
    overflow-y: auto;
    border-top-left-radius: 8px;
    border-bottom-left-radius: 8px;
    z-index: 9999;
    background: linear-gradient(180deg, rgba(26,29,59,1) 50%, rgba(255,22,149,1)
100%);
```

#### File: catalog.css

```
@import
url('https://fonts.googleapis.com/css2?family=Open+Sans:ital,wght@0,300..800;1,30
0..800&family=Poppins:ital,wght@0,100;0,200;0,300;0,400;0,500;0,600;0,700;0,800;0
,900;1,100;1,200;1,300;1,400;1,500;1,600;1,700;1,800;1,900&family=Tourney:ital,wg
ht@0,100..900;1,100..900&display=swap');
    scroll-behavior: smooth !important;
:root {
   /* Background Color */
   --bg-dark-violet: #1A1D3B;
    --bg-light-blue: #00FBFF;
    --bg-pink: #FF1695;
    /* Background Gradient */
    --bg-heading: linear-gradient(90deg, rgba(51,252,255,1) 30%,
rgba(255,0,138,1) 71%, rgba(255,80,176,1) 100%);
    /* Heading Colors */
    --heading-light-blue: #00FBFF;
    --heading-pink: #FF008A;
    --heading-light-pink: #FF50B0;
   /* Paragraph Colors */
    --txt-white: #FFF;
   /* Font Style */
    --font-family-poppins: 'Poppins', sans-serif;
    --font-family-tourney: 'Tourney', sans-serif;
    --font-family-open-sans: 'Open Sans', sans-serif;
/* Reusable Styling */
.retro_clouds_h1 {
   font-family: var(--font-family-tourney);
    background: var(--bg-heading);
    background-clip: text;
    color: transparent;
.retro_clouds_h2 {
    font-family: var(--font-family-poppins);
```

```
.retro_clouds_p {
    font-family: var(--font-family-open-sans);
.retro clouds carousel img {
    opacity: 0;
    transition: opacity 0.5s;
.retro clouds carousel img.image-active {
    opacity: 1;
    transition: opacity 0.5s;
.retro_clouds_carousel_button {
   height: 8px;
    width: 8px;
    display: inline-block;
   margin: 10px;
    background: var(--bg-pink);
    opacity: 0.5;
    border-radius: 50%;
    border: none;
    cursor: pointer;
.retro clouds carousel button.btn-active {
    background: var(--bg-pink);
    opacity: 1;
.retro clouds bg gradient {
    background: rgb(26,29,59);
    background: linear-gradient(180deg, rgba(26,29,59,1) 0%, rgba(153,13,90,1)
20%, rgba(255,22,149,1) 50%, rgba(153,13,90,1) 80%, rgba(26,29,59,1) 100%);
.deals-bg {
    background-image: linear-gradient(rgb(0,0,0,0.25), rgba(0,0,0,0.25)),
url(../assets/image-divider-three.png);
    background-position: center;
    background-repeat: no-repeat;
    background-size: cover;
```

```
.customProd {
    transition: 200ms ease-in;
.customProd:hover {
   border-color: #FF1695 !important;
.customProd:hover .customName {
    color: #00FBFF !important;
.customDivider {
   background-image: linear-gradient(rgb(0,0,0,0.25), rgba(0,0,0,0.25)),
url('../assets/catalog_divider.png') !important;
    background-position: center !important;
   background-repeat: no-repeat !important;
   background-size: cover !important;
   background-attachment: fixed !important;
.podKitsBanner {
   position:relative;
   width:100%;
   height:100%;
   background-image:url(../assets/podkit-hero-banner.png);
   background-size:cover;
   background-position:center;
   border:1px solid #ff1695;
@media (max-width: 1023px) {
    .podKitsBanner {
        background-size: contain;
```

#### File: checkout.css

```
@import
url('https://fonts.googleapis.com/css2?family=Open+Sans:ital,wght@0,300..800;1,30
0..800&family=Poppins:ital,wght@0,100;0,200;0,300;0,400;0,500;0,600;0,700;0,800;0
```

```
,900;1,100;1,200;1,300;1,400;1,500;1,600;1,700;1,800;1,900&family=Tourney:ital,wg
ht@0,100..900;1,100..900&display=swap');
:root {
   /* Background Color */
   --bg-dark-violet: #1A1D3B;
   --bg-light-blue: #00FBFF;
    --bg-pink: #FF1695;
    /* Background Gradient */
    --bg-heading: linear-gradient(90deg, rgba(51,252,255,1) 30%,
rgba(255,0,138,1) 71%, rgba(255,80,176,1) 100%);
    /* Heading Colors */
    --heading-light-blue: #00FBFF;
    --heading-pink: #FF008A;
    --heading-light-pink: #FF50B0;
    /* Paragraph Colors */
   --txt-white: #FFF;
   /* Font Style */
   --font-family-poppins: 'Poppins', sans-serif;
    --font-family-tourney: 'Tourney', sans-serif;
    --font-family-open-sans: 'Open Sans', sans-serif;
/* Reusable Background */
.gradient_body_one {
    background: rgb(26,29,59);
    background: linear-gradient(0deg, rgba(26,29,59,1) 50%, rgba(255,22,149,1)
60%, rgba(26,29,59,1) 80%);
/* Reusable Styling */
.retro clouds h1 {
   font-family: var(--font-family-tourney);
    background: var(--bg-heading);
    background-clip: text;
    color: transparent;
.retro_clouds_h2 {
    font-family: var(--font-family-poppins);
```

```
.retro_clouds_p {
    font-family: var(--font-family-open-sans);
.retro clouds carousel img {
    opacity: 0;
    transition: opacity 0.5s;
.retro clouds carousel img.image-active {
    opacity: 1;
    transition: opacity 0.5s;
.retro_clouds_carousel_button {
   height: 8px;
    width: 8px;
    display: inline-block;
   margin: 10px;
    background: var(--bg-pink);
    opacity: 0.5;
    border-radius: 50%;
    border: none;
    cursor: pointer;
.retro clouds carousel button.btn-active {
    background: var(--bg-pink);
    opacity: 1;
.retro clouds bg gradient {
    background: rgb(26,29,59);
    background: linear-gradient(180deg, rgba(26,29,59,1) 0%, rgba(153,13,90,1)
20%, rgba(255,22,149,1) 50%, rgba(153,13,90,1) 80%, rgba(26,29,59,1) 100%);
.retro_clouds_bg_gradient_two {
    background: rgb(26,29,59);
    background: linear-gradient(180deg, rgba(26,29,59,1) 50%, rgba(255,22,149,1)
100%);
```

```
.retro_clouds_gradient_shipping {
    background: rgb(26,29,59);
    background: linear-gradient(0deg, rgba(26,29,59,1) 0%, rgba(255,22,149,1)
50%, rgba(26,29,59,1) 100%);
}
```

#### File: Component.css

```
@import
url('https://fonts.googleapis.com/css2?family=Poppins:ital,wght@0,100;0,200;0,300
;0,400;0,500;0,600;0,700;0,800;0,900;1,100;1,200;1,300;1,400;1,500;1,600;1,700;1,
800;1,900&family=Tourney:ital,wght@0,100..900;1,100..900&display=swap');
    scroll-behavior: smooth !important;
:root {
   /* Background Color */
    --bg-dark-violet: #1A1D3B;
    --bg-light-blue: #00FBFF;
    --bg-pink: #FF1695;
    /* Background Gradient */
    --bg-heading: linear-gradient(90deg, rgba(51,252,255,1) 30%,
rgba(255,0,138,1) 71%, rgba(255,80,176,1) 100%);
    /* Heading Colors */
    --heading-light-blue: #00FBFF;
    --heading-pink: #FF008A;
    --heading-light-pink: #FF50B0;
   /* Paragraph Colors */
    --txt-white: #FFF;
   /* Font Style */
    --font-family-poppins: 'Poppins', sans-serif;
    --font-family-tourney: 'Tourney', sans-serif;
    --font-family-open-sans: 'Open Sans', sans-serif;
retro_clouds_h1{
    font-family: "Tourney", sans-serif;
```

```
background: linear-gradient(90deg, rgba(51,252,255,1) 30%, rgba(255,0,138,1)
71%, rgba(255,80,176,1) 100%);
    background-clip: text;
    color: transparent;
.setBodyGradient {
    background: rgb(26,29,59);
    background: linear-gradient(180deg, rgba(26,29,59,1) 50%, rgba(255,22,149,1)
100%);
.setTourney {
    font-family: var(--font-family-tourney);
    background: var(--bg-heading);
    background-clip: text;
    color: transparent;
.setPoppins {
    font-family: var(--font-family-poppins);
.setOpenSans {
    font-family: var(--font-family-open-sans);
.oswald{
    font-family: "Oswald", sans-serif;
.poppins{
    font-family: "Poppins" , sans-serif;
.bebas-neue {
    font-family: "Bebas Neue", sans-serif;
```

#### File: faqs.css

```
@import
url('https://fonts.googleapis.com/css2?family=Open+Sans:ital,wght@0,300..800;1,30
0..800&family=Poppins:ital,wght@0,100;0,200;0,300;0,400;0,500;0,600;0,700;0,800;0
```

```
,900;1,100;1,200;1,300;1,400;1,500;1,600;1,700;1,800;1,900&family=Tourney:ital,wg
ht@0,100..900;1,100..900&display=swap');
   scroll-behavior: smooth !important;
:root {
   /* Background Color */
   --bg-dark-violet: #1A1D3B;
   --bg-light-blue: #00FBFF;
    --bg-pink: #FF1695;
   /* Background Gradient */
    --bg-heading: linear-gradient(90deg, rgba(51,252,255,1) 30%,
rgba(255,0,138,1) 71%, rgba(255,80,176,1) 100%);
   /* Heading Colors */
    --heading-light-blue: #00FBFF;
    --heading-pink: #FF008A;
    --heading-light-pink: #FF50B0;
   /* Paragraph Colors */
   --txt-white: #FFF;
   /* Font Style */
   --font-family-poppins: 'Poppins', sans-serif;
    --font-family-tourney: 'Tourney', sans-serif;
    --font-family-open-sans: 'Open Sans', sans-serif;
    --transition: all 0.2s ease;
/* Reusable Styling */
.retro_clouds_h1 {
   font-family: var(--font-family-tourney);
   background: var(--bg-heading);
   background-clip: text;
    color: transparent;
.retro_clouds_h2 {
   font-family: var(--font-family-poppins);
```

```
.retro clouds p {
    font-family: var(--font-family-open-sans);
.retro_clouds_h1{
   font-family: "Tourney", sans-serif;
   background: linear-gradient(90deg, rgba(51,252,255,1) 30%, rgba(255,0,138,1)
71%, rgba(255,80,176,1) 100%);
   background-clip: text;
   color: transparent;
.oswald{
   font-family: "Oswald", sans-serif;
.poppins{
    font-family: "Poppins" , sans-serif;
.bebas-neue {
   font-family: "Bebas Neue", sans-serif;
.nav__open,
.nav close {
   transition: opacity .1s, transform .4s;
.retro_clouds_bg_gradient {
   background: rgb(26,29,59);
    background: linear-gradient(180deg, rgba(26,29,59,1) 0%, rgba(153,13,90,1)
20%, rgba(255,22,149,1) 50%, rgba(153,13,90,1) 80%, rgba(26,29,59,1) 100%);
.accordion icons {
   transition: all 0.2s ease !important;
.accordions.read .accordion icons {
   transform: rotate(-180deg) !important;
.accordions.read .faqs_container {
   grid-template-rows: auto !important;
```

```
.divider {
    background-image: linear-gradient(rgba(0,0,0,0.45), rgba(0,0,0,0.45)),
url('../assets/faqs_divider.png') !important;
    background-size: cover !important;
    background-position: center !important;;
    background-attachment: fixed !important;;
}
```

#### File: home.css

```
@import
url('https://fonts.googleapis.com/css2?family=Poppins:ital,wght@0,100;0,200;0,300
;0,400;0,500;0,600;0,700;0,800;0,900;1,100;1,200;1,300;1,400;1,500;1,600;1,700;1,
800;1,900&family=Tourney:ital,wght@0,100..900;1,100..900&display=swap');
@import
url('https://fonts.googleapis.com/css2?family=Oswald:wght@200..700&display=swap')
@import url('https://fonts.googleapis.com/css2?family=Bebas+Neue&display=swap');
@import
url('https://fonts.googleapis.com/css2?family=Bebas+Neue&family=Tourney:ital,wght
@0,100..900;1,100..900&display=swap');
    scroll-behavior: smooth !important;
.hero-banner-img{
    background-image: url('../assets/hero-banner-image.jpg');
    background-size: cover;
    overflow: hidden;
    background-position: center;
    background-repeat: no-repeat;
.retro_clouds_h1{
    font-family: "Tourney", sans-serif;
    background: linear-gradient(90deg, rgba(51,252,255,1) 30%, rgba(255,0,138,1)
71%, rgba(255,80,176,1) 100%);
```

```
background-clip: text;
    color: transparent;
.oswald{
    font-family: "Oswald", sans-serif;
.poppins{
    font-family: "Poppins" , sans-serif;
.bebas-neue {
    font-family: "Bebas Neue", sans-serif;
.nav__open,
.nav__close {
   transition: opacity .1s, transform .4s;
.partners_bg {
    background-image: linear-gradient(rgba(0,0,0,0.75), rgba(0,0,0,0.75)),
url('../assets/img divider one.png') !important;
    background-position: center !important;
    background-size: cover !important;
    background-attachment: fixed !important;
.mixed-gradient-img{
    background-image: linear-gradient(to bottom, #1a1d3b5c, #1a1d3b6f),
url('../assets/mixed-gradient.png');
    background-size: cover;
    background-position: center;
    background-repeat: no-repeat;
.blog-bg-one{
    background-image: url('../assets/blog-bg-one.png');
    background-size: cover;
    background-position: center;
    background-repeat: no-repeat;
```

```
.blog-bg-two{
    background-image: url('../assets/teenager-saying-no-friends-offering-
electronic-cigarette.jpg');
   background-size: cover;
    background-position: center;
   background-repeat: no-repeat;
.blog-bg-three{
   background-image: url('https://post.medicalnewstoday.com/wp-
content/uploads/sites/3/2022/04/Smoke-Male-Vape-1296x728-Header-1024x575.jpg');
   background-size: cover;
   background-position: center;
   background-repeat: no-repeat;
.blog-bg-four{
    background-image: url('../assets/image-sample.jpg');
   background-size: cover;
   background-position: center;
   background-repeat: no-repeat;
.blog-bg-five{
    background-image: url('https://news.umich.edu/wp-
content/uploads/2018/04/vaping-s-potential-to-benefit-public-health-exceeds-its-
risks-orig-20180412.jpg');
    background-size: cover;
   background-position: center;
    background-repeat: no-repeat;
```

### File: popup-products.css

```
:root {
    /* Background Color */
    --bg-dark-violet: #1A1D3B;
    --bg-light-blue: #00FBFF;
    --bg-pink: #FF1695;

    /* Background Gradient */
    --bg-heading: linear-gradient(90deg, rgba(51,252,255,1) 30%,
rgba(255,0,138,1) 71%, rgba(255,80,176,1) 100%);
```

```
/* Heading Colors */
   --heading-light-blue: #00FBFF;
   --heading-pink: #FF008A;
   --heading-light-pink: #FF50B0;
   /* Paragraph Colors */
   --txt-white: #FFF;
   /* Font Style */
   --font-family-poppins: 'Poppins', sans-serif;
   --font-family-tourney: 'Tourney', sans-serif;
   --font-family-open-sans: 'Open Sans', sans-serif;
   scroll-behavior: smooth !important;
.setTourney {
   font-family: var(--font-family-tourney);
   background: var(--bg-heading);
   background-clip: text;
   color: transparent;
.setPoppins {
   font-family: var(--font-family-poppins);
.setOpenSans {
   font-family: var(--font-family-open-sans);
.popup-product-bg {
   position: fixed;
   width: 100%;
   height: 100%;
   background-color: rgba(0, 0, 0, 0.7);
   z-index: 99999;
   display: none;
.popup-product {
   position: absolute;
```

```
top: 50%;
left: 50%;
transform: translate(-50%, -50%);
min-width: 270px;
max-width: 500px;
width: 70%;
max-height: 90%;
height: 400px;
overflow-y: auto;
border-top-left-radius: 8px;
border-bottom-left-radius: 8px;
z-index: 9999;
background: linear-gradient(180deg, rgba(26,29,59,1) 50%, rgba(255,22,149,1)
100%);
}
```

#### File: testimonials.css

```
@import
url('https://fonts.googleapis.com/css2?family=Poppins:ital,wght@0,100;0,200;0,300
;0,400;0,500;0,600;0,700;0,800;0,900;1,100;1,200;1,300;1,400;1,500;1,600;1,700;1,
800;1,900&family=Tourney:ital,wght@0,100..900;1,100..900&display=swap');
@import
url('https://fonts.googleapis.com/css2?family=Oswald:wght@200..700&display=swap')
@import url('https://fonts.googleapis.com/css2?family=Bebas+Neue&display=swap');
    scroll-behavior: smooth !important;
.retro_clouds_h1{
    font-family: "Tourney", sans-serif;
    background: linear-gradient(90deg, rgba(51,252,255,1) 30%, rgba(255,0,138,1)
71%, rgba(255,80,176,1) 100%);
    background-clip: text;
    color: transparent;
.oswald{
    font-family: "Oswald", sans-serif;
.poppins{
```

```
font-family: "Poppins" , sans-serif;
.bebas-neue {
    font-family: "Bebas Neue", sans-serif;
.mixed-gradient-img{
    background-image: linear-gradient(to bottom, #1a1d3b5c, #1a1d3b6f),
url('../assets/mixed-gradient.png');
    background-size: cover;
    background-position: center;
    background-repeat: no-repeat;
.retro-logo{
    background-image: linear-gradient(to bottom, #1a1d3b5c, #1a1d3b6f),
url('../assets/Retro_Clouds_VS.jpg');
    background-size: cover;
    background-position: center;
    background-repeat: no-repeat;
.forms-testimonials-img{
    background-image: linear-gradient(to bottom, #1a1d3b5c, #1a1d3b6f),
url('../assets/image-retro-pink.png');
    background-size: cover;
    background-position: center;
    background-repeat: no-repeat;
.testimonial {
    background-image: linear-gradient(rgba(0,0,0,0.45), rgba(0,0,0,0.45)),
url('../assets/divide_testimonial.png') !important;
    background-size: cover !important;
    background-position: center !important;
    background-repeat: no-repeat !important;
    background-attachment: fixed;
```

#### File: about.js

```
let swiper = new Swiper(".mySwiper", {
    pagination: {
        el: ".swiper-pagination",
    },
    breakpoints: {
        320: {
            slidesPerView: 1,
            spaceBetween: 10,
        },
        1024: {
            slidesPerView: 2,
            spaceBetween: 30,
        },
        1536: {
            slidesPerView: 3,
            spaceBetween: 40,
    },
});
document.getElementById("branchPermitOneBtn").onclick = function() {
    document.getElementById("branchPermitOneImg").style.display = "flex";
    document.getElementById("branchPermitTwoImg").style.display = "none";
    document.getElementById("branchPermitThreeImg").style.display = "none";
    document.getElementById("branchPermitFourImg").style.display = "none";
    document.getElementById("branchPermitFiveImg").style.display = "none";
document.getElementById("branchPermitTwoBtn").onclick = function() {
    document.getElementById("branchPermitOneImg").style.display = "none";
    document.getElementById("branchPermitTwoImg").style.display = "flex";
    document.getElementById("branchPermitThreeImg").style.display = "none";
    document.getElementById("branchPermitFourImg").style.display = "none";
    document.getElementById("branchPermitFiveImg").style.display = "none";
document.getElementById("branchPermitThreeBtn").onclick = function() {
    document.getElementById("branchPermitOneImg").style.display = "none";
    document.getElementById("branchPermitTwoImg").style.display = "none";
    document.getElementById("branchPermitFourImg").style.display = "flex";
    document.getElementById("branchPermitThreeImg").style.display = "none";
    document.getElementBvId("branchPermitFiveImg").stvle.display = "none";
```

```
document.getElementById("branchPermitFourBtn").onclick = function() {
    document.getElementById("branchPermitOneImg").style.display = "none";
    document.getElementById("branchPermitTwoImg").style.display = "none";
    document.getElementById("branchPermitFourImg").style.display = "none";
    document.getElementById("branchPermitThreeImg").style.display = "flex";
    document.getElementById("branchPermitFiveImg").style.display = "none";
}
document.getElementById("branchPermitFiveBtn").onclick = function() {
    document.getElementById("branchPermitOneImg").style.display = "none";
    document.getElementById("branchPermitTwoImg").style.display = "none";
    document.getElementById("branchPermitThreeImg").style.display = "none";
    document.getElementById("branchPermitFourImg").style.display = "none";
    document.getElementById("branchPermitFourImg").style.display = "none";
    document.getElementById("branchPermitFiveImg").style.display = "flex";
}
```

### File: catalog.js

```
const images = document.querySelectorAll(".retro clouds carousel img");
const container = document.querySelector(".retro_clouds_carousel");
const totalImages = images.length;
let imageIndex = 0;
let interval = 0;
for (let i = 0; i < totalImages; i++) {</pre>
    const button = document.createElement("button");
    button.classList.add("retro_clouds_carousel_button");
    container.appendChild(button);
const buttons = document.querySelectorAll(".retro clouds carousel button");
buttons.forEach((button, index) => {
    button.addEventListener("click", (e) => {
        e.preventDefault
        imageIndex = index;
        updateSlider();
        resetInterval();
    });
```

```
function updateSlider() {
    images.forEach((image) => {
        image.classList.remove("image-active");
    });
    buttons.forEach((button) => {
        button.classList.remove("btn-active");
    });
    images[imageIndex].classList.add("image-active");
    buttons[imageIndex].classList.add("btn-active");
function nextImage() {
    imageIndex++;
    if (imageIndex > totalImages - 1) {
        imageIndex = 0;
    updateSlider();
function autoPlay() {
    interval = setInterval(nextImage, 3000);
function resetInterval() {
    clearInterval(interval);
    autoPlay();
updateSlider();
autoPlay();
console.log(podkitButtons.length);
// JavaScript Count Down Deals of the Day
```

#### File: catalogButton.js

```
//Podkits section
const podkits = document.querySelectorAll('.podkits');
const podkitButtons = document.querySelectorAll('.podkit-buttons');
const popupProduct = document.querySelector('.popup-product-bg');
const popupName = document.querySelector('.popup-name');
const popupPrice = document.querySelector('.popup-price');
const popupFlavors = document.querySelector('.popup-flavors');
const popupImage = document.querySelector('.popup-img');
```

```
const description = document.querySelector('.description');
const popupAdd = document.querySelector('.popup-add');
const popupMinus = document.querySelector('.popup-minus');
const popupQuantity = document.querySelector('.popup-quantity');
const buyNow = document.querySelector('.buy-now');
const addToCart = document.querySelector('.add-to-cart');
const popupButtons = document.querySelector('.popup-buttons');
let maxQuantity = 0;
let productName = "";
// products.forEach(product => {
       if(product[3] == e.target.value) {
           popupImage.src = "./assets/catalog/" + product[6];
           description.innerHTML = product[7];
popupAdd.addEventListener('click', (e) => {
    if(popupQuantity.innerHTML > 0 && maxQuantity > 0 &&
parseInt(popupQuantity.innerHTML) < maxQuantity) {</pre>
        popupQuantity.innerHTML = parseInt(popupQuantity.innerHTML)+1;
});
popupMinus.addEventListener('click', (e) => {
    if(popupQuantity.innerHTML > 0 && maxQuantity > 0 &&
parseInt(popupQuantity.innerHTML) > 1) {
        popupQuantity.innerHTML = parseInt(popupQuantity.innerHTML)-1;
});
popupProduct.addEventListener('click', (e) => {
    if(e.target == popupProduct)
    popupProduct.style.display = 'none';
});
//add click listener on each podkitButtons
podkitButtons.forEach((button, index) => {
    button.addEventListener('click', (e) => {
        hideAllPodkits();
        let podkitStart = 0 + (4*(index));
        for(x = podkitStart; x < podkitStart+4; x++) {</pre>
            try {
                podkits[x].className = "flex podkits w-full h-full flex items-
center justify-center flex-col border border-[#33FCFF]";
```

```
} catch(e) {
    });
});
function hideAllPodkits() {
    podkits.forEach((podkit) => {
        podkit.className = 'hidden podkits w-full h-full flex items-center
justify-center flex-col border border-[#33FCFF]';
    });
//Disposables section
const disposables = document.querySelectorAll('.disposables');
const disposableButtons = document.querySelectorAll('.disposable-buttons');
//add click listener on each disposableButtons
disposableButtons.forEach((button, index) => {
    button.addEventListener('click', (e) => {
        hideAllDisposables();
        let disposableStart = 0 + (4*(index));
        for(x = disposableStart; x < disposableStart+4; x++) {</pre>
            try {
                disposables[x].className = "flex podkits w-full h-full flex
items-center justify-center flex-col border border-[#33FCFF]";
            } catch(e) {
    });
});
function hideAllDisposables() {
    disposables.forEach((disposable) => {
        disposable.className = "hidden podkits w-full h-full flex items-center
justify-center flex-col border border-[#33FCFF]";
    });
}
//Juices section
const juices = document.querySelectorAll('.juices');
const juiceButtons = document.querySelectorAll('.juice-buttons');
```

```
//add click listener on each juiceButtons
juiceButtons.forEach((button, index) => {
    button.addEventListener('click', (e) => {
        hideAllJuices();
        let juiceStart = 0 + (4*(index));
        for(x = juiceStart; x < juiceStart+4; x++) {</pre>
                juices[x].className = "flex podkits w-full h-full flex items-
center justify-center flex-col border border-[#33FCFF]";
            } catch(e) {
   });
});
function hideAllJuices() {
    juices.forEach((juice) => {
        juice.className = "hidden podkits w-full h-full flex items-center
justify-center flex-col border border-[#33FCFF]";
    });
function showPopupProduct(name, price, flavors, img, stock) {
    productName = name;
    popupFlavors.innerHTML = "";
    popupProduct.style.display = 'flex';
    popupName.innerHTML = name;
    popupPrice.innerHTML = price;
    popupImage.src = "./assets/catalog/" + img;
    maxQuantity = stock;
    if(maxQuantity > 0) {
        popupQuantity.innerHTML = 1;
        popupMinus.className = "popup-minus cursor-pointer setOpenSans text-
[#33FCFF] text-lg font-semibold";
        popupAdd.className = "popup-add cursor-pointer setOpenSans text-[#33FCFF]
text-lg font-semibold";
        popupButtons.className = "flex popup-buttons w-full items-start justify-
start px-6 py-4 gap-2 flex-wrap";
    } else {
        popupQuantity.innerHTML = "OUT OF STOCK";
        popupMinus.className = "hidden popup-minus cursor-pointer setOpenSans
text-[#33FCFF] text-lg font-semibold";
        popupAdd.className = "hidden popup-add cursor-pointer setOpenSans text-
[#33FCFF] text-lg font-semibold";
```

```
popupButtons.className = "hidden popup-buttons w-full items-start
justify-start px-6 py-4 gap-2 flex-wrap";
    products.forEach(product => {
        if(product[1] == name) {
            // description.innerHTML = product[7];
    });
    flavors.forEach(element => {
        const flavor = document.createElement('option');
        products.forEach(product => {
            if(product[0] == element && product[1] == name) {
                if(product[3] == "N/A" || product[3] == "NULL") {
                    flavor.innerHTML = product[4];
                    flavor.value = product[4];
                } else {
                    flavor.innerHTML = product[3];
                    flavor.value = product[3];
        });
        flavor.className = "text-[#FF1695]";
        popupFlavors.appendChild(flavor);
    });
popupProduct.addEventListener('click', (e) => {
    products.forEach(product => {
        if(product[3] == e.target.value || product[4] == e.target.value &&
product[1] == productName) {
            popupImage.src = "./assets/catalog/" + product[6];
            // description.innerHTML = product[7];
            maxQuantity = product[8];
            if(maxQuantity > 0) {
                popupQuantity.innerHTML = 1;
                popupMinus.className = "popup-minus cursor-pointer setOpenSans
text-[#33FCFF] text-lg font-semibold";
                popupAdd.className = "popup-add cursor-pointer setOpenSans text-
[#33FCFF] text-lg font-semibold";
                popupButtons.className = "flex popup-buttons w-full items-start
justify-start px-6 py-4 gap-2 flex-wrap";
```

```
} else {
                popupQuantity.innerHTML = "OUT OF STOCK";
                popupMinus.className = "hidden popup-minus cursor-pointer
setOpenSans text-[#33FCFF] text-lg font-semibold";
                popupAdd.className = "hidden popup-add cursor-pointer setOpenSans
text-[#33FCFF] text-lg font-semibold";
                popupButtons.className = "hidden popup-buttons w-full items-start
justify-start px-6 py-4 gap-2 flex-wrap";
    });
});
   function changeFlavor(value) {
       if(product[3] == value || product[4] == value) {
           popupImage.src = "./assets/catalog/" + product[6];
           // description.innerHTML = product[7];
           maxQuantity = product[8];
           popupQuantity.innerHTML = 1;
```

#### File: faqs.js

```
document.querySelectorAll(".accordions").forEach((faqs) => {
    faqs.querySelector(".faqs_title").addEventListener("click", () => {
        faqs.classList.toggle("read");
    });
});
```

#### File: timer.js

```
function updateCountdown() {
    // Get the current date and time
    const now = new Date();

    // Get the time remaining until the next day (in milliseconds)
    const timeUntilNextDay = new Date(now.getFullYear(), now.getMonth(),
now.getDate() + 1) - now;

// Convert time to hours, minutes, seconds
    const hours = Math.floor(timeUntilNextDay / (1000 * 60 * 60));
```

```
const minutes = Math.floor((timeUntilNextDay % (1000 * 60 * 60)) / (1000 *
60));
    const seconds = Math.floor((timeUntilNextDay % (1000 * 60)) / 1000);

    // Display the countdown
    // document.getElementById("countdown").innerHTML = `Next day starts in:
${hours}h ${minutes}m ${seconds}s`;
    // console.log(hours, minutes, seconds);
    document.getElementById("hours").innerHTML = hours;
    document.getElementById("minutes").innerHTML = minutes;
    document.getElementById("seconds").innerHTML = seconds;
}

// Call updateCountdown every second
setInterval(updateCountdown, 1000);

// Initial call to set up the countdown
updateCountdown();
```

#### **Data Dictionary**

The Retro Clouds Vape Shop Website data dictionary comprises nine tables, each serving as a repository for important information essential to the smooth functioning of the online platform. Within these tables, various aspects of the website's operations are organized and managed. For every table, detailed specifications are provided, including the table name, field name, data type, sample data, description, and field length. These specifications offer a comprehensive understanding of the structure and content of the database, ensuring consistency and coherence in data representation. By documenting these critical details, the data dictionary serves as a foundational resource for developers, administrators, and users, facilitating efficient data management and utilization within the Retro Clouds Vape Shop Website ecosystem. The following table are as follows:

Tabl	e 1. L	Data I	Dictioi	narv i	for i	4dmin	Table	: (ac	lmin	tbl.	)

Column	Туре	Attributes	Null	Default	Extra	Links to	Comments
admin_id	int(11)		No		auto_increment		Unique identifier (numeric) record.
admin_type	varchar(255)		No				Text description of the admi "ENTERPRISE", "IT").

email_address	varchar(255)	No		Email address of the admini
Password	varchar(255)	No		Encrypted password for the

#### Table 2. Data Dictionary for Brands Table (brands)

Column	Туре	Attributes	Null	Default	Extra	Links to	Comments
brand_id	int(11)		No		auto_increment		Unique identifier (numeric) fo
brand_name	varchar(255)		No				Name of the brand (text).

Table 3. Data Dictionary for Cart Table (cart\_tbl)

Column	Туре	Attributes	Null	Default	Extra	Links to
cart_id	int(11)		No		auto_increment	
customer_id	int(11)		No			-> customer_tbl.costumer_id ON UPDATE CASCADE ON DELETE CASCADE
product_id	int(11)		No			-> products.product_i d ON UPDATE CASCADE ON DELETE CASCADE
product_quantity	int(11)		No			
cart_date	datetime		No	current_timestamp()		

Table 4. Data Dictionary for Categories Table (categories)

Column	Туре	Attributes	Null	Default	Extra	Links to	Comments
category_id	int(11)		No		auto_increment		Unique identifier (numeric) f record.
category_name	varchar(255)		No				Name of the product category type of products included in the "Podkits", "Juice", "Disposable"

#### Table 5. Data Dictionary for Customer Table (customer\_tbl)

Column	Туре	Attributes	Null	Default	Extra	Links to	Comments
costumer_id	int(11)		No		auto_increment		Unique identifier customer record.
fname	varchar(255)		No				Customer's first n
Iname	varchar(255)		No				Customer's last na
address	varchar(255)		No				Customer's billing
email	varchar(255)		No				Customer's email communication.
password	varchar(255)		No				Encrypted passwo
contact_num	varchar(255)		No				Customer's contac
account_status	varchar(255)		No	PENDING			Indicates the curre account ), such as "Denied".
reg_date	datetime		No	current_timestamp()			Date and time the registered
					1	1	

#### Table 6. Data Dictionary for Delivery Modes Table (delivery\_modes)

Column	Туре	Attributes	Null	Default	Extra	Links to	Comments

delivery_id	int(11)	No	auto_increment	Unique identifier (numeri method record.
delivery_name	varchar(255)	No		Name of the delivery met the type of delivery offere "LALAMOVE").

#### Table 7. Data Dictionary for FAQs Table (faqs)

Column	Туре	Attributes	Null	Default	Extra	Links to	Comments
faq_id	int(11)		No		auto_increment		Unique identifier (numeric) f
question	mediumtext mediumtext		No				Text of the question being ac
answer	mediamtext		No				Text providing the answer to question.

#### Table 8. Data Dictionary for Feedback Table (feedback\_tbl)

Column	Туре	Attributes	Null	Default	Extra	Links to	Comment
feedback_id	int(11)		No		auto_increment		
name	varchar(255)		No				
customer_e mail	varchar(255)		No				
reg_date	Datetime		No	current_timestamp()			
customer_feedback	mediumtext		No				

#### Table 9. Data Dictionary for Inventory Table (inventory\_tbl)

Column	Туре	Attributes	Null	Default	Extra	Links to	Comments
item_id	int(11)		No			->	Unique identifier (numeric)
						products.product_id	
						ON UPDATE	
						RESTRICT	
						ON DELETE	

	'	1			RESTRICT	
		1	'			
		1				
		1				
total value	in+/11\	<del></del>	No			Total manatany value (num
total_value	int(11)	1	No	0		Total monetary value (num
total_stock	int(11)		No	0		Total number of units (num
_		1				stock.
		<u> </u>	<u> </u>			
latest_stock_refill	int(11)		No	0		Date of the most recent sto
sold	int(11)		No	0		Number of units (numeric)
		1				sold
	1	1	'	1		

Table 10. Data Dictionary for Orders Table (orders)

Column	Туре	Attributes	Null	Default	Extra	Links to
order_id	int(11)		No		auto_increment	
transaction_ id	int(11)		No			-> transaction_tbl.transaction_id ON UPDATE RESTRICT
						ON DELETE RESTRICT
product_id	int(11)		No			-> products.product_id ON UPDATE RESTRICT ON DELETE RESTRICT
product_quantity	int(11)		No			

order_date	date	No	current_timestamp()	

Table 11. Data Dictionary for Products Table (products)

Column	Туре	Attributes	Null	Default	Extra	Links to
product_id	int(11)		No		auto_increment	
category_id	int(11)		No			-> categories.category_id ON UPDATE RESTRICT ON DELETE RESTRICT
brand_id	int(11)		No			-> brands.brand_id ON UPDATE RESTRICT ON DELETE RESTRICT
product_name	varchar(255)		No			
Price	double		No			
Flavor	varchar(255)		No			
Color	varchar(255)		No			
bottle_size	varchar(255)		No			

nicotine_percentage	varchar(255)	No	0	
puffs	varchar(255)	No	0	
description	mediumtext	No	0	
acsemparent	mediameexe			
img_dir	varchar(100)	No	o energiz_eon.png	
5_	, ,		0 _ 1 0	
sale	varchar(20)	No	0	

#### Table 12. Data Dictionary for Transaction Status Table (transaction\_status\_tbl)


Column	Туре	Attributes	Null	Default	Extra	Links to	Comments
status_id	int(11)		No		auto_increment		Unique identifier (numeri
status_name	varchar(255)		No				Text description of the sta the current state of transa (e.g., "Pending", "Procession

#### Table 13. Data Dictionary for Transaction Table (transaction\_tbl)

lumn	Туре	Attributes	Null	Default	Extra	Links to	Comments
nsaction_ id	int(11)		No		auto_increment		Unique identifier for each transaction record.

stomer_id	int(11)	No		->	Reference to the
stomer_id	111(11)			customer_tbl.costumer ON UPDATE	
				RESTRICT	
				ON DELETE	
				RESTRICT	
ipping_address	varchar(255	No			Customer's shipping address for the order
obile_number	int(255)	No			Customer's mobile num
b_total	float(255,2)	No			Subtotal amount of the order with tax included and shipping
ipping_fee	float(255,2)	No			Cost associated with shipping the order
livery_id	int(11)	No		-> delivery_modes.	Reference to the deliver method table, identifying
				delivery_id	the chosen delivery
				ON UPDATE	method for the order.
				RESTRICT	
				ON DELETE	
				RESTRICT	
nsaction_date	date	No	current_t imestam		Date and time the order was placed
			p()		
itus_id	int(11)	No	1	-> transaction_stat	Reference to the status
				us_tbl.status_id	table, indicating the current status of the ord
				ON UPDATE	
				RESTRICT	
				ON DELETE	
				RESTRICT	
			1		

### **Website Application Screenshots**



ABOUT RETRO CLOUDS

#### WHAT WE DO



#### **STORE BRANCHES**




09454585885



BLOCK LLOT 32 PHASE 2, PMASSAMA, CITY OF TAGUES

09454260965



#### **BUSINESS PERMITS**

POWESANA, CITY OF THE OW

MINIST STREET VILLAGE, CITY OF TAXOU

CONTRAL BICUTAN, CUTY OF TRUBBE

SENTE SISBAL VILLAGE, CITY OF TASKIN

TURTURAN, CITY OF TAXABLE










SCROLL TO TOP







#### **ANSWER TO COMMON QUESTIONS**




WHAT ARE THE DIFFERENT TYPES OF VAPING DEVICES AVAILABLES

Vaping devices come in various types such as cigalikes, vape pens, pod mods, box mods, and



IS VAPING SAFER THAN SMOKING TRADITIONAL CIDARETTES!

While vaping is considered to be less harmful than smoking traditional cigarettes, it is not completely risk-free. Vaping still involves inhaling aerosols containing nicotine and other chemicals.



HOW DO I CHOOSE THE RIGHT NICOTINE STRENGTH FOR MY E-

Nicotine strength selection depends on factors like your smoking history and vaping habits. Beginners typically start with lower nicotine strengths (3-6mg/ml), while heavy smokers may opt for higher concentrations (12-18mg/ml).

WHAT ARE THE MAIN INGREDIENTS IN E-LIQUIDS?

E-liquids typically contain propylene glycol (PG), vegetable glycerin (VG), nicotine, and flavorings. Some may also contain distilled water or other additives.

HOW OFTEN SHOULD I CHANGE THE COIL IN MY VAPING DEVICES

Coll lifespan varies depending on usage, e-liquid composition, and maintenance. On average, coils should be replaced every 1-4 weeks to maintain optimal performance and flavor.

ARE THERE ANY REGULATIONS REGARDING VAPING PRODUCTED

Regulations for vaping products vary by region. It's important to stay informed about local laws regarding sales, advertising, and usage of vaping devices and e-liquids.







PANAGSAMA, CITY OF TAGLIS

NORTH SIGNAL VILALIE. CITY OF TAGLIG


SOUTH SIGNAL VILLAGE CITY OF TAGUES


TURTUKAN, CITY OF TAGUIG


Manday to Friday


TERMS AND CONDITION PRIVACY AND POLICY SCHOOL TO TOP

























#### GCash Payment successfully received.


You may now close this window.







# **ENTITY RELATIONSHIP DIAGRAM (ER Diagram)**



## PhpMyAdmin tables view of database `retro`

