


Kernel density estimation and confidence interval



$Npas4^{+/+}$ $Npas4^{-/-}$

CT0 22.5 - 1.5	CT3 1.5 - 4.5	CT6 4.5 - 7.5	CT9 7.5 - 10.5	CT12 10.5 - 13.5	CT15 13.5 - 16.5	CT18 16.5 - 19.5	CT21 19.5 - 22.5
0.0157	-0.5488	-1.9453	-3.4444	-4.8903	-5.8834	-6.0348	0.1768
0.2477	-0.4542	-1.8150	-3.4427	-4.1934	-5.7148	-5.9146	1.0640
0.5805	-0.3998	-1.8096	-3.0887	-3.9147	-5.6273	-4.6889	1.1951
0.5949	0.0114	-1.2478	-3.0059	-3.8677	-4.9265	-4.2258	1.3453
0.9734	0.0143	-1.1698	-2.9624	-3.6179	-4.9010	-3.4333	1.4608
1.0911	0.0223	-1.1672	-2.6003	-3.5812	-4.8102	-1.8218	1.6094
1.2353	0.2560	-1.1241	-2.5792	nan	-4.7977	-1.6884	1.6815
1.2546	0.3912	-0.8813	-2.4971	nan	-4.6979	-1.4219	1.8439
1.5713	0.4016	-0.7747	-2.1693	nan	-4.6672	-1.3859	1.9217
1.6637	2.7525	-0.6827	-2.0107	nan	-4.4777	-0.5022	2.0719
1.7920	nan	-0.5199	-1.3421	nan	-4.4689	-0.2640	2.1966
2.0000	nan	0.0093	nan	nan	-4.4095	-0.2150	2.4836
2.0914	nan	1.7873	nan	nan	-4.3923	0.1015	2.8680
2.1676	nan	nan	nan	nan	-4.3273	0.3832	2.8931
2.3471	nan	nan	nan	nan	-4.1135	0.5698	3.3045
2.4336	nan	nan	nan	nan	-3.9195	0.6877	3.3597
2.5090	nan	nan	nan	nan	-3.8478	0.8700	3.4053
2.5539	nan	nan	nan	nan	-3.7462	1.5156	nan
2.8583	nan	nan	nan	nan	-3.6463	2.0167	nan
2.9817	nan	nan	nan	nan	-3.5747	3.3726	nan
3.6753	nan	nan	nan	nan	-3.5546	5.0496	nan
4.2155	nan	nan	nan	nan	-3.4145	nan	nan
nan	nan	nan	nan	nan	-3.2343	nan	nan
nan	nan	nan	nan	nan	-2.2528	nan	nan
nan	nan	nan	nan	nan	-2.1024	nan	nan

CT0 22.5 - 1.5	CT3 1.5 - 4.5	CT6 4.5 - 7.5	CT9 7.5 - 10.5	CT12 10.5 - 13.5	CT15 13.5 - 16.5	CT18 16.5 - 19.5	CT21 19.5 - 22.5
-1.3000	-1.7253	-1.1252	-1.2654	-5.1767	-4.3307	-2.8586	-1.4300
-0.8149	0.0567	-0.9103	-1.2417	-3.3872	-2.4882	-2.1690	-1.3687
-0.5668	0.2003	-0.9001	-1.2228	-3.1610	-2.0558	-1.4808	1.4963
0.1787	0.3120	-0.1802	-0.9521	-2.8747	-1.8494	-1.1579	nan
0.2777	2.6385	0.9227	-0.8978	-2.8237	-1.8439	0.3268	nan
0.7293	nan	1.0726	-0.8256	-2.7807	-1.0221	0.7339	nan
nan	nan	nan	-0.8112	-2.5911	-0.9454	0.7842	nan
nan	nan	nan	-0.3539	-2.4212	-0.6806	1.0302	nan
nan	nan	nan	0.0086	-2.3460	-0.2373	nan	nan
nan	nan	nan	0.7649	-2.1907	-0.0897	nan	nan
nan	nan	nan	1.7315	-2.1402	0.6984	nan	nan
nan	nan	nan	nan	-2.1122	nan	nan	nan
nan	nan	nan	nan	-2.0690	nan	nan	nan
nan	nan	nan	nan	-2.0035	nan	nan	nan
nan	nan	nan	nan	-1.8779	nan	nan	nan
nan	nan	nan	nan	-1.5901	nan	nan	nan
nan	nan	nan	nan	-1.2413	nan	nan	nan
nan	nan	nan	nan	-0.8743	nan	nan	nan
nan	nan	nan	nan	-0.7911	nan	nan	nan
nan	nan	nan	nan	-0.4389	nan	nan	nan
nan	nan	nan	nan	-0.3947	nan	nan	nan
nan	nan	nan	nan	-0.1335	nan	nan	nan
nan	nan	nan	nan	0.1200	nan	nan	nan
nan	nan	nan	nan	nan	nan	nan	nan
nan	nan	nan	nan	nan	nan	nan	nan


Missing-data (nan) imputation for ART ANOVA analysis

Npas4^{+/+}

Npas4^{+/+} (imputed)

CT0 22.5 ~ 1.5	CT3 1.5 ~ 4.5	CT6 4.5 ~ 7.5	CT9 7.5 ~ 10.5	CT12 10.5 ~ 13.5	CT15 13.5 ~ 16.5	CT18 16.5 ~ 19.5	CT21 19.5 ~ 22.5
0.0157	-0.5488	-1.9453	-3.4444	-4.8903	-5.8834	-6.0348	0.1768
0.2477	-0.4542	-1.8150	-3.4427	-4.1934	-5.7148	-5.9146	1.0640
0.5805	-0.3998	-1.8096	-3.0887	-3.9147	-5.6273	-4.6889	1.1951
0.5949	0.0114	-1.2478	-3.0059	-3.8677	-4.9265	-4.2258	1.3453
0.9734	0.0143	-1.1698	-2.9624	-3.6179	-4.9010	-3.4333	1.4608
1.0911	0.0223	-1.1672	-2.6003	-3.5812	-4.8102	-1.8218	1.6094
1.2353	0.2560	-1.1241	-2.5792	nan	-4.7977	-1.6884	1.6815
1.2546	0.3912	-0.8813	-2.4971	nan	-4.6979	-1.4219	1.8439
1.5713	0.4016	-0.7747	-2.1693	nan	-4.6672	-1.3859	1.9217
1.6637	2.7525	-0.6827	-2.0107	nan	-4.4777	-0.5022	2.0719
1.7920	nan	-0.5199	-1.3421	nan	-4.4689	-0.2640	2.1966
2.0000	nan	0.0093	nan	nan	-4.4095	-0.2150	2.4836
2.0914	nan	1.7873	nan	nan	-4.3923	0.1015	2.8680
2.1676	nan	nan	nan	nan	-4.3273	0.3832	2.8931
2.3471	nan	nan	nan	nan	-4.1135	0.5698	3.3045
2.4336	nan	nan	nan	nan	-3.9195	0.6877	3.3597
2.5090	nan	nan	nan	nan	-3.8478	0.8700	3.4053
2.5539	nan	nan	nan	nan	-3.7462	1.5156	nan
2.8583	nan	nan	nan	nan	-3.6463	2.0167	nan
2.9817	nan	nan	nan	nan	-3.5747	3.3726	nan
3.6753	nan	nan	nan	nan	-3.5546	5.0496	nan
4.2155	nan	nan	nan	nan	-3.4145	nan	nan
nan	nan	nan	nan	nan	-3.2343	nan	nan
nan	nan	nan	nan	nan	-2.2528	nan	nan
nan	nan	nan	nan	nan	-2.1024	nan	nan

CT0 22.5 ~ 1.5	CT3 1.5 ~ 4.5	CT6 4.5 ~ 7.5	CT9 7.5 ~ 10.5	CT12 10.5 ~ 13.5	CT15 13.5 ~ 16.5	CT18 16.5 ~ 19.5	CT21 19.5 ~ 22.5
0.0157	-0.5488	-1.9453	-3.4444	-4.8903	-5.8834	-6.0348	0.1768
0.2477	-0.4542	-1.8150	-3.4427	-4.1934	-5.7148	-5.9146	1.0640
0.5805	-0.3998	-1.8096	-3.0887	-3.9147	-5.6273	-4.6889	1.1951
0.5949	0.0114	-1.2478	-3.0059	-3.8677	-4.9265	-4.2258	1.3453
0.9734	0.0143	-1.1698	-2.9624	-3.6179	-4.9010	-3.4333	1.4608
1.0911	0.0223	-1.1672	-2.6003	-3.5812	-4.8102	-1.8218	1.6094
1.2353	0.2560	-1.1241	-2.5792	-2.6905	-4.7977	-1.6884	1.6815
1.2546	0.3912	-0.8813	-2.4971	-3.8435	-4.6979	-1.4219	1.8439
1.5713	0.4016	-0.7747	-2.1693	-4.4109	-4.6672	-1.3859	1.9217
1.6637	2.7525	-0.6827	-2.0107	-3.6505	-4.4777	-0.5022	2.0719
1.7920	0.6332	-0.5199	-1.3421	-3.4826	-4.4689	-0.2640	2.1966
2.0000	1.3108	0.0093	-2.2498	-3.2989	-4.4095	-0.2150	2.4836
2.0914	1.8801	1.7873	-1.2942	-2.6259	-4.3923	0.1015	2.8680
2.1676	1.2117	-1.2914	-2.6172	-2.8909	-4.3273	0.3832	2.8931
2.3471	0.5136	-1.3543	-3.3790	-4.5050	-4.1135	0.5698	3.3045
2.4336	0.3867	-0.3956	-2.3148	-4.5281	-3.9195	0.6877	3.3597
2.5090	1.2207	-2.0592	-1.2254	-3.4149	-3.8478	0.8700	3.4053
2.5539	1.6744	-0.9330	-1.9232	-4.1033	-3.7462	1.5156	2.4346
2.8583	1.7196	0.1774	-2.9368	-4.3926	-3.6463	2.0167	1.4971
2.9817	0.6535	-0.0798	-3.0466	-3.7037	-3.5747	3.3726	1.4699
3.6753	-0.4756	0.5073	-2.4870	-3.8116	-3.5546	5.0496	2.6157
4.2155	0.9497	-1.3763	-2.6401	-4.0112	-3.4145	-3.2100	2.4204
1.2302	0.5475	-1.9886	-2.0073	-2.9943	-3.2343	-3.2458	2.3729
1.3738	-0.2519	-2.0449	-1.4692	-3.1100	-2.2528	1.1311	2.5638
2.5158	1.7735	-0.9242	-3.2351	-3.7971	-2.1024	-1.5737	1.1155



Data (imputed) = random.uniform(MinEdp + MaxHalfCI, MaxEdp + MaxHalfCI)
: random numbers (uniform distribution) between minimum (MinEdp) and maximum (MaxEdp) estimated phase shift plus maximum half confidence interval (MaxHalfCI) within a group

MaxHalfCI = MaxEdp - MinEdp
Range of random imputed data with uniform distribution

kernel density estimation: gaussian kernel function & bandwidth 1

Reference for kernel density estimation and confidence interval:
Härdle, W. (2013). Applied Nonparametric Regression (Cambridge, Cambridge University Press), pp. 32-42, 123

Aligned Rank Transform (ART) for nonparametric two-way ANOVA with interaction

- Parametric analysis of variance of raw data (check ANOVA assumptions)

- Shapiro-Wilk residual normality test

data: res1

W = 0.90708, p-value = 6.107e-15

- Levene's Test for Homogeneity of Variance (center = median)

	Df	F value	Pr(>F)
group	15	8.2683	2.249e-16 ***
	384		

> Violate ANOVA assumptions

- Nonparametric analysis of variance of Aligned Rank Transformed data using ARTtool

Table Type: Anova Table (Type III tests)

Model: No Repeated Measures (lm)


Response: art(Phaseshift)

	Df	Df.res	F value	Pr(>F)
1 CT	7	384	110.497	< 2.22e-16 ***
2 Genotype	1	384	38.389	1.4944e-09 ***
3 CT:Genotype	7	384	81.484	< 2.22e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Aligned Rank Transform (ART) for nonparametric two-way ANOVA with interaction: Pairwise comparison by interaction between two factors

Pairwise factor combination	Value	Df	Sum.of.Sq	F	Pr..F.
CT0- CT12 : Npas4 ^{-/-} Npas4 ^{+/+}	-439.96	1	1209780.01	216.64	84.01E-39
CT0- CT15 : Npas4 ^{-/-} Npas4 ^{+/+}	-476.68	1	1420148.89	254.31	731.26E-45
CT0- CT18 : Npas4 ^{-/-} Npas4 ^{+/+}	-222.32	1	308913.64	55.32	9.46E-12
CT0- CT21 : Npas4 ^{-/-} Npas4 ^{+/+}	15.08	1	1421.29	0.25	1E+00
CT0- CT3 : Npas4 ^{-/-} Npas4 ^{+/+}	-98.36	1	60466.81	10.83	5.46E-03
CT0- CT6 : Npas4 ^{-/-} Npas4 ^{+/+}	-233.24	1	340005.61	60.89	867.66E-15
CT0- CT9 : Npas4 ^{-/-} Npas4 ^{+/+}	-369.80	1	854700.25	153.06	177.67E-30
CT12- CT15 : Npas4 ^{-/-} Npas4 ^{+/+}	-36.72	1	8427.24	1.51	660.08E-03
CT12- CT18 : Npas4 ^{-/-} Npas4 ^{+/+}	217.64	1	296044.81	53.01	24.55E-12
CT12- CT21 : Npas4 ^{-/-} Npas4 ^{+/+}	455.04	1	1294133.76	231.75	726.32E-42
CT12- CT3 : Npas4 ^{-/-} Npas4 ^{+/+}	341.60	1	729316.00	130.60	653.48E-27
CT12- CT6 : Npas4 ^{-/-} Npas4 ^{+/+}	206.72	1	267082.24	47.83	234.34E-12
CT12- CT9 : Npas4 ^{-/-} Npas4 ^{+/+}	70.16	1	30765.16	5.51	77.69E-03
CT15- CT18 : Npas4 ^{-/-} Npas4 ^{+/+}	254.36	1	404368.81	72.41	7.54E-15
CT15- CT21 : Npas4 ^{-/-} Npas4 ^{+/+}	491.76	1	1511424.36	270.66	5.8E-45
CT15- CT3 : Npas4 ^{-/-} Npas4 ^{+/+}	378.32	1	894537.64	160.19	14.51E-30
CT15- CT6 : Npas4 ^{-/-} Npas4 ^{+/+}	243.44	1	370393.96	66.33	91.95E-15
CT15- CT9 : Npas4 ^{-/-} Npas4 ^{+/+}	106.88	1	71395.84	12.79	2.36E-03
CT18- CT21 : Npas4 ^{-/-} Npas4 ^{+/+}	237.40	1	352242.25	63.08	355.05E-15
CT18- CT3 : Npas4 ^{-/-} Npas4 ^{+/+}	123.96	1	96038.01	17.20	331.88E-06
CT18- CT6 : Npas4 ^{-/-} Npas4 ^{+/+}	-10.92	1	745.29	0.13	1E+00
CT18- CT9 : Npas4 ^{-/-} Npas4 ^{+/+}	-147.48	1	135939.69	24.34	13.23E-06
CT21- CT3 : Npas4 ^{-/-} Npas4 ^{+/+}	-113.44	1	80428.96	14.40	1.2E-03
CT21- CT6 : Npas4 ^{-/-} Npas4 ^{+/+}	-248.32	1	385392.64	69.01	30.58E-15
CT21- CT9 : Npas4 ^{-/-} Npas4 ^{+/+}	-384.88	1	925828.84	165.79	2.09E-30
CT3- CT6 : Npas4 ^{-/-} Npas4 ^{+/+}	-134.88	1	113703.84	20.36	76.81E-06
CT3- CT9 : Npas4 ^{-/-} Npas4 ^{+/+}	-271.44	1	460497.96	82.46	114.88E-18
CT6- CT9 : Npas4 ^{-/-} Npas4 ^{+/+}	-136.56	1	116553.96	20.87	66.27E-06



R phia testInteractions:
test contrasts of factor interactions

Red line: p-value 0.05

Wobbrock, J.O., Findlater, L., Gergle, D., & Higgins, J.J., (2011) The aligned rank transform for nonparametric factorial analyses using only anova procedures, CHI '11, 143-146

- Parametric analysis of variance of raw data (check ANOVA assumptions): Residual plots

