Bengaluru, Karnataka, India



AN INTERNSHIP REPORT ON

"VTU SGPA CALCULATOR FOR VTU GATES"

BACHELOR OF ENGINEERING In COMPUTER SCIENCE AND ENGINEERING

Submitted by :DISHA N(1SB18CS016)



Sri Sairam College of Engineering

(Affiliated to Visvesvaraya Technological University and Approved by AICTE, New Delhi)Accredited By NAAC with 'B' Grade

An ISO 9001-2015 certified Institute

Bengaluru, Karnataka 562106

2020-2021

ABOUT THE COMPANY

CST is a digital service provider that aims to provide software, designing and marketing solutions to individuals and businesses. At CST, we believe that service and quality is the key to success. We provide all kinds of technological and designing solutions from Billing Software to Web Designs or any custom demand that you may have. Experience the service like none other!

Some of our services include:

<u>Development</u> - We develop responsive, functional and super-fast websites.

We keep User Experience in mind while creating websites. A website should load quickly and shouldbe accessible even on a small view-port and slow internet connection.

<u>Mobile Application</u> - We offer a wide range of professional Android, iOS& Hybrid app development services for our global clients, from a start up to a large enterprise.

<u>Design</u> - We offer professional Graphic design, Brochure design & Logo design. We are expertsin crafting visual content to convey the right message to the customers.

<u>Consultancy</u> - We are here to provide you with expert advice on your design and development requirement.

Videos - We create a polished professional video that impresses your audience.

Table of Contents

Contents	Page No.
Table of Contents	I
Overview of the project	1
About	2
Tools used	3
Implementation	4-7
SnapShots	8
Bibliography	9

OVERVIEW OF THE PROJECT

Project Name: VTU SGPA CALCULATOR FOR VTU GATES

Team Members:

DISHA N(1SB18CS016)

V MANASA (1SB18CS088)

DEEPA M (1SB18CS012)

SAHANA D(1SB18CS069)

This project is based on Web Development and its Applications. The main objective of this project is to learn the implementation of HTML, CSS and JavaScript at frontend and PHP, MySQL database at backend, The webpage of this project is created using HTML and styling of the webpage is done using CSS.

It is a web application that simplifies the task of storing a user's results. The system is flexible to be used and reduces the need of frequently searching and accessing an individual's marks. The system is developed to provide an easy means for storing semester wise results. Individuals have to login and enter their marks in a form. They can then access the result and print it in a PDF format.

1. USER MODULE

This module is mainly dedicated to the candidates who are looking to store their result. They can log in into the system, via the credentials provided to them & once they are in, they have to enter their data by filling an online form. They can download the result from the same module, in PDF file format.

2. ADMIN MODULE

This module is maintained by the admin and only he/she can manage and have access to every account. Admin can add or delete the users as well. They can modify the functionalities of the system, too. Admin can also add users on the fly to the application to make the application full of new functionalities.

SGPA Calculator

SGPA calculator is used to calculate SGPA for engineering VTU students, we can calculate the semester grade points.

The VTU adopts absolute grading system wherein the marks are converted to grades, and every semester results will be declared with semester grade point average (SGPA) and Cumulative.

The SGPA is the ratio of sum of the product of the number of credits with the grade points scored by a student in all the courses taken by a student and the sum of the number of credits of all the courses undergone by a student, i.e.

$$SGPA(Si) = \sum (Ci \times Gi) / \sum Ci$$

where Ci is the number of credits of the ith course and Gi is the grade point scored by the student in the ith course.

SGPA, which stands for Semester Grade Point Average is an evaluation method that highlights the semester wise performance of the student.

It can be calculated by simply adding all the credit points awarded for the subjects and then dividing it by the total credits allotted to that semester.

For example, in a total of 3 subjects, you scored the following grade points:

Subject 1: 8

Subject 2: 6

Subject 3: 7

The total credit for each subject is 10.

- 1. Now, first we will multiply, the grade point with the total credit point for each subject: Subject 1: 8*10 = 80 Subject 2: 6*10 = 60 Subject 3: 7*10 = 70
- 2. To calculate SGPA here, you need to add all these grade points and then divide it by the total credits, i.e.

Total grade points: 210 Total credits: 30

To get SGPA, divide grade points by total credits, =210/30 =7 SGPA

TOOLS USED

Software Requirements

- · Visual Studio Code 2019.
- · Google Chrome or Microsoft Edge of latest version.
- · Front End: HTML, CSS, JS
- · Backend: Php, MySQL, Xampp
- · Linux 7.1 or Windows XP/7/8/10 OS or Mac OS

Hardware Requirements

- Pentium 200-MHz computer with a minimum of 64 MB of RAM (128 MB of RAM recommended).
- · Monitor with a refresh rate of at least 40Hz for a smooth GUI experience (optional).

IMPLEMENTATION

```
package com.example.prart.sgpacalc;
import android.content.Intent;
import android.support.v7.app.AppCompatActivity;
import android.os.Bundle;
import android.view.View;
import android.widget.ArrayAdapter;
import android.widget.Button;
import android.widget.Spinner;
import android.widget.Toast;
/*CREATED BY ASHISH ON 01-10-2019*/
public class MainActivity extends AppCompatActivity {
   Button buttonlaunch;
   @Override
   protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);
        String choices[] = {"Percentage to SGPA", "SGPA to Percentage"};
        final Spinner spinner = findViewById(R.id.spinnerselect);
        ArrayAdapter<String> spinnerArrayAdapter = new ArrayAdapter<String>(this,
android.R.layout.simple_spinner_item, choices);
spinnerArrayAdapter.setDropDownViewResource(android.R.layout.simple_spinner_dropdown_item); //
The drop down view
        spinner.setAdapter(spinnerArrayAdapter);
        buttonlaunch = findViewById(R.id.buttonlaunch);
        buttonlaunch.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View v) {
                final String selecteditem;
                selecteditem = spinner.getSelectedItem().toString();
                switch (selecteditem)
                    case "Percentage to SGPA":
                        Intent intent;
                        intent = new Intent(getApplicationContext(),perc to sgpa.class);
                        startActivity(intent);
                        break:
                    case "SGPA to Percentage":
                        Intent intent1 = new Intent(getApplicationContext(),sgpa_to_perc.class);
                        startActivity(intent1);
                        break:
                     //default:
Toast.makeText(getApplicationContext(), "Default", Toast.LENGTH_SHORT).show();
            }
       });
    }
```

```
P2
```

}

```
package com.example.prart.sgpacalc;
import android.content.Intent;
import android.support.v7.app.AppCompatActivity;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.CompoundButton;
import android.widget.EditText;
import android.widget.Switch;
import android.widget.TextView;
import android.widget.Toast;
import static java.sql.Types.NULL;
public class perc_to_sgpa extends AppCompatActivity {
   private TextView result;
   private Button convert;
   EditText inputtext;
   Switch aSwitch;
   TextView heading, textfrom, textto;
   @Override
   protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_perc_to_sgpa);
        result = findViewById(R.id.textViewresult);
        convert = findViewById(R.id.buttonconvert);
        inputtext = findViewById(R.id.editTextinput);
        aSwitch = findViewById(R.id.switchinvert1);
        heading = findViewById(R.id.textViewheading);
       textfrom = findViewById(R.id.textViewfrom);
        textto = findViewById(R.id.textViewto);
        convert.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View v) {
               final String pcinput;
                pcinput = inputtext.getText().toString();
                if(pcinput.isEmpty()){
                    Toast.makeText(getApplicationContext(), "Percentage cannot be
empty!!",Toast.LENGTH_SHORT).show();
                    result.setText(null);
                else if(Float.parseFloat(pcinput) > 100){
                    Toast.makeText(getApplicationContext(), "Percentage cannot exceed
100!!", Toast.LENGTH SHORT).show();
                    result.setText(null);
                    inputtext.setText(null);
                else {
                    float pcin;
```

```
P2
                    pcin = Float.parseFloat(pcinput);
                    double calcresult;
                    calcresult = ((pcin/10)+0.75);
                    result.setText(String.valueOf(calcresult));
                    Toast.makeText(getApplicationContext(), "Result is
ready",Toast.LENGTH_SHORT).show();
        });
        aSwitch.setOnCheckedChangeListener(new CompoundButton.OnCheckedChangeListener() {
            @Override
            public void onCheckedChanged(CompoundButton buttonView, boolean isChecked) {
                //Intent intent4=new Intent(getApplicationContext(),sgpa to perc.class);
                //startActivity(intent4);
                if(isChecked){
                    heading.setText("Enter SGPA To Be Converted To Percentage");
                    textfrom.setText("Enter SGPA::");
                    textto.setText("Percentage::");
                    inputtext.setText(null);
                    result.setText(null);
                    final String sgpain = inputtext.getText().toString();
                    if(sgpain.isEmpty()){
                        Toast.makeText(getApplicationContext(), "SGPA cannot be
empty",Toast.LENGTH_SHORT).show();
                        result.setText(null);
                        //sgpa.setText(null);
                    }
                    else if(Float.parseFloat(sgpain)> 10){
                        Toast.makeText(getApplicationContext(), "SGPA cannot exceed
10",Toast.LENGTH SHORT).show();
                        result.setText(null);
                        inputtext.setText(null);
                    }
                    else{
                        float sgpainp=Float.parseFloat(sgpain);
                        double percresult:
                        percresult = (sgpainp-0.75)*10;
                        result.setText(String.valueOf(percresult));
                        Toast.makeText(getApplicationContext(), "Result is
ready",Toast.LENGTH_SHORT).show();
                else {
                    heading.setText("Enter Percentage To Be Converted To SGPA");
                    textfrom.setText("Enter Percentage::");
                    textto.setText("SGPA::");
                    inputtext.setText(null);
                    result.setText(null);
```

final String pcinput;

```
P2
```

```
pcinput = inputtext.getText().toString();
                    if(pcinput.isEmpty()){
                        Toast.makeText(getApplicationContext(), "Percentage cannot be
empty!!",Toast.LENGTH_SHORT).show();
                        result.setText(null);
                    else if(Float.parseFloat(pcinput) > 100){
                        Toast.makeText(getApplicationContext(), "Percentage cannot exceed
100!!",Toast.LENGTH_SHORT).show();
                        result.setText(null);
                        inputtext.setText(null);
                    }
                    else {
                        float pcin;
                        pcin = Float.parseFloat(pcinput);
                        double calcresult;
                        calcresult = ((pcin/10)+0.75);
                        result.setText(String.valueOf(calcresult));
                        Toast.makeText(getApplicationContext(), "Result is
ready",Toast.LENGTH_SHORT).show();
        });
    }
```

SNAPSHOTS

SGPA Calculator Please input the marks separated by spaces. Example - If you had 3 subjects of 4 credits each, enter marks in the field '4 Credits Marks' as: 55 85 82. Leave the fields blank that are not applicable to you. 5 Credits Marks 4 Credits Marks 2 Credits Marks 1 Credit Marks Calculate Reset Back Home



BIBLIOGRAPHY

https://www.w3schools.com

https://www.geeksforgeeks.org

https://freefrontend.com

https://css-tricks.com/

https://www.takeiteasyengineers.com

https://dev.to/mychi_darko/php-tips-and-tricks-