

Codebook

Tobi

12/13/2021

The run_analysis.R script performs the data preparation and then followed by the 5 steps required as described in the course project's definition.

Download the dataset

Dataset downloaded and extracted under the folder called UCI HAR Dataset

Assign each data to variables

```
features <- features.txt
```

```
activities <- activity_labels.txt
```

```
subject_test <- test/subject_test.txt
```

```
x_test <- test/X_test.txt
```

```
y_test <- test/y_test.txt
```

```
subject_train <- test/subject_train.txt
```

```
x_train <- test/X_train.txt
```

```
y_train <- test/y_train.txt
```

Merges the training and the test sets to create one data set

X is created by merging x_train and x_test using rbind() function

Y is created by merging y_train and y_test using rbind() function

Subject is created by merging subject_train and subject_test using rbind() function

Merged_Data is created by merging Subject, Y and X using cbind() function

Extract only the measurements on the mean and standard deviation for each measurement

TidyData is created by subsetting Merged_Data, selecting only columns: subject, code and the measurements on the mean and standard deviation (std) for each measurement

Uses descriptive activity names to name the activities in the data set

Entire numbers in code column of the TidyData replaced with corresponding activity taken from second column of the activity's variable

Appropriately labels the data set with descriptive variable names

code column in TidyData renamed into activities

All Acc in column's name replaced by Accelerometer

All Gyro in column's name replaced by Gyroscope

All BodyBody in column's name replaced by Body

All Mag in column's name replaced by Magnitude²

All start with character f in column's name replaced by Frequency

```

## Attaching package: 'dplyr'

## The following objects are masked from 'package:stats':
##
##   filter, lag

## The following objects are masked from 'package:base':
##
##   intersect, setdiff, setequal, union

## Warning: 'funs()' was deprecated in dplyr 0.8.0.
## Please use a list of either functions or lambdas:
##
##   # Simple named list:
##   list(mean = mean, median = median)
##
##   # Auto named with 'tibble::lst()':
##   tibble::lst(mean, median)
##
##   # Using lambdas
##   list(~ mean(., trim = .2), ~ median(., na.rm = TRUE))
## This warning is displayed once every 8 hours.
## Call 'lifecycle::last_lifecycle_warnings()' to see where this warning was generated.

## grouped_df [180 x 88] (S3: grouped_df/tbl_df/tbl/data.frame)
##   $ subject                : int [1:180] 1 1 1 1 1 1 2 2 2 2 ...
##   $ activity                : chr [1:180] "LAYING" "SITTING" "STANDING" "WA
##   $ TimeBodyAccelerometer.mean...X : num [1:180] 0.222 0.261 0.279 0.277 0.289 ...
##   $ TimeBodyAccelerometer.mean...Y : num [1:180] -0.04051 -0.00131 -0.01614 -0.017
##   $ TimeBodyAccelerometer.mean...Z : num [1:180] -0.113 -0.105 -0.111 -0.111 -0.10
##   $ TimeGravityAccelerometer.mean...X : num [1:180] -0.249 0.832 0.943 0.935 0.932 ..
##   $ TimeGravityAccelerometer.mean...Y : num [1:180] 0.706 0.204 -0.273 -0.282 -0.267
##   $ TimeGravityAccelerometer.mean...Z : num [1:180] 0.4458 0.332 0.0135 -0.0681 -0.06
##   $ TimeBodyAccelerometerJerk.mean...X : num [1:180] 0.0811 0.0775 0.0754 0.074 0.0542
##   $ TimeBodyAccelerometerJerk.mean...Y : num [1:180] 0.003838 -0.000619 0.007976 0.028
##   $ TimeBodyAccelerometerJerk.mean...Z : num [1:180] 0.01083 -0.00337 -0.00369 -0.0041
##   $ TimeBodyGyroscope.mean...X : num [1:180] -0.0166 -0.0454 -0.024 -0.0418 -0
##   $ TimeBodyGyroscope.mean...Y : num [1:180] -0.0645 -0.0919 -0.0594 -0.0695 -0
##   $ TimeBodyGyroscope.mean...Z : num [1:180] 0.1487 0.0629 0.0748 0.0849 0.090
##   $ TimeBodyGyroscopeJerk.mean...X : num [1:180] -0.1073 -0.0937 -0.0996 -0.09 -0.
##   $ TimeBodyGyroscopeJerk.mean...Y : num [1:180] -0.0415 -0.0402 -0.0441 -0.0398 -0
##   $ TimeBodyGyroscopeJerk.mean...Z : num [1:180] -0.0741 -0.0467 -0.049 -0.0461 -0
##   $ TimeBodyAccelerometerMagnitude.mean.. : num [1:180] -0.8419 -0.9485 -0.9843 -0.137 0.
##   $ TimeGravityAccelerometerMagnitude.mean.. : num [1:180] -0.8419 -0.9485 -0.9843 -0.137 0.
##   $ TimeBodyAccelerometerJerkMagnitude.mean.. : num [1:180] -0.9544 -0.9874 -0.9924 -0.1414 -0
##   $ TimeBodyGyroscopeMagnitude.mean.. : num [1:180] -0.8748 -0.9309 -0.9765 -0.161 -0
##   $ TimeBodyGyroscopeJerkMagnitude.mean.. : num [1:180] -0.963 -0.992 -0.995 -0.299 -0.29
##   $ FrequencyBodyAccelerometer.mean...X : num [1:180] -0.9391 -0.9796 -0.9952 -0.2028 0
##   $ FrequencyBodyAccelerometer.mean...Y : num [1:180] -0.86707 -0.94408 -0.97707 0.0897
##   $ FrequencyBodyAccelerometer.mean...Z : num [1:180] -0.883 -0.959 -0.985 -0.332 -0.22
##   $ FrequencyBodyAccelerometer.meanFreq...X : num [1:180] -0.1588 -0.0495 0.0865 -0.2075 -0
##   $ FrequencyBodyAccelerometer.meanFreq...Y : num [1:180] 0.0975 0.0759 0.1175 0.1131 0.063
##   $ FrequencyBodyAccelerometer.meanFreq...Z : num [1:180] 0.0894 0.2388 0.2449 0.0497 0.294

```

```

## $ FrequencyBodyAccelerometerJerk.mean...X : num [1:180] -0.9571 -0.9866 -0.9946 -0.1705 -
## $ FrequencyBodyAccelerometerJerk.mean...Y : num [1:180] -0.9225 -0.9816 -0.9854 -0.0352 -
## $ FrequencyBodyAccelerometerJerk.mean...Z : num [1:180] -0.948 -0.986 -0.991 -0.469 -0.28
## $ FrequencyBodyAccelerometerJerk.meanFreq...X : num [1:180] 0.132 0.257 0.314 -0.209 -0.253 .
## $ FrequencyBodyAccelerometerJerk.meanFreq...Y : num [1:180] 0.0245 0.0475 0.0392 -0.3862 -0.3
## $ FrequencyBodyAccelerometerJerk.meanFreq...Z : num [1:180] 0.02439 0.09239 0.13858 -0.18553
## $ FrequencyBodyGyroscope.mean...X : num [1:180] -0.85 -0.976 -0.986 -0.339 -0.352
## $ FrequencyBodyGyroscope.mean...Y : num [1:180] -0.9522 -0.9758 -0.989 -0.1031 -0
## $ FrequencyBodyGyroscope.mean...Z : num [1:180] -0.9093 -0.9513 -0.9808 -0.2559 -0
## $ FrequencyBodyGyroscope.meanFreq...X : num [1:180] -0.00355 0.18915 -0.12029 0.01478
## $ FrequencyBodyGyroscope.meanFreq...Y : num [1:180] -0.0915 0.0631 -0.0447 -0.0658 0.
## $ FrequencyBodyGyroscope.meanFreq...Z : num [1:180] 0.010458 -0.029784 0.100608 0.0007
## $ FrequencyBodyAccelerometerMagnitude.mean.. : num [1:180] -0.8618 -0.9478 -0.9854 -0.1286 0
## $ FrequencyBodyAccelerometerMagnitude.meanFreq.. : num [1:180] 0.0864 0.2367 0.2846 0.1906 0.119
## $ FrequencyBodyAccelerometerJerkMagnitude.mean.. : num [1:180] -0.9333 -0.9853 -0.9925 -0.0571 0
## $ FrequencyBodyAccelerometerJerkMagnitude.meanFreq.. : num [1:180] 0.2664 0.3519 0.4222 0.0938 0.076
## $ FrequencyBodyGyroscopeMagnitude.mean.. : num [1:180] -0.862 -0.958 -0.985 -0.199 -0.18
## $ FrequencyBodyGyroscopeMagnitude.meanFreq.. : num [1:180] -0.139775 -0.000262 -0.028606 0.2
## $ FrequencyBodyGyroscopeJerkMagnitude.mean.. : num [1:180] -0.942 -0.99 -0.995 -0.319 -0.282
## $ FrequencyBodyGyroscopeJerkMagnitude.meanFreq.. : num [1:180] 0.176 0.185 0.334 0.191 0.19 ...
## $ Angle.TimeBodyAccelerometerMean.Gravity. : num [1:180] 0.021366 0.027442 -0.000222 0.060
## $ Angle.TimeBodyAccelerometerJerkMean..GravityMean. : num [1:180] 0.00306 0.02971 0.02196 -0.00793 0
## $ Angle.TimeBodyGyroscopeMean.GravityMean. : num [1:180] -0.00167 0.0677 -0.03379 0.01306 0
## $ Angle.TimeBodyGyroscopeJerkMean.GravityMean. : num [1:180] 0.0844 -0.0649 -0.0279 -0.0187 -0
## $ Angle.X.GravityMean. : num [1:180] 0.427 -0.591 -0.743 -0.729 -0.744
## $ Angle.Y.GravityMean. : num [1:180] -0.5203 -0.0605 0.2702 0.277 0.26
## $ Angle.Z.GravityMean. : num [1:180] -0.3524 -0.218 0.0123 0.0689 0.06
## $ TimeBodyAccelerometer.std...X : num [1:180] -0.928 -0.977 -0.996 -0.284 0.03
## $ TimeBodyAccelerometer.std...Y : num [1:180] -0.8368 -0.9226 -0.9732 0.1145 -0
## $ TimeBodyAccelerometer.std...Z : num [1:180] -0.826 -0.94 -0.98 -0.26 -0.23 ..
## $ TimeGravityAccelerometer.std...X : num [1:180] -0.897 -0.968 -0.994 -0.977 -0.95
## $ TimeGravityAccelerometer.std...Y : num [1:180] -0.908 -0.936 -0.981 -0.971 -0.93
## $ TimeGravityAccelerometer.std...Z : num [1:180] -0.852 -0.949 -0.976 -0.948 -0.89
## $ TimeBodyAccelerometerJerk.std...X : num [1:180] -0.9585 -0.9864 -0.9946 -0.1136 -0
## $ TimeBodyAccelerometerJerk.std...Y : num [1:180] -0.924 -0.981 -0.986 0.067 -0.102
## $ TimeBodyAccelerometerJerk.std...Z : num [1:180] -0.955 -0.988 -0.992 -0.503 -0.34
## $ TimeBodyGyroscope.std...X : num [1:180] -0.874 -0.977 -0.987 -0.474 -0.45
## $ TimeBodyGyroscope.std...Y : num [1:180] -0.9511 -0.9665 -0.9877 -0.0546 -0
## $ TimeBodyGyroscope.std...Z : num [1:180] -0.908 -0.941 -0.981 -0.344 -0.12
## $ TimeBodyGyroscopeJerk.std...X : num [1:180] -0.919 -0.992 -0.993 -0.207 -0.48
## $ TimeBodyGyroscopeJerk.std...Y : num [1:180] -0.968 -0.99 -0.995 -0.304 -0.239
## $ TimeBodyGyroscopeJerk.std...Z : num [1:180] -0.958 -0.988 -0.992 -0.404 -0.26
## $ TimeBodyAccelerometerMagnitude.std.. : num [1:180] -0.7951 -0.9271 -0.9819 -0.2197 0
## $ TimeGravityAccelerometerMagnitude.std.. : num [1:180] -0.7951 -0.9271 -0.9819 -0.2197 0
## $ TimeBodyAccelerometerJerkMagnitude.std.. : num [1:180] -0.9282 -0.9841 -0.9931 -0.0745 -0
## $ TimeBodyGyroscopeMagnitude.std.. : num [1:180] -0.819 -0.935 -0.979 -0.187 -0.22
## $ TimeBodyGyroscopeJerkMagnitude.std.. : num [1:180] -0.936 -0.988 -0.995 -0.325 -0.30
## $ FrequencyBodyAccelerometer.std...X : num [1:180] -0.9244 -0.9764 -0.996 -0.3191 0.
## $ FrequencyBodyAccelerometer.std...Y : num [1:180] -0.834 -0.917 -0.972 0.056 -0.113
## $ FrequencyBodyAccelerometer.std...Z : num [1:180] -0.813 -0.934 -0.978 -0.28 -0.298
## $ FrequencyBodyAccelerometerJerk.std...X : num [1:180] -0.9642 -0.9875 -0.9951 -0.1336 -0
## $ FrequencyBodyAccelerometerJerk.std...Y : num [1:180] -0.932 -0.983 -0.987 0.107 -0.135
## $ FrequencyBodyAccelerometerJerk.std...Z : num [1:180] -0.961 -0.988 -0.992 -0.535 -0.40
## $ FrequencyBodyGyroscope.std...X : num [1:180] -0.882 -0.978 -0.987 -0.517 -0.49

```

```

## $ FrequencyBodyGyroscope.std...Y : num [1:180] -0.9512 -0.9623 -0.9871 -0.0335 -
## $ FrequencyBodyGyroscope.std...Z : num [1:180] -0.917 -0.944 -0.982 -0.437 -0.23
## $ FrequencyBodyAccelerometerMagnitude.std.. : num [1:180] -0.798 -0.928 -0.982 -0.398 -0.18
## $ FrequencyBodyAccelerometerJerkMagnitude.std.. : num [1:180] -0.922 -0.982 -0.993 -0.103 -0.10
## $ FrequencyBodyGyroscopeMagnitude.std.. : num [1:180] -0.824 -0.932 -0.978 -0.321 -0.39
## $ FrequencyBodyGyroscopeJerkMagnitude.std.. : num [1:180] -0.933 -0.987 -0.995 -0.382 -0.39
## - attr(*, "groups")= tibble [30 x 2] (S3: tbl_df/tbl/data.frame)
## ..$ subject: int [1:30] 1 2 3 4 5 6 7 8 9 10 ...
## ..$ .rows : list<int> [1:30]
## .. ..$ : int [1:6] 1 2 3 4 5 6
## .. ..$ : int [1:6] 7 8 9 10 11 12
## .. ..$ : int [1:6] 13 14 15 16 17 18
## .. ..$ : int [1:6] 19 20 21 22 23 24
## .. ..$ : int [1:6] 25 26 27 28 29 30
## .. ..$ : int [1:6] 31 32 33 34 35 36
## .. ..$ : int [1:6] 37 38 39 40 41 42
## .. ..$ : int [1:6] 43 44 45 46 47 48
## .. ..$ : int [1:6] 49 50 51 52 53 54
## .. ..$ : int [1:6] 55 56 57 58 59 60
## .. ..$ : int [1:6] 61 62 63 64 65 66
## .. ..$ : int [1:6] 67 68 69 70 71 72
## .. ..$ : int [1:6] 73 74 75 76 77 78
## .. ..$ : int [1:6] 79 80 81 82 83 84
## .. ..$ : int [1:6] 85 86 87 88 89 90
## .. ..$ : int [1:6] 91 92 93 94 95 96
## .. ..$ : int [1:6] 97 98 99 100 101 102
## .. ..$ : int [1:6] 103 104 105 106 107 108
## .. ..$ : int [1:6] 109 110 111 112 113 114
## .. ..$ : int [1:6] 115 116 117 118 119 120
## .. ..$ : int [1:6] 121 122 123 124 125 126
## .. ..$ : int [1:6] 127 128 129 130 131 132
## .. ..$ : int [1:6] 133 134 135 136 137 138
## .. ..$ : int [1:6] 139 140 141 142 143 144
## .. ..$ : int [1:6] 145 146 147 148 149 150
## .. ..$ : int [1:6] 151 152 153 154 155 156
## .. ..$ : int [1:6] 157 158 159 160 161 162
## .. ..$ : int [1:6] 163 164 165 166 167 168
## .. ..$ : int [1:6] 169 170 171 172 173 174
## .. ..$ : int [1:6] 175 176 177 178 179 180
## .. ..@ ptype: int(0)
## ..- attr(*, ".drop")= logi TRUE

## # A tibble: 180 x 88
## # Groups:   subject [30]
##   subject activity      TimeBodyAcceler~ TimeBodyAcceler~ TimeBodyAcceler~
##   <int> <chr>          <dbl>          <dbl>          <dbl>
## 1     1 1 LAYING          0.222          -0.0405         -0.113
## 2     1 1 SITTING          0.261          -0.00131        -0.105
## 3     1 1 STANDING          0.279          -0.0161         -0.111
## 4     1 1 WALKING          0.277          -0.0174         -0.111
## 5     1 1 WALKING_DOWNSTAIRS 0.289          -0.00992        -0.108
## 6     1 1 WALKING_UPSTAIRS   0.255          -0.0240         -0.0973
## 7     2 2 LAYING          0.281          -0.0182         -0.107
## 8     2 2 SITTING          0.277          -0.0157         -0.109

```

```

## 9      2 STANDING      0.278      -0.0184      -0.106
## 10     2 WALKING      0.276      -0.0186      -0.106
## # ... with 170 more rows, and 83 more variables:
## #   TimeGravityAccelerometer.mean...X <dbl>,
## #   TimeGravityAccelerometer.mean...Y <dbl>,
## #   TimeGravityAccelerometer.mean...Z <dbl>,
## #   TimeBodyAccelerometerJerk.mean...X <dbl>,
## #   TimeBodyAccelerometerJerk.mean...Y <dbl>,
## #   TimeBodyAccelerometerJerk.mean...Z <dbl>, ...

```