

ZENITH LIFE SCIENCES LIMITED

Plot 42, Pharma SEZ, Ankleshwar, Gujarat 393002, India

CDSCO Licence: G/28/1174 | US FDA FEI: 3009887421

CUSTOMER COMPLAINT REPORT

Complaint No.	CC-2026-00154	Date Received	12 July 2026
Received Via	Email	Logged By	R. Deshmukh, QA Officer

1. COMPLAINANT DETAILS

Customer Name	ABC Formulations Ltd.	Contact Person	S. Iyer, Head - Quality Control
Site	Unit II, Baddi, Himachal Pradesh	Purchase Order	PO/ABC/2026/0774

2. PRODUCT & BATCH DETAILS

Product Name	Metformin Hydrochloride API	Product Strength/Grade	IP/BP
Batch / Lot No.	MFH260712A	Quantity Affected	25 kg (1 HDPE Drum)
Manufacturing Date	25 June 2026	Retest Date	24 June 2029
Expiry Date	Not Provided	Quantity Supplied	500 kg (20 HDPE Drums)

3. NATURE OF COMPLAINT

During incoming quality inspection at the customer's Baddi facility, multiple dark foreign particles were observed inside one sealed HDPE drum of Metformin Hydrochloride API.

The drum tamper-evident seal was found intact and the drum showed no visible external damage. Particles were described as irregular, dark grey to black, approximately 0.5-2 mm, dispersed through the upper layer of the powder bed.

The affected drum has been quarantined and segregated. The customer has withheld the remaining 19 drums of the same batch pending our response, and requests a laboratory investigation with a manufacturing record review.

4. ATTACHMENTS PROVIDED BY CUSTOMER

- Photographs of the foreign particles (4 images)
- Incoming inspection record IQC/2026/1188
- Copy of the drum label and tamper seal

Acknowledged To Customer	Yes - 12 July 2026
Investigation Reference	To be assigned

This is a fictional document created for a technical assessment demonstration. All entities, batch numbers and personnel are invented.