ZBTB48 - H_sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 1/9)

idx	start	end
1	6581299	6582058
2	6580636	6582058



Transcript: ENST00000377674.9 | Protein: ENSP00000366902.4 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_domains_in_region	ENST00000902995.1	1								

Transcript: ENST00000902995.1 | Protein: ENSP00000573054.1 [longest CDS]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000319084.9									

Transcript: ENST00000319084.9 | Protein: ENSP00000313416.5

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000435905.5									

Transcript: ENST00000435905.5 | Protein: ENSP00000416054.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

ZBTB48 - H_sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 2/9)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000466813.1									

Transcript: ENST00000466813.1 | Protein: ENSP00000467104.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000466941.1									

Transcript: ENST00000466941.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000482360.5									

Transcript: ENST00000482360.5 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000488936.1									

Transcript: ENST00000488936.1 | Protein: ENSP00000466390.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

ZBTB48 - H_sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 3/9)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000498342.5									

Transcript: ENST00000498342.5 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000902993.1									

Transcript: ENST00000902993.1 | Protein: ENSP00000573052.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000902994.1									

Transcript: ENST00000902994.1 | Protein: ENSP00000573053.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000902996.1									

Transcript: ENST00000902996.1 | Protein: ENSP00000573055.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

ZBTB48 - H_sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 4/9)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000902997.1									

Transcript: ENST00000902997.1 | Protein: ENSP00000573056.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000902998.1									

Transcript: ENST00000902998.1 | Protein: ENSP00000573057.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000902999.1									

Transcript: ENST00000902999.1 | Protein: ENSP00000573058.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000915764.1									

Transcript: ENST00000915764.1 | Protein: ENSP00000585823.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

ZBTB48 - H_sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 5/9)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000915765.1									

Transcript: ENST00000915765.1 | Protein: ENSP00000585824.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000915766.1									

Transcript: ENST00000915766.1 | Protein: ENSP00000585825.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000915767.1									

Transcript: ENST00000915767.1 | Protein: ENSP00000585826.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000953434.1									

Transcript: ENST00000953434.1 | Protein: ENSP00000623493.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

ZBTB48 - H_sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 6/9)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000953435.1									

Transcript: ENST00000953435.1 | Protein: ENSP00000623494.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	NM_001278647.2									

Transcript: NM_001278647.2 | Protein: NP_001265576.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	XM_017001111.3									

Transcript: XM_017001111.3 | Protein: XP_016856600.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	XM_047418865.1									

Transcript: XM_047418865.1 | Protein: XP_047274821.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

ZBTB48 - H_sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 7/9)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	XM_047418867.1									

Transcript: XM_047418867.1 | Protein: XP_047274823.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	XM_047418868.1									

Transcript: XM_047418868.1 | Protein: XP_047274824.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	XM_047418869.1									

Transcript: XM_047418869.1 | Protein: XP_047274825.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	XM_047418870.1									

Transcript: XM_047418870.1 | Protein: XP_047274826.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

ZBTB48 - H_sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 8/9)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	XM_047418875.1									

Transcript: XM_047418875.1 | Protein: XP_047274831.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	XM_047418878.1									

Transcript: XM_047418878.1 | Protein: XP_047274834.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	XM_047418880.1									

Transcript: XM_047418880.1 | Protein: XP_047274836.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	XM_047418882.1									

Transcript: XM_047418882.1 | Protein: XP_047274838.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

ZBTB48 - H_sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 9/9)





event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction_	alternative_junction_in_cds
transcript_doesnt_have_features	XM_047418886.1									



No domains

Transcript: XM_047418886.1 | Protein: XP_047274842.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.