FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 1/19)

idx	start	end
1	35575942	35576994
2	35575942	35580036



Transcript: ENST00000357266.9 | Protein: ENSP00000349811.3 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_domains_in_region	ENST00000893102.1	1								

Transcript: ENST00000893102.1 | Protein: ENSP00000563161.1 [longest CDS]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000536438.5									

Transcript: ENST00000536438.5 | Protein: ENSP00000444810.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000539068.5									

Transcript: ENST00000539068.5 | Protein: ENSP00000441205.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 2/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000542713.1									

Transcript: ENST00000542713.1 | Protein: ENSP00000442340.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893093.1									

Transcript: ENST00000893093.1 | Protein: ENSP00000563152.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893094.1									

Transcript: ENST00000893094.1 | Protein: ENSP00000563153.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893095.1									

Transcript: ENST00000893095.1 | Protein: ENSP00000563154.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 3/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893096.1									

Transcript: ENST00000893096.1 | Protein: ENSP00000563155.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893097.1									

Transcript: ENST00000893097.1 | Protein: ENSP00000563156.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893098.1									

Transcript: ENST00000893098.1 | Protein: ENSP00000563157.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893099.1									

Transcript: ENST00000893099.1 | Protein: ENSP00000563158.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893100.1									

Transcript: ENST00000893100.1 | Protein: ENSP00000563159.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893101.1									

Transcript: ENST00000893101.1 | Protein: ENSP00000563160.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893103.1									

Transcript: ENST00000893103.1 | Protein: ENSP00000563162.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893104.1									

Transcript: ENST00000893104.1 | Protein: ENSP00000563163.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 5/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893105.1									

Transcript: ENST00000893105.1 | Protein: ENSP00000563164.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893106.1									

Transcript: ENST00000893106.1 | Protein: ENSP00000563165.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893107.1									

Transcript: ENST00000893107.1 | Protein: ENSP00000563166.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893108.1									

Transcript: ENST00000893108.1 | Protein: ENSP00000563167.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 6/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893109.1									

Transcript: ENST00000893109.1 | Protein: ENSP00000563168.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000893110.1									

Transcript: ENST00000893110.1 | Protein: ENSP00000563169.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893111.1									

Transcript: ENST00000893111.1 | Protein: ENSP00000563170.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893112.1									

Transcript: ENST00000893112.1 | Protein: ENSP00000563171.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 7/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893113.1									

Transcript: ENST00000893113.1 | Protein: ENSP00000563172.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893114.1									

Transcript: ENST00000893114.1 | Protein: ENSP00000563173.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893115.1									

Transcript: ENST00000893115.1 | Protein: ENSP00000563174.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893116.1									

Transcript: ENST00000893116.1 | Protein: ENSP00000563175.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 8/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893117.1									

Transcript: ENST00000893117.1 | Protein: ENSP00000563176.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893118.1									

Transcript: ENST00000893118.1 | Protein: ENSP00000563177.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893119.1									

Transcript: ENST00000893119.1 | Protein: ENSP00000563178.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893120.1									

Transcript: ENST00000893120.1 | Protein: ENSP00000563179.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 9/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893121.1									

Transcript: ENST00000893121.1 | Protein: ENSP00000563180.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893122.1									

Transcript: ENST00000893122.1 | Protein: ENSP00000563181.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893123.1									

Transcript: ENST00000893123.1 | Protein: ENSP00000563182.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893124.1									

Transcript: ENST00000893124.1 | Protein: ENSP00000563183.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 10/19)





event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893125.1									

Transcript: ENST00000893125.1 | Protein: ENSP00000563184.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893127.1									

Transcript: ENST00000893127.1 | Protein: ENSP00000563185.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893128.1									

Transcript: ENST00000893128.1 | Protein: ENSP00000563187.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893131.1									

Transcript: ENST00000893131.1 | Protein: ENSP00000563189.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 11/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000893132.1									

Transcript: ENST00000893132.1 | Protein: ENSP00000563191.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893134.1									

Transcript: ENST00000893134.1 | Protein: ENSP00000563193.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893136.1									

Transcript: ENST00000893136.1 | Protein: ENSP00000563196.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893138.1									

Transcript: ENST00000893138.1 | Protein: ENSP00000563197.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 12/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893140.1									

Transcript: ENST00000893140.1 | Protein: ENSP00000563199.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893142.1									

Transcript: ENST00000893142.1 | Protein: ENSP00000563201.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893144.1									

Transcript: ENST00000893144.1 | Protein: ENSP00000563203.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893146.1									

Transcript: ENST00000893146.1 | Protein: ENSP00000563205.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 13/19)





event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893148.1									

Transcript: ENST00000893148.1 | Protein: ENSP00000563207.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893150.1									





Transcript: ENST00000893150.1 | Protein: ENSP00000563209.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000925704.1									

Transcript: ENST00000925704.1 | Protein: ENSP00000595763.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000956371.1									





Transcript: ENST00000956371.1 | Protein: ENSP00000626430.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 14/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000956372.1									

Transcript: ENST00000956372.1 | Protein: ENSP00000626431.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000956373.1									

Transcript: ENST00000956373.1 | Protein: ENSP00000626432.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000956374.1									

Transcript: ENST00000956374.1 | Protein: ENSP00000626433.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000956375.1									

Transcript: ENST00000956375.1 | Protein: ENSP00000626434.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 15/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000956376.1									

Transcript: ENST00000956376.1 | Protein: ENSP00000626435.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000956377.1									

Transcript: ENST00000956377.1 | Protein: ENSP00000626436.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000956378.1									

Transcript: ENST00000956378.1 | Protein: ENSP00000626437.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000956379.1									

Transcript: ENST00000956379.1 | Protein: ENSP00000626438.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 16/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000956380.1									

Transcript: ENST00000956380.1 | Protein: ENSP00000626439.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000956381.1									

Transcript: ENST00000956381.1 | Protein: ENSP00000626440.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000956382.1									

Transcript: ENST00000956382.1 | Protein: ENSP00000626441.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000956383.1									

Transcript: ENST00000956383.1 | Protein: ENSP00000626442.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 17/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000956384.1									

Transcript: ENST00000956384.1 | Protein: ENSP00000626443.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000956385.1									

Transcript: ENST00000956385.1 | Protein: ENSP00000626444.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000956386.1									

Transcript: ENST00000956386.1 | Protein: ENSP00000626445.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000956387.1									

Transcript: ENST00000956387.1 | Protein: ENSP00000626446.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 18/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000956388.1									

Transcript: ENST00000956388.1 | Protein: ENSP00000626447.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000956389.1									

Transcript: ENST00000956389.1 | Protein: ENSP00000626448.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000956390.1									

Transcript: ENST00000956390.1 | Protein: ENSP00000626449.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000956391.1									

Transcript: ENST00000956391.1 | Protein: ENSP00000626450.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 19/19)





event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000956392.1									





No domains

Transcript: ENST00000956392.1 | Protein: ENSP00000626451.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.