KMT2D - H_sapiens | chr12:49,018,974-49,060,794 | 35 transcript(s) (page 1/9)

idx	start	end
1	49041535	49041655
2	49041532	49041655



Transcript: ENST00000301067.12 | Protein: ENSP00000301067.7 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_domains_in_region	ENST00000689944.1	1								

Transcript: ENST00000689944.1 | Protein: ENSP00000508812.1 [longest CDS]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000549743.1									

Transcript: ENST00000549743.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000550356.1									

Transcript: ENST00000550356.1 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

KMT2D - H_sapiens | chr12:49,018,974-49,060,794 | 35 transcript(s) (page 2/9)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000552391.2									

Transcript: ENST00000552391.2 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000650290.2									

Transcript: ENST00000650290.2 | Protein: ENSP00000497218.2

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000681974.1									

Transcript: ENST00000681974.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000682693.1									

Transcript: ENST00000682693.1 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

KMT2D - H_sapiens | chr12:49,018,974-49,060,794 | 35 transcript(s) (page 3/9)

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000682886.1									

Transcript: ENST00000682886.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000683043.1									

Transcript: ENST00000683043.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000683543.2									

Transcript: ENST00000683543.2 | Protein: ENSP00000506726.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000683863.1									

Transcript: ENST00000683863.1 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

KMT2D - H_sapiens | chr12:49,018,974-49,060,794 | 35 transcript(s) (page 4/9)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000684428.1									

Transcript: ENST00000684428.1 | Protein: ENSP00000507433.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000684755.1									

Transcript: ENST00000684755.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000685024.1									

Transcript: ENST00000685024.1 | Protein: ENSP00000509185.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000685166.1									

Transcript: ENST00000685166.1 | Protein: ENSP00000509386.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

KMT2D - H_sapiens | chr12:49,018,974-49,060,794 | 35 transcript(s) (page 5/9)

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000685554.1									

Transcript: ENST00000685554.1 | Protein: ENSP00000508640.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000685979.1									

Transcript: ENST00000685979.1 | Protein: ENSP00000508906.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000685982.1									

Transcript: ENST00000685982.1 | Protein: ENSP00000508613.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000686151.1									

Transcript: ENST00000686151.1 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

KMT2D - H_sapiens | chr12:49,018,974-49,060,794 | 35 transcript(s) (page 6/9)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000686564.1									

Transcript: ENST00000686564.1 | Protein: ENSP00000509290.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000686968.1									

Transcript: ENST00000686968.1 | Protein: ENSP00000509151.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000687201.1									

Transcript: ENST00000687201.1 | Protein: ENSP00000510037.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000687241.1									

Transcript: ENST00000687241.1 | Protein: ENSP00000509842.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

KMT2D - H_sapiens | chr12:49,018,974-49,060,794 | 35 transcript(s) (page 7/9)

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000688095.1									

Transcript: ENST00000688095.1 | Protein: ENSP00000510007.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000688411.1									

Transcript: ENST00000688411.1 | Protein: ENSP00000510146.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000689060.1									

Transcript: ENST00000689060.1 | Protein: ENSP00000509018.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000689143.1									

Transcript: ENST00000689143.1 | Protein: ENSP00000509839.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

KMT2D - H_sapiens | chr12:49,018,974-49,060,794 | 35 transcript(s) (page 8/9)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000691463.1									

Transcript: ENST00000691463.1 | Protein: ENSP00000510624.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000691932.1									

Transcript: ENST00000691932.1 | Protein: ENSP00000509037.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000691986.1									

Transcript: ENST00000691986.1 | Protein: ENSP00000509196.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000692465.1									

Transcript: ENST00000692465.1 | Protein: ENSP00000508680.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

KMT2D - H_sapiens | chr12:49,018,974-49,060,794 | 35 transcript(s) (page 9/9)

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000692637.1									

Transcript: ENST00000692637.1 | Protein: ENSP00000509666.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000692841.1									

Transcript: ENST00000692841.1 | Protein: ENSP00000508711.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000692973.1									

Transcript: ENST00000692973.1 | Protein: ENSP00000508893.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.